



SCHOOL OF COMPUTER SCIENCES
UNIVERSITI SAINS MALAYSIA

CMT221/CMM222: Database Organization and Design
Semester 1, Academic Session: 2021/2022

System Implementation

Group Number 11


Case Study Number: 37

Date of Submission
6 February 2021

1.0 Business Rules and Partial ERDs


Module 1: [Airport Information – Muhammad Nur Hafiz bin Jamal]

- Each airport can have more than one terminal and each terminal can have only one airport.
- Each terminal can accommodate one or more airlines and each airline can accommodate only one terminal.
- Each terminal is connected to multiple gates and each gate should be connected to one terminal.
- Each airport involves more than one flight, and each flight is involved in one airport.
- Each airline has many aircraft, and each aircraft has one airline.




Module 2: [Aircraft Information – Haziq bin Hizul]

- Each airline should have multiple aircraft and each aircraft only one airline
- Each aircraft can have many cabins classes and each cabin class is available for many aircraft
- Each aircraft will also have many sections and each section only in an aircraft
- Each section will have many components and each component will only be available for one section.




Module 3: [Maintenance Information – Mohammed Hammad]

- Each mechanic can be involved in one or many maintenances jobs
- Each maintenance job should involve one or many mechanics
- A supplier may supply one or more replacement components
- A replacement component can be supplied by one supplier
- A Maintenance job can have zero or more replacements




Module 4: [Flight Information – Azri Zamrud bin Kimin]

- Each airport should be involved in many flights and each flight can be in one airport
- Multiple bookings are associated with each flight and each flight should link with multiple bookings.
- Each booking can be added to multiple luggage packages and each luggage package can be added to multiple bookings




Section 2.0

- An aircraft can only be either airliner or cargo plane and an aircraft cannot be both types at the same time.
- Cargo planes can include one or many compartments and each compartment is included in one and only cargo.



2.0 Extended ERD (EERD)




3.0 Normalization

Module 1: [Airport Information – Muhammad Nur Hafiz bin Jamal]

2NF

Table: AIRPORT



This table AIRPORT, we have not achieved high normal form yet. There are transitive dependency between non key attributes AIRPORT_ADDRESS and AIRPORT_STATE. To achieve high form, we need to remove the transitive dependency by creating a new table.

3NF (remove the transitive dependency)

Table: AIRPORT





Table: ADDRESS




AIRPORT(AIRPORT_ABBR, AIRPORT_NAME, AIRPORT_DIRECTOR, AIRPORT_NUM_EMP, AIRPORT_STATE)

ADDRESS(AIRPORT_STATE, AIRPORT_ADDRESS)

There is no more partial dependency or transitive dependency. These tables are already in higher normal form.

3NF

Table: TERMINAL



TERMINAL(TERMINAL_ID, TERMINAL_PARKING, TERMINAL_DESCRIPTION,
TERMINAL_NAME)

There is no more partial dependency or transitive dependency. This table is already in higher normal form.

3NF

Table: AIRLINES




AIRLINES(AIRLINE_ID, AIRLINE_NAME, AIRLINE_DESCRIPTION, AIRLINE_LOGO)

There is no more partial dependency or transitive dependency. This table is already in higher normal form.

3NF

Table: GATES



GATES(GATE_ID, GATE_NAME, GATE_DESCRIPTION)

There is no more partial dependency or transitive dependency. This table is already in higher normal form.

Module 2: [Aircraft Information – Haziq Bin Hizul]

Table name: AIRCRAFT

3NF




Table name: SECTION

3NF




Table name: COMPONENTS

3NF




Table name : CABIN

3NF



Table name : CABIN_AIRCRAFT

3NF



Table name : COMPARTMENT

3NF




Table name : AIRLINER

3NF









Table name : CARGO

3NF




Module 3: Maintenance Information – Mohammed Hammad]




Module 4: [Flight Information – Azri Zamrud bin Kimin]


3NF
FLIGHT




3NF
LUGGAGE_BOOKING



3NF
BOOKING



3NF
LUCKAGE PACKAGE



4.0 Data Dictionary

Table Name	Attribute Name	Contents	Data Type	Format	Range	Required	PK or FK	FK Referenced Table
AIRPORT	AIRPORT_ABBR	Airport abbreviation	CHAR (3)	XXX	NA	Y	PK	
	AIRPORT_NAME	Airport name	VARCHAR (50)	XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXX	NA	Y		
	AIRPORT_DIRECTOR	Airport director	VARCHAR (30)	XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXX	NA	Y		
	AIRPORT_NUM_EMP	Number of employees	NUMBER(5,0)	#####	1000-4000 0	Y		
	AIRPORT_STATE	Airport State	VARCHAR (30)	XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXX	NA	Y		
ADDRESS	AIRPORT_STATE	Airport State	VARCHAR (30)	XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXX	NA	Y	PK	
	AIRPORT_ADDRESS	Airport Address	VARCHAR (100)	XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXX	NA	Y		
TERMINAL	TERMINAL_ID	Terminal ID	INTEGER	#####	10000 - 99999	Y	PK	
	AIRPORT_ABBR	Airport abbreviation	CHAR (3)	XXX	NA		FK	AIRPORT
	TERMINAL_DESCRIPTION	Terminal Description	VARCHAR (100)	XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXX	NA	Y		
	TERMINAL_PARKING	Terminal Parking	NUMBER (4,0)	1234	100-9999	Y		

	TERMINAL_NAME	Terminal Name	VARCHAR(30)	XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXX	NA	Y		
AIRLINES	AIRLINE_ID	Airline ID	INTEGER	#####	1 - 99999	Y	PK	
	TERMINAL_ID	Terminal ID	INTEGER	#####	1 - 99999		FK	TERMINAL
	AIRLINE_NAME	Airline Name	VARCHAR(30)	XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXX	NA	Y		
	AIRLINE_DESCRIPTION	Airline Description	VARCHAR(100)	XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXX	NA	Y		
	AIRLINE_LOGO	Airline Logo	VARCHAR(30)	XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXX	NA	Y		
GATES	GATE_ID	Gate ID	VARCHAR(5)	X1234	NA	Y	PK	
	TERMINAL_ID	Terminal ID	INTEGER	#####	1 - 99999		FK	TERMINAL
	GATE_NAME	Gate name	VARCHAR(30)	XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXX	NA	Y		
	GATE_DESCRIPTION	Gate description	VARCHAR(100)	XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXX	NA	Y		
AIRCRAFT	AIRCRAFT_FLIGHTNUMBER	Aircraft Flight number	VARCHAR2(7)	AB12345	NA		PK	
	AIRCRAFT_MODEL	The model of each aircraft	VARCHAR2(30)	XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXX	NA			
	AIRCRAFT_WEIGHT	Aircraft weight	INTEGER	1234567899	0			
	AIRCRAFT_TYPE	Aircraft type	VARCHAR2(8)	XXXXXXXXXX	AIRLINER CARGO			

	AIRLINE_ID		VARCHAR2 (8)	XXX12345	NA		FK	AIRLINE
CABIN	CABIN_CLASS	The 4 Cabin Class	VARCHAR2 (30)	XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXX	NA		PK	
	CABIN SEATS	The seats in the Cabin	INTEGER	123	0			
SECTION	SECTION_ID	The Section ID	INTEGER	123	0		PK	
	SECTION_NAME	The Section Name	VARCHAR2 (30)	XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXX	NA			
	SECTION_DESCRIPTION	The Section Description	VARCHAR2 (100)	XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXX	NA			
	AIRCRAFT_FLIGHTNUMBER	Aircraft Flight number	VARCHAR2 (7)	AB12345	NA		FK	AIRCRAFT
COMPONENT	COMPONENT_ID	The Component ID	VARCHAR2 (30)	1234	0		PK	
	COMPONENT_DESCRIPTION	The description for component	VARCHAR2 (100)	XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXX	NA			
	COMPONENT_NAME	The component name	VARCHAR2 (100)	XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXX				
	SECTION_ID	The ID for section	INTEGER	1234	0		PK	

AIRLINER	AIRCRAFT_FLIGHTNUMBER	Aircraft Flight number	VARCHAR2(7)	AB12345	NA		FK	AIRCRAFT
	AIRCRAFT_TOTALSEATS		INTEGER	123	0			
CARGO	AIRCRAFT_FLIGHTNUMBER	Aircraft Flight number	VARCHAR2(7)	AB12345			PK, FK	AIRCRAFT
	CARGO_DIMENSION		INTEGER	123	0			
COMPARTMENT	AIRCRAFT_FLIGHTNUMBER		VARCHAR2(7)	XX12345	NA		PK, FK	AIRCRAFT
	COMPARTMENT_ID	The ID for compartment	VARCHAR2(30)	XXXXXXXXXXXXXXXXXXXX	0			
	WEIGHT_COMPART	The compartment weight in kilogram	INTEGER	123	0			
	SPACE_COMPART	The space dimension of compartment	INTEGER	123	0			
MAINTENANCE	MAINT_ID	Maintenance ID	VARCHAR(8)	XXXXXXXX	NA	Y	PK	
	MAINT_NAME	Maintenance Name	VARCHAR(30)	XXXXXXXXXXXXXXXXXXXX	NA	Y		
	MAINT_TYPE	Maintenance type	VARCHAR(30)	XXXXXXXXXXXXXXXXXXXX	NA	Y		
	MAINT_DESC	Maintenance description	VARCHAR(100)	XXXXXXXXXXXXXXXXXXXX	NA	Y		
	MAINT_FEE	Maintenance fee	NUMBER(9,2)	1234567.89		Y		
	MAINT_DATE	Maintenance date	DATE	DD-MON-YY	NA	Y		
	AIRCRAFT_FLIGHTNUMBER	Aircraft flight number	VARCHAR2(7)	XXXXXXXX	NA	Y	FK	AIRCRAFT
MAINTENANCE_MECH	MAINT_ID	Maintenance ID	VARCHAR(8)	XXXXXXXX		Y	PK,FK1	MAINTENANCE
	MECHA_ID	Mechanic ID	VARCHAR(8)	XXXXXXXX		Y	PK,FK2	MECHANIC
MECHANIC	MECHA_ID	Mechanic ID	VARCHAR(8)	XXXXXXXX	NA	Y	PK	
	MECHA_NAME	Mechanic Name	VARCHAR(30)	XXXXXXXXXXXXXXXXXXXX	NA	Y		
	MECHA_PHONE	Mechanic Phone	VARCHAR(10)	XXXXXXXXXX	NA	Y		
	MECHA_WORKEXP	Mechanic Work experience	NUMBER(3)	XXX	1-999	Y		
	MECHA_LICENSE	Mechanic licence	VARCHAR(8)	XXXXXXXX	NA	Y		
REPLACEMENT	REPLACEMENT_ID	Replacement ID	VARCHAR(8)	XXXXXXXX	NA	Y	PK	
	REPLACEMENT_DATE	Replacement date	DATE	DD-MON-YY	NA	Y		
	REPLACEMENT_COST	Replacement cost	NUMBER(9,2)	1234567.89	0.00 - 9999999.99	Y		
	REPLACEMENT_ADDNOTE	Replacement addnote	VARCHAR(100)	XXXXXXXXXXXXXXXXXXXX		Y		

				XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX				
	MAINT_ID	Maintenance ID	VARCHAR(8)	XXXXXXXXXX		Y	FK	MAINTENANCE
	COMPONENT_ID	Component ID	VARCHAR2(30)	XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX	NA	Y	FK	COMPONENT
	SUPPLIER_ID	Supplier ID	VARCHAR(8)	XXXXXXXXXX		Y	FK	SUPPLIER
SUPPLIER	SUPPLIER_ID	Supplier ID	VARCHAR(8)	XXXXXXXXXX	NA	Y	PK	
	SUPPLIER_NAME	Supplier Name	VARCHAR(30)	XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX	NA	Y		
	SUPPLIER_EMAIL	Supplier email	VARCHAR(40)	XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX	NA	Y		
	SUPPLIER_PHONE_NUM	Supplier phone number	VARCHAR(15)	XXXXXXXXXX XX	NA	Y		
	SUPPLIER_TYPEOF SUPPLY	Supplier type of supply	VARCHAR(30)	XXXXXXXXXX XXXXXXXXXX	NA	Y		
	SUPPLIER_ADDRESS	Supplier Address	VARCHAR(100)	XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX	NA	Y		
FLIGHT	FLIGHT_ID	Flight ID	VARCHAR(7)	AB12345	NA		PK	
	AIRPORT_ABBR	Airport abbreviation	CHAR(3)	XXX	NA		FK	AIRPORT
	DEPARTURE_TIME	Departure time	INTEGER	HH:MM:SS	00:00:00 - 23:59:59			
	ARRIVAL_TIME	Arrival time	INTEGER	HH:MM:SS	00:00:00 - 23:59:59			
	STATUS	Flight status	VARCHAR(20)	XXXXXXXXXX XXXXXXXXXX XXXX	NA			
BOOKING	BOOKING_ID	Booking ID	VARCHAR(7)	XXXXXXXX	NA		PK	
	FLIGHT_ID	Flight ID	VARCHAR(7)	AB12345	NA		FK	FLIGHT
	BOOKING_TICKET_PRICE	Booking ticket price	INTEGER	#####	0-999999			
	CABIN_CLASS	Cabin class	VARCHAR(20)	XXXXXXXXXX XXXXXXXXXX XXXX	NA			
	BOOKING_SEAT	Booking seat for passengers	VARCHAR(10)	XXXXXXXXXX XX	NA			
LUGGAGE_PACKAGE	PACKAGE_NAME	Package name	VARCHAR(30)	XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX	NA		PK	
	ADDON_WEIGHT	Add-on weight	INTEGER	##	0-99			

	PACKAGE_PRICE	Package price	INTEGER	#####	0-99999			
--	---------------	---------------	---------	-------	---------	--	--	--

5.0 Database Implementation

5.1 DDL

Module 1: [Airport Information – Muhammad Nur Hafiz bin Jamal]

AIRPORT TABLE:

```
CREATE TABLE AIRPORT(  
AIRPORT_ABBR      CHAR(3)      PRIMARY KEY,  
AIRPORT_NAME      VARCHAR(30)  NOT NULL,  
AIRPORT_DIRECTOR  VARCHAR(30)  NOT NULL,  
AIRPORT_NUM_EMP   NUMBER(5,0)  NOT NULL,  
AIRPORT_STATE     VARCHAR(30)  NOT NULL  
);
```

ADDRESS TABLE:

```
CREATE TABLE ADDRESS(  
AIRPORT_STATE     VARCHAR(30)  PRIMARY KEY,  
AIRPORT_ADDRESS   VARCHAR(100) NOT NULL  
);
```

TERMINAL TABLE:

```
CREATE TABLE TERMINAL(  
TERMINAL_ID       INTEGER      PRIMARY KEY,  
TERMINAL_DESCRIPTION VARCHAR(100) NOT NULL,  
TERMINAL_PARKING  NUMBER(4,0) NOT NULL,  
TERMINAL_NAME     VARCHAR(30)  NOT NULL,  
AIRPORT_ABBR      CHAR(3)      NOT NULL,  
CONSTRAINT AIRPORT_ABBR_FK FOREIGN KEY(AIRPORT_ABBR) REFERENCES AIRPORT  
);
```

AIRLINES TABLE:

```
CREATE TABLE AIRLINES(  
AIRLINE_ID        INTEGER      PRIMARY KEY,  
AIRLINE_NAME      VARCHAR(30)  NOT NULL,  
AIRLINE_DESCRIPTION VARCHAR(100) NOT NULL,  
AIRLINE_LOGO      VARCHAR(30)  NOT NULL,  
TERMINAL_ID       INTEGER      NOT NULL,  
CONSTRAINT TERMINAL_ID_FK FOREIGN KEY(TERMINAL_ID) REFERENCES TERMINAL  
);
```

GATES TABLE:

```
CREATE TABLE GATES(
GATE_ID          VARCHAR(5)      PRIMARY KEY,
GATE_NAME        VARCHAR(30)     NOT NULL,
GATE_DESCRIPTION VARCHAR(100)    NOT NULL,
TERMINAL_ID      INTEGER         NOT NULL,
CONSTRAINT TERMINAL_ID2_FK FOREIGN KEY(TERMINAL_ID) REFERENCES TERMINAL
);
```

TRIGGER & SEQUENCE FOR TERMINAL ID & AIRLINES ID:

```
CREATE SEQUENCE TERMINAL_ID_SEQ
START WITH 1 NOCACHE;

CREATE TRIGGER TERMINAL_ID_TRG
BEFORE INSERT ON TERMINAL
FOR EACH ROW
BEGIN
    SELECT TERMINAL_ID_SEQ.NEXTVAL
    INTO: NEW.TERMINAL_ID
    FROM DUAL;
END;

CREATE SEQUENCE AIRLINE_ID_SEQ
START WITH 1 NOCACHE;

CREATE TRIGGER AIRLINE_ID_TRG
BEFORE INSERT ON AIRLINES
FOR EACH ROW
BEGIN
    SELECT AIRLINE_ID_SEQ.NEXTVAL
    INTO: NEW.AIRLINE_ID
    FROM DUAL;
END;
```

Module 2: [Aircraft Information – HAZIQ HIZULI]

AIRCRAFT TABLE:

```
CREATE TABLE "AIRCRAFT"  
(  
    "AIRCRAFT_FLIGHTNUM" VARCHAR2(7) NOT NULL ENABLE,  
    "AIRCRAFT_MODEL" VARCHAR2(30) NOT NULL ENABLE,  
    "AIRCRAFT_WEIGHT" NUMBER(8,0) NOT NULL ENABLE,  
    "AIRCRAFT_TYPE" VARCHAR2(8) NOT NULL ENABLE,  
    "AIRLINE_ID" NUMBER,  
    CONSTRAINT "AIRCRAFT_PK" PRIMARY KEY ("AIRCRAFT_FLIGHTNUM")  
    USING INDEX ENABLE  
)  
/  
ALTER TABLE "AIRCRAFT" ADD CONSTRAINT "AIRCRAFT_AIRLINES_FK" FOREIGN  
KEY ("AIRLINE_ID")  
    REFERENCES "AIRLINES" ("AIRLINE_ID") ENABLE  
/  

```

AIRLINER TABLE:

```
CREATE TABLE "AIRLINER"  
(  
    "AIRCRAFT_FLIGHTNUM" VARCHAR2(7),  
    "AIRCRAFT_TOTALSEATS" NUMBER(3,0) NOT NULL ENABLE,  
    CONSTRAINT "AIRLINER_FK" PRIMARY KEY ("AIRCRAFT_FLIGHTNUM")  
    USING INDEX ENABLE  
)  
/  
ALTER TABLE "AIRLINER" ADD CONSTRAINT "AIR_AIRCRAFTFLIGHTNUM_FK"  
FOREIGN KEY ("AIRCRAFT_FLIGHTNUM")  
    REFERENCES "AIRCRAFT" ("AIRCRAFT_FLIGHTNUM") ENABLE  
/  

```

CABIN TABLE:

```
CREATE TABLE "CABIN"  
(  
    "CABIN_CLASS" VARCHAR2(30) NOT NULL ENABLE,  
    "CABIN_SEATS" NUMBER(3,0) NOT NULL ENABLE,  
    CONSTRAINT "CABIN_PK" PRIMARY KEY ("CABIN_CLASS")  
    USING INDEX ENABLE  
)  
/  

```

CABIN_AIRLINER TABLE:

```
CREATE TABLE "CABIN_AIRLINER"  
(  
    "AIRCRAFT_FLIGHTNUM" VARCHAR2(7),  
    "CABIN_CLASS" VARCHAR2(30),  
    CONSTRAINT "CAB_AIRLINER_PK" PRIMARY KEY ("AIRCRAFT_FLIGHTNUM",  
"CABIN_CLASS")  
    USING INDEX ENABLE  
)  
/  
ALTER TABLE "CABIN_AIRLINER" ADD CONSTRAINT "CABIN_AIRLINER_FK"  
FOREIGN KEY ("AIRCRAFT_FLIGHTNUM")
```

```

        REFERENCES "AIRLINER" ("AIRCRAFT_FLIGHTNUM") ENABLE
    /
    ALTER TABLE "CABIN_AIRLINER" ADD CONSTRAINT "CA_CABIN_CLASS_FK"
    FOREIGN KEY ("CABIN_CLASS")
        REFERENCES "CABIN" ("CABIN_CLASS") ENABLE
    /

```

CARGO TABLE:

```

CREATE TABLE "CARGO"
(
    "AIRCRAFT_FLIGHTNUM" VARCHAR2(7),
    "CARGO_DIMENSION" NUMBER(5,2) NOT NULL ENABLE,
    CONSTRAINT "CARGO_PK" PRIMARY KEY ("AIRCRAFT_FLIGHTNUM")
    USING INDEX ENABLE
)
/
ALTER TABLE "CARGO" ADD CONSTRAINT "AIRCRAFT_CARGO_FK" FOREIGN KEY
("AIRCRAFT_FLIGHTNUM")
    REFERENCES "AIRCRAFT" ("AIRCRAFT_FLIGHTNUM") ENABLE
/

```

COMPARTMENT TABLE:

```

CREATE TABLE "COMPARTMENT"
(
    "AIRCRAFT_FLIGHTNUM" VARCHAR2(7),
    "COMPARTMENT_ID" VARCHAR2(30),
    "WEIGHT_COMPART" NUMBER(7,2),
    "SPACE_COMPART" NUMBER(7,0),
    CONSTRAINT "COMPARTMENT_PK" PRIMARY KEY ("AIRCRAFT_FLIGHTNUM",
"COMPARTMENT_ID")
    USING INDEX ENABLE
)
/
ALTER TABLE "COMPARTMENT" ADD CONSTRAINT "COMPARTMENT_CON_FK"
FOREIGN KEY ("AIRCRAFT_FLIGHTNUM")
    REFERENCES "CARGO" ("AIRCRAFT_FLIGHTNUM") ENABLE
/

```

```

CREATE OR REPLACE EDITIONABLE TRIGGER "VALIDATE_SPACE"
BEFORE INSERT OR UPDATE ON COMPARTMENT
FOR EACH ROW
DECLARE
l_space CARGO.CARGO_DIMENSION%type;
BEGIN
    SELECT CARGO_DIMENSION INTO l_space
    FROM CARGO

```

```

where AIRCRAFT_FLIGHTNUM = :new.AIRCRAFT_FLIGHTNUM;
IF : new.SPACE_COMPART > I_space then
    raise_application_error(-20000, 'Exceeded Limit');
end if;
END;

/
ALTER TRIGGER "VALIDATE_SPACE" ENABLE
/

COMPONENT TABLE:
CREATE TABLE "COMPONENT"
(
    "COMPONENT_ID" VARCHAR2(30),
    "COMPONENT_DESCRIPTION" VARCHAR2(100),
    "SECTION_ID" VARCHAR2(30),
    "COMPONENT_NAME" VARCHAR2(100) NOT NULL ENABLE,
    CONSTRAINT "COMPO_PK" PRIMARY KEY ("COMPONENT_ID")
    USING INDEX ENABLE
)
/
ALTER TABLE "COMPONENT" ADD CONSTRAINT "SECTION_FK" FOREIGN KEY
("SECTION_ID")
    REFERENCES "SECTION" ("SECTION_ID") ENABLE
/

SECTION TABLE:
CREATE TABLE "SECTION"
(
    "SECTION_ID" VARCHAR2(30),
    "SECTION_NAME" VARCHAR2(30),
    "SECTION_DESCRIPTION" VARCHAR2(100),
    "AIRCRAFT_FLIGHTNUM" VARCHAR2(30),
    CONSTRAINT "SECTION_PK" PRIMARY KEY ("SECTION_ID")
    USING INDEX ENABLE
)
/
ALTER TABLE "SECTION" ADD CONSTRAINT "AIRCRAFTFLIGHT_FK" FOREIGN KEY
("AIRCRAFT_FLIGHTNUM")
    REFERENCES "AIRCRAFT" ("AIRCRAFT_FLIGHTNUM") ENABLE
/

```

Module 3: [Maintenance Information – Mohammed Hammad]

REPLACEMENT table:

```
CREATE TABLE "REPLACEMENT"
(
    "REPLACEMENT_ID" VARCHAR2(8) NOT NULL ENABLE,
    "REPLACEMENT_DATE" DATE NOT NULL ENABLE,
    "REPLACEMENT_COST" NUMBER(9,2) NOT NULL ENABLE,
    "REPLACEMENT_ADDNOTE" VARCHAR2(100) NOT NULL ENABLE,
    "MAINT_ID" VARCHAR2(8) NOT NULL ENABLE,
    "COMPONENT_ID" VARCHAR2(30) NOT NULL ENABLE,
    "SUPPLIER_ID" VARCHAR2(8) NOT NULL ENABLE,
    CONSTRAINT "REPLACEMENT_ID_PK" PRIMARY KEY ("REPLACEMENT_ID")
    USING INDEX ENABLE
)
/
ALTER TABLE "REPLACEMENT" ADD CONSTRAINT "COMPONENT_ID_FK" FOREIGN KEY ("COMPONENT_ID")
    REFERENCES "COMPONENT" ("COMPONENT_ID") ENABLE
/
ALTER TABLE "REPLACEMENT" ADD CONSTRAINT "MAINT_ID_FK" FOREIGN KEY ("MAINT_ID")
    REFERENCES "MAINTENANCE" ("MAINT_ID") ENABLE
/
ALTER TABLE "REPLACEMENT" ADD CONSTRAINT "SUPPLIER_ID_FK" FOREIGN KEY ("SUPPLIER_ID")
    REFERENCES "SUPPLIER" ("SUPPLIER_ID") ENABLE
/
```

SUPPLIER table:

```
CREATE TABLE "SUPPLIER"
(
    "SUPPLIER_ID" VARCHAR2(8) NOT NULL ENABLE,
    "SUPPLIER_NAME" VARCHAR2(30) NOT NULL ENABLE,
    "SUPPLIER_EMAIL" VARCHAR2(40) NOT NULL ENABLE,
    "SUPPLIER_PHONENUM" VARCHAR2(15) NOT NULL ENABLE,
    "SUPPLIER_TYPEOFSUPPLY" VARCHAR2(30) NOT NULL ENABLE,
    "SUPPLIER_ADDRESS" VARCHAR2(100) NOT NULL ENABLE,
    CONSTRAINT "SUPPLIER_PK" PRIMARY KEY ("SUPPLIER_ID")
    USING INDEX ENABLE
)
/
```


MAINTENANCE_MECH table:

```
CREATE TABLE "MAINTENANCE_MECH"
(
    "MAINT_ID" VARCHAR2(8) NOT NULL ENABLE,
    "MECHA_ID" VARCHAR2(8) NOT NULL ENABLE,
    CONSTRAINT "MAINTENANCE_MECH_PK" PRIMARY KEY ("MAINT_ID", "MECHA_ID")
    USING INDEX ENABLE
)
/
ALTER TABLE "MAINTENANCE_MECH" ADD CONSTRAINT "MAINTENANCE_MECH_FK1" FOREIGN KEY ("MAINT_ID")
REFERENCES "MAINTENANCE" ("MAINT_ID") ENABLE
/
ALTER TABLE "MAINTENANCE_MECH" ADD CONSTRAINT "MAINTENANCE_MECH_FK2" FOREIGN KEY ("MECHA_ID")
REFERENCES "MECHANIC" ("MECHA_ID") ENABLE
/
```

MAINTENANCE table:

```
CREATE TABLE "MAINTENANCE"
(
    "MAINT_ID" VARCHAR2(8) NOT NULL ENABLE,
    "MAINT_NAME" VARCHAR2(30) NOT NULL ENABLE,
    "MAINT_TYPE" VARCHAR2(30) NOT NULL ENABLE,
    "MAINT_DESC" VARCHAR2(100) NOT NULL ENABLE,
    "MAINT_FEE" NUMBER(9,2) NOT NULL ENABLE,
    "MAINT_DATE" DATE NOT NULL ENABLE,
    "AIRCRAFT_FLIGHTNUM" VARCHAR2(7) NOT NULL ENABLE,
    CONSTRAINT "MAINTENANCE_PK" PRIMARY KEY ("MAINT_ID")
    USING INDEX ENABLE
)
/
ALTER TABLE "MAINTENANCE" ADD CONSTRAINT "AIRCRAFT_FLIGHTNUM_FK" FOREIGN KEY ("AIRCRAFT_FLIGHTNUM")
REFERENCES "AIRCRAFT" ("AIRCRAFT_FLIGHTNUM") ENABLE
/
```

MECHANIC table:

```
CREATE TABLE "MECHANIC"
(
    "MECHA_ID" VARCHAR2(8) NOT NULL ENABLE,
    "MECHA_NAME" VARCHAR2(30) NOT NULL ENABLE,
    "MECHA_PHONE" VARCHAR2(10) NOT NULL ENABLE,
    "MECHA_WORKEXP" NUMBER(3,0) NOT NULL ENABLE,
    "MECHA_LICENSE" VARCHAR2(8) NOT NULL ENABLE,
    CONSTRAINT "MECHANIC_PK" PRIMARY KEY ("MECHA_ID")
    USING INDEX ENABLE
)
/
```

Module 4: [Flight Information – Azri Zamrud bin Kimin]

FLIGHT table:

```
CREATE TABLE "FLIGHT"
(
    "FLIGHT_ID" VARCHAR2(7),
    "AIRPORT_ABBR" CHAR(3) NOT NULL ENABLE,
    "DEPARTURE_TIME" TIMESTAMP (6),
    "ARRIVAL_TIME" TIMESTAMP (6),
    "STATUS" VARCHAR2(20),
    CONSTRAINT "PK_FLIGHT" PRIMARY KEY ("FLIGHT_ID")
    USING INDEX ENABLE
)
/
ALTER TABLE "FLIGHT" ADD CONSTRAINT "FK_FLIGHT" FOREIGN KEY ("AIRPORT_ABBR")
REFERENCES "AIRPORT" ("AIRPORT_ABBR") ENABLE
/
```

BOOKING table:

```
CREATE TABLE "BOOKING"
(
    "BOOKING_ID" VARCHAR2(7),
    "FLIGHT_ID" VARCHAR2(7),
    "BOOKING_TICKET_PRICE" NUMBER(6,0),
    "CABIN_CLASS" VARCHAR2(20),
    "BOOKING_SEAT" VARCHAR2(10),
    CONSTRAINT "PK_BOOKING" PRIMARY KEY ("BOOKING_ID")
    USING INDEX ENABLE
)
/
ALTER TABLE "BOOKING" ADD CONSTRAINT "FK_BOOKING" FOREIGN KEY ("FLIGHT_ID")
REFERENCES "FLIGHT" ("FLIGHT_ID") ENABLE
/
```

LUGGAGE_PACKAGE table:

```

CREATE TABLE "LUGGAGE_PACKAGE"
(
    "PACKAGE_NAME" VARCHAR2(30),
    "ADDON_WEIGHT" NUMBER(2,0),
    "PACKAGE_PRICE" NUMBER(5,0),
    CONSTRAINT "PK_LUGGAGE_PACKAGE" PRIMARY KEY ("PACKAGE_NAME")
    USING INDEX ENABLE
)
/

```

5.2 DML

```

select count(AIRCRAFT.AIRCRAFT_TYPE) as TOTAL_AIRCRAFT,
       AIRLINES.AIRLINE_NAME as AIRLINE_NAME,
       AIRPORT.AIRPORT_ABBR as AIRPORT_ABBR
from   TERMINAL TERMINAL,
       AIRPORT AIRPORT,
       AIRLINES AIRLINES,
       AIRCRAFT AIRCRAFT
where  AIRCRAFT.AIRLINE_ID=AIRLINES.AIRLINE_ID
       and AIRLINES.TERMINAL_ID=TERMINAL.TERMINAL_ID
       and TERMINAL.AIRPORT_ABBR=AIRPORT.AIRPORT_ABBR
group by AIRLINES.AIRLINE_NAME, AIRPORT.AIRPORT_ABBR

```

National Airports Operation Management System			ecorecool@gmail.com
Q Go Actions			
Airline Name	Airport Abbr	Total Aircraft	
Korean Air	DXB		1
Malaysia Airline	KUL		5
Qatar Airways Cargo	KUL		2
AirAsia	KUL		7
FedEx Express	KUL		3
Royal Brunei Airlines	DXB		1
UPS Airlines	DXB		1
Flydubai	DXB		5
			1-8

6.0 Reflection

The making of this project has been a journey of complication, problem-solving, and a continuous learning process. When the project started, none of us knew each other as we are still in online classes. Although it took time for someone to initiate the conversation, the discussion for the assignment goes well and we can divide the task perfectly. As we do the work on each deliverable, it feels like the difficulty of each of it increases significantly when we move from each part of the project. The System Demo (last deliverable) is going to be the hardest part of the whole project. Not only do we need to fix our mistakes from the previous deliverable, but we also need to make database applications implemented using Oracle APEX. At first glance, this feels like a great leap of the task to do since none of us have the experience or the knowledge to do it. We decided to work on the application after we finished the rest of the report. There is some obstacle to the report as we did not understand some of the questions given and don't know how to work at it. But eventually, we figured it out after asking our mentor, Heng Yew Ken, and other friends that are working on the same project. The app development, however, got a bit of a rough start. It took us a lot of videos to watch from YouTube, reference, question-asking, and try-and-error to start working on it.

We can say for sure that this project has brought us hardship, long hours of problem-solving, and mistakes were made. But as a Computer Science student. This project is a meaningful use of time to do. To work in the computer science field, there is surely a much harder task to do, not alone, but as a team of developers. So, in hindsight, not only does this project supply us with experience, but also the knowledge and the ability to work on it as a team. It is also making us realise the importance of database programming as it is used everywhere, from managing coffee shops to storing aircraft data information.

7.0 System Demo

Short Demo URL: <https://youtu.be/fMj0btxpOMo>