
Storage test:




Broker tests:

Finished	l after 12,039 seconds	<u> </u>	
Runs:	1/1	Errors: 0	☐ Failures: 0
> 🔠	no.hvl.dat110.broker.	processing.tests.Test1Conne	ectDisconnect [Runner: JUnit 4] (1
Finished	l after 22,047 seconds		- <u> </u>
Runs:	1/1	Errors: 0	Failures: 0
> #E	no.hvl.dat110.broker.	processing.tests.Test2Recon	nect [Runner: JUnit 4] (21,989 s)
Finished	l after 12,038 seconds	;	
Runs:	1/1	Errors: 0	■ Failures: 0
> 🛅	no.hvl.dat110.broker.	processing.tests.Test3Multip	oleConnections [Runner: JUnit 4] (1
Finished after 12,041 seconds			
Runs:		Errors: 0	■ Failures: 0
> 5 E	no.hvl.dat110.broker.	processing, tests. Test 4 Create	Delete [Runner: JUnit 4] (11,983 s)
Finished after 12,038 seconds			
Runs:		Errors: 0	■ Failures: 0
110.12.		- 2.10.13.1 0	- romanes
	no byl dat110 broker	processing tests TestSCubes	ribe (Pupper II loit /1 /11 070 s)
> in no.hvl.dat110.broker.processing.tests.Test5Subscribe [Runner: JUnit 4] (11,979 s) Finished after 14,042 seconds			
	1/1		■ Failures: 0
110.12.	.,.	2.110.131 0	- runaresi v
	no byl dat110 broker	processing tests Test6Dublis	h [Punner
> in no.hvl.dat110.broker.processing.tests.Test6Publish [Runner: JUnit 4] (13,980 s) Finished after 16,049 seconds			
Runs:		☑ Errors: 0	Failures: 0
Nulls	1/1	- Lilois, v	= randies. v
> in no.hvl.dat110.broker.processing.tests.Test7MultiPublish [Runner: JUnit 4] (15,989 s)			

IoT application:

Finished after 60,042 seconds



ChApp:

