

task-
for dashboard add blogs form and blogs should visible with proper validation

Dashboard.jsx

```
// import React from 'react'
// import './Dashboard.css'
// const Dashboard = () => {
//   return (

// //     <div class="trapezium-container">
// //     <div class="card-content">
// //     <h2>Your Card Title</h2>
// //     <p>Your card content goes here.</p>
// //     </div>
// //     </div>
// // <div className="trapezium-container">
// // <div className="trapezium-shape"><h1>am avinash am here</h1> </div>

// </div>
// )
// }

// export default Dashboard
// import { FontAwesomeIcon } from '@fortawesome/react-fontawesome';
// import Edit from './Edit';
// import Chats from './Chats';
// import Mywishlist from './Mywishlist';
// import MyAds from './MyAds';
// import Paymentsandorder from './Paymentsandorder';
// import CreateAds from './CreateAds';
import AdsBlogs from './AdsBlogs';
```

```

// import MyBlogs from './MyBlogs';
// import ManageAds from './ManageAds'

import React from "react";
import './Dashboard.css';
import { CgProfile } from "react-icons/cg";
import { FaRegHeart } from "react-icons/fa";
import { BsCart4 } from "react-icons/bs";
import { FaRegMoneyBillAlt } from "react-icons/fa";
import { FaLayerGroup } from "react-icons/fa";
import { MdOutlineAutoGraph } from "react-icons/md";
import { FaGripHorizontal } from "react-icons/fa";
import { BsHouseAdd } from "react-icons/bs";
import { BsHouseLock } from "react-icons/bs";
import { BsHouseGear } from "react-icons/bs";
import { BsHouseExclamation } from "react-icons/bs";
import { GrTicket } from "react-icons/gr";
import { FcFlashOn } from "react-icons/fc";
import { BsChatLeftQuote } from "react-icons/bs";
import { useState } from "react";

const Dashboard = () => {
  // const [open,setOpen] = useState(false);
  // const [chatsopen,setChatsopen]= useState(false);
  // const [myAdsopen,setMyAdsopen]= useState(false);
  // const [mywishlistopen,setMyWishlistopen]= useState(false);
  // const [createAdsopen,setCreateAdsopen] = useState(false)
  // const [paymentsandorderopen,setPaymentsandorderopen]= useState(false);
  const [adsBlogsopen, setAdsBlogsopen] = useState(false);
  // const [myBlogsopen,setMyBlogsopen]= useState(false);
  // const [manageadsopen,setManageAdssopen]= useState(false);

```

```
return (
```

```
<>
```

```
<div className="maincard">
```

```
<div className="dashboard-container">
```

```
  { /* <!--card start--> */ }
```

```
<div className="profileCardcont">
```

```
<div
```

```
  style={{
```

```
    display: "flex",
```

```
    flexDirection: "row",
```

```
    justifyContent: "flex-start",
```

```
    flexBasis: "50%",
```

```
  }}
```

```
>
```

```
<div>
```

```

```

```
</div>
```

```
<div
```

```
  style={{
```

```
    display: "flex",
```

```
    flexDirection: "column",
```

```
    justifyContent: "space-around",
```

```
    padding: "5px",
```

```
  }}
```

```

>
<div>
  <h4 style={{ margin: "5px" }}>
    Hello{" "}
    <span style={{ fontStyle: "italic", fontWeight: "bolder" }}>
      John Doe{" "}
    </span>
    how are doing!
  </h4>
  <p style={{ margin: "5px" }}>JohnDoe@gamil.com</p>
  <p style={{ margin: "5px" }}>
    You last login at:
    <span style={{ fontWeight: "bolder" }}>19.00AM</span>
  </p>
</div>

```

```

<div
  style={{
    display: "flex",
    flexDirection: "row",
    justifyContent: "flex-start",
  }}
>
  <button className="but1">Basic</button>
  <button className="but2">Change plan</button>
</div>
<div className="card-flash">
  <p>
    {" "}
    <FcFlashOn
      style={{ fontSize: "20px", marginBottom: "-4px" }}
    >

```

```
    />
    Hurry up! Change plan for "Exciting Offers"
  </p>
</div>
</div>
</div>
<div style={{ marginLeft: "40px", flexBasis: "50%" }}>
  {/ * <h2 style={{marginBottom:"15px"}}>My Activity</h2>    */}
  <div className="card">
    <table className="custom-table">
      <thead>
        <tr>
          <th>Header 1</th>
          <th>Header 2</th>
          <th>Header 3</th>
        </tr>
      </thead>
      <tbody>
        {/ * Add your table rows here */}
        <tr>
          <td>Data 1</td>
          <td>Data 2</td>
          <td>Data 3</td>
        </tr>
        <tr>
          <td>Data 1</td>
          <td>Data 2</td>
          <td>Data 3</td>
        </tr>
        {/ * Add more rows as needed */}
      </tbody>
    </table>
  </div>
</div>
```

```

</table>

<div
  style={{
    display: "flex",
    flexDirection: "row",
    justifyContent: "space-between",
  }}
>
  <div className="small-card">
    <BsHouseAdd style={{ fontSize: "25px" }} />{" "}
    <h5>Contacted Properties</h5>
  </div>
  <div className="small-card">
    <BsHouseLock style={{ fontSize: "25px" }} />
    <h5>Saved Properties</h5>
  </div>
  <div className="small-card">
    <BsHouseGear style={{ fontSize: "25px" }} />
    <h5>Watched Properties</h5>
  </div>
  <div className="small-card">
    <BsHouseExclamation style={{ fontSize: "25px" }} />
    <h5>Recent Search</h5>
  </div>
</div>
</div>
</div>

{/* <!--card end--> */}

```

```

<h2 style={{ marginTop: "20px" }}>Your Stats</h2>

<div className="table-container">

  <table className="custom-table1">

    <thead>

      <tr>

        <th className="popButton">

          <CgProfile style={{ marginRight: "30px" }} />

          Edit Profile

        </th>

        {/* <th onClick={() => setOpen(!open)} className='popButton'><CgProfile
style={{marginRight:"30px"}}/>Edit Profile</th> */}

      </tr>

      <tr>

        <th className="popButton">

          <BsChatLeftQuote style={{ marginRight: "30px" }} /> Chats

        </th>

        {/* <th onClick={() => setChatsopen(!chatsopen)}
className='popButton'><BsChatLeftQuote style={{marginRight:"30px"}}/> Chats</th> */}

      </tr>

      <tr>

        <th className="popButton">

          <GrTicket style={{ marginRight: "30px" }} /> My Ads{" "}

        </th>

        {/* <th onClick={() => setMyAdsopen(!myAdsopen)} className='popbutton'> <GrTicket
style={{marginRight:"30px"}}/> My Ads </th> */}

      </tr>

      <tr>

        <th className="popButton">

          <FaRegHeart style={{ marginRight: "30px" }} /> My wishlist

        </th>

```

```

        { /* <th onClick={() => setMyWishlistopen(!mywishlistopen)}
className='popButton'><FaRegHeart style={{marginRight:"30px"}}/> My wishlist</th> */}

</tr>

```

```

<tr>

    <th className="popButton">

        <BsCart4 style={{ marginRight: "30px" }} />

        Create Ads

    </th>

    { /* <th onClick={() => setCreateAdsopen(!createAdsopen)}
className='popButton'><BsCart4 style={{marginRight:"30px"}}/>Create Ads</th> */}

</tr>

```

```

<tr>

    <th className="popButton">

        <FaRegMoneyBillAlt style={{ marginRight: "30px" }} />{" "}

        Payments and order

    </th>

    { /* <th onClick={() => setPaymentsandorderopen(!paymentsandorderopen)}
className='popButton'><FaRegMoneyBillAlt style={{marginRight:"30px"}}/> Payments and
order</th> */}

</tr>

```

```

<tr>

    { /* <th className="popButton">

        <FaGripHorizontal style={{ marginRight: "30px" }} />

        Ads Blogs

    </th> */}

    <th

        onClick={() => setAdsBlogsopen(!adsBlogsopen)}

        className="popButton"

        >

```



```

        <FaGripHorizontal style={{ marginRight: "30px" }} />

        Ads Blogs

    </th>

</tr>

<tr>

    <th className="popButton">

        <FaLayerGroup style={{ marginRight: "30px" }} /> My Blogs

    </th>

    {/* <th onClick={() => setMyBlogsopen(!myBlogsopen)}
className='popButton'><FaLayerGroup style={{marginRight:"30px"}}/> My Blogs</th> */}

</tr>

<tr>

    <th className="popButton">

        <MdOutlineAutoGraph style={{ marginRight: "30px" }} />{" "}

        Manage Ads

    </th>

    {/* <th onClick={() => setManageAdssopen(!manageadsopen)}
className='popButton'><MdOutlineAutoGraph style={{marginRight:"30px"}}/> Manage Ads</th>
*/}

</tr>

</thead>

<tbody></tbody>

</table>

</div>

{/* {open && <Edit/>} */}

{/* {chatsopen && <Chats/>}

{mywishlistopen && <Mywishlist/>}

{myAdsopen && <MyAds/>}

{createAdsopen && <CreateAds/>}

```

```

    {paymentsandorderopen && <Paymentsandorder/>} */}

    {adsBlogsopen && <AdsBlogs />}

    {/* {myBlogsopen && <MyBlogs/>}

{manageadsopen && <ManageAds/>} */}

    </div>

    </div>

    </>

);

};

```

```

export default Dashboard;

```

AdsBlogs.jsx

```

import React from "react";

const AdsBlogs = () => {
  return (
    <div
      className="table-container-2"
      style={{
        width: "70%",
        margin: "0px 1%",
        height: "500px",
        background: "white",
        float: "right",
        marginBottom: "-500px",
        translate: "30% -510px",
        borderRadius: "10px",
      }}
    >

```

>

```
<h1 align="left" style={{ color: "#725ac1" }}>
```

Ads Blogs

```
</h1>
```

```
<div className="table_container_2">
```

```
<table cellSpacing={"12px"}>
```

```
<tbody>
```

```
<tr>
```

```
<td>
```

```
<p className="space"> Image1</p>
```

```
</td>
```

```
<td>
```

```
<p className="space">Image2</p>
```

```
</td>
```

```
</tr>
```

```
<tr>
```

```
<td>
```

```
<input type="file" className="space" />
```

```
</td>
```

```
<td>
```

```
<input type="file" className="space" />
```

```
</td>
```

```
</tr>
```

```
</tbody>
```

```
<tbody>
```

```
<tr>
```

```
<td>
```

```
<p className="space">Category</p>
```

```
</td>
```

```
<td>
```

```
<p className="space">Title</p>
```

```
</td>
</tr>
<tr>
  <td>
    <input type="text" className="space" />
  </td>
  <td>
    <input type="text" className="space" />
  </td>
</tr>
</tbody>
<tbody>
  <tr>
    <td>
      <p className="space">State</p>
    </td>
    <td>
      <p className="space">City</p>
    </td>
  </tr>
  <tr>
    <td>
      <input type="text" className="space" />
    </td>
    <td>
      <input type="text" className="space" />
    </td>
  </tr>
</tbody>
<tbody>
  <tr>
```

```

<td>

  <p className="space">Author</p>

</td>

<td>

  <p className="space">Date</p>

</td>

</tr>

<tr>

  <td>

    <input type="text" className="space" />

  </td>

  <td>

    <input type="Date" className="space" />

  </td>

</tr>

</tbody>

<tbody>

<tr>

  <td>

    <p className="space">Description</p>

  </td>

</tr>

<tr>

  <td colSpan="2">

    <textarea

      type="textarea"

      className="space"

      style={{ height: "80px" }}

    ></textarea>

  </td>

</tr>

```

```
        </tbody>
      </table>
    </div>
  </div>
);
};
```

```
export default AdsBlogs;
```

Dashboard.css

```
/*-----*/
```

```
/* Dashboard.css */
```

```
.maincard {
  background-color: #f8f9fa;
  padding: 20px;
}
```

```
.dashboard-container {
  display: flex;
  flex-direction: column;
}
```

```
.profileCardcont {
  width: 95vw;
  padding: 20px;
  border: 1px solid rgb(42, 159, 228);
  border-radius: 8px;
  box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
  display: flex;
  flex-direction: row;
```

```
justify-content: flex start;
margin-right: 20px;
}
```

```
.img1 {
width: 20vw;
margin-right: 20px;
border-radius: 50%;
}
```

```
.card {
background-color: #c7b9ee;
padding: 2px;
width: 100%;
height: 220px;
}
```

```
.card-flash {
width: 100%;
margin: 10px 0px;
padding: 2px;
border: 2px solid rgb(241, 226, 86);
background-color: rgb(234, 235, 169);
border-radius: 5px;
font-size: small;
}
```

```
.small-card {
display: flex;
flex-direction: column;
justify-content: space-around;
align-items: center;
text-align: center;
width: 100px;
```

```
height: 75px;
/* background-color: burlywood; */
background-color: transparent;
border: 1px solid grey;
margin: 10px;
padding: 3px;
border-radius: 15px;
}
.but1 {
color: "green";
margin-right: 10px;
}
/* YourComponent.css */
```

```
.custom-table {
width: 100%;
margin: 2px;
border-collapse: collapse;
}
```

```
.custom-table th,
.custom-table td {
border: 2px solid #ddd; /* Add your preferred border color */
padding: 8px;
text-align: left;
}
```

```
.custom-table th {
background-color: #f2f2f2; /* Add your preferred header background color */
}
```



```

/*Table content.css */

.table-container {
    position: relative;
    border-collapse: separate;
    border-spacing: 0 10px;
    margin-top: 20px;
    /* border-radius: 5px; */
    box-shadow: 0 0px 8px rgb(104, 113, 235);
}

.custom-table1 {
    width: 20%;
    border-collapse: collapse;
    /* box-shadow: 0 4px 8px rgba(240, 13, 13, 0.973); */
}

.custom-table1 th,
.custom-table1 td {
    border: 1px solid #ddd; /* Add your preferred border color */
    padding: 18px;
    text-align: left;
    box-shadow: 0px 0px 28px rgba(198, 215, 235, 0.973);
}

.custom-table1 th {
    background-color: #f2f2f2; /* Add your preferred header background color */
}

.popButton,
.popbutton,
.profile-i {
    margin-right: 10px;
}

```

```
}
```

```
.profile-i svg {  
  width: 16px;  
  height: 16px;  
  fill: currentColor;  
}
```

```
.popButton,  
.popbutton,  
.profile-i {  
  margin-right: 10px;  
}
```

```
.popButton {  
  padding: 15px;  
  text-align: left;  
  cursor: pointer;  
  color: #3498db;  
}
```

```
/* .popbutton {  
  color: #e74c3c;  
} */
```

```
.popButton:hover {  
  background-color: #f2f2f2;  
}
```

```
.popButton.opened {  
  background-color: #3498db;
```

```
color: #fff;  
}
```

```
/*-----*/
```

```
/* Dashboard dummy space css
```

```
.maincard {
```

```
background-color: #f8f9fa;
```

```
padding: 20px;
```

```
}
```

```
.dashboard-container {
```

```
display: flex;
```

```
flex-direction: column;
```

```
}
```

```
.profileMaincontainer{
```

```
display: flex;
```

```
justify-content: space-between;
```

```
align-items: flex-start;
```

```
width: 95vw;
```

```
border: 1px solid rgb(42, 159, 228);
```

```
box-shadow: 0 0 10px rgba(0, 0, 0, .4);
```

```
}
```

```
.profileCardInnercont {
```

```
padding: 20px;
```

```
border-radius: 8px;
```

```
display: flex;
```

```
flex-direction: row;
```

```
justify-content: space-between;
```

```
margin-right: 20px;
```

```
}
```

```
//profile card container --- table container
```

```
.table-container2 {
```

```
    position: relative;
```

```
    border-collapse: separate;
```

```
    border-spacing: 0 10px;
```

```
    margin-top: 0px;
```

```
    width: 100%;
```

```
    flex-basis:20%;
```

```
}
```

```
.custom-table2 {
```

```
    width: 100%;
```

```
border-collapse: collapse;
```

```
}
```

```
.custom-table2 th,
```

```
.custom-table2 td {
```

```
border: 1px solid #ddd; // Add your preferred border color
```

```
padding: 20px;
```

```
text-align: left;
```

```
box-shadow: 0px 0px 28px rgba(198, 215, 235, 0.973);
```

```
}
```

```
.custom-table2 th {
```

```
background-color: #f2f2f2; // Add your preferred header background color
```

```
}
```

```
.img1{
```

width: 20vw;

margin-right: 20px;

border-radius: 50%;

}

.card {

background-color: #caeeb9;

padding: 2px;

width: 100%;

height: 220px;

}

.card-flash{

width:100%;

margin: 10px 0px;

padding: 2px;

border: 2px solid rgb(241, 226, 86);

background-color: rgb(234, 235, 169);

```
border-radius: 5px;
```

```
font-size: small;
```

```
}
```

```
.small-card{
```

```
display: flex;
```

```
flex-direction: column;
```

```
justify-content: space-around;
```

```
align-items: center;
```

```
text-align:center;
```

```
width: 100px;
```

```
height: 75px;
```

```
background-color: transparent;
```

```
border: 1px solid grey;
```

```
margin: 10px;
```



```
padding: 3px;
```

```
border-radius: 15px;
```

```
} .but1{
```

```
color:"green";
```

```
margin-right: 10px;
```

```
}
```

```
// YourComponent.css
```

```
.custom-table {
```

```
width: 100%;
```

```
margin: 2px;
```

```
border-collapse: collapse;
```

```
}
```

```
.custom-table th,
```

```
.custom-table td {
```

```
border: 2px solid #ddd; // Add your preferred border color
```

```
padding: 8px;
```

```
text-align: left;
```

```
}
```

```
.custom-table th {
```

```
background-color: #f2f2f2; // Add your preferred header background color
```

```
}
```

```
//Table content.css
```

```
.table-container1 {
```

```
position: relative;
```

```
border-collapse: separate;
```

```
border-spacing: 0 10px;
```

```
margin-top: 20px;
```

```
box-shadow: 0 0px 8px rgb(104, 113, 235);

}
```

```
.custom-table1 {
```

```
width: 20%;
```

```
border-collapse: collapse;
```

```
}
```

```
.custom-table1 th,
```

```
.custom-table1 td {
```

```
border: 1px solid #ddd; // Add your preferred border color
```

```
padding: 18px;
```

```
text-align: left;
```

```
box-shadow: 0px 0px 28px rgba(198, 215, 235, 0.973);
```

```
}
```

```
.custom-table1 th {
```

```
background-color: #f2f2f2; //Add your preferred header background color
```

```
}
```

```
.popButton, .popbutton, .profile-i {
```

```
margin-right: 10px;
```

```
}
```

```
.profile-i svg {
```

```
width: 16px;
```

```
height: 16px;
```

```
fill: currentColor;
```

```
}
```

```
.popButton, .popbutton, .profile-i {
```

```
margin-right: 10px;
```

```
}
```

```
.popButton {
```

```
padding: 15px;
```

```
text-align: left;
```

```
cursor: pointer;
```

```
color: #3498db;
```

```
}
```

```
.popButton:hover {
```

```
background-color: #f2f2f2;
```

```
}
```

```
.popButton.opened {
```

```
background-color: #3498db;
```

```
color: #fff;
```

```
}
```

for dashboard add blogs form and blogs should visible with proper validation

```
*/
```

```
/*-----*/
```

```
/* ads blog table css*/
```

```
.table_container_2 {
```

```
margin-right: 45%;
```

```
}
```

```
.table_container_2 .space {
```

```
margin-right: 500px;
```

```
}
```