Validation for Ads Blogs form

AdsBlogs.jsx

```jsx
import React from "react";
import { useState } from "react";

const AdsBlogs = () => {
  const [userimg1, setUserImg1] = useState("");
  const [userimg2, setUserImg2] = useState("");
  const [usercateory, setUserCateory] = useState("");
  const [usertitle, setUserTitle] = useState("");
  const [userState, setUserState] = useState("");
  const [userCity, setUserCity] = useState("");
  const [userAuthor, setUserAuthor] = useState("");
  const [userDescription, setUserDescription] = useState("");
  const [userDate, setUserDate] = useState("");

  const [userimg1Err, setUserImg1Err] = useState(false);
  const [userimg2Err, setUserImg2Err] = useState(false);
  const [usercateoryErr, setUserCateoryErr] = useState(false);
  const [usertitleErr, settitleErr] = useState(false);
  const [userstateErr, setUserStateErr] = useState(false);
  const [usercityErr, setUserCityErr] = useState(false);
  const [userAuthorErr, setUserAuthorErr] = useState(false);
  const [userDescriptionErr, setUserDescriptionErr] = useState(false);
  const [userDateErr, setUserDateErr] = useState(false);

  function formsubmitHandle(e) {
    if (
      usercateory.length < 3 ||
```

```javascript
      usertitle.length < 3 ||
      userState.length < 3 ||
      userCity.length < 3 ||
      userAuthor.length < 3 ||
      userDescription.length < 3 ||
      userimg1.length < 1 ||
      (userimg2.length < 1 && userDate.length < 3)
    ) {
      alert("type correct values");
    } else {
      alert("all good!");
    }
    e.preventDefault();
  }

  function userCategoryHandler(e) {
    let item = e.target.value;
    if (item.length < 3) {
      setUserCateoryErr(true);
    } else {
      setUserCateoryErr(false);
    }
    setUserCateory(item);
    // console.warn(e.target.value.length);
  }

  function passTitleHandler(e) {
    let item = e.target.value;
    if (item.length < 3) {
      settitleErr(true);
    } else {
```

```javascript
    settitleErr(false);
  }
  setUserTitle(item);
  // console.warn(e.target.value.length);
}


function passStateHandler(e) {
  let item = e.target.value;
  if (item.length < 3) {
    setUserStateErr(true);
  } else {
    setUserStateErr(false);
  }
  setUserState(item);
  // console.warn(e.target.value.length);
}


function passCityHandler(e) {
  let item = e.target.value;
  if (item.length < 3) {
    setUserCityErr(true);
  } else {
    setUserCityErr(false);
  }
  setUserCity(item);
  // console.warn(e.target.value.length);
}


function passAuthorHandler(e) {
  let item = e.target.value;
  if (item.length < 3) {
```

```
    setUserAuthorErr(true);
  } else {
    setUserAuthorErr(false);
  }
  setUserAuthor(item);
  // console.warn(e.target.value.length);
}

function passDescriptionHandler(e) {
  let item = e.target.value;
  if (item.length < 3) {
    setUserDescriptionErr(true);
  } else {
    setUserDescriptionErr(false);
  }
  setUserDate(item);
  // console.warn(e.target.value.length);
}

function passDateHandler(e) {
  let item = e.target.value;
  if (item.length < 3) {
    setUserDateErr(true);
  } else {
    setUserDateErr(false);
  }
  setUserDescription(item);
  // console.warn(e.target.value.length);
}

function passImg1Handler(e) {
```

```
    let item = e.target.value;
    if (item.length == 0) {
      setUserImg1Err(true);
    } else if (item.length > 1) {
      setUserImg1Err(false);
    }
    setUserImg1(item);
    // console.warn(e.target.value.length);
    // console.log(e.target.value);
  }

  function passImg2Handler(e) {
    let item = e.target.value;
    if (item.length == 0) {
      setUserImg2Err(true);
    } else if (item.length > 1) {
      setUserImg2Err(false);
    }
    setUserImg2(item);
    // console.warn(e.target.value.length);
    // console.log(e.target.value);
  }

  return (
    <div
      className="table-container-2"
      style={{
        width: "60%",
        margin: "0px 1%",
        height: "500px",
        background: "white",
```

```jsx
          float: "right",

          marginBottom: "-500px",

          translate: "35% -510px",

          borderRadius: "10px",

        }}
      >
        <h1 align="left" style={{ color: "#725ac1" }}>
          Ads Blogs
        </h1>
        <div className="scroll-bg">
          <div className="scroll-div">
            <div className="scroll-object">
              <div className="table_container_2">
                <form onSubmit={formsubmitHandle}>
                  <table cellSpacing={"12px"}>
                    <tbody>
                      <tr>
                        <td>
                          <p className="space"> Image1</p>
                        </td>
                        <td>
                          <p className="space">Image2</p>
                        </td>
                      </tr>
                      <tr>
                        <td>
                          <input
                            type="file"
                            className="space"
                            onChange={passImg1Handler}
                          />
```

```jsx
              {userimg1Err ? (
                <span style={{ color: "red" }}>Select File</span>
              ) : (
                ""
              )}
            </td>
            <td>
              <input
                type="file"
                className="space"
                onChange={passImg2Handler}
              />
              {userimg2Err ? (
                <span style={{ color: "red" }}>Select File</span>
              ) : (
                ""
              )}
            </td>
          </tr>
        </tbody>
        <tbody>
          <tr>
            <td>
              <p className="space">Category</p>
            </td>
            <td>
              <p className="space">Title</p>
            </td>
          </tr>
          <tr>
            <td>
```

```jsx
      <input
        type="text"
        className="space"
        onChange={userCategoryHandler}
      />
      {usercateoryErr ? (
        <span style={{ color: "red" }}>Not Valid</span>
      ) : (
        ""
      )}
    </td>
    <td>
      <input
        type="text"
        className="space"
        onChange={passTitleHandler}
      />
      {usertitleErr ? (
        <span style={{ color: "red" }}>Not Valid</span>
      ) : (
        ""
      )}
    </td>
  </tr>
</tbody>
<tbody>
  <tr>
    <td>
      <p className="space">State</p>
    </td>
    <td>
```

```
          <p className="space">City</p>
        </td>
      </tr>
      <tr>
        <td>
          <input
            type="text"
            className="space"
            onChange={passStateHandler}
          />
          {userstateErr ? (
            <span style={{ color: "red" }}>Not Valid</span>
          ) : (
            ""
          )}
        </td>
        <td>
          <input
            type="text"
            className="space"
            onChange={passCityHandler}
          />
          {usercityErr ? (
            <span style={{ color: "red" }}>Not Valid</span>
          ) : (
            ""
          )}
        </td>
      </tr>
    </tbody>
    <tbody>
```

```jsx
<tr>
 <td>
  <p className="space">Author</p>
 </td>
 <td>
  <p className="space">Date</p>
 </td>
</tr>
<tr>
 <td>
  <input
   type="text"
   className="space"
   onChange={passAuthorHandler}
  />
  {userAuthorErr ? (
   <span style={{ color: "red" }}>Not Valid</span>
  ) : (
   ""
  )}
 </td>
 <td>
  <input
   type="type"
   className="space"
   onChange={passDateHandler}
  />
  {userDateErr ? (
   <span style={{ color: "red" }}>
    Not Valid [DD-MM-YYYY]
   </span>
```

```jsx
        ) : (
          ""
        )}
      </td>
    </tr>
  </tbody>
  <tbody>
    <tr>
      <td>
        <p className="space">Description</p>
      </td>
    </tr>
    <tr>
      <td>
        <textarea
          type="textarea"
          className="space"
          style={{ height: "60px" }}
          onChange={passDescriptionHandler}
        ></textarea>
        {userDescriptionErr ? (
          <span style={{ color: "red" }}>Not Valid</span>
        ) : (
          ""
        )}
      </td>
      <td>
        <button type="submit" style={{ marginLeft: "10px" }}>
          Submit
        </button>
        <button style={{ marginLeft: "10px" }}>Cancle</button>
```

```
                    </td>

                  </tr>

                </tbody>

              </table>

            </form>

          </div>

        </div>

      </div>

    </div>

  </div>

 );

};


export default AdsBlogs;
```

Ads Blogs

Image1	Image2
Choose File No file chosen	Choose File No file chosen
Select File	Select File

Category | Title
a | f
Not Valid | Not Valid

State | City
hj | hg
Not Valid | Not Valid

Author | Date

---

localhost:3000 says

type correct values

OK

COZYCRAZE   ...ng   Contact   [profile]   Login   Post Ads

Your Stats

Ads Blogs

a	f
Not Valid	Not Valid

State | City
hj | hg
Not Valid | Not Valid

Author | Date
g | 01
Not Valid | Not Valid [DD-MM-YYYY]

Description

s

Submit   Cancle

Not Valid

Do You Have Questions ?

Contact Us Today

COZYCRAZE   Home   About   Services   Blog   Pricing   Contact   [profile]   Login   Post Ads

Your Stats

Ads Blogs

Choose File email_726623.png	Choose File email_726623.png

Category | Title
aaa | faa

State | City
hja | hga

Author | Date
gaa | 01-02-2024

Description

saa

Submit   Cancle

Do You Have Questions ?

We'll help you to grow your career and growth.

Contact Us Today