Dashboard.jsx

```
// import React from 'react'
// import './Dashboard.css'
// const Dashboard = () => {
//   return (

// //        <div class="trapezium-container">
// //     <div class="card-content">
// //       <h2>Your Card Title</h2>
// //       <p>Your card content goes here.</p>
// //     </div>
// //   </div>
// <div className="trapezium-container">
// <div className="trapezium-shape"><h1>am avinash am here</h1> </div>

// </div>
//   )
// }

// export default Dashboard
// import { FontAwesomeIcon } from '@fortawesome/react-fontawesome';
// import  Edit from './Edit';
// import Chats from './Chats';
// import Mywishlist from './Mywishlist';
// import MyAds from './MyAds';
// import Paymentsandorder from './Paymentsandorder';
// import CreateAds from './CreateAds';
import AdsBlogs from "./AdsBlogs";
import MyBlogs from "./MyBlogs";
// import ManageAds from './ManageAds'
```

```jsx
import React from "react";

import "./Dashboard.css";

import { CgProfile } from "react-icons/cg";

import { FaRegHeart } from "react-icons/fa";

import { BsCart4 } from "react-icons/bs";

import { FaRegMoneyBillAlt } from "react-icons/fa";

import { FaLayerGroup } from "react-icons/fa";

import { MdOutlineAutoGraph } from "react-icons/md";

import { FaGripHorizontal } from "react-icons/fa";

import { BsHouseAdd } from "react-icons/bs";

import { BsHouseLock } from "react-icons/bs";

import { BsHouseGear } from "react-icons/bs";

import { BsHouseExclamation } from "react-icons/bs";

import { GrTicket } from "react-icons/gr";

import { FcFlashOn } from "react-icons/fc";

import { BsChatLeftQuote } from "react-icons/bs";

import { useState } from "react";


const Dashboard = () => {
  // const [open,setOpen] = useState(false);

  // const [chatsopen,setChatsopen]= useState(false);

  // const [myAdsopen,setMyAdsopen]= useState(false);

  // const [mywishlistopen,setMyWishlistopen]= useState(false);

  // const [createAdsopen,setCreateAdsopen] = useState(false)

  // const [paymentsandorderopen,setPaymentsandorderopen]= useState(false);

  const [adsBlogsopen, setAdsBlogsopen] = useState(false);

  const [myBlogsopen, setMyBlogsopen] = useState(false);

  // const [manageadsopen,setManageAdssopen]= useState(false);


  return (

    <>
```

```jsx
<div className="maincard">
  <div className="dashboard-container">
    {/* <!--card start--> */}
    <div className="profileCardcont">
      <div
        style={{
          display: "flex",
          flexDirection: "row",
          justifyContent: "flex-start",
          flexBasis: "50%",
        }}
      >
        <div>
          <img
            className="img1"
            src="https://t3.ftcdn.net/jpg/02/43/12/34/240_F_243123463_zTooub557xEWABDLk0jJklDyLSGl2jrr.jpg"
            width={150}
            height={150}
          />
        </div>
        <div
          style={{
            display: "flex",
            flexDirection: "column",
            justifyContent: "space-around",
            padding: "5px",
          }}
        >
          <div>
            <h4 style={{ margin: "5px" }}>
```

```
      Hello{" "}
      <span style={{ fontStyle: "italic", fontWeight: "bolder" }}>
        John Doe{" "}
      </span>
      how are doing!
    </h4>
    <p style={{ margin: "5px" }}>JohnDoe@gamil.com</p>
    <p style={{ margin: "5px" }}>
      You last login at:
      <span style={{ fontWeight: "bolder" }}>19.00AM</span>
    </p>
  </div>

  <div
    style={{
      display: "flex",
      flexDirection: "row",
      justifyContent: "flex-start",
    }}
  >
    <button className="but1">Basic</button>
    <button className="but2">Change plan</button>
  </div>
  <div className="card-flash">
    <p>
      {" "}
      <FcFlashOn
        style={{ fontSize: "20px", marginBottom: "-4px" }}
      />
      Hurry up! Change plan for "Exciting Offers"
    </p>
```

```jsx
      </div>
    </div>
  </div>
  <div style={{ marginLeft: "40px", flexBasis: "50%" }}>
    {/* <h2 style={{marginBottom:"15px"}}>My Activity</h2>        */}
    <div className="card">
      <table className="custom-table">
        <thead>
          <tr>
            <th>Header 1</th>
            <th>Header 2</th>
            <th>Header 3</th>
          </tr>
        </thead>
        <tbody>
          {/* Add your table rows here */}
          <tr>
            <td>Data 1</td>
            <td>Data 2</td>
            <td>Data 3</td>
          </tr>
          <tr>
            <td>Data 1</td>
            <td>Data 2</td>
            <td>Data 3</td>
          </tr>
          {/* Add more rows as needed */}
        </tbody>
      </table>
      <div
        style={{
```

```
        display: "flex",

        flexDirection: "row",

        justifyContent: "space-between",

      }}
    >

      <div className="small-card">

        <BsHouseAdd style={{ fontSize: "25px" }} />{" "}

        <h5>Contacted Properties</h5>

      </div>

      <div className="small-card">

        <BsHouseLock style={{ fontSize: "25px" }} />

        <h5>Saved Properties</h5>

      </div>

      <div className="small-card">

        <BsHouseGear style={{ fontSize: "25px" }} />

        <h5>Watched Properties</h5>

      </div>

      <div className="small-card">

        <BsHouseExclamation style={{ fontSize: "25px" }} />

        <h5>Recent Search</h5>

      </div>

    </div>

  </div>

</div>


{/* <!--card end--> */}


<h2 style={{ marginTop: "20px" }}>Your Stats</h2>

<div className="table-container">

  <table className="custom-table1">
```

```jsx
<thead>

 <tr>

  <th className="popButton">

   <CgProfile style={{ marginRight: "30px" }} />

    Edit Profile

  </th>

     {/* <th onClick={() => setOpen(!open)} className='popButton'><CgProfile
style={{marginRight:"30px"}}/>Edit Profile</th> */}

  </tr>

  <tr>

   <th className="popButton">

    <BsChatLeftQuote style={{ marginRight: "30px" }} /> Chats

   </th>

      {/* <th onClick={() => setChatsopen(!chatsopen)}
className='popButton'><BsChatLeftQuote style={{marginRight:"30px"}}/> Chats</th> */}

   </tr>


   <tr>

    <th className="popButton">

     <GrTicket style={{ marginRight: "30px" }} /> My Ads{" "}

    </th>

       {/* <th onClick={() => setMyAdsopen(!myAdsopen)} className='popbutton'> <GrTicket
style={{marginRight:"30px"}}/> My Ads </th> */}

    </tr>


    <tr>

     <th className="popButton">

      <FaRegHeart style={{ marginRight: "30px" }} /> My wishlist

     </th>

        {/* <th onClick={() => setMyWishlistopen(!mywishlistopen)}
className='popButton'><FaRegHeart style={{marginRight:"30px"}}/> My wishlist</th> */}

     </tr>
```

```jsx
      <tr>
        <th className="popButton">
          <BsCart4 style={{ marginRight: "30px" }} />
          Create Ads
        </th>
        {/* <th onClick={() => setCreateAdsopen(!createAdsopen)}
className='popButton'><BsCart4 style={{marginRight:"30px"}}/>Create Ads</th> */}
      </tr>


      <tr>
        <th className="popButton">
          <FaRegMoneyBillAlt style={{ marginRight: "30px" }} />{" "}
          Payments and order
        </th>
        {/* <th onClick={() => setPaymentsandorderopen(!paymentsandorderopen)}
className='popButton'><FaRegMoneyBillAlt style={{marginRight:"30px"}}/> Payments and
order</th> */}
      </tr>


      <tr>
        {/* <th className="popButton">
          <FaGripHorizontal style={{ marginRight: "30px" }} />
          Ads Blogs
        </th> */}
        <th
          onClick={() => setAdsBlogsopen(!adsBlogsopen)}
          className="popButton"
        >
          <FaGripHorizontal style={{ marginRight: "30px" }} />
          Ads Blogs
        </th>
```

```
            </tr>

            <tr>
              {/* <th className="popButton">
                <FaLayerGroup style={{ marginRight: "30px" }} /> My Blogs
              </th> */}
              <th
                onClick={() => setMyBlogsopen(!myBlogsopen)}
                className="popButton"
              >
                <FaLayerGroup style={{ marginRight: "30px" }} /> My Blogs
              </th>
            </tr>

            <tr>
              <th className="popButton">
                <MdOutlineAutoGraph style={{ marginRight: "30px" }} />{" "}
                Manage Ads
              </th>
              {/* <th onClick={() => setManageAdssopen(!manageadsopen)}
className='popButton'><MdOutlineAutoGraph style={{marginRight:"30px"}}/> Manage Ads</th>
*/}
            </tr>
          </thead>
          <tbody></tbody>
        </table>
      </div>

      {/* {open && <Edit/>} */}
      {/* {chatsopen && <Chats/>}
{mywishlistopen && <Mywishlist/>}
{myAdsopen && <MyAds/>}
```

```jsx
      {createAdsopen && <CreateAds/>}
      {paymentsandorderopen && <Paymentsandorder/>} */}
        {adsBlogsopen && <AdsBlogs />}
        {myBlogsopen && <MyBlogs />}
        {/* {manageadsopen && <ManageAds/>}  */}
      </div>
    </div>
    </>
  );
};


export default Dashboard;
```

AdsBlogs.jsx

```jsx
import React from "react";


const AdsBlogs = () => {
  return (
    <div
      className="table-container-2"
      style={{
        width: "60%",
        margin: "0px 1%",
        height: "500px",
        background: "white",
        float: "right",
        marginBottom: "-500px",
        translate: "35% -510px",
        borderRadius: "10px",
      }}
    >
```

```
<h1 align="left" style={{ color: "#725ac1" }}>

  Ads Blogs

</h1>

<div className="table_container_2">

  <table cellSpacing={"12px"}>

    <tbody>

      <tr>

        <td>

          <p className="space"> Image1</p>

        </td>

        <td>

          <p className="space">Image2</p>

        </td>

      </tr>

      <tr>

        <td>

          <input type="file" className="space" />

        </td>

        <td>

          <input type="file" className="space" />

        </td>

      </tr>

    </tbody>

    <tbody>

      <tr>

        <td>

          <p className="space">Category</p>

        </td>

        <td>

          <p className="space">Title</p>

        </td>
```

```
      </tr>
      <tr>
        <td>
          <input type="text" className="space" />
        </td>
        <td>
          <input type="text" className="space" />
        </td>
      </tr>
    </tbody>
    <tbody>
      <tr>
        <td>
          <p className="space">State</p>
        </td>
        <td>
          <p className="space">City</p>
        </td>
      </tr>
      <tr>
        <td>
          <input type="text" className="space" />
        </td>
        <td>
          <input type="text" className="space" />
        </td>
      </tr>
    </tbody>
    <tbody>
      <tr>
        <td>
```

```
        <p className="space">Author</p>
      </td>
      <td>
        <p className="space">Date</p>
      </td>
    </tr>
    <tr>
      <td>
        <input type="text" className="space" />
      </td>
      <td>
        <input type="Date" className="space" />
      </td>
    </tr>
  </tbody>
  <tbody>
    <tr>
      <td>
        <p className="space">Description</p>
      </td>
    </tr>
    <tr>
      <td>
        <textarea
          type="textarea"
          className="space"
          style={{ height: "60px" }}
        ></textarea>
      </td>
      <td>
        <button style={{ marginLeft: "10px" }}>Submit</button>
```

```jsx
          <button style={{ marginLeft: "10px" }}>Cancle</button>
        </td>
      </tr>
    </tbody>
  </table>
  </div>
  </div>
 );
};


export default AdsBlogs;
```

MyBlogs.jsx

```jsx
import React from "react";
import { list } from "../../components/data/Data.js";
import { Link } from "react-router-dom";


const MyBlogs = () => {
  return (
    <div
      className="table-container-2"
      style={{
        width: "60%",
        margin: "0px 1%",
        height: "500px",
        background: "white",
        float: "right",
        marginBottom: "-500px",
        translate: "35% -510px",
        borderRadius: "10px",
      }}
```

```jsx
      >
        <h1 align="left" style={{ color: "#725ac1" }}>
          My Blogs
        </h1>

        {/* my blog cards */}
        <div className="scroll-bg">
          <div className="scroll-div">
            <div className="scroll-object">
              <div className="content grid3 mtop">
                {list.map((val, index) => {
                  // const { cover, category, location, name, price, type } = val
                  const { id, cover, category, location, name, price, type } =
                    val;

                  return (
                    <Link to={`/property/${id}`} key={index}>
                      <div className="box shadow" key={index}>
                        <div className="img">
                          <img src={cover} alt="hola9" />
                        </div>
                        <div
                          style={{
                            marginTop: "10px",
                            marginBottom: "20px",
                          }}
                        >
                          <div>
                            <div
                              style={{
                                display: "flex",
```

```
          flexDirection: "row",

          justifyContent: "space-between",

          marginLeft: "-20px",

        }}
      >
        {/* <span style={{ background: category === "For Sale" ? "#25b5791a" : "#ff98001a",
color: category === "For Sale" ? "#25b579" : "#ff9800" }}>{category}</span> */}

        <span
          style={{
            background:
              category === "Available"
                ? "#25b5791a"
                : "#ff98001a",

            color:
              category === "Available"
                ? "#25b579"
                : "#ff9800",

            padding: "8px",

            borderRadius: "16px",

          }}
        >
          {category}
        </span>
        <i className="fa fa-heart"></i>
      </div>
      <h4
        style={{
          marginBottom: "10px",

          marginLeft: "-20px",

        }}
      >
```

```jsx
              {name}
            </h4>
            <p
              style={{ marginRight: "20px", marginLeft: "-20px" }}
            >
              <i className="fa fa-location-dot"></i> {location}
            </p>
          </div>
          <div
            style={{
              display: "flex",
              flexDirection: "row",
              justifyContent: "space-between",
              marginTop: "20px",
              marginLeft: "-20px",
            }}
          >
            <div>
              <button>
                {price}{" "}
                <span style={{ fontSize: "10px" }}>/sqft</span>
              </button>
            </div>
            <span style={{ marginTop: "20px" }}>{type}</span>
          </div>
        </div>
      </div>
    </Link>
  );
})}
</div>
```

```jsx
        </div>

      </div>

    </div>

  </div>

  );

};


export default MyBlogs;
```

```css
/*----------------------------------------------------------------*/
/* Dashboard.css */


.maincard {

  background-color: #f8f9fa;

  padding: 20px;

}


.dashboard-container {

  display: flex;

  flex-direction: column;

}


.profileCardcont {

  width: 95vw;

  padding: 20px;

  border: 1px solid rgb(42, 159, 228);

  border-radius: 8px;

  box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);

  display: flex;

  flex-direction: row;
```

```css
  justify-content: flex start;

  margin-right: 20px;

}


.img1 {

  width: 20vw;

  margin-right: 20px;

  border-radius: 50%;

}
.card {

  background-color: #c7b9ee;

  padding: 2px;

  width: 100%;

  height: 220px;

}
.card-flash {

  width: 100%;

  margin: 10px 0px;

  padding: 2px;

  border: 2px solid rgb(241, 226, 86);

  background-color: rgb(234, 235, 169);

  border-radius: 5px;

  font-size: small;

}
.small-card {

  display: flex;

  flex-direction: column;

  justify-content: space-around;

  align-items: center;

  text-align: center;

  width: 100px;
```

```css
  height: 75px;

  /* background-color: burlywood; */

  background-color: transparent;

  border: 1px solid grey;

  margin: 10px;

  padding: 3px;

  border-radius: 15px;

}
.but1 {

  color: "green";

  margin-right: 10px;

}
/* YourComponent.css */


.custom-table {

  width: 100%;

  margin: 2px;

  border-collapse: collapse;

}


.custom-table th,
.custom-table td {

  border: 2px solid #ddd; /* Add your preferred border color */

  padding: 8px;

  text-align: left;

}


.custom-table th {

  background-color: #f2f2f2; /* Add your preferred header background color */

}
```

```css
/*Table content.css */

.table-container {
  position: relative;
  border-collapse: separate;
  border-spacing: 0 10px;
  margin-top: 20px;
  /* border-radius: 5px; */
  box-shadow: 0 0px 8px rgb(104, 113, 235);
}


.custom-table1 {
  width: 20%;
  border-collapse: collapse;
  /* box-shadow: 0 4px 8px rgba(240, 13, 13, 0.973); */
}
.custom-table1 th,
.custom-table1 td {
  border: 1px solid #ddd; /* Add your preferred border color */
  padding: 18px;
  text-align: left;
  box-shadow: 0px 0px 28px rgba(198, 215, 235, 0.973);
}


.custom-table1 th {
  background-color: #f2f2f2; /* Add your preferred header background color */
}


.popButton,
.popbutton,
.profile-i {
  margin-right: 10px;
```

```css
}

.profile-i svg {
  width: 16px;
  height: 16px;
  fill: currentColor;
}

.popButton,
.popbutton,
.profile-i {
  margin-right: 10px;
}

.popButton {
  padding: 15px;
  text-align: left;
  cursor: pointer;
  color: #3498db;
}

/* .popbutton {
  color: #e74c3c;
} */

.popButton:hover {
  background-color: #f2f2f2;
}

.popButton.opened {
  background-color: #3498db;
```

```css
  color: #fff;

}


/*----------------------------------------------------------------*/


/* Dashboard dummy space css



.maincard {


  background-color: #f8f9fa;


  padding: 20px;


 }



 .dashboard-container {


  display: flex;


  flex-direction: column;



 }


 .profileMaincontainer{
```

```css
    display: flex;

    justify-content: space-between;

    align-items: flex-start;

    width: 95vw;

    border: 1px solid rgb(42, 159, 228);

    box-shadow: 0 0 10px rgba(0, 0, 0, .4);

}

.profileCardInnercont  {

    padding: 20px;

    border-radius: 8px;

    display: flex;

    flex-direction: row;

    justify-content: space-between;

    margin-right: 20px;



}
```

```css
//profile card continer --- table contianer

.table-container2 {

  position: relative;

  border-collapse: separate;

  border-spacing: 0 10px;

  margin-top: 0px;

  width: 100%;

  flex-basis:20%;



}


.custom-table2 {

  width: 100%;
```

```css
    border-collapse: collapse;

}

.custom-table2 th,

.custom-table2 td {

  border: 1px solid #ddd; // Add your preferred border color

  padding: 20px;

  text-align: left;

box-shadow: 0px 0px 28px rgba(198, 215, 235, 0.973);

}

.custom-table2 th {

  background-color: #f2f2f2; // Add your preferred header background color

}

.img1{
```

```css
  width: 20vw;

  margin-right: 20px;

  border-radius: 50%;

}

.card {

  background-color: #caeeb9;

  padding: 2px;

  width: 100%;

  height: 220px;

}

.card-flash{

  width:100%;

margin: 10px 0px;

padding: 2px;

border: 2px solid rgb(241, 226, 86);

background-color: rgb(234, 235, 169);
```

```css
    border-radius: 5px;

    font-size: small;

}

.small-card{

  display: flex;

  flex-direction: column;

justify-content: space-around;

align-items: center;

text-align:center;

 width: 100px;

 height: 75px;

background-color: transparent;

border: 1px solid grey;

margin: 10px;
```

```css
  padding: 3px;

  border-radius: 15px;

} .but1{

  color:"green";

  margin-right: 10px;

}

// YourComponent.css

.custom-table {

  width: 100%;

  margin: 2px;

  border-collapse: collapse;

}

.custom-table th,

.custom-table td {
```

```css
    border: 2px solid #ddd; // Add your preferred border color

  padding: 8px;

  text-align: left;

}


.custom-table th {

  background-color: #f2f2f2; // Add your preferred header background color

}


//Table content.css

.table-container1 {

  position: relative;

  border-collapse: separate;

  border-spacing: 0 10px;

  margin-top: 20px;
```

```css
    box-shadow: 0 0px 8px rgb(104, 113, 235);

}


.custom-table1 {

  width: 20%;

  border-collapse: collapse;



}

.custom-table1 th,

.custom-table1 td {

  border: 1px solid #ddd; // Add your preferred border color

  padding: 18px;

  text-align: left;

  box-shadow: 0px 0px 28px rgba(198, 215, 235, 0.973);
```

```
    }




.custom-table1 th {


  background-color: #f2f2f2; //Add your preferred header background color




  }




.popButton, .popbutton, .profile-i {


  margin-right: 10px;


  }




.profile-i svg {


  width: 16px;


  height: 16px;
```

```css
  fill: currentColor;

}


.popButton, .popbutton, .profile-i {

  margin-right: 10px;

}


.popButton {

  padding: 15px;

  text-align: left;

  cursor: pointer;

  color: #3498db;

}
```

```css
.popButton:hover {

  background-color: #f2f2f2;

}



.popButton.opened {

  background-color: #3498db;

  color: #fff;

}



*/


/*------------------------------------------------------------------------------*/
/* ads blog table css*/
.table_container_2 .space {
  margin-right: 320px;
}
/* my blogs css */
.scroll-bg {
  width: 100%;
  margin: 0px 14%;
}
.scroll-div{
```

```
width: 100%;

height: 450px;

overflow: hidden;

overflow-y: scroll;

}
```