

**Table 1. Chinook salmon mortality in BSAI groundfish fisheries.**

Year	Annual	Annual	Annual	A season	B season	A season	B season	A season	B season
	with CDQ	without CDQ	CDQ only	With CDQ	Without CDQ	With CDQ	Without CDQ	With CDQ	Without CDQ
1991	na	48,880	na	na	na	46,392	2,488	na	na
1992	41,955	na	na	31,419	10,536	na	na	na	na
1993	46,014	na	na	24,688	21,326	na	na	na	na
1994	43,821	40,635	3,186	38,921	4,900	36,699	3,936	2,223	963
1995	23,436	21,430	2,006	18,939	4,497	18,284	3,146	655	1,351
1996	63,205	60,802	2,402	43,316	19,888	42,028	18,774	1,289	1,114
1997	50,530	48,050	2,481	16,401	34,129	14,905	33,144	1,496	985
1998	55,431	50,313	5,118	18,930	36,501	17,991	32,322	939	4,179
1999	14,599	12,937	1,662	8,794	5,805	8,205	4,732	589	1,073
2000	8,223	7,474	749	6,568	1,655	6,138	1,336	430	319
2001	40,547	37,986	2,561	24,871	15,676	23,093	14,893	1,778	783
2002	39,684	37,581	2,103	26,277	13,407	24,859	12,722	1,418	685
2003	53,571	50,858	2,713	40,044	13,527	38,249	12,609	1,795	918
2004	60,442	57,435	3,007	31,025	29,417	29,896	27,539	1,129	1,878
2005	74,281	72,239	2,042	33,651	40,630	32,346	39,893	1,305	737
2006	87,084	85,290	1,794	62,582	24,502	60,974	24,316	1,608	186
2007	129,534	123,881	5,653	77,108	52,426	74,004	49,877	3,104	2,549
2008	23,195	22,478	717	18,067	5,128	17,463	5,015	604	113
2009	13,984	13,481	503	11,042	2,942	10,628	2,853	414	89
2010	9,444	9,109	335	9,444	0	9,109	0	335	0

**Table 2. Chinook salmon mortality in BSAI pollock directed fisheries.**

Year	Annual	Annual	Annual	A season	B season	A season	B season	A season	B season
	with CDQ	without CDQ	CDQ only	With CDQ	Without CDQ	With CDQ	Without CDQ	With CDQ	Without CDQ
1991	na	40,906	na	na	na	38,791	2,114	na	na
1992	35,950	na	na	25,691	10,259	na	na	na	na
1993	38,516	na	na	17,264	21,252	na	na	na	na
1994	33,136	30,593	2,543	28,451	4,686	26,871	3,722	1,580	963
1995	14,984	12,978	2,006	10,579	4,405	9,924	3,053	655	1,351
1996	55,623	53,220	2,402	36,068	19,554	34,780	18,441	1,289	1,114
1997	44,909	42,437	2,472	10,935	33,973	9,449	32,989	1,487	985
1998	51,322	46,205	5,118	15,193	36,130	14,253	31,951	939	4,179
1999	11,978	10,381	1,597	6,352	5,627	5,768	4,614	584	1,013
2000	4,961	4,242	719	3,422	1,539	2,992	1,250	430	289
2001	33,444	30,937	2,507	18,484	14,961	16,711	14,227	1,773	734
2002	34,495	32,402	2,093	21,794	12,701	20,378	12,024	1,416	677
2003	45,794	43,229	2,565	32,609	13,185	30,916	12,313	1,693	872
2004	51,696	48,733	2,963	23,093	28,603	21,964	26,769	1,129	1,834
2005	67,396	65,480	1,916	27,379	40,017	26,080	39,400	1,299	617
2006	82,694	80,953	1,741	58,438	24,256	56,853	24,100	1,585	156
2007	121,638	116,009	5,629	69,408	52,230	66,307	49,702	3,101	2,528
2008	20,559	19,919	640	15,698	4,861	15,094	4,825	604	36
2009	12,414	11,967	447	9,678	2,736	9,320	2,647	358	89
2010	7,557	7,222	335	7,557	0	7,222	0	335	0

Notes: 2010 updated 6/7/10

Non-CDQ data for 1991-2002 from bsahalx.dbf

Non-CDQ data for 2003-2009 from akfish\_v\_gg\_pscnq\_estimate

CDQ data for 1992-1997 from bsahalx.dbf

CDQ data for 1998 from boarate.dbf

CDQ data for 1999-2007 from akfish\_v\_cdq\_catch\_report\_total\_catch

CDQ data for 2008-2009 from akfish\_v\_gg\_pscnq\_estimate\_cdq

A season - January 1 to June 10

B season - June 11 to December 31