
Intercoop salmon avoidance program, 2007 A season


Karl Haflinger Sea State
John Gruver, UCB


Chinook bycatch rate, pollock A season through 3/15, 2000 - 2007





Catch and bycatch statistics through March 15, 2000 - 2007 seasons


				Chinook				
				rate	Chinook	Pollock		
Year		Pollock	Chinook	(N/mt)	cpue	cpue		
2000		313,784	2,448	0.01	0.19	24.0		
2001		348,405	13,912	0.04	0.72	18.0		
2002		459,074	16,450	0.04	1.14	31.9		
2003		436,983	25,620	0.06	1.36	23.3		
2004		468,512	17,627	0.04	0.98	26.1		
2005		486,251	22,850	0.05	1.32	28.1		
2006		489,247	49,508	0.10	2.77	27.3		
2007		439,037	58,529	0.13	2.82	21.1		
Source: NMFS observer data, Sea State database								

























Estimated chinook savings from vessels with observer data that fished inside and outside closures using 5 day window before and after closures

			Estimated		Chinook
			chinook		saved
	Pollock after	Chinook after	bycatch if no	Std err of	(estimated -
Closure date	closure	closure	closure	estimate	actual)
01/31/06	810	111	782	10	672
01/31/06	11,286	1,189	11,161	815	9,972
02/02/06	12,352	3,517	10,908	1,637	7,391
02/09/06	22,305	3,930	18,559	3,226	14,629
02/13/06	3,795	561	1,282	409	721
02/16/06	6,947	1,214	1,514	739	300
02/16/06	28,858	3,007	8,142	380	5,135
Totals	86,353	13,529	52,349		38,820





Pacific Prince EFP fishing tracks, 3/12 - 3/22

