

PYTHON - SE - BACKEND

SOFTWARE ENGINEERING – MODULE 5

Introduction to Web Technologies - HTML and CSS

SESSION / ASSIGNMENT – 2

TASKS :

1. Create a new HTML file called foodie-profile.html with the full HTML5 boilerplate structure (<!DOCTYPE html>, <html>, <head>, <body>), and set the title to 'My Foodie Profile'.

→ CODE:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>My Foodie Profile</title>
</head>
<body>

</body>
</html>
```

2. Inside foodie-profile.html, add headings and paragraphs to introduce yourself as a food lover, including your favorite cuisine and a short story about your best meal.

→ CODE:

```
<h1>My Foodie Profile</h1>

  <h2>About Me</h2>

  <p>
    Hello! My name is Haaris Ajmeri and I am a food lover.
    I enjoy trying different dishes and exploring new flavors.
  </p>

  <h2>My Favorite Cuisine</h2>


  <p>
    My favorite cuisine is Indian cuisine because it offers
```

```
    a wide variety of flavors, spices, and delicious dishes.
</p>

<h2>My Best Meal</h2>

<p>
    One of my best meals was a delicious Indian dinner with
    biryani, paneer, naan, and a refreshing dessert. The
    combination of different flavors made the meal memorable.
</p>
```

OUTPUT:



3. Add an unordered list of your top 5 favorite dishes (like you'd see on Zomato), and a numbered list of 3 restaurants you want to try next.

→ CODE:


```
<h2>My Top 5 Favorite Dishes</h2>

<ul>
    <li>Chicken Biryani</li>
    <li>Paneer Tikka</li>
    <li>Butter Chicken</li>
    <li>Masala Dosa</li>
    <li>Pizza</li>
</ul>

<h2>Restaurants I Want to Try</h2>

<ol>
    <li>Social</li>
    <li>Barbeque Nation</li>
    <li>Domino's Pizza</li>
```


OUTPUT:



4. Insert an image of your favorite dish using the `<img>` tag, and make the image clickable so it opens the official website of that dish or restaurant in a new tab using an anchor (`<a>`) tag.
- Hint: Use `target="_blank"` in your anchor tag.

➔ CODE:

```
<a href="https://en.wikipedia.org/wiki/Pav_bhaji" target="_blank">
  
</a>
```

OUTPUT:

A screenshot of a web browser displaying a food profile page. The browser's address bar shows the URL "127.0.0.1:5500/foodie-profile.html". The page has a teal header with the title "My Foodie Profile" and navigation icons. The main content area is white and features two sections: "My Top 5 Favorite Dishes" with a bulleted list of food items, and "Restaurants I Want to Try" with a numbered list of restaurant names. Below the restaurant list is a large, high-quality photograph of a plate of food, specifically a bowl of red lentil soup (dal makhani) garnished with fresh herbs, lemon slices, and onion rings, served alongside four golden-brown butter buns (khubani) and a pat of butter.

[illegible]

5. Create a table that compares 3 food delivery apps (e.g., Zomato, Swiggy, Uber Eats) with columns for App Name, Delivery Charges, and Rating. Fill in sample data for each.

➔ CODE:

```
<h2>Food Delivery App Comparison</h2>

<table border="1">

  <tr>
    <th>App Name</th>
    <th>Delivery Charges</th>
    <th>Rating</th>
  </tr>

  <tr>
    <td>Zomato</td>
    <td>₹30</td>
    <td>4.3/5</td>
  </tr>

  <tr>
    <td>Swiggy</td>
    <td>₹25</td>
    <td>4.2/5</td>
  </tr>

  <tr>
    <td>Uber Eats</td>
    <td>₹20</td>
    <td>4.1/5</td>
  </tr>

</table>
```

OUTPUT:

Food Delivery App Comparison

App Name	Delivery Charges	Rating
Zomato	₹30	4.3/5
Swiggy	₹25	4.2/5
Uber Eats	₹20	4.1/5