



PYTHON - SE - BACKEND

SOFTWARE ENGINEERING – MODULE 2

Introduction to Programming

SESSION / ASSIGNMENT – 10

TASKS :

1. Declare a string variable called songTitle and assign it the value 'Tum Hi Ho'. Print the length of the string using strlen().



```
#include <stdio.h>
#include <string.h>

int main()
{
    char songTitle[] = "Tum Hi Ho";

    printf("Song Title: %s\n", songTitle);
    printf("Length = %lu\n", strlen(songTitle));

    return 0;
}
```

OUTPUT:

```
Song Title: Tum Hi Ho
Length = 9
```

2. Take input for two usernames (as strings) and compare them using strcmp(). Display whether they are the same or different.



```
#include <stdio.h>
#include <string.h>

int main()
{
    char username1[30], username2[30];

    printf("Enter first username: ");
    scanf("%s", username1);

    printf("Enter second username: ");
    scanf("%s", username2);

    if(strcmp(username1, username2) == 0)
    {
        printf("Both usernames are the same.\n");
    }
    else
    {
        printf("Both usernames are different.\n");
    }

    return 0;
}
```

OUTPUT:

If both names are different

```
Enter first username: gangadhar
Enter second username: shaktiman
Both usernames are different.
```

If both names are same

```
Enter first username: abhi
Enter second username: abhi
Both usernames are the same.
```

3. Copy the string 'Flipkart' into another string variable called shoppingApp using strcpy(), then print the value of shoppingApp

Hint: Make sure to declare enough space for the destination string.



```
#include <stdio.h>
#include <string.h>

int main()
{
    char shoppingApp[20];

    strcpy(shoppingApp, "Flipkart");

    printf("\nShopping App: %s\n ", shoppingApp);

    return 0;
}
```

OUTPUT:

```
Shopping App: Flipkart
```

4. Build a small script that takes the user's full name as input and creates a username by copying only the first 5 characters using `strcpy()`. Print the generated username.
- Constraint: If the name is shorter than 5 characters, use the full name as the username.



```
#include <stdio.h>
#include <string.h>

int main()
{
    char fullName[50];
    char username[6];

    printf("\nEnter your full name: ");
    scanf(" %[^\\n]", fullName);

    if(strlen(fullName) < 5)
    {
        strcpy(username, fullName);
    }
    else
    {
        strncpy(username, fullName, 5);
        username[5] = '\\0';
    }

    printf("Generated Username: %s\\n ", username);

    return 0;
}
```

OUTPUT:

```
Enter your full name: Haris Ajmeri
Generated Username: Haris
```