Scope of Spare parts list: 111011002189_DAG_BR 449_IP_VAC+EDGE+ITG+WELD+PUNCH

Total Equipment value = 2.730.000,00 €

3CON ID	3CON internal description	Category	Description	Picture
		MACHINES		
1005328	BR 449_IP_MTPE_250-32	CAPEX	MACHINE	
1005808	BR 449_WELD_MTPE_180-32	CAPEX	MACHINE	
1005796	BR 449_IP_VAC+ESL_MTP_250-50_with vacuum ki	CAPEX	MACHINE	
		TOOLS		
1005797	BR 449_IP lower center cover+Glove box_LHD_VAC_TOOL_1+0_1+0	TOOLING	TOOL	
1005799	BR 449_IP top pad_LHD/RHD_ITG_TOOL_1_1	TOOLING	TOOL	
1005803	BR 449_IP lower center cover+glove box_LHD_EDGE_TOOL_1+0_1+0	TOOLING	TOOL	
1005809	BR 449_PAB chute channel_LHD/RHD_WELD_TOOL_1_1	TOOLING	TOOL	
1005811	BR 449_glove box_LHD/RHD_WELD_TOOL_1+1	TOOLING	TOOL	
		TOOL CHANGE		
1005800	BR 449_IP_Tool change trolley for VAC tool x2	TOOL CHANGE	TOOL CHANGE TROLLEY	
1005801	BR 449_IP_Tool change trolley for ESL tool	TOOL CHANGE	TOOL CHANGE TROLLEY	
1005805	BR 449_IP_Tool change trolley x2	TOOL CHANGE	TOOL CHANGE TROLLEY	
1005813	BR449_Tool change trolley x2	TOOL CHANGE	TOOL CHANGE TROLLEY	

SUMMARIZED SPARE PARTS & PRICES: 111011002189_DAG_BR 449_IP_VAC+EDGE+ITG+WELD+PUNCH

FOR ALL MASCHINES & TOOLS

Definition Priorities:

Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

issued by: **3CON Anlagenbau GmbH**
Issued on: 04.11.2024
Price validity: up to 3 months after issue

Total price spare parts package =	**303.940,31 €**
Total price PRIO "A" Spares =	211.670,36 €
Total price PRIO "B" Spares =	92.269,95 €
Total price PRIO "C" Spares =	- €

POS	Item-id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID	Sales price	recommended quantity	Total Price
1	10255266	Rillenkugellager	Di30 Da62 B16	Deep groove ball bearing	Di30 Da62 B16	28	FAG	A	50	6206-C-2HRS-L038	13,07 €	4	52,28 €
2	10453108	Kegelradgetriebemotor	K19 CMP50M/BK/PK/AK1H/SB1 - lt. Angebot 422583821 Pos. 01	Bevel geared motor	K19 CMP50M/BK/PK/AK1H/SB1 - lt. Angebot 422583821 Pos. 01	2	SEW	A	20	K19 CMP50M BK PK AK1H SB1 20240702 113453	1.980,00 €	1	1.980,00 €
3	10402706	Servomotor CMP50M/BK/PK/AK0H/SB1	lt. Angebot 421966576 Pos. 01	Servomotor CMP50M/BK/PK/AK0H/SB1	lt. Angebot 421966576 Pos. 01	4	SEW	A	20	CMP50M/BK/PK/AK0H/SB1 (Angebot 421966576, Pos. 100)	1.332,59 €	1	1.332,59 €
4	10153495	Spindelhubgetriebe	ZE-5-SN TR18x4-KH-RH-HS0-SRO111-VS 199C0018	Screw jack	ZE-5-SN TR18x4-KH-RH-HS0-SRO111-VS 199C0018	4	Zimm	A	25	10073722	881,79 €	1	881,79 €
5	10030293	IR-Strahler	KW L140 440W 115V UL RR uni	IR-Emitter	KW L140 440W 115V UL RR uni	12	Heraeus	A	60	5143051	605,51 €	3	1.816,53 €
6	10004444	Bundle PROFINET IM	6ES7155-6AA01-0BN0	Bundle PROFINET IM	6ES7155-6AA01-0BN0	20	Siemens	A	50	6ES7155-6AA01-0BN0	477,81 €	4	1.911,24 €
7	10030291	IR-Strahler	KW L95 300W 57V UL RR uni	IR-Emitter	KW L95 300W 57V UL RR uni	40	Heraeus	A	60	5143049	374,40 €	4	1.497,60 €
8	10030289	IR-Strahler	KW L60 210W 57V UL RR uni	IR-Emitter	KW L60 210W 57V UL RR uni	16	Heraeus	A	60	5143047	360,73 €	3	1.082,19 €
9	10011555	Web- und Applikationsserver	// pure.box 3	Web and application server	// pure.box 3	5	W&T	A	50	50518	357,35 €	2	714,70 €
10	10453088	Verbindungswelle	VWZ-60-541-20N/20	Connecting shaft	VWZ-60-541-20N/20	4	Zimm	A	10	28802	333,22 €	1	333,22 €
11	10004179	Analoges eingangsmodul	SIMATIC ET 200SP. analoges Eingangsmodul. AI 4xRTD/TC High Feature. passend für BU-Typ A0. A1. Farbcode CC00. Kanal-Diagnose. 16Bit. +/-0.1%. 2-/3-/4-Wire	Analogue input module	SIMATIC ET 200SP. analogue input module. AI 4xRTD/TC High Feature suitable for BU types A0. A1. colour code CC00. channel diagnosis. 16Bit. +/-0.1%. 2-/3-/4-Wire	17	Siemens	A	70	6ES7134-6JD00-0CA1	327,03 €	3	981,09 €
12	10011007	Lasersensor	M8 3-polig // LR-ZB250C3P	Laser sensor	M8 3pin // LR-ZB250C3P	4	Kevence	A	10	LR-ZB250C3P	274,56 €	1	274,56 €
13	10012080	Analoges Eingangsmodul	6ES7134-6HD01-0BA1	Analogue input module	6ES7134-6HD01-0BA1	3	Siemens	A	70	6ES7134-6HD01-0BA1	237,89 €	1	237,89 €
14	10008393	Vakuumsaugduese	VN-14-H-T4-PQ3-VQ3-RO2-B	Vacuum generator	VN-14-H-T4-PQ3-VQ3-RO2-B	6	Festo	A	50	532648	202,41 €	2	404,82 €
15	10008794	Anlege-Widerstandsthermometer	PT100 180 Grad	Surface-mounted resistance thermometer	PT100 180°C	21	Jumo	A	40	635743	192,60 €	4	770,40 €
16	10437021	Flachzylinder	MDUB50-90DZ	Flat cylinder	MDUB50-90DZ	8	SMC	A	15	MDUB50-90DZ	124,88 €	2	249,76 €
17	10025168	Lichtleiter-Messverstaerker	FS-Neo	Light conductor amplifier	FS-Neo	28	Keyence	A	10	FS-N11CP	124,80 €	4	499,20 €
18	10011790	Magnetventil (G)	VUVG-P53C. Gr. 10 // VUVG-L10-P53C-T-M7-1R8L	Directional control valve	VUVG-P53C. Gr. 10 // VUVG-L10-P53C-T-M7-1R8L	18	Festo	A	50	574223	117,79 €	3	353,37 €
19	10007687	Verteiler	Exact8. 10xM8. 3-pol.	Distribution block	10xM8 3pol M12	6	Murr	A	50	8000-80060-0000000	111,40 €	2	222,80 €
20	10010995	M12 12pol gewinkelt	7000-19061-3011000	Sensor-actuator cable	7000-19061-3011000 // M12 12-pin angled	6	Murr	A	50	7000-19061-3011000	101.18 €	2	202.36 €
21	10004289	Digitales ausgangsmodul	SIMATIC ET 200SP. Digitales Ausgangsmodul. DQ 8x 24V DC/0.5A Standard. Source Output (PNP.P-schaltend) Verpackungseinheit: 1 Stück. passend für BU-Typ A0. Farbcode CC02. Ersatzwertausgabe. Modul-Diagnose für: Kurzschluss nach L+ und M. Drahtbruch. Versorgungsspannung	Digital output module	SIMATIC ET 200SP. digital output module. DQ 8x 24V DC/0.5A standard. source output (PNP. P-switching) packaging unit: 1 piece. suitable for BU type A0. colour code CC02. substitute value output.6ES7132-6BF01-0BA0	44	Siemens	A	70	6ES7132-6BF01-0BA0	114,29 €	4	457,16 €
22	10035715	Fuehrungswagen	KWVE25-B-V1-G3	Guide cart	KWVE25-B-V1-G3	52	Schaeffler	A	50	KWVE25-B-V1-G3	111,96 €	4	447,84 €
23	10343506	Flachzylinder	MDUB32TF-150DZ	Flat cylinder	MDUB32TF-150DZ	4	SMC	A	45	MDUB32TF-150DZ	106,38 €	1	106,38 €
24	10453109	Stopperzylinder	DFSP-16-10-D5-PA	Stopper cylinder	DFSP-16-10-D5-PA	12	Festo	A	10	576058	102,17 €	3	306,51 €
25	10461807	Stopperzylinder	DFSP-16-10-P5-PA	Stopper cylinder	DFSP-16-10-P5-PA	2	Festo	A	50	576060	102,17 €	1	102,17 €
26	10006158	Drucktransmitter SPTE-V1R-Q4-V-2.5K	SPTE-V1R-Q4-V-2.5K	Pressure transmitter SPTE-V1R-Q4-V-2.5K	SPTE-V1R-Q4-V-2.5K	8	Festo	A	40	571477	95,84 €	2	191,68 €
27	10315676	Reflexionslichttaster	OBT30-R2-E2-0.2M-V31-P. M8 4-polig. HGA	Triangulation sensor	OBT30-R2-E2-0.2M-V31-P. M8 4pin. HGA	2	Pepperl+Fuchs	A	10	70141875	89,91 €	1	89,91 €
28	10004452	Sensorleitung	M12 4pol 5M	Sensor-actuator cable	M12 4pol 5M	5	Murr	A	50	7000-14541-7960500	84.80 €	2	169.60 €
29	10004175	Digitales eingangsmodul	SIMATIC ET 200SP. Digitales Eingangsmodul. DI 8x 24VDC Standard. Eingangstyp 3 (IEC 61131). Sink Input. (PNP. P-lesend). Verpackungseinheit: 1 Stück. passend für BU-Typ A0. Farbcode CC01. Eingangsverzögerung 0.05..20ms. Modul-Diagnose für: Kurzschluss Geberversorgung. Drahtbruch. Versorgungsspannung	Digital input module	SIMATIC ET 200SP. Digital input module. DI 8x 24VDC standard. Input type 3 (IEC 61131). Sink input. (PNP. P-reading). Packaging unit: 1 piece. suitable for BU type A0. Color code CC01. Input delay 0.05..20ms. module diagnostics for: Short circuit encoder supply. Open circuit. Supply voltage	96	Siemens	A	70	6ES7131-6BF01-0BA0	83,79 €	4	335,16 €
30	10290579	Fuehrungszylinder	MGPM25TF-20Z	Guiding cylinder	MGPM25TF-20Z	12	SMC	A	50	MGPM25TF-20Z	81.65 €	3	244.95 €
31	10041638	Verschlusskupplung	RMI12.5103/IV	Seal coupling	RMI12.5103/IV	38	Stäubli	A	15	RMI12.5103/IV	80,85 €	4	323,40 €
32	10007072	Kompaktzylinder	ADN-40-25-A-P-A	Compact cylinder	ADN-40-25-A-P-A	2	Festo	A	50	536293	64,79 €	1	64,79 €
33	10041692	Druckregelventil	MS4-LR-1/4-D6-RG-AS-WR	Pressure regulator	MS4-LR-1/4-D6-RG-AS-WR	6	Festo	A	10	527690	63,89 €	2	127,78 €
34	10088952	Siemens_Drucktaster__Sirius_ACT__3SU1801-2GA00-2AA1	1 Befehlsstelle. Grobhandtaster schwarz	Siemens_pushbutton	1 control point. Rough hand switch black	4	Siemens	A	15	3SU1801-2GA00-2AA1	63,39 €	1	63,39 €
35	10004177	Base Unit	6ES7193-6BP20-0DA0	SIMATIC ET 200SP. Base Unit BU. New load group	6ES7193-6BP20-0DA0	90	Siemens	A	70	6ES7193-6BP20-0DA0	55,50 €	4	222,00 €
36	10010927	Stiftmodul	modular. 12pol. 10A. Quick-Lock-Anschluss // 09 14 012 2632	Hartine module 12pin. 10A. male	modular. 12pin. 10A. Quick-Lock connection // 09 14 012 2632	12	HARTING	A	10	09 14 012 2632	44.05 €	3	132.15 €
37	10010818	Lichtleitersensor	// FU-6F	Light conductor sensor	// FU-6F	28	Kevence	A	50	FU-6F	41.40 €	4	165.60 €
38	10011993	Stiftmodul	modular. 2pol. 70A. 6-16mm². Axialschraubanschluss // 09 14 002 2646	Pin module	modular. 2pin 70A. 6-16mm². axial screw connection // 09 14 002 2646	13	HARTING	A	10	09 14 002 2646	40,76 €	3	122,28 €
39	10015720	Reflexionslichttaster	PRK25C/4P-M12. M12 4-polig. polarisiert	Reflection light switch	PRK25C/4P-M12. M12 4pin. polarized	2	Leuze Electronic	A	10	PRK25C/4P-M12	40,09 €	1	40,09 €
40	10004163	Base Unit	SIMATIC ET 200SP. Base-Unit BU15-P16+A10+2B. BU-Typ A0. Push-In-Klemmen. mit 10 AUX-Klemmen. nach links gebrückt. BxH: 15mmx141mm	SIMATIC ET 200SP. Base Unit BU type. bridge to the left	SIMATIC ET 200SP. Base Unit BU15-P16 + A10+2B. BU type A0. push-in terminals. with 10 AUX terminals. bridged to the left. WxH: 15mmx141mm	137	Siemens	A	70	6ES7193-6BP20-0BA0	38,69 €	4	154,76 €
41	10004150	Base Unit	6ES7193-6BP00-0BA1	Base Unit	6ES7193-6BP00-0BA1	17	Siemens	A	70	6ES7193-6BP00-0BA1	37,19 €	3	111,57 €
42	10010875	Stiftmodul	modular Quintax. 4pol. 10A. geschirmt. ohne Crimpkontakte // 09 15 004 3013	4 Pin 10A module male	modular Quintax. 4pin. 10A. shielded. without crimp contacts // 09 15 004 3013	10	HARTING	A	50	09 15 004 3013	36,43 €	3	109,29 €
43	10099760	Sensor induktiv	IES366. M8 3-polig	Inductive Sensor	IES366. M8 3-pined	12	IFM	A	50	IEB3002BBPKG/V4A/AS	30.91 €	3	92.73 €
44	10269914	Sensor- Aktorleitung	M12 5pol gerade 10M // BCC M415-0000-1A-017-PX0534-100-C003	Sensor-actuator cable	M12 5-pin straight 10M // BCC M415-0000-1A-017-PX0534-100-C003	81	Balluff	A	30	BCC0MKY	29,57 €	4	118,28 €
45	10036567	Rillenkugellager	Di20 Da52 B21	Deep groove ball bearing	Di20 Da52 B21	4	FAG	A	50	62304-2RSR	25,37 €	1	25,37 €
46	10010944	Stifteinsatz	Bgr.: 24 B. 24pol. 16A. Schraubanschluss // 09 33 024 2601	Harting insert Size: 24 B. 24pin. 16A. screw connection male	Size: 24 B. 24pin. 16A. screw connection // 09 33 024 2601	16	HARTING	A	10	09 33 024 2601	21,67 €	3	65,01 €
47	10032275	Schneidstecker	Stift M8 3pol gerade. 0.25-0.5mm² // 7000-08325-0000000	Insulation displacement connection	Pin M8 3pol straight. 0.25-0.5mm² // 7000-08325-0000000	32	Murr	A	10	7000-08325-0000000	20,59 €	4	82,36 €
48	10216168	Sensor- Aktorleitung	M8 3pol gerade 10M // BCC M313-0000-10-001-PX0334-100-C003	Sensor-actuator cable	M8 3-pin straight 10M // BCC M313-0000-10-001-PX0334-100-C003	482	Balluff	A	10	BCC0KKP	17,88 €	4	71,52 €
49	10047254	Steckverbinder	SACC-M 8MS-3QO-0.5-M	plastic M8 a-coded 3pin field wireable. male	SACC-M 8MS-3QO-0.5-M	11	Phönix Contact	A	50	1441024	17,30 €	3	51,90 €
50	10004105	Halbleiter Reedschalter. PNP Schließer. Anschlussdrahtlänge 0.2m. LED Rot	D-M9PSAPC-595	Proximity switch Short	D-M9PSAPC-595	243	SMC	A	50	D-M9PSAPC-595	17,28 €	4	69,12 €
51	10011167	Relais	6A 250Vac. 1W. 24Vdc // RIF-0-RPT-24DC/21	Relay	6A 250Vac. 1 PDT .24Vdc // RIF-0-BPT/21	23	Phönix Contact	A	50	2903370	16,20 €	4	64,80 €
52	10011384	LED-Modul	grün. Boden // 3SU1401-2BB40-3AA0	LED module	green. floor // 3SU1401-2BB40-3AA0	3	Siemens	A	50	3SU1401-2BB40-3AA0	14,98 €	1	14,98 €
53	10010925	Stiftmodul	modular. 8pol. 16A. Quick-Lock-Anschluss // 09 14 008 2633	Harting module 8pin. 16A. male	modular. 8pin. 16A. Quick-Lock connection // 09 14 008 2633	25	HARTING	A	40	09 14 008 2633	14,74 €	4	58,96 €
54	10406337	Balgsauger	FGA 25 SI-55 N016	Bellows suction cup	FGA 25 SI-55 N016	8	Schmalz	A	20	10.01.06.00377	13,92 €	2	27,84 €
55	10216169	Sensor- Aktorleitung	M8 4pol gerade 5M // BCC M314-0000-10-003-PX0434-050-C003	Sensor-actuator cable	M8 4-pin straight 5M // BCC M314-0000-10-003-PX0434-050-C003	43	Balluff	A	50	BCC0K8J	13,18 €	4	52,72 €
56	10004670	Drucktaster	Gruen	Push button green 22mm	3SU1051-0AB40-0AA0	3	Siemens	A	50	3SU1051-0AB40-0AA0	12,46 €	1	12,46 €
57	10011363	LED-Modul	gelb. Boden // 3SU1401-2BB30-3AA0	LED module yellow	3SU1401-2BB30-3AA0	3	Siemens	A	50	3SU1401-2BB30-3AA0	12.12 €	1	12.12 €
58	10010868	Stiftmodul	modular. 5pol. 16A. Käfigzugfederanschluss // 09 14 005 2616	5 Pin module male	modular. 5pin. 16A. cage clamp connection // 09 14 005 2616	48	HARTING	A	50	09 14 005 2616	17.91 €	4	71.64 €
59	10216167	Sensor- Aktorleitung	M8 3pol gerade 5M // BNI IOL-302-002-Z046	Sensor-actuator cable	M8 3pol gerade 5M // BNI IOL-302-002-Z046	104	Balluff	A	50	BALFBNI00AU	17,16 €	4	68,64 €
60	10011309	Leuchtdrucktaster	gelb // 3SU1051-0AB30-0AA0	Push button yellow	3SU1051-0AB30-0AA0	3	Siemens	A	50	3SU1051-0AB30-0AA0	15,04 €	1	15,04 €
61	10010866	Stiftmodul	modular Quintax // 09 14 002 3001	Harting Quintax module male	modular Quintax // 09 14 002 3001	10	HARTING	A	60	09 14 002 3001	12,17 €	3	36,51 €
62	10032954	Rillenkugellager	Di25 Da47 B12	Deep groove ball bearing	Di25 Da47 B12	4	FAG	A	50	6005-2RSR	11,20 €	1	11,20 €
63	10458312	Rundrohr-Infrarotstrahler	D10x600. 135O W. 230 V	Round tube infrared radiators	D10x600. 135O W. 230 V	20	Heraeus	A	40	80008999-L450	750,00 €	4	3.000,00 €
64	10458723	1005797_62_01_02_001__Stanzmesser GBL1	_	1005797_62_01_02_001__ Punching knife GBL1	_	1	3CON	A	40	1005797_62_01_02_001__Stanzmesser GBL1	672,75 €	1	672,75 €
65	10458724	1005797_62_01_02_002__Stanzmesser GBL2	_	1005797_62_01_02_002__ Punching knife GBL2	_	1	3CON	A	40	1005797_62_01_02_002__Stanzmesser GBL2	672,75 €	1	672,75 €
66	10458726	1005797_62_01_02_003__Stanzmesser GBL3	_	1005797_62_01_02_003__ Punching knife GBL3	_	1	3CON	A	40	1005797_62_01_02_003__Stanzmesser GBL3	825,24 €	1	825,24 €
67	10458727	1005797_62_01_02_004__Stanzmesser GBL4	_	1005797_62_01_02_004__ Punching knife GBL4	_	1	3CON	A	40	1005797_62_01_02_004__Stanzmesser GBL4	825,24 €	1	825,24 €
68	10458728	1005797_62_01_02_005__Stanzmesser GBL5	_	1005797_62_01_02_005__ Punching knife GBL5	_	1	3CON	A	40	1005797_62_01_02_005__Stanzmesser GBL5	652,05 €	1	652,05 €
69	10458729	1005797_62_01_02_006__Stanzmesser GBL6	_	1005797_62_01_02_006__ Punching knife GBL6	_	1	3CON	A	40	1005797_62_01_02_006__Stanzmesser GBL6	652,05 €	1	652,05 €
70	10458730	1005797_62_01_02_007__Stanzmesser GBL7	_	1005797_62_01_02_007__ Punching knife GBL7	_	1	3CON	A	40	1005797_62_01_02_007__Stanzmesser GBL7	847,67 €	1	847,67 €
71	10123119	Messverstärker	PNP für Messtaster GT2	measurement amplifier	PNP fpr measurement switch GT2	8	Keyence	A	10	GT2-71MCP	491,40 €	2	982,80 €
72	10030297	IR-Strahler	KW L340 1050W 230V UL RR uni	IR-Emitter	KW L340 1050W 230V UL RR uni	5	Heraeus	A	60	5143055	430,56 €	2	861,12 €
73	10030292	IR-Strahler	KW L110 370W 115V UL RR uni	IR-Emitter	KW L110 370W 115V UL RR uni	32	Heraeus	A	60	5143050	374,40 €	4	1.497,60 €

SUMMARIZED SPARE PARTS & PRICES: 111011002189_DAG_BR 449_IP_VAC+EDGE+ITG+WELD+PUNCH

FOR ALL MASCHINES & TOOLS

Definition Priorities:

Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

Total price spare parts package =	**303.940,31 €**
Total price PRIO "A" Spares =	211.670,36 €
Total price PRIO "B" Spares =	92.269,95 €
Total price PRIO "C" Spares =	- €

POS	Item-id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID	Sales price	recommended quantity	Total Price
74	10011012	Lasersensor	M8 3-polig // LR-ZH500C3P	Laser sensor	M8 3pin // LR-ZH500C3P	2	Keyence	A	10	LR-ZH500C3P	362,88 €	1	362,88 €
75	10458731	1005797_62_01_02_008__Stanzmesser GBL8	_	1005797_62_01_02_008__ Punching knife GBL8	_	1	3CON	A	40	1005797_62_01_02_008__Stanzmesser GBL8	847,67 €	1	847,67 €
76	10458732	1005797_62_01_02_009__Stanzmesser GBL9	_	1005797_62_01_02_009__ Punching knife GBL9	_	1	3CON	A	40	1005797_62_01_02_009__Stanzmesser GBL9	59,23 €	1	59,23 €
77	10458733	1005797_62_01_02_010__Stanzmesser GBL10	_	1005797_62_01_02_010__ Punching knife GBL10	_	1	3CON	A	40	1005797_62_01_02_010__Stanzmesser GBL10	59,23 €	1	59,23 €
78	10458738	1005797_62_02_02_001__Stanzmesser IPL1	_	1005797_62_02_02_001__ Punching knife IPL1	_	1	3CON	A	40	1005797_62_02_02_001__Stanzmesser IPL1	897,00 €	1	897,00 €
79	10004147	SIMATIC ET 200SP. analoges Eingangsmodul. AI 4XI 2-/4-Wire Standard. Verpackungsmenge: 1 Stück. passend für BU-Typ A0. A1. Farbcode CC03. Modul-Diagnose. 16 Bit. +/-0.3%	6ES7134-6GD01-0BA1	Analogue input module	SIMATIC ET 200SP. analogue input module. AI 4XI 2-/4-Wire standard. packaging quantity: 1 piece. suitable for BU type A0. A1. colour code CC03. module diagnosis. 16 bit. +/-0.3%	7	Siemens	A	70	6ES7134-6GD01-0BA1	257,47 €	2	514,94 €
80	10007455	Fuehrungszylinder	DFM-25-25-P-A-KF	Guide cylinder	DFM-25-25-P-A-KF	6	Festo	A	50	170923	252,88 €	2	505,76 €
81	10415093	Pneumatischer Kompaktschlitten	MXH1015Z	Compact Slide Table	MXH1015Z	4	SMC	A	50	MXH1015Z	198,01 €	1	198,01 €
82	10014594	Weezeventil	VUVG-L14-T32C-MT-G18-1R8L	Directional control valve	VUVG-L14-T32C-MT-G18-1R8L	3	Festo	A	10	8031504	117,79 €	1	117,79 €
83	10123116	Anschlussleitung	für Messverstärker GT2	connection cable	for messurement amplifier GT2	8	Keyence	A	10	GT2-CA2M	80,50 €	2	161,00 €
84	10123117	Anschlusskabel	Messtaster	connection cable	measurement switch	8	Keyence	A	10	GT2-CH2M	69,00 €	2	138,00 €
85	10458739	1005797_62_02_02_002__Stanzmesser IPL2	_	1005797_62_02_02_002__ Punching knife IPL2	_	1	3CON	A	40	1005797_62_02_02_002__Stanzmesser IPL2	1.031,55 €	1	1.031,55 €
86	10146419	Hochleistungsheizpatrone Ø12.5 60mm 400W	WAN DRGSL mit iTemp Type K 1000mm LEGLS SERD	High performance cartridge heater	Ø12.5x60mm // 400W	7	Tuerk+Hillinger	A	10	316534	61,83 €	2	123,66 €
87	10458740	1005797_62_02_02_003__Stanzmesser IPL3	_	1005797_62_02_02_003__ Punching knife IPL3	_	1	3CON	A	40	1005797_62_02_02_003__Stanzmesser IPL3	828,00 €	1	828,00 €
88	10458741	1005797_62_02_02_004__Stanzmesser IPL4	_	1005797_62_02_02_004__ Punching knife IPL4	_	1	3CON	A	40	1005797_62_02_02_004__Stanzmesser IPL4	1.009,13 €	1	1.009,13 €
89	10437100	IR-Strahler KW L280 870W 230V-UL-RR uni	KW L280 870W 230V-UL-RR uni	IR-Emitter	KW L280 870W 230V-UL-RR uni	32	Heraeus	A	40	80008999	645,00 €	4	2.580,00 €
90	10437109	IR-Strahler	KW L400 1250W 230V-UL-RR uni	IR-Emitter	KW L400 1250W 230V-UL-RR uni	19	Heraeus	A	40	80008999	1.092,00 €	3	3.276,00 €
91	10458742	1005797_62_02_02_005__Stanzmesser IPL5	_	1005797_62_02_02_005__ Punching knife IPL5	_	1	3CON	A	40	1005797_62_02_02_005__Stanzmesser IPL5	731,06 €	1	731,06 €
92	10458743	1005797_62_02_02_006__Stanzmesser IPL6	_	1005797_62_02_02_006__ Punching knife IPL6	_	1	3CON	A	40	1005797_62_02_02_006__Stanzmesser IPL6	71,76 €	1	71,76 €
93	10011454	Zentrale Verarbeitungseinheit	SIMATIC S7-1500F. CPU 1517F-3 PN/DP. Zentralbaugruppe mit Arbeitsspeicher 3MByte für Programm und 8MByte für Daten. 1. Schnittstelle: PROFINET IRT mit 2 Port Switch. 2. Schnittstelle: PROFINET RT. 3. Schnittstelle: PROFIBUS. 2 NS Bit-Performance. SIMATIC Memory Card notwendig	Central Processing Unit	SIMATIC S7-1500F. CPU 1517F-3 PN/DP. central processing unit with 3MByte RAM for program and 8MByte RAM for data. 1st interface: PROFINET IRT with 2 port switch. 2nd interface: PROFINET RT. 3rd interface: PROFIBUS. 2 NS bit performance. SIMATIC Memory Card required	3	Siemens	A	50	6ES7517-3FP00-0AB0	7.017,82 €	1	7.017,82 €
94	10011248	Movidrive	// MDX61B0220-503-4-0T	Movidrive	// MDX61B0220-503-4-0T	2	SEW	A	55	MDX61B0220-503-4-0T	4.265,90 €	1	4.265,90 €
95	10390393	Keeelradeetriebemotor	K87 DR2L13254/BE11HR/IS/TF/AK8W/V - lt. Anzebot 421910583	Bevel eeared motor	K87 DR2L13254/BE11HR/IS/TF/AK8W/V	1	SEW	A	30	K87 DR2L13254/BE11HR/IS/TF/AK8W/V	4.164.75 €	1	4.164.75 €
96	10115178	IPC	277E 15" Touch. Windows 10 Enterprise 2019	Nanopanel PC	277E 15" Touch. Windows 10 Enterprise 2019	3	Siemens	A	15	6AV7882-0DB30-8EA0	3.263.85 €	1	3.263.85 €
97	10008548	Absturzsicherung	KR 040 31	Fall protection	KR 040 31	2	Sitema	A	50	KR 040 31	2.339,31 €	1	2.339,31 €
98	10010959	Zentrale Verarbeitungseinheit	CU2 // HC500-CU2-PN	Central Processing Unit	CU2 // HC500-CU2-PN	3	Hetronik	A	60	HC500-CU2-PN	2.314,20 €	1	2.314,20 €
99	10012212	Sicherheitslichtvorhang	deTec4 Core Empfänger. L=1800mm // C4C-EA18010A10000	Safety light curtain	deTec4 Core Receiver. L=1800mm // C4C-EA18010A10000	2	Sick	A	30	1211487	1.551,29 €	1	1.551,29 €
100	10041787	IPC	127E. Atom E3940. Windows 10 Enterprise	IPC	127E. Atom E3940. Windows 10 Enterprise	6	Siemens	A	15	6AG4021-0AB12-1BA0	1.491,95 €	2	2.983,90 €
101	10310761	Umrichter	MDX61B0005-5A3-4-0T/DEH11B/DFE32B	Inverter	MDX61B0005-5A3-4-0T/DEH11B/DFE32B	3	SEW	A	40	MDX61B0005-5A3-4-0T/DEH11B/DFE32B	1.431,71 €	1	1.431,71 €
102	10010821	Sicherheitslichtvorhang	deTec4 Core Sender. L=1800mm // C4C-SA18010A10000	Safety light curtain	deTec4 Core transmitter. L=1800mm // C4C-SA18010A10000	2	Sick	A	30	1211486	1.421,96 €	1	1.421,96 €
103	10458744	1005797_62_02_02_007__Stanzmesser IPL7	_	1005797_62_02_02_007__ Punching knife IPL7	_	1	3CON	A	40	1005797_62_02_02_007__Stanzmesser IPL7	300,50 €	1	300,50 €
104	10087935	Sicherheitslichtvorhang	C4C-EA10530A10000	safety light curtain	C4C-EA10530A10000	2	Sick	A	25	1211500	872,94 €	1	872,94 €
105	10010961	Ausgangskarte	HC510. 10x2kW. 115V-230V. Strommessung // HC510-OC2-230-10-I-SL	Output card	HC510. 10x2kW. 115V-230V. current measurement // HC510-OC2-230-10-I-SL	25	Hetronik	A	60	HC510-OC2-230-10-I-SL	1.169,93 €	4	4.679,72 €
106	10010964	Rack	2x Lüfter 230Vac // HC510-RK-8-230	Rack	2x fan 230Vac // HC510-RK-8-230	3	Hetronik	A	60	HC510-RK-8-230	910,58 €	1	910,58 €
107	10087934	Sicherheitslichtvorhang	C4C-SA10530A10000	safety light curtain	C4C-SA10530A10000	2	Sick	A	25	1211499	629,87 €	1	629,87 €
108	10036217	Federsockel	FS 040 11	Spring base	FS 040 11	2	Sitema	A	50	FS 040 11	582,31 €	1	582,31 €
109	10010960	Spannungseinheit	VU2 // HC500-VU2-Y	Power unit	VU2 // HC500-VU2-Y	3	Hetronik	A	60	HC500-VU2-Y	786,60 €	1	786,60 €
110	10010968	Durchflusssensor	// SV7200	Flow sensor	// SV7200	3	IFM	A	50	SV7200	531,95 €	1	531,95 €
111	10238457	LAN-to-LAN Router	ICR-2701 SL v2i LAN-Router	LAN-to-LAN Router	ICR-2701 SL v2i LAN-Router	3	Lucom	A	10	BE-ICR-2701-SL	529,80 €	1	529,80 €
112	10458745	1005797_62_02_02_008__Stanzmesser IPL8	_	1005797_62_02_02_008__ Punching knife IPL8	_	1	3CON	A	40	1005797_62_02_02_008__Stanzmesser IPL8	484,38 €	1	484,38 €
113	10433086	Speicherkarte	für S7-1x00 CPU/SINAMICS. 256MB	Memory Card	für S7-1x00 CPU/SINAMICS. 256MB	2	Siemens	A	50	6ES7954-8LL04-0AA0	498,55 €	1	498,55 €
114	10010962	Rack	1x Lüfter 230Vac // HC510-RK-4-230	Rack	1x fan 230Vac // HC510-RK-4-230	2	Hetronik	A	60	HC510-RK-4-230	658,35 €	1	658,35 €
115	10351657	Bremsstange KR 040 L1950	1001400 30 04 02 001	Brake rod KR 040 L1950	1001400 30 04 02 001	2	LTM	A	10	10351657	687,50 €	1	687,50 €
116	10458746	1005797_62_02_02_009__Stanzmesser IPL9	_	1005797_62_02_02_009__ Punching knife IPL9	_	1	3CON	A	40	1005797_62_02_02_009__Stanzmesser IPL9	139,04 €	1	139,04 €
117	10010797	Safeball	JSD-TD1 // JSD-TD1-330700	Safe ball	JSD-TD1 // JSD-TD1-330700	6	ABB	A	50	2TLA930005R0000	395,42 €	2	790,84 €
118	10004459	Elektronikmodul für ET 200SP	SIMATIC DP. Elektronikmodul für ET 200SP. F-DQ 4x24VDC/2A. 15mm Baubr.. bis PL E (ISO 13849) bis SIL 3 (IEC 61508)	Electronics module for ET 200SP	SIMATIC DP. electronics module for ET 200SP. F-DQ 4x24VDC/2A. 15mm width. up to PL E (ISO 13849) up to SIL 3 (IEC 61508)	12	Siemens	A	70	6ES7136-6DB00-0CA0	366,93 €	3	1.100,79 €
119	10011209	Feldbusschnittstelle	PROFINET IO RT // DFE32B	Fieldbus interface	PROFINET IO RT // DFE32B	3	SEW	A	40	DFE32B	332,70 €	1	332,70 €
120	10347295	Wartungseinheit	AC40-D-0426OAA	Maintenance unit	AC40-D-0426OAA	2	SMC	A	25	AC40-D-0426OAA	332,29 €	1	332,29 €
121	10143785	Elektronikmodul für ET 200SP	SIMATIC DP. Elektronikmodul für ET 200SP. F-DI 8x 24VDC HF. 15mm Baubr.. bis PL E (ISO 13849-1)/ SIL3 (IEC 61508)	Electronics module for ET 200SP	SIMATIC DP. electronic module for ET 200SP. F-DI 8x 24 V DC HF. 15 mm width. up to PLe (ISO 13849-1)/ SIL3 (IEC 61508)	10	Siemens	A	70	6ES7136-6BA01-0CA0	326,78 €	3	980,34 €
122	10004658	analoges Ausgangsmodul	SIMATIC ET 200SP. analoges Ausgangsmodul. AQ 4XU/I Standard. passend für BU-Typ A0. A1. Farbcode CC00. Modul-Diagnose. 16 Bit. +/-0.3%	Analogue output module	SIMATIC ET 200SP. analogue output module. AQ 4XU/I Standard. suitable for BU types A0. A1. colour code CC00. module diagnosis. 16 bit. +/- 0.3%	9	Siemens	A	50	6ES7135-6HD00-0BA1	319,62 €	2	639,24 €
123	10011219	Bremsenansteuerung	24Vdc // BMV	Brake control	24Vdc // BMV	7	SEW	A	15	BMV	318.93 €	2	637.86 €
124	10458747	1005797_62_02_02_010__Stanzmesser IPL10	_	1005797_62_02_02_010__ Punching knife IPL10	_	1	3CON	A	40	1005797_62_02_02_010__Stanzmesser IPL10	376,74 €	1	376,74 €
125	10458748	1005797_62_02_02_011__Stanzmesser IPL11	_	1005797_62_02_02_011__ Punching knife IPL11	_	1	3CON	A	40	1005797_62_02_02_011__Stanzmesser IPL11	399,17 €	1	399,17 €
126	10458749	1005797_62_02_02_012__Stanzmesser IPL12	_	1005797_62_02_02_012__ Punching knife IPL12	_	1	3CON	A	40	1005797_62_02_02_012__Stanzmesser IPL12	897,00 €	1	897,00 €
127	10008029	Fuehrungszylinder	MLGPM40TF-50Z-B	Guide cylinder	MLGPM40TF-50Z-B	10	SMC	A	50	MLGPM40TF-50Z-B	226,39 €	3	679,17 €
128	10215060	Sicherheitsschalter	RFID. Magnetrastung. familien-kodiert	Safety switches	RFID. Magnet latching. Family-coded	4	Siemens	A	50	3SE6315-1BB01-1AP0	199,10 €	1	199,10 €
129	10458750	1005797_62_02_02_013__Stanzmesser IPL13	_	1005797_62_02_02_013__ Punching knife IPL13	_	1	3CON	A	40	1005797_62_02_02_013__Stanzmesser IPL13	545,10 €	1	545,10 €
130	10011434	Selektivitaetsmodul	SITOP PSE200U 10 A Selektivitaetsmodul 4-kanalig Eingang: DC 24 V/40 A Ausgang: DC 24 V/4x 10 A Schwellwert einstellbar 3-10 A mit Summenmeldekontakt	Selectivity module 10A 4 channel 24V	SITOP PSE200U 10 A Selectivity module 4-channel input: 24 V DC/40 A output: 24 V DC/4x 10 A Level adjustable 3-10 A with common signaling contact *Ex approval no longer available*	6	Siemens	A	70	6EP1961-2BA21	182,67 €	2	365,34 €
131	10011402	Überwachungsrelais	Digitales Überwachungsrelais für 3-Phasen-Spg. mit N-Leiter für IO-Link AC 50...60 Hz 3 x 160 bis 690 V Phasenfolge. Phasenausfall Phasenasymmetrie unter-und Überspannung Hysterese 1-20 V Netzstabilisierungszeit Auslöseverzögerungszeit 1 Wechsler. Federzugtechnik	Monitoring relay	line monitoring IO-Link 3-phase+N digital monitoring relay for 3-phase voltage with N-conductor for IO-Link 50...60 Hz AC 3 x 160 to 690 V phase sequence. phase failure phase asymmetry undervoltage and overvoltage hysteresis 1-20 V line stabilization delay tripping delay time 1 changeover contact. spring-loaded connection system	1	Siemens	A	50	3UG4816-2AA40	178,56 €	1	178,56 €
132	10011208	Geberkarte	HIPERFACE // DEH11B	Encoder card	HIPERFACE // DEH11B	3	SEW	A	10	DEH11B	172,09 €	1	172,09 €
133	10011463	SCALANCE XB005 Unmanaged Industrial Ethernet Switch für 10/100 Mbit/s. zum Aufbau von kleinen Stern- und Linienstrukturen. LED-Diagnose. IP20. AC/DC 24V Spannungsversorgung. mit 5x 10/100 Mbit/s Twisted Pair Ports mit RJ45-Buchsen. Handbuch als Download verfügbar	6GK5005-0BA00-1AB2	Scalance	6GK5005-0BA00-1AB2	4	Siemens	A	70	6GK5005-0BA00-1AB2	169,69 €	1	169,69 €
134	10170894	SEW Geberleitung 50mmAbs→AEH./D-SUB 15pol. L=10m	AS7W001101000/10	Encoder cable	AS7W001101000/10	2	Inntal Kabel-konfektion	A	75	AS7W001101000/10	156,19 €	1	156,19 €

SUMMARIZED SPARE PARTS & PRICES: 111011002189_DAG_BR 449_IP_VAC+EDGE+ITG+WELD+PUNCH

FOR ALL MASCHINES & TOOLS

Definition Priorities:

Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

issued by: **3CON Anlagenbau GmbH**
Issued on: 04.11.2024
Price validity: up to 3 months after issue

Total price spare parts package =	**303.940,31 €**
Total price PRIO "A" Spares =	211.670,36 €
Total price PRIO "B" Spares =	92.269,95 €
Total price PRIO "C" Spares =	- €

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID	Sales price	recommended quantity	Total Price
135	10181810	SEW Gebrrleitung glatt geschnitten/D-SUB 15pol L=10m	AKXH000101000/10	Encoder cable	AKXH000101000/10	3	Inntal Kabel-konfektion	A	95	AKXH000101000/10	149,72 €	1	149,72 €
136	10004233	Digitales ausgangsmodul	SIMATIC ET 200SP. Digitales Ausgangsmodul. DQ 16x 24V DC/0.5A Standard. Source Output (PNP.P-schaltend) Verpackungseinheit: 1 Stück. passend für BU-Typ A0. Farbcode CC00. Ersatzwertausgabe. Modul-Diagnose für: Kurzschluss nach L+ und M. Drahtbruch. Versorgungsspannung	Digital output module	SIMATIC ET 200SP. digital output module. DQ 16x 24V DC/0.5A standard. source output (PNP. P-switching) Packaging unit: 1 piece. suitable for BU type A0. color code CC00. substitute value output. module diagnosis for: short circuit after L+ and M. wire break. supply voltage	22	Siemens	A	50	6ES7132-6BH01-0BA0	145,73 €	4	582,92 €
137	10140566	Kompaktzylinder	CDQ2B125TF-10DCMZ	Compact cylinder	CDQ2B125TF-10DCMZ	12	SMC	A	10	CDQ2B125TF-10DCMZ	129,16 €	3	387,48 €
138	10004237	Digitales Eingangsmodul	SIMATIC ET 200SP. Digitales Eingangsmodul. DI 16x 24V DC Standard. Eingangstyp 3 (IEC 61131). Sink Input. (PNP. P-lesend). Verpackungseinheit: 1 Stück. passend für BU-Typ A0. Farbcode CC00. Eingangsverzögerung 0.05..20ms. Modul-Diaenose für: Drahtbruch. Versoreunesspannune	Digital input module	SIMATIC ET 200SP. digital input module. DI 16x 24V DC standard. input type 3 (IEC 61131). sink input. (PNP. P-reading). packaging unit: 1 piece. suitable for BU type A0.	16	Siemens	A	70	6ES7131-6BH01-0BA0	120,90 €	3	362,70 €
139	10028812	Elektronischer Schutzschalter	6A	Electronic circuit breaker	6A	3	E-T-A	A	50	ESX10-TA-100-DC24V-6A	107,79 €	1	107,79 €
140	10458751	1005797_62_02_02_014__Stanzmesser IPL14	_	1005797_62_02_02_014__ Punching knife IPL14	_	1	3CON	A	40	1005797_62_02_02_014__Stanzmesser IPL14	545,10 €	1	545,10 €
141	10004538	digitales Ausgangsmodul	6ES7132-6BD20-0BA0	Digital output module	SIMATIC ET 200SP. digitales Ausgangsmodul. DQ 4x 24VDC/2A Standard. passend für BU-Typ A0. Farbcode CC02. Modul-Diagnose	7	Siemens	A	70	6ES7132-6BD20-0BA0	101,43 €	2	202,86 €
142	10125734	Fuehrungswagen	HDR45-C-1SS	Guide carriage	HDR45-C-1SS	16	THK	A	20	HDR45-C-1SS	102,17 €	3	306,51 €
143	10004928	Druckschalter	SDE5-D10-O-Q6E-P-M8	Pressure switch	SDE5-D10-O-Q6E-P-M8	3	Festo	A	10	527467	99,36 €	1	99,36 €
144	10249333	5/2-Wege-Magnetventil	SY7220-5WAOUD-02F-Q	Directional control valve	J	10	SMC	A	35	SY7220-5WAOUD-02F-Q	93,06 €	3	279,18 €
145	10041664	Verschlusskupplung	RMI12.2103/IV	Seal coupling	RMI12.2103/IV	18	Stäubli	A	15	RMI12.2103/IV	90,07 €	3	270,21 €
146	10011741	Türkupplungsdrehantrieb	Not-Aus IEC. 3VA1 250 // 3VA9257-0FK25	Door coupling rotary drive	Door mounted rotary operator EMERGENCY OFF IEC IP65 with door interlock accessory for: 3VA12	3	Siemens	A	70	3VA9257-0FK25	85,31 €	1	85,31 €
147	10248815	5/2-Wege-Magnetventil	SY5220-5WAOUD-01F-Q	Directional control valve	J	15	SMC	A	35	SY5220-5WAOUD-01F-Q	84,18 €	3	252,54 €
148	10182182	Sensor- Aktorleitung	M12 8pol gerade 20M // BCC M418-0000-1A-069-PX0825-200	Sensor-actuator cable	M12 8pol straight 20M // BCC M418-0000-1A-069-PX0825-200	4	Balluff	A	50	BCC0AT4	76,87 €	1	76,87 €
149	10011994	Buchsenmodul	modular. 2pol. 70A. 6-16mm². Axialschraubanschluss // 09 14 002 2741	Bushing module	modular. 2pin 70A. 6-16mm². axial screw connection // 09 14 002 2741	8	HARTING	A	50	09 14 002 2741	74,52 €	2	149,04 €
150	10011563	Bremswiderstand	// BW090-P52B	Brake resistor	// BW090-P52B	4	SEW	A	20	BW090-P52B	70,70 €	1	70,70 €
151	10011420	FI-Schutzschalter	30mA. 40A. Typ A. 400Vac // 5SV3344-6	Residual current device	30mA. 40A. Typ A. 400Vac // 5SV3344-6	3	Siemens	A	50	5SV3344-6	67,76 €	1	67,76 €
152	10338060	Digitaler Drucksensor	ISE20-P-C6L	Digital pressure sensor	ISE20-P-C6L	4	Festo	A	20	ISE20-P-C6L	62,28 €	1	62,28 €
153	10332004	Reflexionslichtschranke	OBR4000-18GM60-E5-V1-1C // M12 x 1. 4-polig	Reflection light barrier	OBR4000-18GM60-E5-V1-1C // M12 x 1. 4-pin	3	Pepperl+Fuchs	A	10	c	60,81 €	1	60,81 €
154	10248811	3/2 Magnetventil	SY513-5WAOUD-01F-Q	Directional control valve	K	3	SMC	A	45	SY513-5WAOUD-01F-Q	59,89 €	1	59,89 €
155	10011756	Magnetventil	VT317. 3/2 geschlossen // EVT317-5D-02F-Q	Solenoid valve	VT317. 3/2 closed // EVT317-5D-02F-Q	3	SMC	A	10	EVT317-5D-02F-Q	58,83 €	1	58,83 €
156	10458752	1005797_62_02_02_015__Stanzmesser IPL15	_	1005797_62_02_02_015__ Punching knife IPL15	_	1	3CON	A	40	1005797_62_02_02_015__Stanzmesser IPL15	455,40 €	1	455,40 €
157	10005392	SENTRON. Zylindersicherungshalter. 14x51 mm. 1-polig. In: 50 A. Un AC: 690 V. LED Signalmelder	_	SENTRON. cylindrical fuse holder. 14x51 mm. 1-pin. In: 50 A. Un AC: 690 V. LED signal indicator	_	3	Siemens	A	70	3NW7112	53,15 €	1	53,15 €
158	10010788	Thermostat	Schaltschrank-Innentemperaturregler	Thermostat	Control cabinet internal temperature controller	3	Rittal	A	50	3110000	49.93 €	1	49.93 €
159	10008489	Schmierstoffbeber	Futura SF02	Lubricator	Futura SF02	18	PermaTec	A	10	107008	49.68 €	3	149.04 €
160	10016022	3/2-Wegeventil	VPA342-1-02FA	3-Port Air Operated Valve	VPA342-1-02FA	6	SMC	A	50	VPA342-1-02FA	47,68 €	2	95,36 €
161	10004529	Steckdosenleitung	KMEB-1-24-10-LED	Plug socket with cable	KMEB-1-24-10-LED	3	Festo	A	50	193457	44,51 €	1	44,51 €
162	10010934	Buchsenmodul	modular Quintax. 4pol. 10A. geschirmt. ohne Crimpkontakte // 09 15 004 3113	4 Pin 10A module female	without crimp contacts	6	HARTING	A	50	09 15 004 3113	40,32 €	2	80,64 €
163	10010928	Buchsenmodul	modular. 12pol. 10A. Quick-Lock-Anschluss // 09140122732	Harting module 12pin. 10A female	modular. 12pin. 10A. Quick-Lock connection // 09140122732	4	HARTING	A	50	09 14 012 2732	38,23 €	1	38,23 €
164	10010966	Rack-Abdeckung	// HC510-SC	Rack cover	// HC510-SC	7	Hetronik	A	60	HC510-SC	39,20 €	2	78,40 €
165	10011340	Schlüsselschalter	2 Schaltstellungen. verrastend // 3SU1050-4BF01-0AA0	Key-operated switch	2 switch positions. latching // 3SU1050-4BF01-0AA0	3	Siemens	A	50	3SU1050-4BF01-0AA0	35,54 €	1	35,54 €
166	10458753	1005797_62_02_02_016__Stanzmesser IPL16	_	1005797_62_02_02_016__ Punching knife IPL16	_	1	3CON	A	40	1005797_62_02_02_016__Stanzmesser IPL16	313,95 €	1	313,95 €
167	10011319	NOT-HALT-Pilzdrucktaster. 22 mm. rund. Metall. hochglanz. rot. 40 mm. zwangsläufige Verrastung. gemäß DIN EN ISO 13850. Drehentriegelung	40mm. rot // 3SU1050-1HB20-0AA0	Estop button red	40mm. red // 3SU1050-1HB20-0AA0	11	Siemens	A	50	3SU1050-1HB20-0AA0	31,37 €	3	94,11 €
168	10091796	Anschlusskabel	ZS-46-5F-X479	connection cable	ZS-46-5F-X479	3	SMC	A	50	ZS-46-5F-X479	29,76 €	1	29,76 €
169	10006185	Induktiver Sensor	BES0060. M12 4-polig	Inductive sensor	BES0060. M12 4pin	6	Balluff	A	50	BES M12MI-PSC20B-S04G	27,62 €	2	55,24 €
170	10006360	Induktiver Sensor	NBB3-V3-E2-V3 // M8 x 1 . 3-polig	Rectangular Inductive Sensor NO	NBB3-V3-E2-V3 // M8 x 1. 3-pin	6	Pepperl+Fuchs	A	50	225243	25,13 €	2	50,26 €
171	10041663	Induktiver Sensor	NBB8-18GM50-E2-V1	Inductive sensor NO flush M18	NBB8-18GM50-E2-V1	33	Pepperl+Fuchs	A	50	326161-0087	24.55 €	4	98.20 €
172	10011584	Induktiver Sensor	NBB8-F33-E2 // 3-polig	Inductive Sensor	NBB8-F33-E2 // 3-pin	3	Pepperl+Fuchs	A	50	200042	24.55 €	1	24.55 €
173	10010945	Buchseneinsatz	Bgr.: 24 B. 24pol. 16A. Schraubanschluss // 09 33 024 2701	Harting insert Size: 24 B. 24pin. 16A. screw connection female	09 33 024 2701	12	HARTING	A	15	09 33 024 2701	22,99 €	3	68,97 €
174	10010947	Buchseneinsatz	Bgr.: 3 A. 8pol. 10A. Quick-Lock-Anschluss // 09 36 008 2732	Harting insert Size: 3 A. 8pin. 10A. female	// 09 36 008 2732	6	HARTING	A	50	09 36 008 2732	22,08 €	2	44,16 €
175	10011214	Buchseneinsatz	Bgr.: 3 A. 4pol. 10A. Quick-Lock-Anschluss // 09200042733	Harting insert Size: 3 A. 4pin. 10A. female	// 09 20 004 2733	6	HARTING	A	40	09 20 004 2733	21,67 €	2	43,34 €
176	10004562	Induktiver Sensor	NBB4-12GM50-E2-V1 // M12 x 1 3pol	Inductive sensor	NBB4-12GM50-E2-V1 // M12 x 1 3pin	6	Pepperl+Fuchs	A	50	326161-0001	18,41 €	2	36,82 €
177	10012028	Doppeldrucktaster	i=weiß / O=schwarz // 3SU1001-3AB61-0AK0	Double push button	i=white / O=black // 3SU1001-3AB61-0AK0	6	Siemens	A	15	3SU1001-3AB61-0AK0	17.50 €	2	35.00 €
178	10010926	Buchsenmodul	modular. 8pol. 16A. Quick-Lock-Anschluss // 09 14 008 2733	Harting module 8pin. 16A. female	modular. 8pol. 16A. Quick-Lock-Anschluss // 09 14 008 2733	11	HARTING	A	50	09 14 008 2733	16,90 €	3	50,70 €
179	10010946	Stifteinsatz	Bgr.: 3 A. 8pol. 10A. Quick-Lock-Anschluss // 09 36 008 2632	Harting insert Size: 3 A. 8pin. 10A. male	Size: 3 A. 8pin. 10A. Quick-Lock connection // 09 36 008 2632	3	HARTING	A	50	09 36 008 2632	16,44 €	1	16,44 €
180	10011386	LED-Modul	weiß. Boden // 3SU1401-2BB60-3AA0	LED module white	3SU1401-2BB60-3AA0	5	Siemens	A	50	3SU1401-2BB60-3AA0	15,34 €	2	30,68 €
181	10011362	LED-Modul	rot. Boden // 3SU1401-2BB20-3AA0	LED module	red. floor // 3SU1401-2BB20-3AA0	8	Siemens	A	50	3SU1401-2BB20-3AA0	14,76 €	2	29,52 €
182	10011385	LED-Modul	blau. Boden // 3SU1401-2BB50-3AA0	LED module blue	3SU1401-2BB50-3AA0	6	Siemens	A	50	3SU1401-2BB50-3AA0	14,76 €	2	29,52 €
183	10010869	Buchsenmodul	modular. 5pol. 16A. Käfigzugfederanschluss // 09140052716	5 pin module female	modular. 5pin. 16A. cage clamp connection // 09 14 005 2716	38	HARTING	A	50	09 14 005 2716	14,71 €	4	58,84 €
184	10011360	LED-Modul	weiß. Front // 3SU1401-1BB60-3AA0	LED module white	3SU1401-1BB60-3AA0	6	Siemens	A	50	3SU1401-1BB60-3AA0	12,24 €	2	24,48 €
185	10140596	Rillenkugellager	Di10 Da30 B14	Deep groove ball bearing	Di10 Da30 B14	48	FAG	A	50	62200-A-2RSR	16.37 €	4	65.48 €
186	10004299	Sicherung 3NW6120-1	3NW6120-1	Fuse 3NW6120-1	3NW6120-1	3	Siemens	A	50	3NW6120-1	15.54 €	1	15.54 €
187	10004334	Leuchtdrucktaster. 22 mm. rund. Metall. hochglanz. weiß. Druckknopf. flach. tastend	Weiss	Push button - white 22mm	3SU1051-0AB60-0AA0	8	Siemens	A	50	3SU1051-0AB60-0AA0	15,19 €	2	30,38 €
188	10011346	Drucktaster	blau	Push button blue	3SU1051-0AB50-0AA0	6	Siemens	A	50	c	14,83 €	2	29,66 €
189	10005131	Drucktaster	Rot	Push button red 22mm	3SU1051-0AB20-0AA0	8	Siemens	A	50	3SU1051-0AB20-0AA0	14,61 €	2	29,22 €
190	10010867	Buchsenmodul	modular Quintax // 09 14 002 3101	Harting Quintax module female	09 14 002 3101	6	HARTING	A	50	09 14 002 3101	12,60 €	2	25,20 €
191	10011264	NH-Sicherungseinsatz	32A. 500Vac/250Vdc. gG. Gr. 000 // 3NA3812	NH fuse link	32A. 500Vac/250Vdc. gG. size 000 // 3NA3812	9	Siemens	A	70	3NA3812	12,06 €	2	24,12 €
192	10006368	Schmelzsicherung 50A gG 3NA3820	50A gG 3NA3820	Safety fuse 50A gG 3NA3820	50A gG 3NA3820	6	Siemens	A	50	3NA3820	11,09 €	2	22,18 €
193	10011622	Buchsenmodul	modular. 12pol. 10A. Crimpanschluss // 09 14 012 3101	Bushing module	modular. 12pin. 10A. Crimp connection // 09 14 012 3101	6	HARTING	A	15	09 14 012 3101	6,86 €	2	13,72 €
194	10011623	Stiftmodul	modular. 12pol. 10A. Crimpanschluss // 09 14 012 3001	Pin module	modular. 12pin. 10A. Crimp connection // 09 14 012 3001	6	HARTING	A	50	09 14 012 3001	6,86 €	2	13,72 €
195	10066313	Rillenkugellager	Di10 Da30 B9 // 6200-C-2HRS	Deep groove ball bearing	Di10 Da30 B9 // 6200-C-2HRS	49	FAG	A	50	6200-C-2HRS	6,14 €	4	24,56 €
196	10011417	Sicherungseinsatz	40A .400Vac/250Vdc. gG. D01. NEOZED // 5SE2340	Fuse link	40A .400Vac/250Vdc. gG. D01. NEOZED // 5SE2340	10	Siemens	A	50	5SE2340	3,30 €	3	9,90 €
197	10011418	Sicherungseinsatz	50A .400Vac/250Vdc. gG. D01. NEOZED // 5SE2350	Fuse link	50A .400Vac/250Vdc. gG. D01. NEOZED // 5SE2350	23	Siemens	A	40	5SE2350	3,27 €	4	13,08 €
198	10011415	Sicherungseinsatz	NEOZED-Sicherungseinsatz. D01. 10 A. gG. Un AC: 400 V. Un DC: 250 V. mit verzinnten Kontaktkappen	Fuse link	NEOZED fuse-link. D01. 10 A. gG. Un AC: 400 V. Un DC: 250 V. with tin-coated contact-caps	18	Siemens	A	40	5SE2310	1,94 €	3	5,82 €
199	10033088	Sicherungseinsatz	13A .400Vac/250Vdc. gG. D01. NEOZED	Fuse link	13A .400Vac/250Vdc. gG. D01. NEOZED	4	Siemens	A	50	5SE2013	1,83 €	1	1,83 €
200	10030275	Lufterhitzer	LHS 21S SYSTEM 230V 2.0kW	Air heater	LHS 21S SYSTEM 230V 2.0kW	8	Leister	A	50	139910	1.111.04 €	2	2.222.08 €
201	10466951	Ventilinsel	SSSY3-3C-F12B-JJGGGGGGGGGL	Valve terminal	SSSY3-3C-F12B-JJGGGGGGGGGL	1	SMC	A	40	SSSY3-3C-F12B-JJGGGGGGGGGL	712.97 €	1	712.97 €
202	10466950	Ventilinsel	SSSY3-3C-F12B-JJJGGGGGGGLL	Valve terminal	SSSY3-3C-F12B-JJJGGGGGGGLL	1	SMC	A	40	SSSY3-3C-F12B-JJJGGGGGGGLL	666,08 €	1	666,08 €
203	10013429	Parallelgreifer	DHPS-10-A	Parallel gripper	DHPS-10-A	4	Festo	A	50	1254040	436,01 €	1	436,01 €
204	10015182	Fuehrungszylinder	MGPL25TF-80Z	Guide cylinder	MGPL25TF-80Z	8	SMC	A	10	MGPL25TF-80Z	189,85 €	2	379,70 €
205	10015192	Fuehrungszylinder	MGPL32TF-50Z	Guide cylinder	MGPL32TF-50Z	2	SMC	A	50	MGPL32TF-50Z	182,98 €	1	182,98 €
206	10015189	Fuehrungszylinder	MGPL32TF-25Z	Guide cylinder	MGPL32TF-25Z	5	SMC	A	10	MGPL32TF-25Z	144,35 €	2	288,70 €
207	10015180	Fuehrungszylinder	MGPL25TF-75Z	Guide cylinder	MGPL25TF-75Z	2	SMC	A	50	MGPL25TF-75Z	132,29 €	1	132,29 €
208	10092219	Graeff__Temperatursensor_PT100__GF-7103.1.3-L.4.B.12.4000.A.350°C	PT100 // 350°C	Temp. sensor	PT100 // 350°C	8	Gräff	A	10	GF-7103.1.3-L.4.B.12.4000.A.350°C	123,32 €	2	246,64 €
209	10015177	Fuehrunszylinder	MGPL25TF-30Z	Guide cylinder	MGPL25TF-30Z	3	SMC	A	10	MGPL25TF-30Z	110.28 €	1	110.28 €
210	10012522	Fuss-Grobhandtaster	FAK-S/KC11/I. 1OE+1S	Palm switch	FAK-S/KC11/I. 1NC+1NO	4	Eaton	A	50	229749	97,77 €	1	97,77 €
211	10035716	Fuehrungswagen	KWVE25-B-N-V1-G3	Guide cart	KWVE25-B-N-V1-G3	14	Schaeffler	A	50	KWVE25-B-N-V1-G3	113,94 €	3	341,82 €
212	10249335	Wegeventil	3 (5/3-Wege Mittelstellung geschlossen)	Directional control valve	3 (3 Position Closed Centre)	27	SMC	A	25	SY7320-5WAOUD-02F-Q	104,67 €	4	418,68 €

SUMMARIZED SPARE PARTS & PRICES: 111011002189_DAG_BR 449_IP_VAC+EDGE+ITG+WELD+PUNCH

FOR ALL MASCHINES & TOOLS

Definition Priorities:

Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

issued by: **3CON Anlagenbau GmbH**
Issued on: 04.11.2024
Price validity: up to 3 months after issue

Total price spare parts package = 303.940,31 €
Total price PRIO "A" Spares = 211.670,36 €
Total price PRIO "B" Spares = 92.269,95 €
Total price PRIO "C" Spares = - €

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID	Sales price	recommended quantity	Total Price
213	10175496	Anschlussleitung_NEBV-S1G25-K-5-N-LE25-S6	VTUG Multipolinsel fest verlegt 5m	Connecting cable // VTUG multi-pole terminal permanent 5m	NEBV-S1G25-K-5-N-LE25-S6	2	Festo	A	15	575418	102,24 €	1	102,24 €
214	10145605	Fuehrungszylinder__4154770 - DFM-10-15-P-A-GF	DFM-10-15-P-A-GF	Guide cylinder	DFM-10-15-P-A-GF	1	Festo	A	50	4154770	99,91 €	1	99,91 €
215	10035730	Fuehrungswagen	KWVE15-B-H-V1-G3	Guide cart	KWVE15-B-H-V1-G3	18	INA	A	50	KWVE15-B-H-V1-G3	74,75 €	3	224,25 €
216	10005771	Kompaktzylinder	CD55B63-40	Compact cylinder	CD55B63-40	6	SMC	A	10	CD55B63-40	64,68 €	2	129,36 €
217	10005677	Schneidstecker	M12 Schneidstecker gerade D-cod.. 4-pol	Insulation disolacement connection	M12 . D-cod.. 4-pin	3	Murr	A	120	7000-14521-0000000	55,57 €	1	55,57 €
218	10028917	Kompaktzylinder	CD55B50-30	Compact cylinder	CD55B50-30	7	SMC	A	20	CD55B50-30	47,04 €	2	94,08 €
219	10135959	Kurvenrolle	D12 M6	Curve roller	D12 M6	9	JNS	A	50	CF5six-A	39,72 €	2	79,44 €
220	10028904	Kompaktzylinder	CD55B32-40	Compact cylinder	CD55B32-40	9	SMC	A	15	CD55B32-40	35,74 €	2	71,48 €
221	10005362	Kompaktzylinder	CD55B32-30	Compact cylinder	CD55B32-30	9	SMC	A	50	CD55B32-30	34,87 €	2	69,74 €
222	10035793	Druckregelventil	ARM5SA-08-A Einzelgerät mit Manometer. Druckbereich 0.05 - 0.7MPa. Anschluss 6mm Schlauch	Modular pressure control valve	single device with manometer. pressure range 0.05 - 0.7MPa. connection 6mm hose	15	SMC	A	10	ARM5SA-08-A	31,54 €	3	94,62 €
223	10035717	Kurvenrolle	CF6-VUURA	Curve roller	CF6-VUURA	6	JNS	A	50	CF6-VUURA	22,99 €	2	45,98 €
224	10437657	Induktiver Sensor	BES M08ZE1-PSC20B-S49G. M8 3-polig	Inductive sensor	BES M08ZE1-PSC20B-S49G. M8 3-pin	5	Balluff	A	50	BES060N	20,64 €	2	41,28 €
225	10041654	Signalgeber elektronisch PNP. LED rot. 3-Draht 4.5-28VDC. Kabel axial 0.5m M8. Direktmontage	D-M9PSAPC	Proximity switch Long	PNP. LED red. 3-wire 4.5-28VDC. cable axial 0.5m M8. direct mounting	21	SMC	A	50	D-M9PSAPC	18,72 €	4	74,88 €
226	10035729	Näherungsschalter	SMT-8M-A-PS-24V-E-0.3-M8D	Proximity sensor T slot	SMT-8M-A-PS-24V-E-0.3-M8D	11	Festo	A	50	574334	15,48 €	3	46,44 €
227	10008462	O-Ring NBR 70 Shore	di70 s5	O-ring	di70 s5	4	*MISC*diverse*	A	50	10008462	1,44 €	1	1,44 €
228	10459347	1005799 30 02 01 01 001 Greifer 1	(mirrored)	Gripper 1	(mirrored)	1	3CON	A	40	10459347	363,00 €	1	363,00 €
229	10459338	1005799 30 02 01 01 001 Greifer 1		Gripper 1		1	3CON	A	40	10459338	363,00 €	1	363,00 €
230	10459349	1005799 30 02 03 01 001 Greifer 3		Gripper 3		1	3CON	A	40	10459349	649,00 €	1	649,00 €
231	10459362	1005799 30 02 04 01 001 Greifer 4	(mirrored)	Gripper 4	(mirrored)	1	3CON	A	40	10459362	500,50 €	1	500,50 €
232	10459358	1005799 30 02 04 01 001 Greifer 4		Gripper 4		1	3CON	A	40	10459358	500,50 €	1	500,50 €
233	10459366	1005799 30 02 06 01 001 Greifer 6		Gripper 6		1	3CON	A	40	10459366	684,75 €	1	684,75 €
234	10459050	Kegelradgetriebemotor	K19CMP63S/BK/PK/AK0H/SB1 - lt. Angebot 417949886A Pos 02	Bevel geared motor	K19CMP63S/BK/PK/AK0H/SB1 - lt. Angebot 417949886A Pos 02	1	SEW	A	20	K19CMP63S/BK/PK/AK0H/SB1, Angebot 417949886A, Pos 02	1.900,15 €	1	1.900,15 €
235	10466712	1005803_30_02_02_01_03_02_001__Heissluft_Igel	_	hot air tubing	_	1	3CON	A	80	10466712	On Request	1	On Request
236	10466714	1005803_30_02_02_02_02_01_001__Heissluft_Igel	_	hot air tubing	_	1	3CON	A	80	10466714	On Request	1	On Request
237	10466717	1005803_30_02_02_03_02_01_001__Heissluft_Igel	_	hot air tubing	_	1	3CON	A	80	10466717	On Request	1	On Request
238	10466720	1005803_30_02_02_04_02_01_001__Heissluft_Igel	_	hot air tubing	_	1	3CON	A	80	10466720	On Request	1	On Request
239	10459502	Klemm- und Bremselement pneumatisch	100x109x42 // UBPS3502BS1	clamping element	100x109x42 // UBPS3502BS1	3	Zimmer Group	A	20	UBPS3502BS1	866,65 €	1	866,65 €
240	10397110	Normzylinder	mit Verriegelung	Cylinder screw	CP96ND850-600C	3	SMC	A	10	CP96ND850-600C	482,37 €	1	482,37 €
241	10466837	1005803_30_03_02_01_02_01_001__Heissluft_Igel	_	hot air tubing	_	1	3CON	A	80	10466837	On Request	1	On Request
242	10466838	1005803_30_03_02_02_02_01_001__Heissluft_Igel	_	hot air tubing	_	1	3CON	A	80	10466838	On Request	1	On Request
243	10466839	1005803_30_03_02_03_02_01_001__Heissluft_Igel	_	hot air tubing	_	1	3CON	A	80	10466839	On Request	1	On Request
244	10466840	1005803_30_03_02_04_02_02_001__Heissluft_Igel	_	hot air tubing	_	1	3CON	A	80	10466840	On Request	1	On Request
245	10453099	1005809 10 01 013 Zahnstange	(mirrored)	Tooth rack	(mirrored)	2	3CON	A	80	10453099	On Request	1	On Request
246	10453029	1005809 10 01 013 Zahnstange		Tooth rack		2	3CON	A	80	10453029	On Request	1	On Request
247	10453047	1005809 30 02 02 03 01 001 Greifer 01	(mirrored)	Gripper 01	(mirrored)	1	3CON	A	40	10453047	435,60 €	1	435,60 €
248	10437084	1005809 30 02 02 03 01 001 Greifer 01		Gripper 01		1	3CON	A	40	10437084	435,60 €	1	435,60 €
249	10453048	1005809 30 02 02 03 01 002 Greifer 02	(mirrored)	Gripper 02	(mirrored)	1	3CON	A	40	10453048	435,60 €	1	435,60 €
250	10008173	Sensorkopf	Infarot-Thermosensor (0-500°C)	Sensor head	Infrared thermal sensor (0-500°C)	6	Keyence	A	50	FT-H20	349,44 €	2	698,88 €
251	10437090	1005809 30 02 02 03 01 002 Greifer 02		Gripper 02		1	3CON	A	40	10437090	435,60 €	1	435,60 €
252	10011320	Auswerteeinheit	IR-Thermosensor // FT-50AWP	Evaluation unit	IR-Thermosensor // FT-50AWP	7	Keyence	A	20	FT-50AWP	326,40 €	2	652,80 €
253	10453050	1005809 30 02 02 04 01 001 Greifer 03	(mirrored)	Gripper 03	(mirrored)	1	3CON	A	40	10453050	435,60 €	1	435,60 €
254	10437096	1005809 30 02 02 04 01 001 Greifer 03		Gripper 03		1	3CON	A	40	10437096	435,60 €	1	435,60 €
255	10453051	1005809 30 02 02 04 01 002 Greifer 04	(mirrored)	Gripper 04	(mirrored)	1	3CON	A	40	10453051	435,60 €	1	435,60 €
256	10437095	1005809 30 02 02 04 01 002 Greifer 04		Gripper 04		1	3CON	A	40	10437095	435,60 €	1	435,60 €
257	10015222	Fuehrunszylinder	MGPL50TF-50Z	Guide cylinder	MGPL50TF-50Z	2	SMC	A	50	MGPL50TF-50Z	202.12 €	1	202.12 €
258	10220420	Eigenständiger Fotoelektrischer Sensor PZ-V32. PNP. M8-Stecker	PZ-V32. PNP. M8-Stecker	Square Reflective M8 Connector Type. PNP	PZ-V32. PNP. M8 plug	2	Keyence	A	50	PZ-V32P	190,08 €	1	190,08 €
259	10015221	Fuehrungszylinder	MGPL50TF-25Z	Guide cylinder	MGPL50TF-25Z	1	SMC	A	10	MGPL50TF-25Z	179,85 €	1	179,85 €
260	10014595	Durchflussschalter	PFM710S-C4-B-WS	Flow switch	PFM710S-C4-B-WS	6	SMC	A	20	PFM710S-C4-B-WS	165,39 €	2	330,78 €
261	10033794	Fuehrungswagen	KWVE35-B-V1-G3	Guide cart	KWVE35-B-V1-G3	18	Schaeffler	A	50	KWVE35-B-V1-G3	127,07 €	3	381,21 €
262	10249332	2x3/2 Magnetventil	SY7A20-5WAOUD-02F-X299-Q	Directional control valve	2xK	2	SMC	A	30	SY7A20-5WAOUD-02F-X299-Q	125,91 €	1	125,91 €
263	10248813	2x3/2 Magnetventil	SY5A20-5WAOUD-01F-X234-Q	Directional control valve	2xK / SY5A20-5WAOUD-01F-X234-Q	9	SMC	A	25	SY5A20-5WAOUD-01F-X234-Q	116,64 €	2	233,28 €
264	10015175	Fuehrunszylinder	MGPL25TF-20Z	Guide cylinder	MGPL25TF-20Z	2	SMC	A	50	MGPL25TF-20Z	110.52 €	1	110.52 €
265	10035641	Einschraub-Widerstandsthermometer	PT100 // 902040/10-387-1003-1-7.5-29-121-20	Screw-in resistance thermometer	PT100. 270°C	2	Jumo	A	40	446901	110.44 €	1	110.44 €
266	10015163	Fuehrungszylinder	MGPL20TF-20Z	Guide cylinder	MGPL20TF-20Z	4	SMC	A	50	MGPL20TF-20Z	98,73 €	1	98,73 €
267	10005037	Reflexions-Lichttaster	OBT300-R100-2EP-IO-V31-L	Reflexions light scanner	OBT300-R100-2EP-IO-V31-L	4	Pepperl+Fuchs	A	50	267075-0059	103,16 €	1	103,16 €
268	10041497	Fuehrungswagen	KWVE20-B-V1-G3	Guide cart	KWVE20-B-V1-G3	8	Schaeffler	A	50	KWVE20-B-V1-G3	97,89 €	2	195,78 €
269	10321476	5/3 Magnetventil	SY5320-5WAOUD-01F-Q	Directional control valve	G / 3 (3 Position Closed Centre)	4	SMC	A	30	SY5320-5WAOUD-01F-Q	95,24 €	1	95,24 €
270	10014178	Wartungseinheit	Baugröße 20. Anschlussgröße G1/8	Maintenance unit	Size 20. connection size G1/8	1	SMC	A	15	AC20-A-0738OAY	89,47 €	1	89,47 €
271	10008174	Schwenkantrieb	CRB2BW15-90SEZ	Swivel drive	CRB2BW15-90SEZ	6	SMC	A	50	CRB2BW15-90SEZ	86,94 €	2	173,88 €
272	10492053	Kupplung für 902040/10	2.5m // 00308880	Coupling for 902040/10	2.5m // 00308880	2	Jumo	A	30	308880	70,82 €	1	70,82 €
273	10027999	Kompaktzylinder	CD55B63-25M	Compact cylinder	CD55B63-25M	4	SMC	A	50	CD55B63-25M	65.21 €	1	65.21 €
274	10005477	Rollenendschalter	M12 4-polig	Role Limit Switch	M12 4pin	1	Siemens	A	50	3SE5234-0HK50-1AC4	64.12 €	1	64.12 €
275	10016799	Induktiver Sensor	IME18. M12 4-polig // IME18-05BPSZC0S	Inductive sensor	IME18. M12 4pin // IME18-05BPSZC0S	2	Sick	A	100	1040934	49,38 €	1	49,38 €
276	10027908	Kompaktzylinder	CD55B20-25M	Compact cylinder	CD55B20-25M	18	SMC	A	50	CD55B20-25M	31,75 €	3	95,25 €
277	10390886	Rundzylinder	CD85N16-25-B	Round cylinder	CD85N16-25-B	7	SMC	A	50	CD85N16-25-B	23,52 €	2	47,04 €
278	10006253	Induktiver Sensor	IME12-04BPSZC0S	Inductive sensor	IME12-04BPSZC0S	9	Sick	A	90	1040764	19,30 €	2	38,60 €
279	10269913	Sensor- Aktorleitung	M12 Spol gerade 5M // BCC M415-0000-1A-017-PX0534-050-C003	Sensor-actuator cable	M12 Spol straight 5M // BCC M415-0000-1A-017-PX0534-050-C003	12	Balluff	A	30	BCC0MKW	18,94 €	3	56,82 €
280	10033999	Rillenkugellager	Di30 Da55 B13	Deep groove ball bearing	Di30 Da55 B13	4	FAG	A	50	6006-2RSR	13,86 €	1	13,86 €
281	10012190	Drucktaster	schwarz. tastend. Metall // 3SU10000-AB100-AA0	Push button	black. momentary contact. metal // 3SU1030-0AB10-0AA0	2	Siemens	A	15	3SU10000AB100AA0	7,36 €	1	7,36 €
282	10012645	V-Ring	D68-73	V-Ring	D68-73	7	*MISC*diverse*	A	50	10012645	4.88 €	2	9.76 €
283	10413120	Bremsstange KR 056 L2400		Brake rod KR 056 L2400		1	3CON	A	10	1005796 30 04 01 001	825,00 €	1	825,00 €
284	10163099	Bandzylinder ohne KS	MY3M40TF-1400	Belt cylinder w/o rod	MY3M40TF-1400	2	SMC	A	10	MY3M40TF-1400	723,38 €	1	723,38 €
285	10004569	Analoges eingangsmodul	6ES7134-6JF00-0CA1	Analogue input module	6ES7134-6JF00-0CA1	2	Siemens	A	70	6ES7134-6JF00-0CA1	460,65 €	1	460,65 €
286	10285300	Fuehrungszylinder	MGPL50TF-25AZ-M9P	Guide cylinder	MGPL50TF-25AZ-M9P	4	SMC	A	10	MGPL50TF-25AZ-M9P	381,06 €	1	381,06 €
287	10458976	Fuehrungszylinder	MGPA63TF-25BZ-XC8	Guide cylinder	MGPA63TF-25BZ-XC8	2	SMC	A	15	MGPA63TF-25BZ-XC8	357,85 €	1	357,85 €
288	10041496	IR-Strahler	KW-L700 4200W-230V-UL-C hor	IR radiator (mirrored)	KW-L700 4200W-230V-UL-C hor	2	3CON	A	40	10000005	461,84 €	1	461,84 €
289	10026325	IR-Strahler	KW-L500 3000W-230V-UL-C hor	IR radiator (mirrored)	KW-L500 3000W-230V-UL-C hor	36	3CON	A	40	10000004	431,12 €	4	1.724,48 €
290	10249378	IR-Strahler	KW-L80 600W-230V-UL-B uni	IR radiator	KW-L80 600W-230V-UL-B uni	2	3CON	A	25	10249378	385.51 €	1	385.51 €
291	10026323	IR-Strahler	KW-L340 2040W-230V-UL-B hor	IR radiator (mirrored)	KW-L340 2040W-230V-UL-B hor	96	3CON	A	40	10000003	289.35 €	4	1.157.40 €
292	10308524	IR-Strahler	KW-L235 1360W-230V-UL-B uni	IR radiator	KW-L235 1360W-230V-UL-B uni	8	3CON	A	40	10308524	318,71 €	2	637,42 €
293	10458903	Fuehrungszylinder	MGPA40TF-25BZ-XC8	Guide cylinder	MGPA40TF-25BZ-XC8	1	SMC	A	50	MGPA40TF-25BZ-XC8	293,80 €	1	293,80 €
294	10015234	Fuehrungszylinder	MGPL63TF-50Z	Guide cylinder	MGPL63TF-50Z	1	SMC	A	10	MGPL63TF-50Z	246,47 €	1	246,47 €
295	10163094	ISO-Zylinder_(ISO 15552)__C96SDB80-580C	C96SDB80-580C	ISO-Zylinder_(ISO 15552)__C96SDB80-580C	C96SDB80-580C	2	SMC	A	10	C96SDB80-580C	219,11 €	1	219,11 €
296	10015233	Fuehrungszylinder	MGPL63TF-25Z	Guide cylinder	MGPL63TF-25Z	1	SMC	A	10	MGPL63TF-25Z	216,58 €	1	216,58 €
297	10486518	Kompaktzylinder mit Führung und Einfahrhubbeerenzune	MGPL25TF-50AZ-XC9	Compact cylinder with guide and retraction stroke limiter	MGPL25TF-50AZ-XC9	1	SMC	A	35	MGPL25TF-50AZ-XC9	216,00 €	1	216,00 €
298	10012550	Anlege-Wiederstandsthermometer	PT100. 400 Grad // 902550/99-402-1003-1-11-5000/315	Surface-mounted resistance thermometer	PT100. 400°C	3	Jumo	A	40	669631	178,29 €	1	178,29 €

SUMMARIZED SPARE PARTS & PRICES: 111011002189_DAG_BR 449_IP_VAC+EDGE+ITG+WELD+PUNCH

FOR ALL MASCHINES & TOOLS

Definition Priorities:

Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

issued by: **3CON Anlagenbau GmbH**
Issued on: 04.11.2024
Price validity: up to 3 months after issue

Total price spare parts package = 303.940,31 €
Total price PRIO "A" Spares = 211.670,36 €
Total price PRIO "B" Spares = 92.269,95 €
Total price PRIO "C" Spares = - €

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID	Sales price	recommended quantity	Total Price
299	10458992	5/3 Wegeventil	SY9320-5WAOU-C10F-Q	5/3 directional valve	SY9320-5WAOU-C10F-Q	3	SMC	A	25	SY9320-5WAOU-C10F-Q	167,14 €	1	167,14 €
300	10030477	Vakuumsaugduese	VN-30-H-T6-PQ4-VQ5-RO2	Vacuum generator	VN-30-H-T6-PQ4-VQ5-RO2	1	Festo	A	50	193497	164,64 €	1	164,64 €
301	10184522	Rundzylinder	CDG1BN50-250Z	Round cylinder	CDG1BN50-250Z	2	SMC	A	10	CDG1BN50-250Z	143,54 €	1	143,54 €
302	10253123	Kompaktzylinder	ADNGF-32-60-P-A-S2	Compact cylinder	ADNGF-32-60-P-A-S2	11	Festo	A	10	537127	127,78 €	3	383,34 €
303	10162722	Kurvenrolle	D52 M20x1.5	Curve roller	D52 M20x1.5	2	Schaeffler	A	50	NUKR52-A	123,36 €	1	123,36 €
304	10015179	Fuehrungsvlinder	MGPL25TF-50Z	Guide cylinder	MGPL25TF-50Z	1	SMC	A	50	MGPL25TF-50Z	109,69 €	1	109,69 €
305	10158055	Fuehrungswagen	KWVE20-B-N-G3-V1	Guide cart	KWVE20-B-N-G3-V1	4	Schaeffler	A	50	KWVE20-B-N-G3-V1	108,88 €	1	108,88 €
306	10028119	Kompaktzylinder	CD55B80-50M	Compact cylinder	CD55B80-50M	1	SMC	A	10	CD55B80-50M	79,42 €	1	79,42 €
307	10458902	Kompaktzylinder	JCDQA50TF-20	Compact cylinder	JCDQA50TF-20	2	SMC	A	30	JCDQA50TF-20	79,01 €	1	79,01 €
308	10486508	ISO-Zylinder (ISO 6432) C85	CD85N25-140-A	ISO cylinder (ISO 6432) C85	CD85N25-140-A	1	SMC	A	10	CD85N25-140-A	71,21 €	1	71,21 €
309	10314810	Mantelthermoelement 100mm Fuehler	TC-C1-K	Sheathed thermocouple 100mm sensor	TC-C1-K	8	3CON	A	40	10314810	92,60 €	2	185,20 €
310	10146423	Hochleistungsheizpatrone Ø12.5 100mm 400W	WAN DRGSL mit iTemp Type K 1000mm LEGLS SERD	High performance cartridge heater	Ø12.5x100mm // 400W	6	Tuerk+Hillinger	A	10	316532	64,17 €	2	128,34 €
311	10393130	Druckregler. Rückstrom.. G1/2. AC40-D	CD85N25-140-A	Pressure regulator. Return flow. G1/2. AC40-D	AR40K-F04BE-D	1	SMC	A	10	AR40K-F04BE-D	36,34 €	1	36,34 €
312	10004100	Induktiver Sensor	NBN3-8GM25-E2-V3	Inductive sensor NO Non flush	NBN3-8GM25-E2-V3	6	Pepoerl+Fuchs	A	50	304615-0115	16,46 €	2	32,92 €
313	10486505	Rillenkugellager	62202-A-2RSR	Ball bearing	62202-A-2RSR	2	Schaeffler	A	50	62202-A-2RSR	14,14 €	1	14,14 €
314	10015280	Balgensauger 2.5-fach	D18 Silikon transparent	Bellows cups 2.5 bellows	D18 mm silicone. transparent	15	Fipa	A	25	21.018.013.2/28	13,32 €	3	39,96 €
315	10016908	Anschlussteil	M6-AG	Connector	M6-AG	15	Fipa	A	10	270103	9,05 €	3	27,15 €
316	10458848	O-Ring NBR 70 Shore	Di70 x8	O-Ring NBR 70 Shore	Di70 x8	2	*MISC*diverse*	A	50	10458848	2,33 €	1	2,33 €
317	10159780	Flachdichtung	FLACHDI-DN12	Flat seal	FLSEAL-DN12	2	Würth	A	50	886000071	1,40 €	1	1,40 €
318	10482912	Haberkorn O-Ring NBR 70 Shore T07823	28x2.5 mm	O-ring	28x2.5 mm	30	*MISC*diverse*	A	50	T07823	0,18 €	4	0,72 €
319	10100717	O-Ring NBR 70 Shore	Di20 x2	O-ring	Di20 x2	13	*MISC*diverse*	A	50	10100717	0,14 €	3	0,42 €
320	10462788	O-Ring NBR 70 Shore	Di 28 x1.5	O-Ring NBR 70 Shore	Di 28 x1.5	18	*MISC*diverse*	A	50	10462788	0,11 €	3	0,33 €
321	10072430	O-Ring NBR 70 Shore	Di12 x2	O-Ring NBR 70 Shore	Di12 x2	15	*MISC*diverse*	A	50	10072430	0,11 €	3	0,33 €
322	10411123	O-Ring NBR 70 Shore	Di18 x1.5	O-Ring NBR 70 Shore	Di18 x1.5	4	*MISC*diverse*	A	50	10411123	0,07 €	1	0,07 €
323	10014487	Ritzel	TK130 Modul 5	Pinion	TK130 Modul 5	4	3CON	A	10	202002714	408,65 €	1	408,65 €
324	10013970	Ritzel	TK150 Modul 6	Pinion	TK150 Modul 6	4	3CON	A	10	1000 07 02 006 Ritzel TK150 M6	545,19 €	1	545,19 €
325	10041705	Stirnzahnrad	T40 m2 B20	Spur gear	T40 m2 B20	4	3CON	A	15	10041705	352,00 €	1	352,00 €
326	10240205	Stirnzahnrad	T20 m2 B20	Spur gear	T20 m2 B20	2	3CON	A	40	10240205 3CON Stirnzahnrad T20 m2 B20	143,00 €	1	143,00 €
327	10008655	Seitenkanalverdichter	Samos SI 1500 E1 50Hz	Side channel compressor	Samos SI 1500 E1 50Hz	1	Busch	A	80	1321147072	10.886,90 €	1	10.886,90 €
328	10016085	Drehschieber-Vakuumpumpe	U 5.300 inkl . PT100 Temperaturfühler	Rotary vane vacuum pump	U 5.300 incl . PT100 temperature sensor	1	Gebrüder Becker	A	30	G052135	7.553,53 €	1	7.553,53 €
329	10458232	PowerStroke	FSK 70	PowerStroke	FSK 70	1	Sitema	A	10	FSK 070 10	6.250,81 €	1	6.250,81 €
330	10011249	Movidrive	// MDX61B0370-503-4-0T	Movidrive	// MDX61B0370-503-4-0T	1	SEW	A	45	MDX61B0370-503-4-0T	5.413,46 €	1	5.413,46 €
331	10390383	Kegelradgetriebemotor	K77 DR2L132L4/BE20HR/TF/AK8W/V - lt. Angebot 421909161	Bevel geared motor	K77 DR2L132L4/BE20HR/TF/AK8W/V	1	SEW	A	25	K77 DR2L132L4/BE20HR/TF/AK8W/V	4.808,20 €	1	4.808,20 €
332	10008660	Kegelradgetriebe	P-280-L-5.00:1-Wa.13	Bevel gears	P-280-L-5.00:1-Wa.13	2	Graessner	A	20	21280P000258	4.342,00 €	1	4.342,00 €
333	10008680	Absturzsicherung	KR 056 31	Fall protection	KR 056 31	1	Sitema	A	50	KR 056 31	3.408,80 €	1	3.408,80 €
334	10021398	Movitrac	15kW. BG 3 // MC07B0150-503-4-00	Movitrac	15kW. FS 3 // MC07B0150-503-4-00	1	SEW	A	10	MC07B0150-503-4-00	2.367,21 €	1	2.367,21 €
335	10010787	Sicherheitslichtvorhang	C4C-EA19510A10000	Safety light curtain	deTec4 Core Receiver. L=1950mm // C4C-EA19510A10000	1	Sick	A	15	1211489	1.655,19 €	1	1.655,19 €
336	10011234	Movitrac	// MC07B0075-5A3-4-00	Movitrac	// MC07B0075-5A3-4-00	1	SEW	A	20	MC07B0075-5A3-4-00	1.529,91 €	1	1.529,91 €
337	10010784	Sicherheitslichtvorhang	C4C-SA19510A10000	Safety light curtain	deTec4 Core transmitter. L=1950mm // C4C-SA19510A10000	1	Sick	A	15	1211488	1.526,59 €	1	1.526,59 €
338	10255438	Umrichter	MDX61B0011-5A3-4-0T/DEH11B/DFE32B	Converter	MDX61B0011-5A3-4-0T/DEH11B/DFE32B	1	SEW	A	15	MDX61B0011-5A3-4-0T/DEH11B/DFE32B	1.524,75 €	1	1.524,75 €
339	10474041	Bandzylinder ohne KS	MY1B63G-1200	Belt cylinder w/o rod	MY1B63G-1200	1	SMC	A	10	MY1B63G-1200	1.324,14 €	1	1.324,14 €
340	10156765	Rexel__DCMA-325-2T Hockdruckventilator Aluguss Mitteldruck einseitig ansaugend SOD71008852	DCMA-325-2T	High pressure fan cast aluminum medium pressure single inlet	DCMA-325-2T	1	Rexel	A	20	SOD71008852	1.340,79 €	1	1.340,79 €
341	10010933	Integrierter Schrittmotor	MIS23251EPH266	Integrated stepper motor	MIS23251EPH266	2	JVL	A	40	MIS23251EPH266	892,09 €	1	892,09 €
342	10168840	Ansaugfilter	FIL 0500 [530 157 016]	Suction filter	FIL 0500 [530 157 016]	1	Busch	A	20	530 157 016	860,10 €	1	860,10 €
343	10092117	Stellungsregler		Positioner	-	1	End-Armaturen	A	15	EPR/ED070-125	830,79 €	1	830,79 €
344	10017087	Schneckenradgetriebe	HTTW26X050NE23006J	Worm gear	HTTW26X050NE23006J	2	JVL	A	20	HTTW26X050NE23006J	818,56 €	1	818,56 €
345	10036083	Federsockel	FS 056 14	Spring base	FS 056 14	1	Sitema	A	50	FS 056 14	810,81 €	1	810,81 €
346	10010785	Sicherheitslichtvorhang	C4C-EA09030A10000	Safety light curtain	deTec4 Core Receiver. L=1000mm // C4C-EA09030A10000	1	Sick	A	50	1211516	790,39 €	1	790,39 €
347	10124627	Messkopf	IR-Thermosensor	Sensor Head	IR-Thermosensor	1	Keyence	A	20	FT-H50	789,88 €	1	789,88 €
348	10011819	Movitrac	1.5kW // MC07B0015-5A3-4-S0	Movitrac	1.5kW // MC07B0015-5A3-4-S0	3	SEW	A	40	MC07B0015-5A3-4-S0	706,89 €	1	706,89 €
349	10462825	FSK-Vertikalbefestigung	FL/FSK-V 70	FSK vertical mounting	FL/FSK-V 70	1	Sitema	A	10	FL 070 40	657,02 €	1	657,02 €
350	10010789	Sicherheitslichtvorhang	C4C-SA09030A10000	Safety light curtain	deTec4 Core transmitter. L=1000mm // C4C-SA09030A10000	1	Sick	A	50	1211498	655,09 €	1	655,09 €
351	10080055	Proportional-Verstaerker	81.75x34.2x38.9 M12x1 // EV2S-BT-G-M	Proportional amplifier	81.75x34.2x38.9 M12x1 // EV2S-BT-G-M	1	HAWE Hydraulik	A	15	6964 0013-84.HW	499,03 €	1	499,03 €
352	10005934	Kugelhahn ZU 2" mit Antrieb ED	DW70 Edelstahl/PTFE-FKM. doppeltwirkend	Ball valve ZU 2" with drive ED	DW70 stainless steel/PTFE-FKM. double-acting	1	End-Armaturen	A	10	ZU310028-ED620702	473,18 €	1	473,18 €
353	10016087	Vakuumfilter		Vacuum filter		3	Gebrüder Becker	A	15	7400020801O	343,68 €	1	343,68 €
354	10012332	Einschraub-Widerstandsthermometer	902044/20-380-1003-1-8-50-104-26/000	Screw-in resistance thermometer	PT100. 260°C	1	Jumo	A	10	365259	323,37 €	1	323,37 €
355	10080054	Wegesitzventil	EM 11 V-1/4-G24	Directional seat valve	EM 11 V-1/4-G24	1	HAWE Hydraulik	A	35	6950 2413-00.HW	308,60 €	1	308,60 €
356	10474095	Wegesitzventil	EM 11 S-1/4-G 24	Directional seat valve	EM 11 S-1/4-G 24	1	HAWE Hydraulik	A	35	6950 9769-00.HW	308,60 €	1	308,60 €
357	10080057	Druckmessumformer	DT 2-1-MSD-T 7	Pressure transmitter	DT 2-1-MSD-T 7	1	HAWE Hydraulik	A	15	6956 0207-00.HW	290,42 €	1	290,42 €
358	10181794	SEW Geberleitung 50mmAbs.+AEH./D-SUB 15pol. L=20m	AS7W001101000/20	Encoder cable	50mmAbs+AEH./D-SUB 15pol. L=20m	1	Inntal Kabel-konfektion	A	125	AS7W001101000/20	238,94 €	1	238,94 €
359	10017085	Kugelhahn ZU 2"	PN64. Edelst./PTFE-FKM. Flanschplatte F05/F07. voller Durchgang	Ball valve 2"	PN64. stainless steel/PTFE-FKM. flange plate F05/F07. full bore	2	End-Armaturen	A	50	ZU310028	235,10 €	1	235,10 €
360	10459606	Druckschaltzeraet	DG 35-1/4	Pressure switchaear	DG 35-1/4	1	HAWE Hydraulik	A	15	7000 4118-00.HW	194,78 €	1	194,78 €
361	10384281	Überwachunasrelais	3Ph. N-Leiter 15-70Hz. 3x90-690V IO-Link // 3UGS816-2AA40	Monitorine relav	3Ph. N-conductor. 15-70Hz. 3x90-690V IO-Link // 3UGS816-2AA40	2	Siemens	A	50	3UGS816-2AA40	184,32 €	1	184,32 €
362	10011171	Drucksensor	SPAU-V1R-W-Q4D-L-PNLK-PNVBA-M8D. M8 4pol // SPAU-V1R-W-Q4D-L-PNLK-PNVBA-M8D	Pressure sensor	SPAU-V1R-W-Q4D-L-PNLK-PNVBA-M8D. M8 4pin // SPAU-V1R-W-Q4D-L-PNLK-PNVBA-M8D	3	Festo	A	50	8001239	172,38 €	1	172,38 €
363	10181811	SEW Geberleitung glatt geschnitten/D-SUB 15pol L=15m	AKXH000101000/15	Encoder cable	AKXH000101000/15	1	Inntal Kabel-konfektion	A	95	AKXH000101000/15	166,04 €	1	166,04 €
364	10012466	Sensor-/Aktor-Leitungen	M12 17pol gerade. geschirmt für JVL Antriebe. 1m // WI1000-M12M17T01N	Sensor/actuator cables	M12 17pol straight. shielded for JVL drive. 1m // WI1000-M12M17T01N	2	JVL	A	10	WI1009-M12M17T01N	108,81 €	1	108,81 €
365	10168785	Kurvenrolle	D52 M20x1.5	Curve roller	D52 M20x1.5	12	Schaeffler	A	50	NUKR52-A	102,11 €	3	306,33 €
366	10011872	Sensor-/Aktor-Leitungen	M12 5pol aerade. eeschirmt für JVL Antriebe. 10m // WI1000-M12F5T10N	Sensor/actuator cables	M12 5pol straight. shielded for JVL drive. 10m // WI1000-M12F5T10N	2	JVL	A	50	WI1000-M12F5T10N	106,40 €	1	106,40 €
367	10004189	Induktiver Sensor	NBB2-8GM25-E2-V3	Inductive sensor NO. flush	NBB2-8GM25-E2-V3	2	Pepoerl+Fuchs	A	50	304615-0031	72,06 €	1	72,06 €
368	10011132	Reflexionslichtschranke	OBR7500-R100-EP-IO-V3 // M8 3-poliq mit Polarisationsfilter	Reflection light barrier	OBR7500-R100-EP-IO-V3 // M8 3pin with polarization filter	3	Pepperl+Fuchs	A	10	10011132	63,48 €	1	63,48 €
369	10087943	Stoßdämpfer	RBC2725	Shock absorber	RBC2725	4	SMC	A	50	RBC2725	63,04 €	1	63,04 €
370	10011231	Kommunikationsschnittstelle	// FSC11B	Communications interface	// FSC11B	5	SEW	A	20	FSC11B	57,73 €	2	115,46 €
371	10011196	Bremswiderstand	// BW1	Brake resistor	// BW1	3	SEW	A	50	BW1	57,06 €	1	57,06 €
372	10011624	Induktiver Sensor	BES003C. M8 3-poliq // BES M08MI-PSC15B-S49G	Inductive sensor	BES003C. M8 3pin // BES M08MI-PSC15B-S49G	2	Balluff	A	10	BES003C	53,06 €	1	53,06 €
373	10004441	Kabel 10m KMC-1-24-10-LED	KMC-1-24-10-LED	Cable 10m	KMC-1-24-10-LED	2	Festo	A	50	193459	38,71 €	1	38,71 €
374	10458233	Druckregler	AR30-F02B-B	Pressure regulator	AR30-F02B-B	1	SMC	A	10	AR30-F02B-B	32,40 €	1	32,40 €
375	10011162	M8 3ool eewinkelt	Sensor-/Aktor-Leitunaen // V3-WM-10M-PUR	M8 3-oin analed	Sensor-/Aktor-Lines // V3-WM-10M-PUR	1	Pepoerl+Fuchs	A	50	116463	19,97 €	1	19,97 €
376	10011105	M8 4pol gerade	Sensor-/Aktor-Leitungen // V31-GM-10M-PUR	Sensor-actuator cable	M8. 4-pin. 10m. straight // V31-GM-10M-PUR	1	Pepperl+Fuchs	A	15	116464	16,99 €	1	16,99 €
377	10213759	PVC Absaug- und Geblaeseschlauch	Di 76mm. s 4.1mm	PVC suction and pressure hose	Di 76mm. s 4.1mm	6	H-Plus	A	50	886945	14,06 €	2	28,12 €
378	10004142	Kabeldose M8 3pol 5M gerade	V3-GM-5m-PUR	Cable Socket M8 3-pin 5m Straight	V3-GM-5m-PUR	9	Pepperl+Fuchs	A	50	24772	16,23 €	2	32,46 €
379	10013197	Dichtung V-Ring	NBR 60 90mm für Welle 88-93mm schwarz	V-Ring	NBR 60 90mm for shaft 88-93mm black	2	*MISC*diverse*	A	50	T35044	11,49 €	1	11,49 €
380	10004922	Schmelzsicherung 80A gG 3NA3824	NH-Sicherungseinsatz. NH000. In: 80 A. gG. Un AC: 500 V. Un DC: 250 V. Stirnkennmelder. spannungsführende Grifflaschen	Safety fuse 80A gG 3NA3824	LV HRC fuse element. NH000. In: 80 A. gG. Un AC: 500 V. Un DC: 250 V. Front indicator. live grip lugs	3	Siemens	A	70	3NA3824	11,42 €	1	11,42 €
381	10033099	Sicherungseinsatz	35A. 400Vac/250Vdc. gG. D01. NEOZED	Fuse link	35A. 400Vac/250Vdc. gG. D01. NEOZED	3	Siemens	A	70	5SE2335	3,63 €	1	3,63 €
382	10004873	Sicherungseinsatz	NEOZED-Sicherungseinsatz. D01. 16 A. gG. Un AC: 400 V. Un DC: 250 V. mit verzinnten Kontaktkappen	Fuse link	NEOZED fuse-link. D01. 16 A. gG. Un AC: 400 V. Un DC: 250 V. with tin-coated contact-caps	3	Siemens	A	50	5SE2316	2,01 €	1	2,01 €
383	10152373	Kegelradgetriebemotor	K87 DRL132S4BE11HR/IS/TF/AS7W/V - 418732477A Pos.01	Bevel gear motor	K87 DRL132S4BE11HR/IS/TF/AS7W/V - 418732477A Pos.01	1	SEW	A	60	K87 DRL132S4BE11HR/IS/TF/AS7W/V - 418732477A Pos.01	3.975,77 €	1	3.975,77 €
384	10008651	Seitenkanalverdichter	SV 130/1. 0.75 IE3. EU1. o.Z.	Side channel compressor	SV 130/1. 0.75 IE3. EU1. o.Z.	2	Gebrüder Becker	A	30	G023572	1.017,38 €	1	1.017,38 €
385	10011677	Speicherkarte	für S7-1x00 CPU. 3. 3V Flash. 256 MByte	Memory card	SIMATIC S7. MEMORY CARD FOR S7-1X00 CPU. 3.3 V FLASH. 256 MBYTE	1	Siemens	A	70	6ES7954-8LL03-0AA0	539,12 €	1	539,12 €
386	10336512	Luftstromwächter	SLS201	Airflow monitor	SLS201	2	IFM	A	50	SLS201	440,91 €	1	440,91 €

SUMMARIZED SPARE PARTS & PRICES: 111011002189_DAG_BR 449_IP_VAC+EDGE+ITG+WELD+PUNCH

FOR ALL MASCHINES & TOOLS

Definition Priorities:

Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

Total price spare parts package =	**303.940,31 €**
Total price PRIO "A" Spares =	211.670,36 €
Total price PRIO "B" Spares =	92.269,95 €
Total price PRIO "C" Spares =	- €

POS	Item-id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID	Sales price	recommended quantity	Total Price
387	10338055	Wartungseinheit	AC40-D-0430OAA	Maintenance unit	AC40-D-0430OAA	1	SMC	A	50	AC40-D-0430OAA	332,29 €	1	332,29 €
388	10004931	SIMATIC ET 200SP. analoges Eingangsmodul. AI 2x U/I 2- 4-Wire High Feat.. passend für BU-Typ A0. A1. Farbcode CC05. Kanal-Diagnose. 16 Bit. +/- 0.1%	6ES7134-6HB00-0CA1	SIMATIC ET 200SP. analogue input module. AI 2x U/I 2- 4-Wire High Feature suitable for BU types A0. A1. colour code CC05. channel diagnosis. 16 bit. +/- 0.1%	6ES7134-6HB00-0CA1	1	Siemens	A	10	6ES7134-6HB00-0CA1	311,81 €	1	311,81 €
389	10008518	Ansaugfilter	FK35 mit Stutzen G 1 1/2 "	Filter	FK35 with connection piece G 1 1/2 "	2	Gebrüder Becker	A	40	74000807010	113,57 €	1	113,57 €
390	10011637	M12 Spol gerade geschirmt UL	Sensor-/Aktor-Leitungen // V15-G-BK10M-PUR-U/ABG	M12 5-pin straight shielded UL	Sensor-/Aktor-Lines // V15-G-BK10M-PUR-U/ABG	2	Pepperl+Fuchs	A	40	V15-G-BK10M-PUR-U/ABG	40,94 €	1	40,94 €
391	10104462	Lenkrolle mit Feststeller und Fussschutz	KS LG 4/200/50K-FSTF-FU-S	Swivel castor with directional lock and feet protection	KS LG 4/200/50K-FSTF-FU-S	14	Wicke	B	10	42837	133,25 €	2	266,50 €
392	10104464	Lenkrolle	KS LG 4/200/50K	Swivel castor	KS LG 4/200/50K	14	Wicke	B	10	241123	92,74 €	2	185,48 €
393	10325983	1005110 40 25 001 Sonderluftduese G1 3 8		Air nozzle		12	3CON	B	40	10325983	110,75 €	2	221,50 €
394	10458891	1005797 10 02 04 01 001 Auswerfer 1		Eiector 1		1	3CON	B	40	10458891	495,00 €	1	495,00 €
395	10008520	Fuehrungsbuchse	Di8 Da12 B15	Guide bushing with flange	Di8 Da12 B15	14	Misumi	B	10	MPFZ8-15	18,14 €	2	36,28 €
396	10018483	Schraubendruckfeder DIN ISO 10243	HülsenØ20 DornØ10 L38 R33.3	Helical compression spring DIN ISO 10243	Sleeve Ø20 Mandrel Ø10 L38 R33.3	7	Fibro	B	50	241.14.20.038	9,12 €	1	9,12 €
397	10458892	1005797 10 02 04 01 002 Auswerfer 2		Ejector 2		1	3CON	B	40	10458892	495,00 €	1	495,00 €
398	10458893	1005797 10 02 04 01 003 Auswerfer 3		Ejector 3		1	3CON	B	40	10458893	495,00 €	1	495,00 €
399	10458894	1005797 10 02 04 01 004 Auswerfer 4		Ejector 4		1	3CON	B	40	10458894	495,00 €	1	495,00 €
400	10458895	1005797 10 02 04 01 005 Auswerfer 5		Ejector 5		1	3CON	B	40	10458895	495,00 €	1	495,00 €
401	10458898	1005797 10 02 04 01 006 Auswerfer 6		Eiector 6		1	3CON	B	40	10458898	495,00 €	1	495,00 €
402	10453131	Fuehrungsschiene	TKVD25-G3/1315-27.5/27.5	Guide rail	TKVD25-G3/1315-27.5/27.5	4	Schaeffler	B	50	TKVD25-G3/1315-27,5/27,5	277,79 €	1	277,79 €
403	10458897	1005797 10 02 04 01 007 Auswerfer 7		Ejector 7		1	3CON	B	40	10458897	495,00 €	1	495,00 €
404	10027820	Axiallüfter	230V AC / 29W. 171.5 x 51mm. 3300U/min. 500m³/h	Axial fan	230V AC/29W. 171.5 x 51mm. 3300rpm. 500m³/h	4	ebmpapst	B	15	W2E143-AB09-01	232,11 €	1	232,11 €
405	10458896	1005797 10 02 04 01 009 Auswerfer 9		Ejector 9		1	3CON	B	40	10458896	495,00 €	1	495,00 €
406	10458899	1005797 10 02 04 01 010 Auswerfer 10		Ejector 10		1	3CON	B	40	10458899	495,00 €	1	495,00 €
407	10458901	1005797 10 02 04 01 011 Auswerfer 11		Ejector 11		1	3CON	B	40	10458901	495,00 €	1	495,00 €
408	10032362	Schmierstoffgeber	Z-LUB-Mini	Lubricator	Z-LUB-Mini	4	Zimm	B	10	199C0015	102,97 €	1	102,97 €
409	10025487	Fuehrungssaeule	202.23.050.200.10	Guide column	202.23.050.200.10	16	Fibro	B	10	202.23.050.200.10	100,63 €	2	201,26 €
410	10458922	1005797 10 02 04 01 012 Auswerfer 12		Eiector 12		1	3CON	B	40	10458922	495,00 €	1	495,00 €
411	10458923	1005797 10 02 04 01 013 Auswerfer 13		Ejector 13		1	3CON	B	40	10458923	495,00 €	1	495,00 €
412	10460410	Klemmnabenkupplung	KUZ KK 24 11 11N	Clamping hub coupling	KUZ KK 24 11 11N	4	Zimm	B	10	KUZ KK 24 11 11N	71,60 €	1	71,60 €
413	10030274	Fuehrungsschiene	TKVD25-G3/300-30/30	Guide rail	TKVD25-G3/300-30/30	4	Schaeffler	B	10	TKVD25-G3/300-30/30	71,32 €	1	71,32 €
414	10230990	Fuehrungsschiene	TKVD25-G3/180-30/30	Guide rail	TKVD25-G3/180-30/30	16	Schaeffler	B	10	TKVD25-G3/180-30/30	58,26 €	2	116,52 €
415	10458924	1005797 10 02 04 01 014 Auswerfer 14		Ejector 14		1	3CON	B	40	10458924	495,00 €	1	495,00 €
416	10036629	Fuehrungsschiene	TKVD25-G3/170-25/25	Guide rail	TKVD25-G3/170-25/25	16	Schaeffler	B	50	TKVD25-G3/170-25/25	47,54 €	2	95,08 €
417	10016785	Positionier-Element	M10x12. Form B	Positioning element	M10x12. Form B	40	Elesa+Ganter	B	10	GN 409.1-15-M10-B	38,23 €	2	76,46 €
418	10016987	Fuehrungsbuchse mit Bund	Di16 Da20 L20	Guide bushing with flange	Di16 Da20 L20	2	Fibro	B	50	2085.70.016.020	35,03 €	1	35,03 €
419	10012599	Bundbohrbuchse DIN 172	Di30 Da42 L25 Form A	Collar drill bushe	Di30 Da42 L25mm // Form A // DIN172	4	*MISC*diverse*	B	50	10012599	31,97 €	1	31,97 €
420	10461615	1005797 10 02 04 01 014 Auswerfer 15		Ejector 15		1	3CON	B	40	10461615	495,00 €	1	495,00 €
421	10130022	Bundbohrbuchsen DIN 172-B	d16x16	Collar drill bush DIN172	d16x16	2	*MISC*diverse*	B	50	10130022	14,81 €	1	14,81 €
422	10119833	Haberkorn PA-Schlauch 191053		Haberkorn PA hose 191053		8	None	B	70	191053	3,05 €	1	3,05 €
423	10486525	1005797_10_02_06_001__Abdeckschieber (Fertigungsteil)	_	Cover slide (production part)	_	1	3CON	B	40	10486525	1.425,60 €	1	1.425,60 €
424	10486526	1005797_10_02_06_02_001__Abdeckschieber (Fertigungsteil)	_	Cover slide (production part)	_	1	3CON	B	40	10486526	3.698,62 €	1	3.698,62 €
425	10291632	Kuehleraet	weco 07.1 A - 400V 50Hz (blaues Gehäuse)	Cooling unit	weco 07.1 A - 400V 50Hz (blue housing)	3	ewk	B	30	10209943	11.194,73 €	1	11.194,73 €
426	10010886	Kühlgerät	Wandanbau. 230V. 0.55kW // SK.3303500	Cooling unit	Wall-mounted. 230V. 0.55kW // SK.3303500	2	Rittal	B	10	3303500	1.794,22 €	1	1.794,22 €
427	10454488	Monitor 50"	ProLite LH5075UHS-B1AG	Monitor 50"	ProLite LH5075UHS-B1AG	3	Iiyama	B	50	LH5075UHS-B1AG	1.308,56 €	1	1.308,56 €
428	10378393	Monitor 32"	ProLite LH3254HS-B1AG	Monitor 32"	ProLite LH3254HS-B1AG	3	Iiyama	B	10	LH3254HS-B1AG	716,15 €	1	716,15 €
429	10176128	Elastomerkupplung	EKH/800/162/B/60-PFN/40	Elastomer coupling	EKH/800/162/B/60-PFN/40	4	R+W	B	30	EKH/800/162/B/60-PFN/40	639,09 €	1	639,09 €
430	10011938	Geregelte Stromversorgung	SITOP PSU8200 24 V/40 A Geregelte Stromversorgung Eingang: 3 AC 400-500 V Ausgang: DC 24 V/40 A	Regulated power supply	SITOP PSU8200 24 V/40 A stabilized power supply input: 400-500 V 3 AC output: 24 V DC/40 A *Ex approval no longer available*	3	Siemens	B	70	6EP3437-8SB00-0AY0	527,80 €	1	527,80 €
431	10011407	Leistungsschalter	415V 3-polig.	Circuit breaker	415V 3-polig.	3	Siemens	B	70	3VA1225-4EF32-0AA0	505,10 €	1	505,10 €
432	10011224	Bremswiderstand	// BW039-012-T	Brake resistor	// BW039-012-T	2	SEW	B	50	BW039-012-T	315,61 €	1	315,61 €
433	10005397	Stromversorgungseinheit	SITOP PSU8200 24 V/10 A Geregelte Stromversorgung Eingang: AC 120/230 V Ausgang: DC 24 V/10 A	Power supply unit	SITOP PSU8200 24 V/10 A regulated power supply input: AC 120/230 V output: DC 24 V/10 A	3	Siemens	B	70	6EP3334-8SB00-0AY0	291,03 €	1	291,03 €
434	10006392	Leistungsschütz	AC-3 22 kW/400V DC 24V 1S + 1OE S2 // 3RT2036-3KB40	Power Contactor	AC-3 22kW/400V DC 24V 1S + 1OE. S2 // 3RT2036-3KB40	22	Siemens	B	50	3RT2036-3KB40	266,28 €	2	532,56 €
435	10004941	Druckverstaerker	VBA10A-F02GN	Pressure amplifier	VBA10A-F02GN	3	SMC	B	15	VBA10A-F02GN	257,40 €	1	257,40 €
436	10389353	Fuehrungsschiene	HDR45-C L1445 G40 G40	Guide rail	HDR45-C L1445 G40 G40	4	THK	B	50	HDR45-C L1445 G40 G40	234,53 €	1	234,53 €
437	10011464	unmanaged Industrial Ethernet Switch	SCALANCE XB008 unmanaged Industrial Ethernet Switch für 10/100 Mbit/s. zum Aufbau von kleinen Stern- und Linienstrukturen. LED-Diagnose. IP20. AC/DC 24V Spannungsversorgung. mit 8x 10/100 Mbit/s Twisted Pair Ports mit RJ45-Buchsen. Handbuch als Download verfügbar	Unmanaged Industrial Ethernet Switch	SCALANCE XB008 Unmanaged Industrial Ethernet Switch for 10/100 Mbit/s. for setting up small star and line topologies. LED diagnostics. IP20. 24 V AC/DC power supply. with 8x 10/100 Mbit/s twisted pair ports with RJ45 sockets. Manual available as a download	9	Siemens	B	70	6GK5008-0BA10-1AB2	231,69 €	1	231,69 €
438	10011403	Kompaktleistungsschalter	3VA1 IEC Frame 100. 36kA. 415V 3P. 16A. TM210 // 3VA1096-4ED32-0AA0	Circuit breaker	3VA1 IEC Frame 100. 36kA. 415V 3P. 16A. TM210 // 3VA1096-4ED32-0AA0	3	Siemens	B	70	3VA1096-4ED32-0AA0	139,10 €	1	139,10 €
439	10006377	Leistungsschütz	AC-3 25 kW/400V DC 24V 1S + 1OE S0 FZ // 3RT2026-2BB40	Power contactor	AC-3 25kW/400V DC 24V 1S + 1OE S0 FZ // 3RT2026-2BB40	3	Siemens	B	50	3RT2026-2BB40	138,20 €	1	138,20 €
440	10004812	Leitungsschutzschalter	400V 10kA. 3+N-polig. C. 16A. T=70mm // 5SY4616-7	Miniature circuit breaker	Miniature circuit breaker 400 V 10kA. 3+N-pole. C. 16A. D=70 mm	3	Siemens	B	10	5SY4616-7	102,91 €	1	102,91 €
441	10011511	Dauerlichtelement. mit integrierter LED. grün. AC/DC 24 V. Durchmesser 70 mm	Dauerlichtelement. grün // 8WD4420-5AC	Signal column green	Continuous light element. green // 8WD4420-5AC	3	Siemens	B	70	8WD4420-5AC	111,99 €	1	111,99 €
442	10011121	Dauerlichtelement. mit integrierter LED. rot. AC/DC 24 V. Durchmesser 70 mm	Dauerlichtelement. rot // 8WD4420-5AB	Signal column	Continuous light element. red // 8WD4420-5AB	3	Siemens	B	70	8WD4420-5AB	109,66 €	1	109,66 €
443	10010888	Reitersicherungselement	D-Switch // SV.9340950	Bus-mountine fuse base	D-Switch // SV.9340950	37	Rittal	B	50	9340950	102,17 €	2	204,34 €
444	10011122	Dauerlichtelement. mit integrierter LED. gelb. AC/DC 24 V. Durchmesser 70 mm	Dauerlichtelement. gelb // 8WD4420-5AD	Signal column Yellow	8WD4420-5AD	3	Siemens	B	70	8WD4420-5AD	100,83 €	1	100,83 €
445	10011153	Tuerpositionsschalter	Anschlussleitung L=800mm	Door-operated switch	with connection wire 800mm	7	Rittal	B	50	SZ2500470	70,06 €	1	70,06 €
446	10006393	Leitungsschutzschalter	400V 10kA. 3-polig. C. 6A. T=70mm // 5SY4306-7	Miniature circuit breaker	400V 10kA. 3-pin. C. 6A. D = 70mm // 5SY4306-7	3	Siemens	B	10	5SY4306-7	67,32 €	1	67,32 €
447	10005336	Leistungsschalter	0.28-0.4A 3RV2011-0EA25	Circuit breaker	0.28-0.4A 3RV2011-0EA25	3	Siemens	B	50	3RV2011-0EA25	67,14 €	1	67,14 €
448	10011157	Tuerpositionsschalter	ohne Anschlussleitung	Door-operated switch	without connection wire	7	Rittal	B	50	SZ4127010	53,48 €	1	53,48 €
449	10006350	Leitungsschutzschalter	400V 10kA. 3-polig. C. 13A. T=70mm // 5SY4313-7	Miniature circuit breaker 13A 3pol	400V 10kA. 3-polig. C. 13A. T=70mm // 5SY4313-7	4	Siemens	B	50	5SY4313-7	47,10 €	1	47,10 €
450	10011280	Leistungsschütz	AC-3 3 kW/400V DC 24V 1S S00 FZ // 3RT2015-2BB41	Power Contactor	AC-3 3kW/400V 1S DC 24V S00 FZ // 3RT2015-2BB41	7	Siemens	B	50	3RT2015-2BB41	41,31 €	1	41,31 €
451	10006386	Leistungsschütz	AC-3 3 kW/400V DC 24V 1OE S00 FZ // 3RT2015-2BB42	Power contactor	AC-3 3kW/400V DC 24V 1OE S00 FZ // 3RT2015-2BB42	30	Siemens	B	50	3RT2015-2BB42	40,71 €	2	81,42 €
452	10011423	Leitungsschutzschalter	230/400V 10kA. 1-polig. C. 10A. T=70mm // 5SY4110-7	Miniature circuit breaker	C10A. 1-pole. 230/400Vac // 5SY4110-7	3	Siemens	B	50	5SY4110-7	16,25 €	1	16,25 €
453	10004650	Leitungsschutzschalter	230/400V 10kA. 1-polig. C. 13A. T=70mm // 5SY4113-7	Miniature circuit breaker	230/400V 10kA. 1-polig. C. 13A. T=70mm // 5SY4113-7	18	Siemens	B	50	5SY4113-7	12,07 €	2	24,14 €
454	10088758	Befestigungselement	ZS-46-A2	Fastening element	ZS-46-A2	3	SMC	B	10	ZS-46-A2	4,31 €	1	4,31 €
455	10140552	Gummi-Metall-Puffer	D25 H10 M6x18	Metal-rubber buffer	D25 H10 M6x18	4	None	B	50	T46114	1,80 €	1	1,80 €
456	10459161	1005799 10 03 01 01 001 Schieber 1		Slider 1		1	3CON	B	40	10459161	1.397,00 €	1	1.397,00 €
457	10459162	1005799 10 03 02 01 001 Schieber 2		slider 2		1	3CON	B	40	10459162	1.397,00 €	1	1.397,00 €
458	10459163	1005799_10_03_03_01_001__Schieber_3_Segment 1	_	slider_3_segment_1	_	1	3CON	B	40	10459163	486,75 €	1	486,75 €
459	10459472	1005799_10_03_03_01_002__Schieber_3_Segment 2	_	slider_3_segment_2	_	1	3CON	B	40	10459472	407,00 €	1	407,00 €
460	10459473	1005799_10_03_03_01_003__Schieber_3_Segment 3	_	slider_3_segment_30	_	1	3CON	B	40	10459473	693,00 €	1	693,00 €
461	10459474	1005799_10_03_03_01_004__Schieber_3_Segment 4	_	slider_3_segment_4	_	1	3CON	B	40	10459474	407,00 €	1	407,00 €
462	10459475	1005799_10_03_03_01_005__Schieber_3_Segment 5	_	slider_3_segment_5	_	1	3CON	B	40	10459475	514,25 €	1	514,25 €
463	10025162	Fuehrungsbuchse	D20	Guide bushing with flange	D20	1	Misumi	B	10	MPTNZ20-25	70,38 €	1	70,38 €
464	10017093	Fuehrungsschiene	TKVD20-G3/110-25/25	Guide rail	TKVD20-G3/110-25/25	3	Schaeffler	B	10	TKVD20-G3/110-25/25	47,36 €	1	47,36 €
465	10035785	Fuehrungsschiene	TKVD25-U-G3/150-45/45	Guide rail	TKVD25-U-G3/150-45/45	6	Schaeffler	B	50	TKVD25-U-G3/150mm-45/45	45,03 €	1	45,03 €
466	10459164	1005799_10_03_04_01_001__Schieber_4_Segment 1	_	slider_4_segment_1	_	1	3CON	B	40	10459164	566,50 €	1	566,50 €

SUMMARIZED SPARE PARTS & PRICES: 111011002189_DAG_BR 449_IP_VAC+EDGE+ITG+WELD+PUNCH

FOR ALL MASCHINES & TOOLS

Definition Priorities:

Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

issued by: **3CON Anlagenbau GmbH**
Issued on: 04.11.2024
Price validity: up to 3 months after issue

Total price spare parts package =	**303.940,31 €**
Total price PRIO "A" Spares =	211.670,36 €
Total price PRIO "B" Spares =	92.269,95 €
Total price PRIO "C" Spares =	- €

POS	Item-id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID	Sales price	recommended quantity	Total Price
467	10035714	Fuehrungsschiene	TKVD25-U-G3/118-29/29	Guide rail	TKVD25-U-G3/118-29/29	6	Schaeffler	B	50	TKVD25-U-G3/118-29/29	40,66 €	1	40,66 €
468	10459480	1005799_10_03_04_01_002__Schieber_4_Segment 2	_	slider_4_segment_2	_	1	3CON	B	40	10459480	627,00 €	1	627,00 €
469	10013336	Fuehrungsschiene	TKVD15-B-U-G3/102-21/21	Guide rail	TKVD15-B-U-G3/102-21/21	18	Schaeffler	B	50	TKVD15-B-U-G3/102-21/21	36,96 €	2	73,92 €
470	10459481	1005799_10_03_04_01_003__Schieber_4_Segment 3	_	slider_4_segment_3	_	1	3CON	B	40	10459481	624,25 €	1	624,25 €
471	10459482	1005799_10_03_04_01_004__Schieber_4_Segment 4	_	slider_4_segment_4	_	1	3CON	B	40	10459482	566,50 €	1	566,50 €
472	10459440	1005799 10 03 05 01 001 Schieber 5		Slider 5		1	3CON	B	40	10459440	1.447,60 €	1	1.447,60 €
473	10027836	Bundbohrbuchse DIN 172	Di15 Da22 L28 Form A	Collar drill bush	Di15 Da22 L28 // Form A // DIN172	8	*MISC*diverse*	B	50	10027836	14,93 €	1	14,93 €
474	10032340	Kugelhahn	Rp 1/2" L48.5 Ms vernickelt	Ball valve	Rp 1/2" L48.5 brass nickel plated	8	*MISC*diverse*	B	50	10032340	16,41 €	1	16,41 €
475	10459448	1005799_10_03_05_01_002__Anschraubplatte_Schieber 5	_	Screw-on plate_slider_5	_	2	3CON	B	40	10459448	337,51 €	1	337,51 €
476	10459441	1005799 10 03 06 01 001 Schieber 6		Slider 6		1	3CON	B	40	10459441	1.447,60 €	1	1.447,60 €
477	10466740	1005803_10_02_02_01_04_001__Umbugschieber 4	_	Edgefolding slider 4	_	1	3CON	B	40	10466740	745,25 €	1	745,25 €
478	10466735	1005803_10_02_02_01_05_001__Umbugschieber 5	_	Edgefolding slider 5	_	1	3CON	B	40	10466735	745,25 €	1	745,25 €
479	10466737	1005803_10_02_02_01_06_001__Umbugschieber 6	_	Edgefolding slider 6	_	1	3CON	B	40	10466737	871,75 €	1	871,75 €
480	10466743	1005803_10_02_02_01_07_001__Eckumbugschieber 7	_	Edgefolding slider 7	_	1	3CON	B	40	10466743	618,75 €	1	618,75 €
481	10466744	1005803_10_02_02_01_08_001__Eckumbugschieber 8	_	Edgefolding slider 8	_	1	3CON	B	40	10466744	632,50 €	1	632,50 €
482	10466746	1005803_10_02_02_01_09_001__Eckumbugschieber 9	_	Edgefolding slider 9	_	1	3CON	B	40	10466746	605,00 €	1	605,00 €
483	10466741	1005803_10_02_02_02_01_001__Vorlegeschieber	_	Pre-slider	_	1	3CON	B	40	10466741	805,75 €	1	805,75 €
484	10459230	Fuehrungsschiene	TKVD35-G3/1700-50/50	Guide rail	TKVD35-G3/1700-50/50	2	Schaeffler	B	50	TKVD35-G3/1700-50/50	341,47 €	1	341,47 €
485	10493112	1005811_10_02_03_01_001__Abdeckschieber_01	(mirrored)	Cover slide_01	(mirrored)	1	3CON	B	40	10493112	979,00 €	1	979,00 €
486	10459495	Gelenkwelle Elastomer	EZ2/60/20-PFN/20 L862	Elastomer drive shaft	EZ2/60/20-PFN/20 L862	2	R+W	B	20	EZ2/60/20-PFN/20 L862	227,42 €	1	227,42 €
487	10260455	Fuehrungsschiene	TKVD35-G3/1000-20/20	Guide rail	TKVD35-G3/1000-20/20	3	Schaeffler	B	10	TKVD35-G3/1000-20/20	222,12 €	1	222,12 €
488	10073569	Stossdaempfer	YSR-12-12-C	Shock absorber	34572 - YSR-12-12-C	6	Festo	B	25	34572	155,14 €	1	155,14 €
489	10458253	1005811_10_02_03_01_001__Abdeckschieber_01	_	Cover slide_01	_	1	3CON	B	40	10458253	979,00 €	1	979,00 €
490	10458249	1005811_10_02_03_02_001__Abdeckschieber_02	_	Cover slide_02	_	1	3CON	B	40	10458249	786,50 €	1	786,50 €
491	10493113	1005811_10_02_03_02_001__Abdeckschieber_02	(mirrored)	Cover slide_02	(mirrored)	1	3CON	B	40	10493113	786,50 €	1	786,50 €
492	10493094	1005811_10_02_03_02_001__Abdeckschieber_02	_	Cover slide_02	_	1	3CON	B	40	10493094	786,50 €	1	786,50 €
493	10493114	1005811_10_02_03_03_001__Abdeckschieber_03	(mirrored)	Cover slide_03	(mirrored)	1	3CON	B	40	10493114	1.093,40 €	1	1.093,40 €
494	10458247	1005811_10_02_03_03_001__Abdeckschieber_03	_	Cover slide_03	_	1	3CON	B	40	10458247	1.093,40 €	1	1.093,40 €
495	10493115	1005811_10_02_03_04_001__Abdeckschieber_04	(mirrored)	Cover slide_04	(mirrored)	1	3CON	B	40	10493115	994,40 €	1	994,40 €
496	10028150	Fuehrungsbuchse	Di20 Da30 L40	Guide bushing	Di20 Da30 L40	1	Fibro	B	10	2052.70.020.030.040	50.12 €	1	50.12 €
497	10015603	Fuehrungsschiene	TKVD20-G3/120-30/30	Guide rail	TKVD20-G3/120-30/30	8	Schaeffler	B	10	TKVD20-G3/120-30/30	47.36 €	1	47.36 €
498	10008712	Zupfeder	Z-060E-011	Tension spring	Z-060E-011	6	Gutekunst	B	50	Z-060E-011	14,50 €	1	14,50 €
499	10087500	Gleitlager	Da07 Di05 L10	Sleeve bearing	Da07 Di05 L10	7	Igus	B	10	LSM-0507-10	10,23 €	1	10,23 €
500	10458257	1005811_10_02_03_04_001__Abdeckschieber_04	_	Cover slide_04	_	1	3CON	B	40	10458257	994,40 €	1	994,40 €
501	10030764	Vakuumduese	10mm 0.6/10/4/7/24	Core vent with holes	10mm 0.6/10/4/7/24	960	Peter Kröner	B	50	11631042	1,40 €	2	2,80 €
502	10493137	1005811 30 02 02 01 001 Stuetzschieber	(mirrored)	Support slider	(mirrored)	1	3CON	B	40	10493137	2.112,00 €	1	2.112,00 €
503	10465975	1005811 30 02 02 01 001 Stuetzschieber		Support slider		1	3CON	B	40	10465975	2.112,00 €	1	2.112,00 €
504	10024967	Buchse		Bushing (mirrored)		38	3CON	B	40	s009 22 003 Buchse	91.62 €	2	183.24 €
505	10016429	Fuehrungsbuchse	1001100_70_01_02_006	Guide bushing	1001100_70_01_02_006	7	3CON	B	40	10016429__3CON__Fuehrungsbuchse__1001100_70_01 02 006	85,66 €	1	85,66 €
506	10162728	Fuehrungsschiene	TKVD35-G3/1675-37.5/37.5	Guide rail	TKVD35-G3/1675-37.5/37.5	2	Schaeffler	B	10	TKVD35-G3/1675-37,5/37,5	355,74 €	1	355,74 €
507	10170421	Kulissen Stellteil		Backdrop actuator		15	3CON	B	50	s001 01 04 Kullisen Stellteil	70,38 €	2	140,76 €
508	10158064	Fuehrungsschiene	TKVD25-G3/1750-35/35	Guide rail	TKVD25-G3/1750-35/35	4	Schaeffler	B	10	TKVD25-G3/1750-35/35	325,02 €	1	325,02 €
509	10012902	Zentrierbolzen	Z56-32-1	Centring element	Z56-32-1	2	STRACK NORMA	B	10	40023-1	106,12 €	1	106,12 €
510	10012706	Zentrierbuchse	Z56-32-2	Centring element	Z56-32-2	2	STRACK NORMA	B	10	40023-2	106,12 €	1	106,12 €
511	10158058	Fuehrungsschiene	TKVD20-G3/320/40/40	Guide rail	TKVD20-G3/320/40/40	4	Schaeffler	B	50	TKVD20-G3/320/40/40	92.02 €	1	92.02 €
512	10012865	Zentrierbuchse	Z56-20-2	Centring element	Z56-20-2	1	STRACK NORMA	B	50	40019-2	82.82 €	1	82.82 €
513	10191524	Zentrierbuchse	Z56-20-2	Centring element	Z56-20-2	1	STRACK NORMA	B	10	40019-2	82,82 €	1	82,82 €
514	10036628	Fuehrungsschiene	TKVD25-G3/160-20/20	Guide rail	TKVD25-G3/160-20/20	2	Schaeffler	B	10	TKVD25-G3/160-20/20	58,26 €	1	58,26 €
515	10012848	Fuehrungsbuchse	D32	Guide bushing with collar	D32	2	Fibro	B	15	2102.70.032	57,09 €	1	57,09 €
516	10063704	Maschinenleuchte	Flatfram 4000K mit Rahmen IP65 // PR6060.38.4	Machine light (mirrored)	Flatfram 4000K with frame IP65 // PR6060.38.4	6	3CON	B	50	PR6060.38.4	268,13 €	1	268,13 €
517	10404113	Nadel (Fertigungsteil)		Needle		7	3CON	B	40	10404113	7,87 €	1	7,87 €
518	10426028	Nadel (Fertigungsteil)		Needle		7	3CON	B	40	10426028	7,87 €	1	7,87 €
519	10206128	Zahnstange	D60 Modul 5 L1963.5mm	Gear rack	D60 Modul 5 L1963.5mm	4	3CON	B	25	10206128	792,00 €	1	792,00 €
520	10039614	ZB Fuehrungsbuchse	D50	assemblv guide bushing (mirrored)	D50	16	3CON	B	40	10039614	302.50 €	2	605.00 €
521	10110048	ZB Spannsystem Basis	1001000 01 01	ZB clamping system base	1001000 01 01	5	3CON	B	40	10110048	1.343.28 €	1	1.343.28 €
522	10257456	ZB Spannsystem Obertisch	nicht zentrierend - Indexierung Rechts	ZB clamping system upper table	not centering - Indexing right	4	3CON	B	20	10257456__3CON__ZB Spannsystem Obertisch nicht zentrierend - Indexierung Rechts 1001000 01 03	454,91 €	1	454,91 €
523	10257366	ZB Spannsystem Obertisch	zentrierend - Indexierung Rechts	ZB clamping system upper table	centering - indexing right side	6	3CON	B	20	10257366__3CON__ZB Spannsystem Obertisch zentrierend - Indexierung Rechts 1001000 01 02	454,91 €	1	454,91 €
524	10257458	ZB Spannsystem Obertisch	nicht zentrierend - Indexierung Links	ZB clamping system upper table	not centering - Indexing left	10	3CON	B	20	10257458__3CON__ZB Spannsystem Obertisch nicht zentrierend - Indexierung Links 1001000 01 04	454,91 €	2	909,82 €
525	10315542	ZB Umbugeinheit A o li 40		ZB crimping unit		4	3CON	B	20	ZB Umbugeinheit A o li 40	2.300,00 €	1	2.300,00 €
526	10315544	ZB Umbugeinheit A o re 40		ZB crimping unit A u ri 40		1	3CON	B	20	ZB Umbugeinheit A o re 40	2.300.00 €	1	2.300.00 €
527	10011184	Kühlgerät	Dachaufbau 230V. 1kW // SK.3383500	Cooling unit	Roof-mounted 230V. 1kW // SK.3383500	1	Rittal	B	15	3383500	2.293,65 €	1	2.293,65 €
528	10459602	Proportional-Druckbegrenzungsventil	PMV 41-41/G 24 DIN	Proportional pressure relief valve	PMV 41-41/G 24 DIN	1	HAWE Hydraulik	B	45	6963 1665-63.HW	999,16 €	1	999,16 €
529	10315543	ZB Umbugeinheit A u li 40		ZB crimping unit A l le 40		1	3CON	B	20	ZB Umbugeinheit A u li 40	2.300,00 €	1	2.300,00 €
530	10008048	Lamellenkupplung	Roba-DS Gr. 160 Type 953.051 S - komplett montiert	Multi-plate clutch	Roba-DS Gr. 160 Type 953.051 S - cpl assembled	4	Chr. Mayr	B	20	8277263	851,76 €	1	851,76 €
531	10008637	Gelenkwelle Elastomer	Bohrung D1: 50 H7 PFN DIN 6885 Bohrung D2: 60 H7 PFN DIN 6885	Elastomeric drive shaft	Bore D1: 50 H7 PFN DIN 6885 Bore D2: 60 H7 PFN DIN 6885	2	R+W	B	20	EZ2/450/877 (B)	674,27 €	1	674,27 €
532	10316134	ZB Umbugeinheit B o li 40		ZB crimping unit B o li 40		6	3CON	B	20	ZB Umbugeinheit B o li 40	2.300,00 €	1	2.300,00 €
533	10008612	Kugelhahn	G2 Feder-schliessend	Ball valve	G2 spring-closing	11	Landefeld	B	50	KH 20 P FS	543,71 €	2	1.087,42 €
534	10316135	ZB Umbugeinheit B u li 40		ZB crimping unit B u li 40		1	3CON	B	20	ZB Umbugeinheit B u li 40	2.300.00 €	1	2.300.00 €
535	10459601	Membranspeicher	AC 202/70/3	Diaphragm accumulator	AC 202/70/3	1	HAWE Hydraulik	B	15	6963 1665-62.HW	413.13 €	1	413.13 €
536	10011436	Geregelte Stromversorgung	3-phasig 48Vdc/10A // 6EP3446-8SB00-0AY0	Regulated power supply	3-phase 48Vdc/10A // 6EP3446-8SB00-0AY0	1	Siemens	B	70	6EP3446-8SB00-0AY0	403,20 €	1	403,20 €
537	10006141	Axialluefter	225x225x80	Axial Fan	225x225x80	4	ebmpapst	B	50	W2E200-HK38-01	384,08 €	1	384,08 €
538	10316138	ZB Umbugeinheit B u re 40		ZB crimping unit B u re 40		2	3CON	B	20	ZB Umbugeinheit B u re 40	2.300,00 €	1	2.300,00 €
539	10095135	ZB Fuehrungsbuchse 3CON	D50 verpresst	ZB guide bushing pressed 3CON	D50 pressed	8	3CON	B	50	s009 01 02 ZB Fuehrungsbuchse 3CON D50	302,50 €	1	302,50 €
540	10132555	Zentriereinsatz	(mirrored) 180	Centring insert (mirrored)	(mirrored) 180	2	3CON	B	40	10132555	206,25 €	1	206,25 €
541	10091484	Gummipuffer	D30 H20 M8x20 // DVA.4-30-20-M8-20-55	Rubber buffer	D30 H20 M8x20 // DVA.4-30-20-M8-20-55	2	Elesa+Ganter	B	50	412801	4,88 €	1	4,88 €
542	10047167	MOSA M8 St. 0° selbstanschl. Schneidklemme	4-pol.. 0.14 - 0.34mm². 2.5 - 5.1mm	Metal M8 4pol field wireable male	4-pole.. 0.14 - 0.34mm². 2.5 - 5.1mm	1	Murr	B	40	7000-08351-0000000	22,60 €	1	22,60 €
543	10125735	Fuehrungsschiene	HDR45-C L1450 G42.5 G42.5	Guide rail	HDR45-C L1450 G42.5 G42.5	4	THK	B	20	HDR45-C L1450 G42.5 G42.5	234,53 €	1	234,53 €
544	10008609	Paletten-Rollenschiene	NR100/52 17 Rollen	Roller rails	NR100/52 17 rolls	6	Fourtec	C	50	204001	136,92 €	0	- €
545	10015702	Paletten-Rollenschiene	NR100/52 15 Rollen	Roller rails	NR100/52 15 rolls	4	Fourtec	C	15	204101	120,25 €	0	- €

SUMMARIZED SPARE PARTS & PRICES: 111011002189_DAG_BR 449_IP_VAC+EDGE+ITG+WELD+PUNCH

FOR ALL MASCHINES & TOOLS

Definition Priorities:

Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

issued by: **3CON Anlagenbau GmbH**
Issued on: 04.11.2024
Price validity: up to 3 months after issue

Total price spare parts package = **303.940,31 €**
Total price PRIO "A" Spares = 211.670,36 €
Total price PRIO "B" Spares = 92.269,95 €
Total price PRIO "C" Spares = - €

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID	Sales price	recommended quantity	Total Price
546	10314591	1004919_30_01_05_001__Verteilerblock__2x G3/8	_	Distrubution block	_	6	3CON	C	40	10314591	184,48 €	0	- €
547	10008486	Kugelknopf	GN 319.5-40-M10-B	Ball button	GN 319.5-40-M10-B	17	Elesa+Ganter	C	10	GN 319.5-40-M10-B	20,59 €	0	- €
548	10008538	Buegelgriff	GN 728-180-B-SW	Bow-type handle	GN 728-180-B-SW	22	Elesa+Ganter	C	10	GN 728-180-B-SW	18,17 €	0	- €
549	10004844	Rastbolzen	GN 607-8-A-ST	Locking pin	GN 607-8-A-ST	14	Elesa+Ganter	C	50	GN 607-8-A-ST	16,58 €	0	- €
550	10453112	Energiekette Serie 2500	1.15m 2500.12.150.0 + 2125.34PZB.A2	Energy chain 2500 series	1.15m 2500.12.150.0 + 2125.34PZB.A2	4	Igus	C	15	1.15m 2500.12.150.0 + 2125.34PZB.A2	97,50 €	0	- €
551	10062804	Schnellentlueftungsventil	SEU-1/8	Quick exhaust valve	SEU-1/8	2	Festo	C	50	4616	53,02 €	0	- €
552	10004874	Lüftergitter	143mm Kunststoffbeschichteter Stahl	Fan grille. plastic-coated steel	143mm	8	ebmpapst	C	10	04013-2-4039	40,83 €	0	- €
553	10027829	Andockrahmen Han 24B	Bgr.: 24 B // 09 30 024 1701	Docking frame Han 24B	Size.: 24 B // 09 30 024 1701	63	HARTING	C	50	09 30 024 1701	34,85 €	0	- €
554	10408055	Energiekette	0.3m Z08.50.048.0 + 080.50.12PZ.A1	Energy chain	0.3m Z08.50.048.0 + 080.50.12PZ.A1	2	Igus	C	10	0.3m Z08.50.048.0 + 080.50.12PZ.A1	34,10 €	0	- €
555	10017230	ZB Schlauchtuelle 90 Grad mit Einschraubstutzen	G1/2 DN13	ZB hose nozzle 90 degrees with screw-in socket	G1/2 DN13	22	Hilgendorf	C	10	F07622 + F07675	33,84 €	0	- €
556	10027837	Positionier-Element	GN 409.1-10-M8-B	Positioning element	GN 409.1-10-M8-B	16	Elesa+Ganter	C	10	GN 409.1-10-M8-B	30,98 €	0	- €
557	10479810	Achsausgleichselement	M10x1.5	Floating joint	M10x1.5	8	SMC	C	50	JA25-10-150	27,67 €	0	- €
558	10011715	Gelenkrahmen	Bar.: 24. B 6 Module a-f // 09 14 024 0371	Articulated frame	Size: 24 B. 6 Module a-f // 09 14 024 0371	20	HARTING	C	50	09 14 024 0371	26.16 €	0	- €
559	10043448	ZB Schlauchtuelle 90 Grad mit Einschraubstutzen	G1/4 DN6	ZB hose nozzle 90 degrees with screw-in socket	G1/4 DN6	19	Hilgendorf	C	10	F07614 + F07655	25,92 €	0	- €
560	10017800	ZB Schlauchtuelle 90 Grad mit Einschraubstutzen	G3/8 DN10	ZB hose nozzle 90 degrees with screw-in socket	G3/8 DN10	55	Hilgendorf	C	10	F07616 + F07663	25,68 €	0	- €
561	10047178	Y-Verteiler	T-Stück M8-St 3pol./2x M8-Bu 3pol. // 7000-88621-0000000	Y-distributor	T-coupler M8-male 3p/2x M8-female 3p // 7000-88621-0000000	4	Murr	C	50	7000-88621-0000000	20,63 €	0	- €
562	10029250	Ausgleichselement. Standard. Ausführung mit geringem Gewicht	M8	Floating joint	M8x1.25	4	SMC	C	50	JC20-8-125	24,24 €	0	- €
563	10041641	Schlauchtuelle 90°	ÜM aus Stahl-verzinkt aus Messing	90° 13mm barb with 1/2" nut. brass	made of galvanized steel made of brass	23	Hilgendorf	C	50	1208012	23,86 €	0	- €
564	10011380	Gehäuse	3 Befehlstellen // 3SU1803-0AA00-0AB1	Casing	3 control points // 3SU1803-0AA00-0AB1	2	Siemens	C	50	3SU1803-0AA00-0AB1	21,02 €	0	- €
565	10018129	Schlauchtuelle 90°	ÜM aus Stahl-verzinkt aus Messing	90° 10mm barb with 3/8" nut. brass	made of galvanized steel made of brass	55	Hilgendorf	C	50	1208003	20,74 €	0	- €
566	10005891	Steckdosenleitung NEBV-H1G2-P-5-N-LE2	NEBV-H1G2-P-5-N-LE2	Socket cable NEBV-H1G2-P-5-N-LE2	NEBV-H1G2-P-5-N-LE2	6	Festo	C	50	566661	20,18 €	0	- €
567	10008113	Schlauchtuelle 90°	ÜM aus Stahl-verzinkt. aus Messing	90° 6mm barb with ¼" nut. brass	made of galvanized steel made of brass	19	Hilgendorf	C	10	1208002	18,82 €	0	- €
568	10008107	Schlauchtuelle 45°	G1/4 DI6 Messing	45° 6mm barb with ¼" nut. brass	45° 6mm barb with ¼" nut. brass	3	Hilgendorf	C	30	1208001	17,90 €	0	- €
569	10025060	ZB Schlauchtuelle gerade mit Einschraubstutzen	G1/2 DN13	ZB hose nozzle straight with screw-in socket	G1/2 DN13	34	Hilgendorf	C	10	F07630 + F07675	16,08 €	0	- €
570	10016654	ZB Schlauchtuelle gerade mit Einschraubstutzen	G3/8 DN10	ZB hose nozzle straight with screw-in socket	G3/8 DN10	46	Hilgendorf	C	10	F07628 + F07663	12,24 €	0	- €
571	10043344	ZB Schlauchtuelle gerade mit Einschraubstutzen	G1/4 DN6	ZB hose nozzle straight with screw-in socket	G1/4 DN6	10	Hilgendorf	C	10	F07623 + F07655	16,87 €	0	- €
572	10011353	Kontaktmodul	1S. Boden // 3SU1400-2AA10-3BA0	Contact module 1NO Spring Type. floor	1NO. Boden // 3SU1400-2AA10-3BA0	29	Siemens	C	50	3SU1400-2AA10-3BA0	15,87 €	0	- €
573	10035662	Einschraubstutzen gerade Ausführung. aus Messing	n. Zg. 39 D 1403 Ausf. 3	Straight Coupler ½". brass	n. Zg. 39 D 1403 version 3	62	Hilgendorf	C	50	1307565	15,26 €	0	- €
574	10031688	Haltefeder	Rundrohr 10mm	Retaining spring	Round tube 10mm	344	Heraeus	C	20	9759292	14,29 €	0	- €
575	10016680	Einschraubstutzen gerade Ausführung. aus Messing	n. Zg. 39 D 1403 Ausf. 2	Straight Coupler 3/8" brass	n. ref. 39 D 1403 version 2	108	Hilgendorf	C	50	1307563	11,99 €	0	- €
576	10033110	Anschlaeschraube	M10x35 St 10.9 brüniert	Stop screw	M10x35 St 10.9 black-oxidised	16	Norelem	C	50	03087-11035	10,55 €	0	- €
577	10008093	Einschraubstutzen gerade Ausführung. aus Messing	n. Zg. 39 D 1403. Ausf. 1	Double nipple // straight	G1/4	32	Hilgendorf	C	50	1307561	10,41 €	0	- €
578	10011473	Schutzleiter-Reihenklemme	ZPE 2.5/4AN	Protective conductor terminal block	ZPE 2.5/4AN	61	Weidmueller	C	10	1608660000	10,30 €	0	- €
579	10041640	Schlauchtuelle gerade	n. Zg. 39-V-16631	13mm barb with 1/2" nut	n. Zg. 39-V-16631	34	Hilgendorf	C	30	1208939	9,33 €	0	- €
580	10406198	Positionierelement	GN 408.1-ST-10-M6-B	Positioning element	GN 408.1-ST-10-M6-B	4	Elesa+Ganter	C	50	GN 408.1-ST-10-M6-B	9,01 €	0	- €
581	10008098	Schlauchtuelle gerade	n. Zg. 39-V-16631	6mm barb with 1/4" nut	Thread: G1/4" Hose: DN6	10	Hilgendorf	C	50	1208937	8,98 €	0	- €
582	10011194	Halter	3SU1550-0AA10-0AA0	Push Button Holder	3SU1550-0AA10-0AA0	48	Siemens	C	50	3SU1550-0AA10-0AA0	7,57 €	0	- €
583	10016679	Schlauchtuelle gerade	n. Zg. 39-V-16631	10mm barb with 3/8" nut	Straight Barbed Fitting 3/8"	46	Hilgendorf	C	10	1208938	6.68 €	0	- €
584	10041652	Drosselrueckschlaeverschraubung	D = 4mm G 1/8" AG	Throttle Check Screw Connection	D = 4mm G 1/8" AG	54	Riegler	C	50	197580	6.21 €	0	- €
585	10008209	Kegelschmiernippel	M6 45°	Conical grease nipple	M6 45°	22	*MISC*diverse*	C	50	10008209	5,53 €	0	- €
586	10010863	Blindabdeckung	modular // 09 14 000 9950	Blind cover single dummy module	modular // 09 14 000 995	18	HARTING	C	50	09 14 000 9950	4,99 €	0	- €
587	10265458	Gerade Steckverschraubung	6mm G1/8 AG mini	Straight push in fitting	D = 6mm // G1/8 AG mini	6	Riegler	C	10	148792	4,42 €	0	- €
588	10011505	Durchgangs-Reihenklemme	ZDU 2.5/4AN	Feed-through terminal block	ZDU 2.5/4AN // ZDU 2.5/4AN	325	Weidmueller	C	50	1608570000	4,09 €	0	- €
589	10100446	L-Steckverschraubung	D = 6 mm G 1/4" AG	Push-in L-fitting	D = 6 mm G 1/4" AG	12	H-Plus	C	40	868469	4,09 €	0	- €
590	10100445	L-Steckverschraubung	G 1/8" AG D = 6 mm SW10	Push-in L-fitting	G 1/8" AG D = 6 mm SW10	3	Riegler	C	40	109405	3,81 €	0	- €
591	10075854	Aufschraubanschluss	D = 8mm / G 1/8" IG	Screw-on connection	D = 8mm / G 1/8" IG	13	H-Plus	C	40	10075854	3,77 €	0	- €
592	10027834	Einsteckstoepfen	33.5mm	Push-in plug	33.5mm	16	Essentra	C	50	12805	2.80 €	0	- €
593	10075880	Einschraubanschluss gerade	D = 10mm G 1/4" AG	Fitting	D = 10mm G 1/4" AG	16	Riegler	C	50	109122	2,51 €	0	- €
594	10011514	Abschlussplatte	ZAP/TW 3	Cover plate	ZAP/TW 3	140	Weidmueller	C	50	1608800000	1,18 €	0	- €
595	10275700	Leuze__Lichttaster mit Hintergrundausblendung HT3C.B/4-M8.3	HT3C.B/4-M8.3	Light scanners with background suppression	HT3C.B/4-M8.3	2	Leuze Electronic	C	50	HT3C.B/4-M8.3	254,04 €	0	- €
596	10033857	Drosselrueckschlagventil	ASP330F-01-06S	Throttle check valve with pilot valve	ASP330F-01-06S	4	SMC	C	15	ASP330F-01-06S	30,48 €	0	- €
597	10041733	Schlauchtuelle 90°	ÜM aus Stahl-verzinkt aus Messing	45° 10mm barb with 3/8" nut. brass	made of galvanized steel made of brass	7	Hilgendorf	C	10	1208007	23,40 €	0	- €
598	10485889	Anschlagschraube	STFHN10-13.5	Stop screw	STFHN10-13.5	2	Misumi	C	10	STFHN10-13.5	17,73 €	0	- €
599	10014175	L-Steckverschraubung	QSMLV-M5-4-I	L-push-in fitting	QSMLV-M5-4-I	8	Festo	C	50	130831	9.87 €	0	- €
600	10015808	T-Steckverbindung	QST-8	T-push-in fitting	QST-8	4	Festo	C	10	153130	8.83 €	0	- €
601	10011825	Steckverbinder GST15I3S B1 ZR1W WS	Buchsenteil mit Zugentlastung 3-polig // 91.931.3053.0	Connector	Female part with Tension relief 3-pole // 91.931.3053.0	13	Wieland	C	50	91.931.3053.0	8,62 €	0	- €
602	10011826	Steckverbinder GST15I3S S1 ZR1W WS	Steckerteil mit Zugentlastung 3-polig // 91.932.3053.0	Connector	Plug part with Tension relief 3-pole // 91.932.3053.0	13	Wieland	C	50	91.932.3053.0	7,97 €	0	- €
603	10267888	L-Steckverschraubung	4mm M5 AG	Push-in L-fitting	4mm M5 AG	29	Riegler	C	50	109259	4,74 €	0	- €
604	10075947	L-Steckverschraubung	D = 6mm G 1/8" AG	L-Fitting	D = 6mm G 1/8" AG	8	Riegler	C	50	109262	2,62 €	0	- €
605	10006380	Schlüsselaufnahme mit PROFINET Schnittstelle	EKS-A-IIX-G01-ST02/03. ELECTRONIC-KEY-SYSTEM. EKS-A-IIX-G01-ST02/03	Electronic-Key adapter with PROFINET interface	EKS-A-IIX-G01-ST02/03. ELECTRONIC-KEY-SYSTEM. EKS-A-IIX-G01-ST02/03	3	Euchner	C	50	106305	1.246,39 €	0	- €
606	10011471	1-Ph-Spartrafo	(230V/115V-10kVA) // 4023749	1-ph autotransformer	(230V/115V-10kVA) // 4023749	1	Trafo Modern	C	15	4023749	882,70 €	0	- €
607	10004791	NH-Lasttrenner SV3431.035	SV3431.035	NH fuse switch SV3431.035	SV3431.035	3	Rittal	C	50	3431035	260.20 €	0	- €
608	10049322	Signalleuchte	RGB. 520mm	Signal light	RGB. 520mm	3	LED2WORK	C	10	111090-14	244.57 €	0	- €
609	10125701	Energiekette	1.365m E4.64L.300.150.0 + E4.641.300.1.12.C.A1	IGUS Energy chain	1.365m E4.64L.300.150.0 + E4.641.300.1.12.C.A1	1	Igus	C	15	1.365m E4.64L.300.150.0 + E4.641.300.1.12.C.A1	237,48 €	0	- €
610	10012299	Signalsäule	Sirenenelement. Mehrton 102 dB. 8 Töne + Lautstärke variabel. schwarz. AC/DC 24 V. Durchmesser 70 mm	Signal column	Siren element. Multi-tone 102 dB. 8 tones + variable volume. black. AC/DC 24 V. Diameter 70 mm	3	Siemens	C	40	8WD4420-0EA2	122,11 €	0	- €
611	10008249	Nivellierelement + Schraube	BNSH160/B50 // M20x1.5x100mm	ZB levelling element + screw	BNSH160/B50 // M20x1.5x100mm	8	Bilz	C	50	12-0028 + 19-0156	96,23 €	0	- €
612	10012371	Systemleuchte	LED 400. 100-240 V. L: 262 mm. // SZ.2500100	System light	LED 400. 100-240 V. L: 262 mm. // SZ.2500100	7	Rittal	C	50	2500100	110,86 €	0	- €
613	10011419	FI/LS-Schalter	10 kA. 1P+N. Typ A. 30 mA. C-Char. In: 13 A. Un AC: 230 V	FI/LS switch	10 kA. 1P+N. Typ A. 30 mA. C-Char. In: 13 A. Un AC: 230 V	12	Siemens	C	15	5SU1354-7KK13	104,67 €	0	- €
614	10010790	Sicherheitsschalter	RFID. Magnetrastung. Betätiger // 3SE6310-1BC01	Safety switch	RFID. Magnet latching. actuator // 3SE6310-1BC01	4	Siemens	C	50	3SE6310-1BC01	92,94 €	0	- €
615	10011413	Spannungsauslöser	24V DC. links // 3VA9988-0BM10	Shunt releases	24V DC. left // 3VA9988-0BM10	3	Siemens	C	15	3VA9988-0BM10	92.64 €	0	- €
616	10011155	NH-Sicherungslasttrenner	Gr.000. 100A. 3-polig. Klemme. Abg. unten (60 mm) // SV.3431030	NH fuse switch disconnecter	Gr.000. 100A. 3-pol. box terminal. cable outlet bottom (60 mm) // SV.3431030	3	Rittal	C	50	3431030	89,19 €	0	- €
617	10010903	Komfortgriff	VX Profilhalbzylinder // VX.8618250	Comfort grip	for semi-cylinder // VX.8618250	7	Rittal	C	50	8618250	74,70 €	0	- €
618	10408524	Sockel	VX Bürstenleiste 100x1200mm // VX.8660095	Base	VX brush strip 100x1200 // VX.8660095	7	Rittal	C	50	8660095	73,69 €	0	- €
619	10005147	Klemm- und Ausrichthalterung	BEF-1SHABPKU4	Clamp and alignment bracket	BEF-1SHABPKU4	24	Sick	C	50	2066614	73,67 €	0	- €
620	10008626	Verteiler	FR-8-1/4	Distributor	FR-8-1/4	7	Festo	C	50	2078	72,36 €	0	- €
621	10011486	FrontCom	Metalldeckel abschließbar mit Schlüssel // IE-FC-SFM-KEY2	FrontCom	Metal cover. Lockable with key // IE-FC-SFM-KEY2	3	Weidmueller	C	50	1450540000	71,83 €	0	- €
622	10011903	Sammelschiene	PLS800. L=895mm. 5mm Schienenstärke. CU // SV.3525010	Busbar	PLS 800. L: 895 mm. bar thickness: 5 mm // SV.3525010	6	Rittal	C	40	3525010	71,78 €	0	- €
623	10011509	Anschlusselement. mit Abschlussdeckel. schwarz. für Rohrmontaee. mit Federzueanschluss.	Anschlusselement // 8WD4408-0AD	Signal column end piece	Connection element // 8WD4408-0AD	3	Siemens	C	70	8WD4408-0AD	64,26 €	0	- €
624	10011510	Rohr mit Fuß. Länge 100 mm. Zubehör für Signalsäulen. mit Durchmesser 70 mm	Rohr mit Fuß // 8WD4308-0DA	Signal column foot piece	Pipe with foot // 8WD4308-0DA	3	Siemens	C	70	8WD4308-0DA	57,29 €	0	- €
625	10010881	Wandsteckdose mit TwinCONTACT // CEE-Steckdose	16A 5P 6h 400V IP44 // 419	CEE socket	16A 5P 6h 400V IP44 // 419	3	Mennekes	C	50	419	50,14 €	0	- €
626	10012523	SCHUKO-Steckdose	16 A. AC 250 V. DIN 49440 IP44 Blau	Earthed socket	16 A. AC 250 V. DIN 49440 IP44 blue	12	Merten	C	50	279075	46,62 €	0	- €
627	10408526	Sockel	VX vorne und hinten 100x800mm	base	VX front and back 100x800mm	4	Rittal	C	50	8660003	37,35 €	0	- €
628	10011287	Sockelgehäuse	Bgr.: 10 B. Längsbügel. seitlich 2x M20. niedrig. Kappe // Han 10B-asg2-LB-K-M20	Socket casing	Size: 10 B. Single locking lever. side entry 2x M20. low. cover // 19 30 010 1295	3	HARTING	C	50	19 30 010 1295	32,47 €	0	- €
629	10011412	Hilfsschalter	Wechselkontakte Typ HQ (7MM) Zubehör für: 3VA1 und 3VA20-26	Auxiliary switch	Changeover contacts type HQ (7mm) accessory for: 3VA1 and 3VA20-26	3	Siemens	C	70	3VA9988-0AA12	31,58 €	0	- €

SUMMARIZED SPARE PARTS & PRICES: 111011002189_DAG_BR 449_IP_VAC+EDGE+ITG+WELD+PUNCH

FOR ALL MASCHINES & TOOLS

Definition Priorities:

Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

issued by: **3CON Anlagenbau GmbH**
Issued on: 04.11.2024
Price validity: up to 3 months after issue

Total price spare parts package =	**303.940,31 €**
Total price PRIO "A" Spares =	211.670,36 €
Total price PRIO "B" Spares =	92.269,95 €
Total price PRIO "C" Spares =	- €

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID	Sales price	recommended quantity	Total Price
630	10011396	Gehäuse für Befehlsgeräte. 22 mm. rund. Gehäusematerial Kunststoff. Gehäuseoberteil grau. 4 Befehlsstellen Kunststoff. Vertiefung für Schilder. ohne Bestückung	4 Befehlsstellen // 3SU1804-0AA00-0AB1	Casing	4 control points // 3SU1804-0AA00-0AB1	6	Siemens	C	50	3SU1804-0AA00-0AB1	28,44 €	0	- €
631	10261080	OM-Adapter	32A. 690V 3-polig // SV 9340.550	OM adaptor	32A. 690V. 3-pole // SV 9340.550	2	Rittal	C	10	9340550	28,37 €	0	- €
632	10011490	FrontCom	Einsatz Power Typ F Steckdose DE orange // IE-FCI-PWB-DE-OR	FrontCom	Insert Power large. Type F. Socket connector. DE. orange // IE-FCI-PWB-DE-OR	3	Weidmueller	C	50	1554000000	28,13 €	0	- €
633	10012111	Rahmenklemme	3VA1 250 // 3VA9253-0JA11	Box terminal 3VA9253-0JA11	3VA1 250 // 3VA9253-0JA11	6	Siemens	C	70	3VA9253-0JA11	27,26 €	0	- €
634	10011710	Gelenkrahmen	Bgr.: 24. B 6 Module A-F // 09140240361	Articulated frame	Size: 24 B. 6 Module A-F // 09 14 024 0361	14	HARTING	C	15	09 14 024 0361	25,73 €	0	- €
635	10011294	Gelenkrahmen	Bgr.: 10. B 3 Module A-C // 09 14 010 0361	Articulated frame. Size: 10B. 6 Module A-F	Size: 10 B. 6 Module A-F // 09 14 010 0361	3	HARTING	C	50	09 14 010 0361	23,88 €	0	- €
636	10011293	Gelenkrahmen	Bgr.: 10. B 3 Module a-c // 09140100371	Articulated frame. Size: 10 B. 6 modules a-f	Size: 10 B. 6 modules a-f // 09 14 010 0371	3	HARTING	C	50	09 14 010 0371	23,88 €	0	- €
637	10012071	FrontCom	Berührungsschutz // IE-FC-PWPC	FrontCom	Contact protection // IE-FC-PWPC	3	Weidmueller	C	50	1450820000	23,54 €	0	- €
638	10012064	Tüllengehäuse	Ber.: 10 B. Länasbügeel. seitlich 1x M25. niedrie // 19300101541	Sleeve casing	Size: 10 B. Sinale lockine lever. side entrv 1x M25. low // 19 30 010 1541	3	HARTING	C	50	19 30 010 1541	23,21 €	0	- €
639	10408534	Sockel	VX seitlich 100x500mm	base	VX lateral 100x500mm	4	Rittal	C	50	8660032	21,96 €	0	- €
640	10005409	Gehäuse für Befehlsgeräte. 22 mm. rund. Gehäusematerial Kunststoff. Gehäuseoberteil grau. 2 Befehlsstellen Kunststoff. Vertiefung für Schilder. ohne Bestückung	2 Befehlsstellen // 3SU1802-0AA00-0AB1	Casing	2 control points // 3SU1802-0AA00-0AB1	5	Siemens	C	50	3SU1802-0AA00-0AB1	20,30 €	0	- €
641	10372569	Schaltschrank-Steckdose	Reiheneinbau 1-fach 16A IP20 gelb. Type CF // 1068028	Control cabinet socket	DIN rail 1x 16A IP20 yellow. Type CF //1068028	6	Phönix Contact	C	50	1068028	20,23 €	0	- €
642	10006359	Hilfsstromschalter	1S+1Ö für LS-Schalter 5SL. 5SY. 5SP Einbauschalter 5TL1. FI/LS 5SU1. FI 5SV	Auxiliary switch	1 NO + 1 NC for LS switches 5SL. 5SY. 5SP. built-in switches 5TL1. FI/LS 5SU1. FI 5SV	9	Siemens	C	50	5ST3010	19,08 €	0	- €
643	10041930	Montaze-Set	IPC127E. Wandmontaze	Mountine kit	IPC127E. Wall mount	6	Siemens	C	15	6AG4021-0AA20-0AA2	19,06 €	0	- €
644	10297611	Winkel für Fußmontage. Zubehör für Signalsäulen. mit Durchmesser 50 mm und 70 mm	8WD4408-0CC	Bracket for signal column	with diameters 50 mm and 70 mm	3	Siemens	C	70	8WD4408-0CC	18,84 €	0	- €
645	10011844	Klemmenabdeckung	3VA1 250 verlängert. 3P // 3VA9211-0WF30	Terminal cover	3VA1 250 extended. 3P // 3VA9211-0WF30	6	Siemens	C	50	3VA9211-0WF30	18,62 €	0	- €
646	10016078	Bugsetgriff	M.443/200 AE-V0	Bow-type handle	M.443/200 AE-V0	3	Elesa+Ganter	C	10	M.443/200 AE-V0	17,57 €	0	- €
647	10011283	Überspannungsbegrenzer	24-70V DC // 3RT2916-1JK00	Surge limiter	24-70V DC // 3RT2916-1JK00	37	Siemens	C	50	3RT2916-1JK00	17,21 €	0	- €
648	10004218	USB auf USB IE-BI-USB		USB to USB IE-BI-USB		3	Weidmueller	C	50	1019570000	17,02 €	0	- €
649	10125509	Rahmenklemme	3VA1 100/160	Box terminal	3VA1 100/160	6	Siemens	C	20	3VA9153-0JA11	16,56 €	0	- €
650	10011285	Überspannungsbegrenzer	24-70V DC // 3RT2936-1BB00	Surge limiter	24-70V DC // 3RT2936-1BB00	22	Siemens	C	50	3RT2936-1BB00	15,17 €	0	- €
651	10016332	Kabelverschraubung	Skintop ST-M50x1.5. silbergrau	Cable gland	Skintop ST-M50x1.5. silver-grey	6	Lapp	C	50	53111060	14,33 €	0	- €
652	10011276	Hilfsschalter	frontseitig 4S // 3RH2911-2XA40-0MA0	Auxiliary switch	Auxiliary switch on the front. 4 S current path 1 S. 1 S. 1 S. 1 S for 3RH2 and 3RT2 spring-cage connection 53/54. 63/64. 73/74. 83/84	13	Siemens	C	70	3RH2911-2XA40-0MA0	14,28 €	0	- €
653	10008550	Stellfuss	BSF80M12x100	Adjustable foot	BSF80M12x100	6	Schwaderer	C	50	BSF80M12x100	13,92 €	0	- €
654	10011284	Überspannungsbegrenzer	24-70V DC // 3RT2926-1JK00	Surge limiter	24-70V DC // 3RT2926-1JK00	3	Siemens	C	50	3RT2926-1JK00	13,51 €	0	- €
655	10125695	Sterngriff	M12x60	Star handle	M12x60	4	Norelem	C	50	06209-01-46312X60	12,41 €	0	- €
656	10004741	Reflektor	REF-H30x60	Reflector	REF-H30x60	3	Pepperl+Fuchs	C	50	246176	12,14 €	0	- €
657	10025042	Sockelgehäuse	Bgr.: 3 A. Längsbügel. gerade 1x M20 // 19 20 003 1250	Socket casing	Size: 3 A. Single locking lever. top entry 1x M20 // 19 20 003 1250	13	HARTING	C	50	19 20 003 1250	17,48 €	0	- €
658	10010894	Klemmenabdeckung	3VA1 100/160. 3P // 3VA9111-0WD30	Terminal cover	3VA1 100/160. 3P // 3VA9111-0WD30	6	Siemens	C	70	3VA9111-0WD30	16,94 €	0	- €
659	10011212	Hutschienenmontage-Adapter	Hutschienenmontage-Adapter schwarz. für Befehlsgeräte. 22 mm. rund	Top hat rail assembly adapter	Adapter for DIN rail mounting Black. for command devices. 22 mm. round	3	Siemens	C	50	3SU1900-0KH80-0AA0	16,01 €	0	- €
660	10011354	Kontaktmodul	1NC. Boden // 3SU1400-2AA10-3CA0	Contact module 1NC. Floor	1NC. Boden // 3SU1400-2AA10-3CA0	24	Siemens	C	50	3SU1400-2AA10-3CA0	15,22 €	0	- €
661	10011492	Schutzleiter-Reihenklemme	ZPE 16 // ZPE 16	Protective conductor terminal block	ZPE 16 // ZPE 16	18	Weidmueller	C	50	1745250000	14,75 €	0	- €
662	10004984	Verbindungsbaustein	elektrisch und mechanisch für 3RV2011 und 3RT201. Federzuganschluss	Terminal. Spring type for circuit breaker	Electrical and mechanical for 3RV2011 and 3RT201. Spring-type terminal	3	Siemens	C	70	3RA2911-2AA00	12,49 €	0	- €
663	10012004	Kontaktmodul	1S. Front // 3SU1400-1AA10-3BA0	Contact module	1NO. Front // 3SU1400-1AA10-3BA0	15	Siemens	C	50	3SU1400-1AA10-3BA0	11,24 €	0	- €
664	10011428	Distanzstück	0.5 TE // 5TG8240	Spacer	0.5 MW // 5TG8240	9	Siemens	C	50	5TG8240	10,52 €	0	- €
665	10012042	Prüftrenn-Reihenklemme	ZTR 6-2 // ZTR 6-2	Test disconnect terminal block	ZTR 6-2 // ZTR 6-2	4	Weidmueller	C	50	1023830000	9,87 €	0	- €
666	10011502	Neutralleiter-Reihenklemme	ZNT 16S // 16 mm². 400 V. 76 A	Neutral conductor terminal block	ZNT 16S // ZNT 16S	6	Weidmueller	C	20	1739600000	9,76 €	0	- €
667	10011485	Mehrstock-Reihenklemme	ZDLD 2.5-2N/PE/L/N // ZDLD 2.5-2N/PE/L/N	Multi-level terminal block	ZDLD 2.5-2N/PE/L/N // ZDLD 2.5-2N/PE/L/N	18	Weidmueller	C	10	1131760000	9,59 €	0	- €
668	10157047	Hilfsleiteranschlussklemme für Rahmenklemme	3VA1 250. 3VA2 100/160/250	Auxiliary conductor terminal for frame terminal	3VA1 250. 3VA2 100/160/250	9	Siemens	C	70	3VA9200-0WB00	9,15 €	0	- €
669	10004168	Befestigungsflansch	BF 12	Mounting flange 12	BF 12	4	Pepperl+Fuchs	C	50	49	8,80 €	0	- €
670	10010877	Tüllengehäuse	Bgr.: 3 A. Längsbügel. gerade 1x M20 // 19 20 003 1440	Sleeve casing	Size: 3 A. Single locking lever. top entry 1x M20 // 19 20 003 1440	3	HARTING	C	50	19 20 003 1440	8,62 €	0	- €
671	10178301	Befestigungsflansch	BF 18	Mounting flange	BF 18	8	Pepperl+Fuchs	C	50	50	8,33 €	0	- €
672	10008776	Kabelverschraubung	Skintop ST-M40x1.5. silbergrau	Cable gland	Skintop ST-M40x1.5. silver grey	22	Lapp	C	50	53111050	8,29 €	0	- €
673	10011537	Doppelstock-Schutzleiter-Reihenklemme	ZDT 2.5/2 PE. steckbar // ZDT 2.5/2 PE	Double-level protective conductor terminal block	ZDT 2.5/2 PE. pluggable // ZDT 2.5/2 PE	24	Weidmueller	C	50	1815170000	8,11 €	0	- €
674	10008498	Aktivierungsschraube	grau 12-Monate	Activation screw	12 months // grey	18	PermaTec	C	50	101335	6,57 €	0	- €
675	10010899	Schutzleiter-Reihenklemme	ZPE 2.5 // ZPE 2.5	Protective conductor terminal block	ZPE 2.5 // ZPE 2.5	3	Weidmueller	C	50	1608640000	6,17 €	0	- €
676	10011048	Durchgangs-Reihenklemme	ZDU 6-2/3AN // ZDU 6-2/3AN	Feed-through terminal block	ZDU 6-2/3AN // ZDU 6-2/3AN	18	Weidmueller	C	50	1771410000	5,39 €	0	- €
677	10370153	Befestigungswinkel	SX7000-16-1A	Mounting bracket	SX7000-16-1A	34	SMC	C	50	SX7000-16-1A	5,24 €	0	- €
678	10011475	Durchgangs-Reihenklemme	ZDU 16 // ZDU 16	Feed-through terminal block	ZDU 16 // ZDU 16	6	Weidmueller	C	50	1745230000	5,21 €	0	- €
679	10011536	Doppelstock-Reihenklemme	ZDT 2.5/2. steckbar // ZDT 2.5/2	Double-deck terminal block	ZDT 2.5/2. pluggable // ZDT 2.5/2	267	Weidmueller	C	50	1815150000	4,95 €	0	- €
680	10010812	Doppelstock-Reihenklemme	ZDK 2.5 // ZDK 2.5	Double-deck terminal block	ZDK 2.5 // ZDK 2.5	127	Weidmueller	C	50	1674300000	4,88 €	0	- €
681	10013872	T-Anschluss	D8	T connection	D8	3	Riegler	C	50	109829	4,60 €	0	- €
682	10011498	Neutralleiter-Reihenklemme	ZNT 2.5 S // ZNT 2.5 S	Neutral conductor terminal block	ZNT 2.5 S // ZNT 2.5 S	69	Weidmueller	C	50	1808300000	4,09 €	0	- €
683	10238436	Befestigungswinkel	SX5000-16-1A	Mounting bracket	SX5000-16-1A	28	SMC	C	50	SX5000-16-1A	3,16 €	0	- €
684	10011389	Schildtraeger	Doppeldrucktaster 22mm // 3SU1900-0AK10-0AA0	Twin pushbutton label holder 12.5 X 27MM	22mm // 3SU1900-0AK10-0AA0	6	Siemens	C	40	3SU1900-0AK10-0AA0	2,19 €	0	- €
685	10011503	Durchgangs-Reihenklemme	ZDU 2.5 // ZDU 2.5	Feed-through terminal block	ZDU 2.5 // ZDU 2.5	27	Weidmueller	C	50	1608510000	2,19 €	0	- €
686	10272385	Endwinkel	ZEW 35/2	End stop	ZEW 35/2	92	Weidmueller	C	50	8630740000	1,51 €	0	- €
687	10479817	Schutzgittersystem ImpactGuard®	OF24/061380	Safety fence system ImpactGuard®	OF24/061380	1	Satech	C	40	214256	3.340,00 €	0	- €
688	10415322	Schutzzaun	Einlegebereich	Safety fence	Insert area	2	Satech	C	40	211823	860,00 €	0	- €
689	10030765	Klemmenkasten KX1528000. BHT: 200x150x80 mm. Ausschnitt rückseitig	Y212156	Terminal box KX1528000. WHT: 200x150x80 mm. Cut-out on the back	Y212156	2	Rittal	C	35	Y212156	75,90 €	0	- €
690	10008298	gesteuertes Rueckschlagventil	HGL-1/8-QS-6	Piloted non return valve G1/8 6mm	HGL-1/8-QS-6	10	Festo	C	50	530040	59,92 €	0	- €
691	10046544	KEL-DPZ Kabeldurchführungsplatte	KEL-DPZ Cable entry plate	KEL-DPZ Cable entry plate	KEL-DPZ 24132 gy	8	Icotek	C	50	43730	55,66 €	0	- €
692	10041642	Schlauchtuelle 90°	ÜM aus Stahl-verzinkt aus Messing	45° 13mm barb with 1/2" nut. brass	made of galvanized steel made of brass	5	Hilgendorf	C	30	1208011	29,33 €	0	- €
693	10008130	Einschraubstutzen. 90°. aus Messing	n. Zg. 39 D 1405. Ausf. 4	Screw-in socket // 90° bend	G3/4 x G3/4	2	Hilgendorf	C	50	1307579	20,28 €	0	- €
694	10032930	Anschlagschraube	M5x15 (FG 0.8) brüniert	Stop screw	M5x15 (fine thread 0.8) black oxide	2	Misumi	C	15	STRB5-15	12,46 €	0	- €
695	10034322	Ausgleichselement	YA-03	Rod joint	YA-03	3	SMC	C	50	YA-03	16,91 €	0	- €
696	10008101	Schlauchtuelle gerade	n. Zg. 39-V-16631	16mm barb with 3/4" nut	Thread: G3/4" Hose: DN16	2	Hilgendorf	C	50	1208940	16,62 €	0	- €
697	10261082	Gewindetuelle	G 1/2"-19 (3/4"1mm. Messing	Threaded nozzle	G 1/2"-19 (3/4"1mm. Brass	8	Landefeld	C	50	GT 1219 MS	12,13 €	0	- €
698	10011823	Steckverbinder GST15I2S B1 ZR1W WS	Buchsenteil mit Zugentlastung 2-polig // 91.921.3053.0	Connector	Female connector with strain relief 2-pole // 91.921.3053.0	11	Wieland	C	50	91.921.3053.0	8,33 €	0	- €
699	10035792	Schott-Steckverbindung	QSM5-4	Bulkhead connector	QSM5-4	30	Festo	C	50	153376	7,90 €	0	- €
700	10030279	Verbindungsstueck	YU-03	Rod joint	YU-03	3	SMC	C	10	YU-03	6,75 €	0	- €
701	10011824	Steckverbinder GST15I2S S1 ZR1W WS	Steckerteil mit Zugentlastung 2-polig // 91.922.3053.0	Connector	Male connector with strain relief 2-pole // 91.922.3053.0	11	Wieland	C	50	91.922.3053.0	6,57 €	0	- €
702	10015302	Doppelnippel	AGxAG G1/2 L30	Double nipple	AGxAG G1/2 L30	8	Landefeld	C	50	DN 1212 MSV	6,32 €	0	- €
703	10075956	Winkeleinschraubanschluss mini	D = 4mm M3 AG	Angled screw-in connection mini	D = 4mm M3 AG	14	H-Plus	C	40	10075956	4,63 €	0	- €
704	10236701	Einschraubwinkel	KQ2L04-M3G	Fitting	KQ2L04-M3G	2	SMC	C	10	KQ2L04-M3G	4,63 €	0	- €
705	10075881	Einschraubanschluss gerade	D = 8mm G 1/8" AG	Straight screw-in connection	D = 8mm G 1/8" AG	13	H-Plus	C	50	10075881	2,01 €	0	- €
706	10175803	Distanzhuelse	M5x10 - Nylon	Spacer sleeve	M5x10 - Nylon	16	Fischer Elektronik	C	50	DR 110 VO	0,22 €	0	- €
707	10035794	Steckverschraubung	QSML-6H-4	Push-in fitting sleeve	QSML-6H-4	30	Festo	C	40	153350	7,00 €	0	- €
708	10035720	L-Steckverschraubung	QSLV-1/8-4	Push-in fitting G1/8 4mm 90	QSLV-1/8-4	30	Festo	C	50	153086	7,00 €	0	- €
709	10061913	Paletten-Rollenschiene	NR100/52 24 Rollen L1222	Roller rails	NR100/52 24 rolls L1222	1	Fourtec	C	10	204101	195,26 €	0	- €
710	10113119	Paletten-Rollenschiene	NR100/52 22 Rollen	Roller rails	NR100/52 22 rolls	1	Fourtec	C	10	204101	178,60 €	0	- €
711	10043570	Paletten-Rollenschiene	NR100/52 19 Rollen	Roller rails	NR100/52 // 19 Rolls	3	Fourtec	C	10	204001	153,58 €	0	- €
712	10459404	Energiekette Serie 2500	1.426m 2500.12.200.0 + 2125.2PZB+.A1 + 2125.3PZB+.A1	Energy chain 2500 series	1.426m 2500.12.200.0 + 2125.2PZB+.A1 + 2125.3PZB+.A1	2	Igus	C	15	1.426m 2500.12.200.0 + 2125.2PZB+.A1 + 2125.3PZB+.A1	117,31 €	0	- €
713	10459503	Energiekette	1.288m E2.26.038.150.0+2030.12PZB+A1	Energy chain	1.288m E2.26.038.150.0+2030.12PZB+A1	3	Igus	C	15	1.288m E2.26.038.150.0+2030.12PZB+A1	102,26 €	0	- €
714	10029640	Ausgleichselement. Standard	M16x1.5	Floating joint	M16x1.5	3	SMC	C	50	JAF50-16-150	58,74 €	0	- €

SUMMARIZED SPARE PARTS & PRICES: 111011002189_DAG_BR 449_IP_VAC+EDGE+ITG+WELD+PUNCH

FOR ALL MASCHINES & TOOLS

Definition Priorities:

Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

Total price spare parts package =	**303.940,31 €**
Total price PRIO "A" Spares =	211.670,36 €
Total price PRIO "B" Spares =	92.269,95 €
Total price PRIO "C" Spares =	- €

POS	Item-id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID	Sales price	recommended quantity	Total Price
715	10029512	Ausgleichselement, Standard	M12x1.25	Floating joint	M12x1.25	3	SMC	C	10	JAF40-12-125	49,73 €	0	- €
716	10008510	Gewindetuelle GTTW 11238 MS	G1 1/2	Threaded socket	G1 1/2	12	Landefeld	C	50	GTTW 11238 MS	40,73 €	0	- €
717	10069892	Verschlussschraube	1-1/2" ISK. Messing	Screw plug with hexagon socket. nickel-plated brass	1-1/2" ISK. Brass	2	Landefeld	C	50	VS 112 M5	36,00 €	0	- €
718	10261055	Montagehalterung	STAR Standard Duty G1/4i	Mounting bracket	STAR Standard Duty G1/4i	2	PermaTec	C	50	109663	29,28 €	0	- €
719	10012900	Drosselrueckschlaeventil	GR-QS-6	One way control valve 6mm	GR-QS-6	6	Festo	C	50	193969	23,38 €	0	- €
720	10261054	Schlauchanschluss	G1/4a D8 90°	Hose connection	G1/4a D8 90°	2	PermaTec	C	50	101497	16,08 €	0	- €
721	10005749	Gehaeuse	1 Befehlsstelle // 3SU1801-0AA00-0AB1	Casing	1 command point // 3SU1801-0AA00-0AB1	1	Siemens	C	40	3SU1801-0AA00-0AB1	15,82 €	0	- €
722	10014532	Anschlagschraube	M5x6 (RG) DBx5 (Kopf) NiRo	Stop screw	M5x6 (thread) D8x5 (head) cres	3	Misumi	C	15	SSTEH8	15,79 €	0	- €
723	10283675	Schlauchanschluss	G1/4a D8 gerade	Hose connection	G1/4a D8 straight	2	PermaTec	C	50	101496	11,88 €	0	- €
724	10011090	Schutzhaube	// ZS-33-F	Protective hood	// ZS-33-F	2	SMC	C	50	ZS-33-F	8,65 €	0	- €
725	10390995	Montageset für Signalgeber	BJ6-016	Mounting set for signaling device	BJ6-016	7	SMC	C	50	BJ6-016	6,75 €	0	- €
726	10027809	Steckverschraubung	M6 D4	Push-in fitting	M6 D4	4	H-Plus	C	50	881845	3,84 €	0	- €
727	10011525	Doppelstock-Reihenklemme	ZDK 1.5 // ZDK 1.5	Double-deck terminal block	ZDK 1.5 // ZDK 1.5	28	Weidmueller	C	50	1791100000	3,45 €	0	- €
728	10035895	Feder für Zwillinsrohr	22x10	Sorine for twin tube	22x10	287	Heraeus	C	10	9759285	3,23 €	0	- €
729	10015048	Schalldaempfer	M3	Silencer	M3	6	SMC	C	50	AN120-M3	2,01 €	0	- €
730	10267889	Gerade Steckverschraubung	4mm M5 AG	Straight push in fitting	4mm M5 AG	6	Riegler	C	50	109112	1,97 €	0	- €
731	10456337	Einschraubanschluss gerade	D = 4mm G 1/8" AG	Straight screw-in connection	D = 4mm G 1/8" AG	7	H-Plus	C	40	10456337	1,51 €	0	- €
732	10013350	Stabmagnet	D3 H6	Bar magnet	D3 H6	6	*MISC*diverse*	C	10	S-03-06-N	0,83 €	0	- €
733	10074771	Trennsteg schmal 26.2	26.2	Separator	26.2	130	Igus	C	10	26.2	0,75 €	0	- €
734	10008178	Durchfuehrung	LA 3	Bushing	LA 3	6	Lapp	C	10	61713520	0,47 €	0	- €
735	10044550	Kabelhalter	3.1mm Kabel	Cable holder	3.1mm cable	6	RS-Components	C	50	817-8956	0,22 €	0	- €
736	10077905	Anschlag		Stop		10	3CON	C	40	10077905 3CON Anschlag	34,36 €	0	- €
737	10158061	Minispanner	Gr. 2 // Form A	Mini tensioner	Size 2 // Form A	10	Norelem	C	20	05650-0500411	585,95 €	0	- €
738	10015742	Gleitleiste	Murtfeldt	Bearing bar	Murtfeldt	6	3CON	C	40	1001100 10 04 02 003	97,50 €	0	- €
739	10015741	Gleitleiste	Murtfeldt	Bearing bar	Murtfeldt	6	3CON	C	40	1001100 10 04 02 002	56,51 €	0	- €
740	10350996	Hubleiste	1001400 10 02 01 01 01 001	Lifting bar	1001400 10 02 01 01 01 001	4	3CON	C	40	10350996	638,52 €	0	- €
741	10013863	Klaue Zahnstange	D100	Claw gear rack	D100	4	3CON	C	40	1001100 20 02 01 001	184,19 €	0	- €
742	10169990	Kulissenhalter		Backdrop holder		15	3CON	C	50	s001 01 03 Kulissenhalter	78,66 €	0	- €
743	10169901	Kulissenhalter		Backdrop holder		6	3CON	C	50	s001 01 06 Kulissenhalter	66,24 €	0	- €
744	10170287	Kulissenhalter		Backdrop holder		9	3CON	C	50	s001 21 04 Kulissenhalter	57,96 €	0	- €
745	10169909	Kulissenjustierung		Backdrop adjustment		15	3CON	C	50	s001 01 08 Kulissenjustierung	45,54 €	0	- €
746	10163088	Energiekette__1.624m 2700.15.150.0 + 2615.34PZB.A2	1.624m 2700.15.150.0 + 2615.34PZB.A2	Energy chain	1.624m 2700.15.150.0 + 2615.34PZB.A2	1	Igus	C	10	1.624m 2700.15.150.0 + 2615.34PZB.A2	125,66 €	0	- €
747	10164059	Energiekette	0.896m E2i.38.150.125.0 + 2615.34PZB.A1	Energy chain	0.896m E2i.38.150.125.0 + 2615.34PZB.A1	2	Igus	C	15	0.896m E2i.38.150.125.0 + 2615.34PZB.A1	93,13 €	0	- €
748	10163089	Energiekette__0.784m 2700.15.125.0 + 2615.34PZB.A2	0.784m 2700.15.125.0 + 2615.34PZB.A2	Energy chain	0.784m 2700.15.125.0 + 2615.34PZB.A2	1	Igus	C	15	0.784m 2700.15.125.0 + 2615.34PZB.A2	84,30 €	0	- €
749	10008299	gesteuertes Rueckschlagventil	HGL-1/4-QS-8	Piloted non return valve G1/4 8mm	HGL-1/4-QS-8	3	Festo	C	50	530041	69,18 €	0	- €
750	10005611	Flexo-Kupplung	FK-M20X1.5	Flexo coupling	FK-M20X1.5	2	Festo	C	50	6143	58,01 €	0	- €
751	10253125	Wellenmanschette	Wellen-Ø 12mm x 11mm	Shaft collar	Ø 12mm x 11mm	26	Ruland	C	15	MSP-12-SS	43,08 €	0	- €
752	10119810	Rueckschlaventil	ISV-1/4	Vacuum securitv valve	ISV-1/4	35	Festo	C	50	33970	42,39 €	0	- €
753	10015406	Fussklemmstueck	FS30	Flange connection	FS30	18	Rose+Krieger	C	50	13300000020	41,49 €	0	- €
754	10029497	Ausgleichselement	M16x1.5	Floating joint	M16x1.5	1	SMC	C	10	JA50-16-150	37,47 €	0	- €
755	10015645	Schlauchtuelle	G1"-AG - D32	Hose nozzle	G1"-AG - D32	2	Landefeld	C	50	GT 1032 MSV	27,74 €	0	- €
756	10015655	Tempergusss Knie	G2. 90 Grad	Malleable cast iron knee	G2. 90 Grad	5	*MISC*diverse*	C	50	10015655	23,64 €	0	- €
757	10016980	Schalldaempfer	U-3/8-8	Silencer	U-3/8-8	4	Festo	C	50	6843	23,30 €	0	- €
758	10166837	Drosselrueckschlagventil	AS2201F-02-10A	Throttle check valve	AS2201F-02-10A	4	SMC	C	10	AS2201F-02-10A	12,31 €	0	- €
759	10029247	Gelenkkopf	M10x1.25 KJ10D	Rod end	M10x1.25 KJ10D	1	SMC	C	50	KJ10D	8,58 €	0	- €
760	10007668	L-Steckverschraubung	QSLV-1/8-6	Push-in fittinz	QSLV-1/8-6	2	Festo	C	50	153087	6,68 €	0	- €
761	10168018	Fussbefestuzung CG-L050	CG-L050	Foot mountinz CG-L050	CG-L050	4	SMC	C	50	CG-L050	5,85 €	0	- €
762	10007679	L-Steckverschraubung	QSLV-G1/8-8	Push-in fitting	QSLV-G1/8-8	4	Festo	C	50	186140	4,42 €	0	- €
763	10393131	Druckregler Drehknopfsperre. AC40-D	AR44P-S8OAS	Pressure regulator Rotary knob lock. AC40-D	AR44P-S8OAS	1	SMC	C	50	AR44P-S8OAS	4,02 €	0	- €
764	10390988	Gegenlager	C8SC25	Counter bearing	C8SC25	1	SMC	C	70	C8SC25	3,81 €	0	- €
765	10172051	Verschlusstopfen	G3/8" Messing	Plug	G3/8" brass	1	Landefeld	C	50	VS 38 MS OB	3,52 €	0	- €
766	10168085	Igus Trennsteg 38.1	38.1	Separator	38.1	456	Igus	C	50	38.1	1,08 €	0	- €
767	10027808	Schmierblock doppelt	s009 039	Scratchpad Double (mirrored)	s009 039	4	3CON	C	40	s009 039 Schmierblock doppelt	122,88 €	0	- €
768	10013400	Schutz Werkzeuzcodierung	Murtfeldt	Protection tool codine	Murtfeldt	3	3CON	C	40	1001100 10 13 002	149,88 €	0	- €
769	10063455	Spannflansch_Werkzeug	TYP01 System	Clamping flange_tool	TYP01 System	8	3CON	C	50	10063455__3CON__Spannflansch_Werkzeug__TYP01 System	161,46 €	0	- €
770	10402167	Verbindungswelle Ritzel 5000kg	1001100 30 02 01 002	Connecting shaft pinion 5000kg	1001100 30 02 01 002	4	3CON	C	40	10402167	120,18 €	0	- €
771	10104427	Verriegelungswelle	1001100_70_01_01_002	Locking shaft	1001100_70_01_01_002	12	3CON	C	40	10104427__3CON__Verriegelungswelle__1001100_70_01 01 002	151,52 €	0	- €
772	10153535	Wagengriff	1001100_70_01_01_003	Cart handle	1001100_70_01_01_003	12	3CON	C	40	10153535__3CON__Wagengriff__1001100_70_01_01_003	151,61 €	0	- €
773	10423465	Wagengriff	1001100_70_01_01_003	Cart handle	1001100_70_01_01_003	2	3CON	C	40	10153535__3CON__Wagengriff__1001100_70_01_01_003	27,32 €	0	- €
774	10045979	Zahnstange	B20 m2 L2000	Rack (mirrored)	B20 m2 L2000	2	3CON	C	40	10037318 3CON Zahnstange B20 m2 L2000	374,14 €	0	- €
775	10014637	Zahnstange	D100 Modul 6 L1753mm	Gear rack	D100 Modul 6 L1753mm	4	3CON	C	15	10014637__3CON__Zahnstange__D100 Modul 6 L1753mm	1.141,58 €	0	- €
776	10257470	ZB Instandhaltungssicherung	D100	ZB Maintenance securing	D100	1	3CON	C	20	1001100 44 31 01	654,80 €	0	- €
777	10459600	Hydraulikaggregat Behaelter	LP 125-20/B25-D-K2-NBR-X-XX- N-AB 1 K P E 150 -BWN 1 S-WXN-1-1-G 24	Hydraulic power unit Reservoir	LP 125-20/B25-D-K2-NBR-X-XX- N-AB 1 K P E 150 -BWN 1 S-WXN-1-1-G 24	1	HAWE Hydraulik	C	25	6963 1665-61.HW	5.132,78 €	0	- €
778	10144832	Vakuumtank stehend. verzinkt	1000 Liter Inhalt -1 bar Vakuum -10/50 °C Betriebstemperatur 800 mm Durchmesser	Vacuum tank upright. galvanized	1000 liter capacity -1 bar vacuum -10/50 °C operating temperature 800 mm diameter	1	Maschinen- und Behälterbau GmbH	C	40	10144832	3.137,93 €	0	- €
779	10036943	Mitteldruckschlauch	SAE 100 R4 // DN 50mm // 40 Meter	Medium oressure hose	SAE 100 R4 // DN 50mm // 40 Meter	1	Parker	C	50	811-32	2.566,97 €	0	- €
780	10436273	Schutzzaun 213026		Safetv fence 213026		1	Schmachtl	C	40	213026	2.295,71 €	0	- €
781	10481524	Energiekette Serie E4.64L	2.730m E4.64L.100BZ65.400.0 + E4.641.100BZ65.2.12.C.A1	Energy chain series E4.64L	2.730m E4.64L.100BZ65.400.0 + E4.641.100BZ65.2.12.C.A1	1	Igus	C	15	2.730m E4.64L.100BZ65.400.0 + E4.641.100BZ65.2.12.C.A1	590,90 €	0	- €
782	10322333	Schalldaempfer	G3 - S 6.400/	Silencer	G3 - S 6.400/	1	Gebrüder Becker	C	50	73980111000	497,72 €	0	- €
783	10008636	Energiekette	2.73m E4.64L.300.400.0 + E4.641.300.2.12.C.A1	Energy chain	2.73m E4.64L.300.400.0 + E4.641.300.2.12.C.A1	1	Igus	C	10	2.73m E4.64L.300.400.0 + E4.641.300.2.12.C.A1	418,64 €	0	- €
784	10011223	Bremswiderstand	// BW018-015-P	Brake resistor	// BW018-015-P	2	SEW	C	20	BW018-015-P	402,36 €	0	- €
785	10012008	Gehäuse	mit Druckluftanschluss // FT-S1	Casing	with PA connection // FT-S1	4	Keyence	C	10	FT-S1	380,16 €	0	- €
786	10008056	Nivellierelement + Schraube	BNSH250/832 // M30x2.0x200mm	ZB levelling element + screw	BNSH250/832 // M30x2.0x200mm	4	Bilz	C	10	12-0038 + 19-0244	315,24 €	0	- €
787	10011207	Bremswiderstand	// BW147-T	Brake resistor	// BW147-T	1	SEW	C	50	BW147-T	244,53 €	0	- €
788	10474047	Energiekette	1.547m E4.64L.150.200.0 + E4.641.150.1.12.C.A2	Energy chain series E4.64	1.547m E4.64L.150.200.0 + E4.641.150.1.12.C.A2	1	Igus	C	15	1.547m E4.64L.150.200.0 + E4.641.150.1.12.C.A2	222,28 €	0	- €
789	10011172	Lastkreisüberwachung	48Vdc 4-kanalig // 9000-42084-0100600	Load circuit monitoring	48Vdc 4-channel // 9000-42084-0100600	1	Murr	C	90	9000-42084-0100600	194,88 €	0	- €
790	10008552	Schalldaempfer	G2	Silencer	G2	1	Landefeld	C	20	SDH 20 E	132,86 €	0	- €
791	10010890	Bremswiderstand	// BW072-005	Brake resistor	// BW072-005	1	SEW	C	10	BW072-005	107,21 €	0	- €
792	10473998	Ausgleichselement	MY-J63	Floating joint	MY-J63	1	SMC	C	10	MY-J63	105,71 €	0	- €
793	10008527	Gewindetuelle	G3	Threaded socket	G3	7	Landefeld	C	50	GTTW 3075 MS	103,25 €	0	- €
794	10011904	Sammelschiene	PLS800. L=1095mm. 5mm Schienenstärke. CU // SV.3526000	Busbar	PLS 800. L: 1095 mm. bar thickness: 5 mm // SV.3526000	3	Rittal	C	50	3526000	82,66 €	0	- €
795	10079104	Temperauss-Verschraubunz	keeelig dichtend. AG x AG Zzoll 769387	Malleable cast iron fittinz	conical sealinz. AG x AG 2 inch 769387	1	*MISC*diverse*	C	15	10079104	82,59 €	0	- €
796	10015633	Schlauchtuelle	G2 DN50	Hose nozzle	G2 DN50	6	*MISC*diverse*	C	50	180765	81,01 €	0	- €
797	10156764	Rexel__Ansaug-Beruehrschutzgitter DRPA-15 SOD71006971	DRPA-15__SOD71006971	Intake touch guard grille	DRPA-15__SOD71006971	1	Rexel	C	20	SOD71006971	71,48 €	0	- €
798	10203695	Zentriereinsatz	für 250er & 320er Anlagen	Centring insert (mirrored)	for 250 & 320 systems	2	3CON	C	50	10008143 3con Zentriereinsatz 250/320	162,25 €	0	- €
799	10011230	Handbediengeräte	// FBG11B	Hand-held devices	// FBG11B	5	SEW	C	30	FBG11B	49,47 €	0	- €
800	10008466	Gewindetuelle	G 2"-50 (2")mm. Messing	Threaded nozzle	G 2"-50 (2")mm. brass	25	Landefeld	C	50	GTTW 2050 MS	46,37 €	0	- €
801	10004281	Schutzgitter	240x240	Protective grille	240x240	8	ebmpapst	C	50	78128-2-4039	35,17 €	0	- €
802	10008505	T-Stueck reduziert	G2" G2" G2" TG vz	T-piece reduced	G2" G2" G2" malleable iron galvanized	8	*MISC*diverse*	C	50	10008505	28,30 €	0	- €
803	10018710	Reflektor	PL40A	Reflector	PL40A	3	Sick	C	10	1012720	24,19 €	0	- €
804	10008477	Muffe	G2	Sleeve	G2	3	*MISC*diverse*	C	50	10008477	14,69 €	0	- €
805	10015797	Gummi-Metal-Puffer	D60 H40 M10x28 // Typ DZ	Rubber-metal buffer	D60 H40 M10x28 // type DZ	4	*MISC*diverse*	C	50	10015797	13,03 €	0	- €

SUMMARIZED SPARE PARTS & PRICES: 111011002189_DAG_BR 449_IP_VAC+EDGE+ITG+WELD+PUNCH

FOR ALL MASCHINES & TOOLS

Definition Priorities:

Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

Total price spare parts package =	**303.940,31 €**
Total price PRIO "A" Spares =	211.670,36 €
Total price PRIO "B" Spares =	92.269,95 €
Total price PRIO "C" Spares =	- €

POS	Item-id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID	Sales price	recommended quantity	Total Price
806	10008463	Rohrdoppelnippel Nr. 530/23	AGxAG R2" L150 St vz	Pipe double nipple no. 530/23	AGxAG R2" L150 st galvanised	4	*MISC*diverse*	C	50	10008463	16,91 €	0	- €
807	10004640	Reflektor	REF-H50	Reflector	REF-H50	3	Pepperl+Fuchs	C	50	123120	16,12 €	0	- €
808	10338521	Gummi-Metall-Puffer	T76092	Rubber-metal buffer	Ø40 x 30mm // M10	4	None	C	50	T76092	8,40 €	0	- €
809	10011538	Steckverbinder	ZP 2.5/1AN/3 // ZP 2.5/1AN/3	Connector	ZP 2.5/1AN/3 // ZP 2.5/1AN/3	79	Weidmueller	C	50	1815450000	5,67 €	0	- €
810	10099231	Schraube	GN591-16-M4-10	Screw	GN591-16-M4-10	2	Elesa+Ganter	C	50	GN 591-16-M4-10	3,02 €	0	- €
811	10015981	Einsteckboden	lang	Shelf insert	full width shelf	15	Igus	C	50	3200175	2,84 €	0	- €
812	10231088	Durchführungsrillenbuchse	für Bohrung 11.5mm Außendurchmesser D: 11.00mm Innenduchmesser d: 7.5mm	Grooved bushing	for bore 11.5mm outer diameter D: 11.00mm inner diameter d: 7.5mm	76	Heraeus	C	20	9274131	2,23 €	0	- €
813	10015982	Einsteckboden	kurz	Shelf insert	short	15	Igus	C	50	3200087	1,69 €	0	- €
814	10008658	Trennsteg	breiter Fuss 64.2	Separator	64.2	150	Igus	C	50	64.2	1,40 €	0	- €
815	10047130	Kabelverschraubung	SKINTOP ST-M 25x1.5 RAL 7001. silbergrau	Cable gland	SKINTOP ST-M 25x1.5 RAL 7001. silver grey	4	Lapp	C	40	53111030	2,00 €	0	- €
816	10155767	Energiekette	1.638m E4.64L.300.250.0 + E4.641.300.2.12.C.A1	Energy chain	1.638m E4.64L.300.250.0 + E4.641.300.2.12.C.A1	1	Igus	C	10	1.638m E4.64L.300.250.0 + E4.641.300.2.12.C.A1	273,16 €	0	- €
817	10008623	Schalldaempfer	G1 1/2 S 6.120/02 beidseitig 1 1/2" A	Silencer	G1 1/2 S 6.120/02 on both sides 1 1/2" A	2	Gebrüder Becker	C	40	73990108000	73,85 €	0	- €
818	10029255	Reduzierdoppelnippel Nr. 245	AGxAG R2" R1 1/2" TG vz	Reducing double nipple no. 245	e/thread R2" R1 1/2" malleable cast iron galvanised	2	*MISC*diverse*	C	15	10029255	21,31 €	0	- €
819	10436296	Schutzzaun	lt. Anaebot OF24/041040	Safety fence	acc. Offer OF24/041040	1	Satech	C	40	213029	1.400.00 €	0	- €

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005328

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
6	10004444	Bundle PROFINET IM	6ES7155-6AA01-0BN0	Bundle PROFINET IM	6ES7155-6AA01-0BN0	4	Siemens	A	50	6ES7155-6AA01-0BN0
11	10004179	Analoges eingangsmodul	SIMATIC ET 200SP. analoges Eingangsmodul. AI 4xRTD/TC High Feature. passend für BU-Typ A0. A1. Farbcode CC00. Kanal-Diagnose. 16Bit. +/-0.1%. 2-/3-/4-Wire	Analogue input module	SIMATIC ET 200SP. analogue input module. AI 4xRTD/TC High Feature suitable for BU types A0. A1. colour code CC00. channel diagnosis. 16Bit. +/-0.1%. 2-/3-/4-Wire	1	Siemens	A	70	6ES7134-6JD00-0CA1
15	10008794	Anlege-Widerstandsthermometer	PT100 180 Grad	Surface-mounted resistance thermometer	PT100 180°C	2	Jumo	A	40	635743
21	10004289	Digitales ausgangsmodul	SIMATIC ET 200SP. Digitales Ausgangsmodul. DQ 8x 24V DC/0.5A Standard. Source Output (PNP.P-schaltend) Verpackungseinheit: 1 Stück. passend für BU-Typ A0. Farbcode CC02. Ersatzwertausgabe. Modul-Diagnose für: Kurzschluss nach L+ und M. Drahtbruch. Versorgungsspannung	Digital output module	SIMATIC ET 200SP. digital output module. DQ 8x 24V DC/0.5A standard. source output (PNP. P-switching) packaging unit: 1 piece. suitable for BU type A0. colour code CC02. substitute value output.6ES7132-6BF01-0BA0	4	Siemens	A	70	6ES7132-6BF01-0BA0
29	10004175	Digitales eingangsmodul	SIMATIC ET 200SP. Digitales Eingangsmodul. DI 8x 24VDC Standard. Eingangstyp 3 (IEC 61131). Sink Input. (PNP. P-lesend). Verpackungseinheit: 1 Stück. passend für BU-Typ A0. Farbcode CC01. Eingangsverzögerung 0.05..20ms. Modul-Diagnose für: Kurzschluss Geberversorgung. Drahtbruch. Versorgungsspannung	Digital input module	SIMATIC ET 200SP. Digital input module. DI 8x 24VDC standard. Input type 3 (IEC 61131). Sink input. (PNP. P-reading). Packaging unit: 1 piece. suitable for BU type A0. Color code CC01. Input delay 0.05..20ms. module diagnostics for: Short circuit encoder supply. Open circuit. Supply voltage	15	Siemens	A	70	6ES7131-6BF01-0BA0
35	10004177	Base Unit	6ES7193-6BP20-0DA0	SIMATIC ET 200SP. Base Unit BU. New load group	6ES7193-6BP20-0DA0	15	Siemens	A	70	6ES7193-6BP20-0DA0
40	10004163	Base Unit	SIMATIC ET 200SP. Base-Unit BU15-P16+A10+2B. BU-Typ A0. Push-In-Klemmen. mit 10 AUX-Klemmen. nach links gebrückt. BxH: 15mmx141mm	SIMATIC ET 200SP. Base Unit BU type. bridge to the left	SIMATIC ET 200SP. Base Unit BU15-P16 + A10+2B. BU type A0. push-in terminals. with 10 AUX terminals. bridged to the left. WxH: 15mmx141mm	24	Siemens	A	70	6ES7193-6BP20-0BA0
41	10004150	Base Unit	6ES7193-6BP00-0BA1	Base Unit	6ES7193-6BP00-0BA1	1	Siemens	A	70	6ES7193-6BP00-0BA1
44	10269914	Sensor- Aktorleitung	M12 5pol gerade 10M // BCC M415-0000-1A-017-PX0534-100-C003	Sensor-actuator cable	M12 5-pin straight 10M // BCC M415-0000-1A-017-PX0534-100-C003	24	Balluff	A	30	BCC0MKY
48	10216168	Sensor- Aktorleitung	M8 3pol gerade 10M // BCC M313-0000-10-001-PX0334-100-C003	Sensor-actuator cable	M8 3-pin straight 10M // BCC M313-0000-10-001-PX0334-100-C003	74	Balluff	A	10	BCC0KKP
49	10047254	Steckverbinder	SACC-M 8MS-3QO-0.5-M	plastic M8 a-coded 3pin field wireable. male	SACC-M 8MS-3QO-0.5-M	1	Phönix Contact	A	50	1441024
50	10004105	Halbleiter Reedschalter. PNP Schließer. Anschlussdrahtlänge 0.2m. LED Rot	D-M9PSAPC-595	Proximity switch Short	D-M9PSAPC-595	12	SMC	A	50	D-M9PSAPC-595
51	10011167	Relais	6A 250Vac. 1W. 24Vdc // RIF-0-RPT-24DC/21	Relay	6A 250Vac. 1 PDT .24Vdc // RIF-0-BPT/21	5	Phönix Contact	A	50	2903370
93	10011454	Zentrale Verarbeitungseinheit	SIMATIC S7-1500F. CPU 1517F-3 PN/DP. Zentralbaugruppe mit Arbeitsspeicher 3MByte für Programm und 8MByte für Daten. 1. Schnittstelle: PROFINET IRT mit 2 Port Switch. 2. Schnittstelle: PROFINET RT. 3. Schnittstelle: PROFIBUS. 2 NS Bit-Performance. SIMATIC Memory Card notwendig	Central Processing Unit	SIMATIC S7-1500F. CPU 1517F-3 PN/DP. central processing unit with 3MByte RAM for program and 8MByte RAM for data. 1st interface: PROFINET IRT with 2 port switch. 2nd interface: PROFINET RT. 3rd interface: PROFIBUS. 2 NS bit performance. SIMATIC Memory Card required	1	Siemens	A	50	6ES7517-3FP00-0AB0
94	10011248	Movidrive	// MDX61B0220-503-4-0T	Movidrive	// MDX61B0220-503-4-0T	1	SEW	A	55	MDX61B0220-503-4-0T
96	10115178	IPC	277E 15" Touch. Windows 10 Enterprise 2019	Nanopanel PC	277E 15" Touch. Windows 10 Enterprise 2019	1	Siemens	A	15	6AV7882-0DB30-8EA0
97	10008548	Absturzsicherung	KR 040 31	Fall protection	KR 040 31	1	Sitema	A	50	KR 040 31
99	10012212	Sicherheitslichtvorhang	deTec4 Core Empfänger. L=1800mm // C4C-EA18010A10000	Safety light curtain	deTec4 Core Receiver. L=1800mm // C4C-EA18010A10000	1	Sick	A	30	1211487
100	10041787	IPC	127E. Atom E3940. Windows 10 Enterprise	IPC	127E. Atom E3940. Windows 10 Enterprise	2	Siemens	A	15	6AG4021-0AB12-1BA0
102	10010821	Sicherheitslichtvorhang	deTec4 Core Sender. L=1800mm // C4C-SA18010A10000	Safety light curtain	deTec4 Core transmitter. L=1800mm // C4C-SA18010A10000	1	Sick	A	30	1211486
104	10087935	Sicherheitslichtvorhang	C4C-EA10530A10000	safety light curtain	C4C-EA10530A10000	1	Sick	A	25	1211500
107	10087934	Sicherheitslichtvorhang	C4C-SA10530A10000	safety light curtain	C4C-SA10530A10000	1	Sick	A	25	1211499
108	10036217	Federsockel	FS 040 11	Spring base	FS 040 11	1	Sitema	A	50	FS 040 11
110	10010968	Durchflusssensor	// SV7200	Flow sensor	// SV7200	1	IFM	A	50	SV7200
111	10238457	LAN-to-LAN Router	ICR-2701 SL v2i LAN-Router	LAN-to-LAN Router	ICR-2701 SL v2i LAN-Router	1	Lucom	A	10	BE-ICR-2701-SL
115	10351657	Bremsstange KR 040 L1950	1001400_30_04_02_001	Brake rod KR 040 L1950	1001400_30_04_02_001	1	LTM	A	10	10351657
117	10010797	Safeball	JSD-TD1 // JSD-TD1-330700	Safe ball	JSD-TD1 // JSD-TD1-330700	2	ABB	A	50	2TLA930005R0000
118	10004459	Elektronikmodul für ET 200SP	SIMATIC DP. Elektronikmodul für ET 200SP. F-DQ 4x24VDC/2A. 15mm Baubr.. bis PL E (ISO 13849) bis SIL 3 (IEC 61508)	Electronics module for ET 200SP	SIMATIC DP. electronics module for ET 200SP. F-DQ 4x24VDC/2A. 15mm width. up to PL E (ISO 13849) up to SIL 3 (IEC 61508)	3	Siemens	A	70	6ES7136-6DB00-0CA0
119	10011209	Feldbusschnittstelle	PROFINET IO RT // DFE32B	Fieldbus interface	PROFINET IO RT // DFE32B	1	SEW	A	40	DFE32B
121	10143785	Elektronikmodul für ET 200SP	SIMATIC DP. Elektronikmodul für ET 200SP. F-DI 8x 24VDC HF. 15mm Baubr.. bis PL E (ISO 13849-1)/ SIL3 (IEC 61508)	Electronics module for ET 200SP	SIMATIC DP. electronic module for ET 200SP. F-DI 8x 24 V DC HF. 15 mm width. up to PLe (ISO 13849-1)/ SIL3 (IEC 61508)	3	Siemens	A	70	6ES7136-6BA01-0CA0
122	10004658	analoges Ausgangsmodul	SIMATIC ET 200SP. analoges Ausgangsmodul. AQ 4XU/I Standard. passend für BU-Typ A0. A1. Farbcode CC00. Modul-Diagnose. 16 Bit. +/-0.3%	Analogue output module	SIMATIC ET 200SP. analogue output module. AQ 4XU/I Standard. suitable for BU types A0. A1. colour code CC00. module diagnosis. 16 bit. +/- 0.3%	2	Siemens	A	50	6ES7135-6HD00-0BA1
123	10011219	Bremsenansteuerung	24Vdc // BMV	Brake control	24Vdc // BMV	1	SEW	A	15	BMV
127	10008029	Fuehrungszylinder	MLGPM40TF-50Z-B	Guide cylinder	MLGPM40TF-50Z-B	2	SMC	A	50	MLGPM40TF-50Z-B
128	10215060	Sicherheitsschalter	RFID. Magnetrastung. familien-kodiert	Safety switches	RFID. Magnet latching. Family-coded	1	Siemens	A	50	3SE6315-1BB01-1AP0
130	10011434	Selektivitaetsmodul	SITOP PSE200U 10 A Selektivitaetsmodul 4-kanalig Eingang: DC 24 V/40 A Ausgang: DC 24 V/4x 10 A Schwellwert einstellbar 3-10 A mit Summenmeldekontakt	Selectivity module 10A 4 channel 24V	SITOP PSE200U 10 A Selectivity module 4-channel input: 24 V DC/40 A output: 24 V DC/4x 10 A Level adjustable 3-10 A with common signaling contact *Ex approval no longer available*	2	Siemens	A	70	6EP1961-2BA21
132	10011208	Geberkarte	HIPERFACE // DEH11B	Encoder card	HIPERFACE // DEH11B	1	SEW	A	10	DEH11B
133	10011463	SCALANCE XB005 Unmanaged Industrial Ethernet Switch für 10/100 Mbit/s. zum Aufbau von kleinen Stern- und Linienstrukturen. LED-Diagnose. IP20. AC/DC 24V Spannungsversorgung. mit 5x 10/100 Mbit/s Twisted Pair Ports mit RJ45-Buchsen. Handbuch als Download verfügbar	6GK5005-0BA00-1AB2	Scalance	6GK5005-0BA00-1AB2	1	Siemens	A	70	6GK5005-0BA00-1AB2
134	10170894	SEW Geberleitung 50mmAbs-+AEH./D-SUB 15pol. L=10m	AS7W001101000/10	Encoder cable	AS7W001101000/10	1	Inntal Kabel-konfektion	A	75	AS7W001101000/10
136	10004233	Digitales ausgangsmodul	SIMATIC ET 200SP. Digitales Ausgangsmodul. DQ 16x 24V DC/0.5A Standard. Source Output (PNP.P-schaltend) Verpackungseinheit: 1 Stück. passend für BU-Typ A0. Farbcode CC00. Ersatzwertausgabe. Modul-Diagnose für: Kurzschluss nach L+ und M. Drahtbruch. Versorgungsspannung	Digital output module	SIMATIC ET 200SP. digital output module. DQ 16x 24V DC/0.5A standard. source output (PNP. P-switching) Packaging unit: 1 piece. suitable for BU type A0. color code CC00. substitute value output. module diagnosis for: short circuit after L+ and M. wire break. supply voltage	6	Siemens	A	50	6ES7132-6BH01-0BA0

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005328

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
137	10140566	Kompaktzylinder	CDQ2B125TF-10DCMZ	Compact cylinder	CDQ2B125TF-10DCMZ	6	SMC	A	10	CDQ2B125TF-10DCMZ
138	10004237	Digitales Eingangsmodul	SIMATIC ET 200SP. Digitales Eingangsmodul. DI 16x 24V DC Standard. Eingangstyp 3 (IEC 61131). Sink Input. (PNP. P-lesend). Verpackungseinheit: 1 Stück. passend für BU-Typ A0. Farbcode CC00. Eingangsverzögerung 0.05..20ms. Modul-Diagnose für: Drahtbruch. Versorgungsspannung	Digital input module	SIMATIC ET 200SP. digital input module. DI 16x 24V DC standard. input type 3 (IEC 61131). sink input. (PNP. P-reading). packaging unit: 1 piece. suitable for BU type A0.	5	Siemens	A	70	6ES7131-6BH01-0BA0
139	10028812	Elektronischer Schutzschalter	6A	Electronic circuit breaker	6A	1	E-T-A	A	50	ESX10-TA-100-DC24V-6A
141	10004538	digitales Ausgangsmodul	6ES7132-6BD20-0BA0	Digital output module	SIMATIC ET 200SP. digitales Ausgangsmodul. DQ 4x 24VDC/2A Standard. passend für BU-Typ A0. Farbcode CC02. Modul-Diagnose	1	Siemens	A	70	6ES7132-6BD20-0BA0
142	10125734	Fuehrungswagen	HDR45-C-1SS	Guide carriage	HDR45-C-1SS	8	THK	A	20	HDR45-C-1SS
143	10004928	Druckschalter	SDE5-D10-O-Q6E-P-M8	Pressure switch	SDE5-D10-O-Q6E-P-M8	1	Festo	A	10	527467
144	10249333	5/2-Wege-Magnetventil	SY7220-5WAOUD-02F-Q	Directional control valve	J	3	SMC	A	35	SY7220-5WAOUD-02F-Q
145	10041664	Verschlusskupplung	RMI12.2103/JV	Seal coupling	RMI12.2103/JV	6	Stäubli	A	15	RMI12.2103/JV
146	10011741	Türkupplungsdrehantrieb	Not-Aus IEC. 3VA1 250 // 3VA9257-0FK25	Door coupling rotary drive	Door mounted rotary operator EMERGENCY OFF IEC IP65 with door interlock accessory for: 3VA12	1	Siemens	A	70	3VA9257-0FK25
147	10248815	5/2-Wege-Magnetventil	SY5220-5WAOUD-01F-Q	Directional control valve	J	4	SMC	A	35	SY5220-5WAOUD-01F-Q
148	10182182	Sensor- Aktorleitung	M12 8pol gerade 20M // BCC M418-0000-1A-069-PX0825-200	Sensor-actuator cable	M12 8pol straight 20M // BCC M418-0000-1A-069-PX0825-200	1	Balluff	A	50	BCC0AT4
149	10011994	Buchsenmodul	modular. 2pol. 70A. 6-16mm². Axialschraubanschluss // 09 14 002 2741	Bushing module	modular. 2pin 70A. 6-16mm². axial screw connection // 09 14 002 2741	2	HARTING	A	50	09 14 002 2741
151	10011420	FI-Schutzschalter	30mA. 40A. Typ A. 400Vac // 5SV3344-6	Residual current device	30mA. 40A. Typ A. 400Vac // 5SV3344-6	1	Siemens	A	50	5SV3344-6
152	10338060	Digitaler Drucksensor	ISE20-P-C6L	Digital pressure sensor	ISE20-P-C6L	1	SMC	A	20	ISE20-P-C6L
153	10332004	Reflexionslichtschranke	OBR4000-18GM60-E5-V1-1C // M12 x 1. 4-polig	Reflection light barrier	OBR4000-18GM60-E5-V1-1C // M12 x 1. 4-pin	1	Pepperl+Fuchs	A	10	c
154	10248811	3/2 Magnetventil	SY513-5WAOUD-01F-Q	Directional control valve	K	1	SMC	A	45	SY513-5WAOUD-01F-Q
155	10011756	Magnetventil	VT317. 3/2 geschlossen // EVT317-5D-02F-Q	Solenoid valve	VT317. 3/2 closed // EVT317-5D-02F-Q	1	SMC	A	10	EVT317-5D-02F-Q
158	10010788	Thermostat	Schaltschrank-Innentemperaturregler	Thermostat	Control cabinet internal temperature controller	1	Rittal	A	50	3110000
159	10008489	Schmierstoffgeber	Futura SF02	Lubricator	Futura SF02	4	PermaTec	A	10	107008
160	10016022	3/2-Wegeventil	VPA342-1-02FA	3-Port Air Operated Valve	VPA342-1-02FA	2	SMC	A	50	VPA342-1-02FA
161	10004529	Steckdosenleitung	KMEB-1-24-10-LED	Plug socket with cable	KMEB-1-24-10-LED	1	Festo	A	50	193457
162	10010934	Buchsenmodul	modular Quintax. 4pol. 10A. geschirmt. ohne Crimpkontakte // 09 15 004 3113	4 Pin 10A module female	without crimp contacts	2	HARTING	A	50	09 15 004 3113
165	10011340	Schlüsselschalter	2 Schaltstellungen. verrastend // 3SU1050-4BF01-0AA0	Key-operated switch	2 switch positions. latching // 3SU1050-4BF01-0AA0	1	Siemens	A	50	3SU1050-4BF01-0AA0
167	10011319	NOT-HALT-Pilzdrucktaster. 22 mm. rund. Metall. hochglanz. rot. 40 mm. zwangsläufige Verrastung. gemäß DIN EN ISO 13850. Drehentriegelung	40mm. rot // 3SU1050-1HB20-0AA0	Estop button red	40mm. red // 3SU1050-1HB20-0AA0	3	Siemens	A	50	3SU1050-1HB20-0AA0
168	10091796	Anschlusskabel	ZS-46-5F-X479	connection cable	ZS-46-5F-X479	1	SMC	A	50	ZS-46-5F-X479
169	10006185	Induktiver Sensor	BES0060. M12 4-polig	Inductive sensor	BES0060. M12 4pin	2	Balluff	A	50	BES M12MI-PSC20B-S04G
170	10006360	Induktiver Sensor	NBB3-V3-E2-V3 // M8 x 1 . 3-polig	Rectangular Inductive Sensor NO	NBB3-V3-E2-V3 // M8 x 1. 3-pin	2	Pepperl+Fuchs	A	50	225243
171	10041663	Induktiver Sensor	NBB8-18GM50-E2-V1	Inductive sensor NO flush M18	NBB8-18GM50-E2-V1	11	Pepperl+Fuchs	A	50	326161-0087
172	10011584	Induktiver Sensor	NBB8-F33-E2 // 3-polig	Inductive Sensor	NBB8-F33-E2 // 3-pin	1	Pepperl+Fuchs	A	50	200042
174	10010947	Buchseneinsatz	Bgr.: 3 A. 8pol. 10A. Quick-Lock-Anschluss // 09 36 008 2732	Harting insert Size: 3 A. 8pin. 10A. female	// 09 36 008 2732	2	HARTING	A	50	09 36 008 2732
175	10011214	Buchseneinsatz	Bgr.: 3 A. 4pol. 10A. Quick-Lock-Anschluss // 09200042733	Harting insert Size: 3 A. 4pin. 10A. female	// 09 20 004 2733	2	HARTING	A	40	09 20 004 2733
176	10004562	Induktiver Sensor	NBB4-12GM50-E2-V1 // M12 x 1 3pol	Inductive sensor	NBB4-12GM50-E2-V1 // M12 x 1 3pin	2	Pepperl+Fuchs	A	50	326161-0001
177	10012028	Doppeldrucktaster	I=weiß / O=schwarz // 3SU1001-3AB61-0AK0	Double push button	I=white / O=black // 3SU1001-3AB61-0AK0	2	Siemens	A	15	3SU1001-3AB61-0AK0
178	10010926	Buchsenmodul	modular. 8pol. 16A. Quick-Lock-Anschluss // 09 14 008 2733	Harting module 8pin. 16A. female	modular. 8pol. 16A. Quick-Lock-Anschluss // 09 14 008 2733	2	HARTING	A	50	09 14 008 2733
179	10010946	Stiftteinsatz	Bgr.: 3 A. 8pol. 10A. Quick-Lock-Anschluss // 09 36 008 2632	Harting insert Size: 3 A. 8pin. 10A. male	Size: 3 A. 8pin. 10A. Quick-Lock connection // 09 36 008 2632	1	HARTING	A	50	09 36 008 2632
180	10011386	LED-Modul	weiß. Boden // 3SU1401-2BB60-3AA0	LED module white	3SU1401-2BB60-3AA0	1	Siemens	A	50	3SU1401-2BB60-3AA0
181	10011362	LED-Modul	rot. Boden // 3SU1401-2BB20-3AA0	LED module	red. floor // 3SU1401-2BB20-3AA0	3	Siemens	A	50	3SU1401-2BB20-3AA0
182	10011385	LED-Modul	blau. Boden // 3SU1401-2BB50-3AA0	LED module blue	3SU1401-2BB50-3AA0	2	Siemens	A	50	3SU1401-2BB50-3AA0
183	10010869	Buchsenmodul	modular. 5pol. 16A. Käfigzugfederanschluss // 09140052716	5 pin module female	modular. 5pin. 16A. cage clamp connection // 09 14 005 2716	5	HARTING	A	50	09 14 005 2716
184	10011360	LED-Modul	weiß. Front // 3SU1401-1BB60-3AA0	LED module white	3SU1401-1BB60-3AA0	2	Siemens	A	50	3SU1401-1BB60-3AA0
185	10140596	Rillenkugellager	Di10 Da30 B14	Deep groove ball bearing	Di10 Da30 B14	24	FAG	A	50	62200-A-2RSR
187	10004334	Leuchtdrucktaster. 22 mm. rund. Metall. hochglanz. weiß. Druckknopf. flach. tastend	Weiss	Push button - white 22mm	3SU1051-0AB60-0AA0	1	Siemens	A	50	3SU1051-0AB60-0AA0
188	10011346	Drucktaster	blau	Push button blue	3SU1051-0AB50-0AA0	2	Siemens	A	50	c
189	10005131	Drucktaster	Rot	Push button red 22mm	3SU1051-0AB20-0AA0	3	Siemens	A	50	3SU1051-0AB20-0AA0
190	10010867	Buchsenmodul	modular Quintax // 09 14 002 3101	Harting Quintax module female	09 14 002 3101	2	HARTING	A	50	09 14 002 3101
191	10011264	NH-Sicherungseinsatz	32A. 500Vac/250Vdc. gG. Gr. 000 // 3NA3812	NH fuse link	32A. 500Vac/250Vdc. gG. size 000 // 3NA3812	3	Siemens	A	70	3NA3812
192	10006368	Schmelzsicherung 50A gG 3NA3820	50A gG 3NA3820	Safety fuse 50A gG 3NA3820	50A gG 3NA3820	3	Siemens	A	50	3NA3820
193	10011622	Buchsenmodul	modular. 12pol. 10A. Crimpanschluss // 09 14 012 3101	Bushing module	modular. 12pin. 10A. Crimp connection // 09 14 012 3101	2	HARTING	A	15	09 14 012 3101
194	10011623	Stiftmodul	modular. 12pol. 10A. Crimpanschluss // 09 14 012 3001	Pin module	modular. 12pin. 10A. Crimp connection // 09 14 012 3001	2	HARTING	A	50	09 14 012 3001
195	10066313	Rillenkugellager	Di10 Da30 B9 // 6200-C-2HRS	Deep groove ball bearing	Di10 Da30 B9 // 6200-C-2HRS	17	FAG	A	50	6200-C-2HRS
196	10011417	Sicherungseinsatz	40A .400Vac/250Vdc. gG. D01. NEOZED // 5SE2340	Fuse link	40A .400Vac/250Vdc. gG. D01. NEOZED // 5SE2340	3	Siemens	A	50	5SE2340
197	10011418	Sicherungseinsatz	50A .400Vac/250Vdc. gG. D01. NEOZED // 5SE2350	Fuse link	50A .400Vac/250Vdc. gG. D01. NEOZED // 5SE2350	3	Siemens	A	40	5SE2350
198	10011415	Sicherungseinsatz	NEOZED-Sicherungseinsatz. D01. 10 A. gG. Un AC: 400 V. Un DC: 250 V. mit verzinnten Kontaktkappen	Fuse link	NEOZED fuse-link. D01. 10 A. gG. Un AC: 400 V. Un DC: 250 V. with tin-coated contact-caps	6	Siemens	A	40	5SE2310
323	10014487	Ritzel	TK130 Modul 5	Pinion	TK130 Modul 5	2	3CON	A	10	202002714
348	10011819	Movitrac	1.5kW // MC07B0015-5A3-4-S0	Movitrac	1.5kW // MC07B0015-5A3-4-S0	2	SEW	A	40	MC07B0015-5A3-4-S0
361	10384281	Überwachungsrelais	3Ph. N-Leiter 15-70Hz. 3x90-690V IO-Link // 3UG5816-2AA40	Monitoring relay	3Ph. N-conductor. 15-70Hz. 3x90-690V IO-Link // 3UG5816-2AA40	1	Siemens	A	50	3UG5816-2AA40
370	10011231	Kommunikationsschnittstelle	// FSC11B	Communications interface	// FSC11B	2	SEW	A	20	FSC11B
371	10011196	Bremswiderstand	// BW1	Brake resistor	// BW1	2	SEW	A	50	BW1
383	10152373	Kegelradgetriebemotor	K87 DRL132S4BE11HR/IS/TF/AS7W/V - 418732477A Pos.01	Bevel gear motor	K87 DRL132S4BE11HR/IS/TF/AS7W/V - 418732477A Pos.01	1	SEW	A	60	K87 DRL132S4BE11HR/IS/TF/AS7W/V - 418732477A Pos.01
384	10008651	Seitenkanalverdichter	SV 130/1. 0.75 IE3. EU1. o.Z.	Side channel compressor	SV 130/1. 0.75 IE3. EU1. o.Z.	2	Gebrüder Becker	A	30	G023572
385	10011677	Speicherkarte	für S7-1x00 CPU. 3. 3V Flash. 256 MByte	Memory card	SIMATIC S7. MEMORY CARD FOR S7-1X00 CPU. 3.3 V FLASH. 256 MBYTE	1	Siemens	A	70	6ES7954-8LL03-0AA0
386	10336512	Luftstromwächter	SL5201	Airflow monitor	SL5201	2	IFM	A	50	SL5201
387	10338055	Wartungseinheit	AC40-D-0430OAA	Maintenance unit	AC40-D-0430OAA	1	SMC	A	50	AC40-D-0430OAA

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005328

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
388	10004931	SIMATIC ET 200SP. analoges Eingangsmodul. AI 2x U/I 2-.4-Wire High Feat.. passend für BU-Typ A0. A1. Farbcode CC05. Kanal-Diagnose. 16 Bit. +/-0.1%	6ES7134-6HB00-0CA1	SIMATIC ET 200SP. analogue input module. AI 2x U/I 2-.4-Wire High Feature suitable for BU types A0. A1. colour code CC05. channel diagnosis. 16 bit. +/- 0.1%	6ES7134-6HB00-0CA1	1	Siemens	A	10	6ES7134-6HB00-0CA1
389	10008518	Ansaugfilter	FK35 mit Stutzen G 1 1/2 "	Filter	FK35 with connection piece G 1 1/2 "	2	Gebrüder Becker	A	40	74000807010
390	10011637	M12 5pol gerade geschirmt UL	Sensor-/Aktor-Leitungen // V15-G-BK10M-PUR-U/ABG	M12 5-pin straight shielded UL	Sensor-/Aktor-Lines // V15-G-BK10M-PUR-U/ABG	2	Pepperl+Fuchs	A	40	V15-G-BK10M-PUR-U/ABG
425	10291632	Kuehlgeraet	weco 07.1 A - 400V 50Hz (blaues Gehäuse)	Cooling unit	weco 07.1 A - 400V 50Hz (blue housing)	1	gwk	B	30	10209943
426	10010886	Kühlgerät	Wandanbau. 230V. 0.55kW // SK.3303500	Cooling unit	Wall-mounted. 230V. 0.55kW // SK.3303500	1	Rittal	B	10	3303500
427	10454488	Monitor 50"	ProLite LH5075UHS-B1AG	Monitor 50"	ProLite LH5075UHS-B1AG	1	Iiyama	B	50	LH5075UHS-B1AG
428	10378393	Monitor 32"	ProLite LH3254HS-B1AG	Monitor 32"	ProLite LH3254HS-B1AG	1	Iiyama	B	10	LH3254HS-B1AG
429	10176128	Elastomerkupplung	EKH/800/162/B/60-PFN/40	Elastomer coupling	EKH/800/162/B/60-PFN/40	2	R+W	B	30	EKH/800/162/B/60-PFN/40
430	10011938	Geregelte Stromversorgung	SITOP PSU8200 24 V/40 A Geregelte Stromversorgung Eingang: 3 AC 400-500 V Ausgang: DC 24 V/40 A	Regulated power supply	SITOP PSU8200 24 V/40 A stabilized power supply input: 400-500 V 3 AC output: 24 V DC/40 A *Ex approval no longer available*	1	Siemens	B	70	6EP3437-8SB00-0AY0
431	10011407	Leistungsschalter	415V 3-polig.	Circuit breaker	415V 3-polig.	1	Siemens	B	70	3VA1225-4EF32-0AA0
432	10011224	Bremswiderstand	// BW039-012-T	Brake resistor	// BW039-012-T	1	SEW	B	50	BW039-012-T
433	10005397	Stromversorgungseinheit	SITOP PSU8200 24 V/10 A Geregelte Stromversorgung Eingang: AC 120/230 V Ausgang: DC 24 V/10 A	Power supply unit	SITOP PSU8200 24 V/10 A regulated power supply input: AC 120/230 V output: DC 24 V/10 A	1	Siemens	B	70	6EP3334-8SB00-0AY0
434	10006392	Leistungsschütz	AC-3 22 kW/400V DC 24V 1S + 1OE S2 // 3RT2036-3KB40	Power Contactor	AC-3 22kW/400V DC 24V 1S + 1OE. S2 // 3RT2036-3KB40	1	Siemens	B	50	3RT2036-3KB40
435	10004941	Druckverstaerker	VBA10A-F02GN	Pressure amplifier	VBA10A-F02GN	1	SMC	B	15	VBA10A-F02GN
437	10011464	unmanaged Industrial Ethernet Switch	SCALANCE XB008 unmanaged Industrial Ethernet Switch für 10/100 Mbit/s. zum Aufbau von kleinen Stern- und Linienstrukturen. LED-Diagnose. IP20. AC/DC 24V Spannungsversorgung. mit 8x 10/100 Mbit/s Twisted Pair Ports mit RJ45-Buchsen. Handbuch als Download verfügbar	Unmanaged Industrial Ethernet Switch	SCALANCE XB008 Unmanaged Industrial Ethernet Switch for 10/100 Mbit/s. for setting up small star and line topologies. LED diagnostics. IP20. 24 V AC/DC power supply. with 8x 10/100 Mbit/s twisted pair ports with RJ45 sockets. Manual available as a download .	3	Siemens	B	70	6GK5008-0BA10-1AB2
438	10011403	Kompaktleistungsschalter	3VA1 IEC Frame 100. 36kA. 415V 3P. 16A. TM210 // 3VA1096-4ED32-0AA0	Circuit breaker	3VA1 IEC Frame 100. 36kA. 415V 3P. 16A. TM210 // 3VA1096-4ED32-0AA0	1	Siemens	B	70	3VA1096-4ED32-0AA0
439	10006377	Leistungsschütz	AC-3 25 kW/400V DC 24V 1S + 1OE S0 FZ // 3RT2026-2BB40	Power contactor	AC-3 25kW/400V DC 24V 1S + 1OE S0 FZ // 3RT2026-2BB40	1	Siemens	B	50	3RT2026-2BB40
440	10004812	Leitungsschutzschalter	400V 10kA. 3+N-polig. C. 16A. T=70mm // 5SY4616-7	Miniature circuit breaker	Miniature circuit breaker 400 V 10kA. 3+N-pole. C. 16A. D=70 mm	1	Siemens	B	10	5SY4616-7
441	10011511	Dauerlichtelement. mit integrierter LED. grün. AC/DC 24 V. Durchmesser 70 mm	Dauerlichtelement. grün // 8WD4420-5AC	Signal column green	Continuous light element. green // 8WD4420-5AC	1	Siemens	B	70	8WD4420-5AC
442	10011121	Dauerlichtelement. mit integrierter LED. rot. AC/DC 24 V. Durchmesser 70 mm	Dauerlichtelement. rot // 8WD4420-5AB	Signal column	Continuous light element. red // 8WD4420-5AB	1	Siemens	B	70	8WD4420-5AB
443	10010888	Reitersicherungselement	D-Switch // SV.9340950	Bus-mounting fuse base	D-Switch // SV.9340950	4	Rittal	B	50	9340950
444	10011122	Dauerlichtelement. mit integrierter LED. gelb. AC/DC 24 V. Durchmesser 70 mm	Dauerlichtelement. gelb // 8WD4420-5AD	Signal column Yellow	8WD4420-5AD	1	Siemens	B	70	8WD4420-5AD
445	10011153	Tuerpositionsschalter	Anschlussleitung L=800mm	Door-operated switch	with connection wire 800mm	2	Rittal	B	50	SZ2500470
446	10006393	Leitungsschutzschalter	400V 10kA. 3-polig. C. 6A. T=70mm // 5SY4306-7	Miniature circuit breaker	400V 10kA. 3-pin. C. 6A. D = 70mm // 5SY4306-7	1	Siemens	B	10	5SY4306-7
447	10005336	Leistungsschalter	0.28-0.4A 3RV2011-0EA25	Circuit breaker	0.28-0.4A 3RV2011-0EA25	1	Siemens	B	50	3RV2011-0EA25
448	10011157	Tuerpostionsschalter	ohne Anschlussleitung	Door-operated switch	without connection wire	2	Rittal	B	50	SZ4127010
449	10006350	Leitungsschutzschalter	400V 10kA. 3-polig. C. 13A. T=70mm // 5SY4313-7	Miniature circuit breaker 13A 3pol	400V 10kA. 3-polig. C. 13A. T=70mm // 5SY4313-7	1	Siemens	B	50	5SY4313-7
450	10011280	Leistungsschütz	AC-3 3 kW/400V DC 24V 1S S00 FZ // 3RT2015-2BB41	Power Contactor	AC-3 3kW/400V 1S DC 24V S00 FZ // 3RT2015-2BB41	1	Siemens	B	50	3RT2015-2BB41
451	10006386	Leistungsschütz	AC-3 3 kW/400V DC 24V 1OE S00 FZ // 3RT2015-2BB42	Power contactor	AC-3 3kW/400V DC 24V 1OE S00 FZ // 3RT2015-2BB42	10	Siemens	B	50	3RT2015-2BB42
452	10011423	Leitungsschutzschalter	230/400V 10kA. 1-polig. C. 10A. T=70mm // 5SY4110-7	Miniature circuit breaker	C10A. 1-pole. 230/400Vac // 5SY4110-7	1	Siemens	B	50	5SY4110-7
453	10004650	Leitungsschutzschalter	230/400V 10kA. 1-polig. C. 13A. T=70mm // 5SY4113-7	Miniature circuit breaker	230/400V 10kA. 1-polig. C. 13A. T=70mm // 5SY4113-7	12	Siemens	B	50	5SY4113-7
454	10088758	Befestigungselement	ZS-46-A2	Fastening element	ZS-46-A2	1	SMC	B	10	ZS-46-A2
455	10140552	Gummi-Metall-Puffer	D25 H10 M6x18	Metal-rubber buffer	D25 H10 M6x18	2	None	B	50	T46114
504	10024967	Buchse	_	Bushing (mirrored)	_	4	3CON	B	40	s009_22_003__Buchse
516	10063704	Maschinenleuchte	Flatfram 4000K mit Rahmen IP65 // PR6060.38.4	Machine light (mirrored)	Flatfram 4000K with frame IP65 // PR6060.38.4	2	3CON	B	50	PR6060.38.4
519	10206128	Zahnstange	D60 Modul 5 L1963.5mm	Gear rack	D60 Modul 5 L1963.5mm	2	3CON	B	25	10206128
521	10110048	ZB Spannsystem Basis	1001000 01 01	ZB clamping system base	1001000 01 01	2	3CON	B	40	10110048
522	10257456	ZB Spannsystem Obertisch	nicht zentrierend - Indexierung Rechts	ZB clamping system upper table	not centering - Indexing right	2	3CON	B	20	10257456__3CON__ZB Spannsystem Obertisch nicht zentrierend - Indexierung Rechts 1001000 01 03
523	10257366	ZB Spannsystem Obertisch	zentrierend - Indexierung Rechts	ZB clamping system upper table	centering - indexing right side	2	3CON	B	20	10257366__3CON__ZB Spannsystem Obertisch zentrierend - Indexierung Rechts 1001000 01 02
524	10257458	ZB Spannsystem Obertisch	nicht zentrierend - Indexierung Links	ZB clamping system upper table	not centering - Indexing left	4	3CON	B	20	10257458__3CON__ZB Spannsystem Obertisch nicht zentrierend - Indexierung Links__1001000_01_04
543	10125735	Fuehrungsschiene	HDR45-C L1450 G42.5 G42.5	Guide rail	HDR45-C L1450 G42.5 G42.5	4	THK	B	20	HDR45-C L1450 G42.5 G42.5
547	10008486	Kugelknopf	GN 319.5-40-M10-B	Ball button	GN 319.5-40-M10-B	1	Elesa+Ganter	C	10	GN 319.5-40-M10-B
553	10027829	Andockrahmen Han 24B	Bgr.: 24 B // 09 30 024 1701	Docking frame Han 24B	Size.: 24 B // 09 30 024 1701	3	HARTING	C	50	09 30 024 1701
572	10011353	Kontaktmodul	1S. Boden // 3SU1400-2AA10-3BA0	Contact module 1NO Spring Type. floor	1NO. Boden // 3SU1400-2AA10-3BA0	6	Siemens	C	50	3SU1400-2AA10-3BA0
578	10011473	Schutzleiter-Reihenklemme	ZPE 2.5/4AN	Protective conductor terminal block	ZPE 2.5/4AN	12	Weidmueller	C	10	1608660000
582	10011194	Halter	3SU1550-0AA10-0AA0	Push Button Holder	3SU1550-0AA10-0AA0	13	Siemens	C	50	3SU1550-0AA10-0AA0
586	10010863	Blindabdeckung	modular // 09 14 000 9950	Blind cover single dummy module	modular // 09 14 000 995	7	HARTING	C	50	09 14 000 9950
588	10011505	Durchgangs-Reihenklemme	ZDU 2.5/4AN	Feed-through terminal block	ZDU 2.5/4AN // ZDU 2.5/4AN	62	Weidmueller	C	50	1608570000
594	10011514	Abschlussplatte	ZAP/TW 3	Cover plate	ZAP/TW 3	26	Weidmueller	C	50	1608800000
605	10006380	Schlüsselaufnahme mit PROFINET Schnittstelle	EKS-A-IIX-G01-ST02/03. ELECTRONIC-KEY-SYSTEM. EKS-A-IIX-G01-ST02/03	Electronic-Key adapter with PROFINET interface	EKS-A-IIX-G01-ST02/03. ELECTRONIC-KEY-SYSTEM. EKS-A-IIX-G01-ST02/03	1	Euchner	C	50	106305
607	10004791	NH-Lasttrenner SV3431.035	SV3431.035	NH fuse switch SV3431.035	SV3431.035	1	Rittal	C	50	3431035
608	10049322	Signalleuchte	RGB. 520mm	Signal light	RGB. 520mm	1	LED2WORK	C	10	111090-14
610	10012299	Signalsäule	Sirenenelement. Mehrton 102 dB. 8 Töne + Lautstärke variabel. schwarz. AC/DC 24 V. Durchmesser 70 mm	Signal column	Siren element. Multi-tone 102 dB. 8 tones + variable volume. black. AC/DC 24 V. Diameter 70 mm	1	Siemens	C	40	8WD4420-0EA2
611	10008249	Nivelliererelement + Schraube	BNSH160/B50 // M20x1.5x100mm	ZB levelling element + screw	BNSH160/B50 // M20x1.5x100mm	4	Bilz	C	50	12-0028 + 19-0156
612	10012371	Systemleuchte	LED 400. 100-240 V. L: 262 mm. // SZ.2500100	System light	LED 400. 100-240 V. L: 262 mm. // SZ.2500100	2	Rittal	C	50	2500100
613	10011419	FI/LS-Schalter	10 kA. 1P+N. Typ A. 30 mA. C-Char. In: 13 A. Un AC: 230 V	FI/LS switch	10 kA. 1P+N. Typ A. 30 mA. C-Char. In: 13 A. Un AC: 230 V	4	Siemens	C	15	5SU1354-7KK13
614	10010790	Sicherheitsschalter	RFID. Magnetrastung. Betätiger // 3SE6310-1BC01	Safety switch	RFID. Magnet latching. actuator // 3SE6310-1BC01	1	Siemens	C	50	3SE6310-1BC01
615	10011413	Spannungsauslöser	24V DC. links // 3VA9988-0BM10	Shunt releases	24V DC. left // 3VA9988-0BM10	1	Siemens	C	15	3VA9988-0BM10
616	10011155	NH-Sicherungslasttrenner	Gr.000. 100A. 3-polig. Klemme. Abg. unten (60 mm) // SV.3431030	NH fuse switch disconnecter	Gr.000. 100A. 3-pol. box terminal. cable outlet bottom (60 mm) // SV.3431030	1	Rittal	C	50	3431030
617	10010903	Komfortgriff	VX Profilhalbzylinder // VX.8618250	Comfort grip	for semi-cylinder // VX.8618250	2	Rittal	C	50	8618250
618	10408524	Sockel	VX Bürstenleiste 100x1200mm // VX.8660095	Base	VX brush strip 100x1200 // VX.8660095	2	Rittal	C	50	8660095
619	10005147	Klemm- und Ausrichthalterung	BEF-1SHABPKU4	Clamp and alignment bracket	BEF-1SHABPKU4	8	Sick	C	50	2066614

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005328

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
620	10008626	Verteiler	FR-8-1/4	Distributor	FR-8-1/4	2	Festo	C	50	2078
621	10011486	FrontCom	Metalldeckel abschließbar mit Schlüssel // IE-FC-SFM-KEY2	FrontCom	Metal cover. Lockable with key // IE-FC-SFM-KEY2	1	Weidmueller	C	50	1450540000
622	10011903	Sammelschiene	PLS800. L=895mm. 5mm Schienenstärke. CU // SV.3525010	Busbar	PLS 800. L: 895 mm. bar thickness: 5 mm // SV.3525010	3	Rittal	C	40	3525010
623	10011509	Anschlusselement. mit Abschlussdeckel. schwarz. für Rohrmontage. mit Federzuganschluss.	Anschlusselement // 8WD4408-0AD	Signal column end piece	Connection element // 8WD4408-0AD	1	Siemens	C	70	8WD4408-0AD
624	10011510	Rohr mit Fuß. Länge 100 mm. Zubehör für Signalsäulen. mit Durchmesser 70 mm	Rohr mit Fuß // 8WD4308-0DA	Signal column foot piece	Pipe with foot // 8WD4308-0DA	1	Siemens	C	70	8WD4308-0DA
625	10010881	Wandsteckdose mit TwinCONTACT // CEE-Steckdose	16A 5P 6h 400V IP44 // 419	CEE socket	16A 5P 6h 400V IP44 // 419	1	Mennekes	C	50	419
626	10012523	SCHUKO-Steckdose	16 A. AC 250 V. DIN 49440 IP44 Blau	Earthed socket	16 A. AC 250 V. DIN 49440 IP44 blue	4	Merten	C	50	279075
627	10408526	Sockel	VX vorne und hinten 100x800mm	base	VX front and back 100x800mm	2	Rittal	C	50	8660003
628	10011287	Sockelgehäuse	Bgr.: 10 B. Längsbügel. seitlich 2x M20. niedrig. Kappe // Han 10B-asg2-LB-K-M20	Socket casing	Size: 10 B. Single locking lever. side entry 2x M20. low. cover // 19 30 010 1295	1	HARTING	C	50	19 30 010 1295
629	10011412	Hilfsschalter	Wechselkontakte Typ HQ (7MM) Zubehör für: 3VA1 und 3VA20-26	Auxiliary switch	Changeover contacts type HQ (7mm) accessory for: 3VA1 and 3VA20-26	1	Siemens	C	70	3VA9988-0AA12
630	10011396	Gehäuse für Befehlsgeräte. 22 mm. rund. Gehäusematerial Kunststoff. Gehäuseoberteil grau. 4 Befehlsstellen Kunststoff. Vertiefung für Schilder. ohne Bestückung	4 Befehlsstellen // 3SU1804-0AA00-0AB1	Casing	4 control points // 3SU1804-0AA00-0AB1	2	Siemens	C	50	3SU1804-0AA00-0AB1
631	10261080	OM-Adapter	32A. 690V 3-polig // SV 9340.550	OM adaptor	32A. 690V. 3-pole // SV 9340.550	1	Rittal	C	10	9340550
632	10011490	FrontCom	Einsatz Power Typ F Steckdose DE orange // IE-FCI-PWB-DE-OR	FrontCom	Insert Power large. Type F. Socket connector. DE. orange // IE-FCI-PWB-DE-OR	1	Weidmueller	C	50	1554000000
633	10012111	Rahmenklemme	3VA1 250 // 3VA9253-0JA11	Box terminal 3VA9253-0JA11	3VA1 250 // 3VA9253-0JA11	2	Siemens	C	70	3VA9253-0JA11
634	10011710	Gelenkrahmen	Bgr.: 24. B 6 Module A-F // 09140240361	Articulated frame	Size: 24 B. 6 Module A-F // 09 14 024 0361	3	HARTING	C	15	09 14 024 0361
635	10011294	Gelenkrahmen	Bgr.: 10. B 3 Module A-C // 09 14 010 0361	Articulated frame. Size: 10B. 6 Module A-F	Size: 10 B. 6 Module A-F // 09 14 010 0361	1	HARTING	C	50	09 14 010 0361
636	10011293	Gelenkrahmen	Bgr.: 10. B 3 Module a-c // 09140100371	Articulated frame. Size: 10 B. 6 modules a-f	Size: 10 B. 6 modules a-f // 09 14 010 0371	1	HARTING	C	50	09 14 010 0371
637	10012071	FrontCom	Berührungsschutz // IE-FC-PWPC	FrontCom	Contact protection // IE-FC-PWPC	1	Weidmueller	C	50	1450820000
638	10012064	Tüllengehäuse	Bgr.: 10 B. Längsbügel. seitlich 1x M25. niedrig // 19300101541	Sleeve casing	Size: 10 B. Single locking lever. side entry 1x M25. low // 19 30 010 1541	1	HARTING	C	50	19 30 010 1541
639	10408534	Sockel	VX seitlich 100x500mm	base	VX lateral 100x500mm	2	Rittal	C	50	8660032
640	10005409	Gehäuse für Befehlsgeräte. 22 mm. rund. Gehäusematerial Kunststoff. Gehäuseoberteil grau. 2 Befehlsstellen Kunststoff. Vertiefung für Schilder. ohne Bestückung	2 Befehlsstellen // 3SU1802-0AA00-0AB1	Casing	2 control points // 3SU1802-0AA00-0AB1	1	Siemens	C	50	3SU1802-0AA00-0AB1
641	10372569	Schaltschrank-Steckdose	Reiheneinbau 1-fach 16A IP20 gelb. Type CF // 1068028	Control cabinet socket	DIN rail 1x 16A IP20 yellow. Type CF //1068028	2	Phönix Contact	C	50	1068028
642	10006359	Hilfsstromschalter	1S+1Ö für LS-Schalter 5SL. 5SY. 5SP Einbauschalter 5TL1. FI/LS 5SU1. FI 5SV	Auxiliary switch	1 NO + 1 NC for LS switches 5SL. 5SY. 5SP. built-in switches 5TL1. FI/LS 5SU1. FI 5SV	3	Siemens	C	50	5ST3010
643	10041930	Montage-Set	IPC127E. Wandmontage	Mounting kit	IPC127E. Wall mount	2	Siemens	C	15	6AG4021-0AA20-0AA2
644	10297611	Winkel für Fußmontage. Zubehör für Signalsäulen. mit Durchmesser 50 mm und 70 mm	8WD4408-0CC	Bracket for signal column	with diameters 50 mm and 70 mm	1	Siemens	C	70	8WD4408-0CC
645	10011844	Klemmenabdeckung	3VA1 250 verlängert. 3P // 3VA9211-0WF30	Terminal cover	3VA1 250 extended. 3P // 3VA9211-0WF30	2	Siemens	C	50	3VA9211-0WF30
646	10016078	Buegelgriff	M.443/200 AE-V0	Bow-type handle	M.443/200 AE-V0	1	Elesa+Ganter	C	10	M.443/200 AE-V0
647	10011283	Überspannungsbegrenzer	24-70V DC // 3RT2916-1JK00	Surge limiter	24-70V DC // 3RT2916-1JK00	11	Siemens	C	50	3RT2916-1JK00
648	10004218	USB auf USB IE-BI-USB		USB to USB IE-BI-USB		1	Weidmueller	C	50	1019570000
649	10125509	Rahmenklemme	3VA1 100/160	Box terminal	3VA1 100/160	2	Siemens	C	20	3VA9153-0JA11
650	10011285	Überspannungsbegrenzer	24-70V DC // 3RT2936-1BB00	Surge limiter	24-70V DC // 3RT2936-1BB00	1	Siemens	C	50	3RT2936-1BB00
651	10016332	Kabelverschraubung	Skintop ST-M50x1.5. silbergrau	Cable gland	Skintop ST-M50x1.5. silver-grey	2	Lapp	C	50	53111060
652	10011276	Hilfsschalter	frontseitig 4S // 3RH2911-2XA40-0MA0	Auxiliary switch	Auxiliary switch on the front. 4 S current path 1 S. 1 S. 1 S. 1 S for 3RH2 and 3RT2 spring-cage connection 53/54. 63/64. 73/74. 83/84	3	Siemens	C	70	3RH2911-2XA40-0MA0
653	10008550	Stellfuss	BSF80M12x100	Adjustable foot	BSF80M12x100	2	Schwaderer	C	50	BSF80M12x100
654	10011284	Überspannungsbegrenzer	24-70V DC // 3RT2926-1JK00	Surge limiter	24-70V DC // 3RT2926-1JK00	1	Siemens	C	50	3RT2926-1JK00
655	10125695	Sterngriff	M12x60	Star handle	M12x60	2	Norelem	C	50	06209-01-46312X60
656	10004741	Reflektor	REF-H30x60	Reflector	REF-H30x60	1	Pepperl+Fuchs	C	50	246176
657	10025042	Sockelgehäuse	Bgr.: 3 A. Längsbügel. gerade 1x M20 // 19 20 003 1250	Socket casing	Size: 3 A. Single locking lever. top entry 1x M20 // 19 20 003 1250	4	HARTING	C	50	19 20 003 1250
658	10010894	Klemmenabdeckung	3VA1 100/160. 3P // 3VA9111-0WD30	Terminal cover	3VA1 100/160. 3P // 3VA9111-0WD30	2	Siemens	C	70	3VA9111-0WD30
659	10011212	Hutschienenmontage-Adapter	Hutschienenmontage-Adapter schwarz. für Befehlsgeräte. 22 mm. rund	Top hat rail assembly adapter	Adapter for DIN rail mounting Black. for command devices. 22 mm. round	1	Siemens	C	50	3SU1900-0KH80-0AA0
660	10011354	Kontaktmodul	1NC. Boden // 3SU1400-2AA10-3CA0	Contact module 1NC. Floor	1NC. Boden // 3SU1400-2AA10-3CA0	8	Siemens	C	50	3SU1400-2AA10-3CA0
661	10011492	Schutzleiter-Reihenklemme	ZPE 16 // ZPE 16	Protective conductor terminal block	ZPE 16 // ZPE 16	5	Weidmueller	C	50	1745250000
662	10004984	Verbindungsbaustein	elektrisch und mechanisch für 3RV2011 und 3RT201. Federzuganschluss	Terminal. Spring type for circuit breaker	Electrical and mechanical for 3RV2011 and 3RT201. Spring-type terminal	1	Siemens	C	70	3RA2911-2AA00
663	10012004	Kontaktmodul	1S. Front // 3SU1400-1AA10-3BA0	Contact module	1NO. Front // 3SU1400-1AA10-3BA0	5	Siemens	C	50	3SU1400-1AA10-3BA0
664	10011428	Distanzstück	0.5 TE // 5TG8240	Spacer	0.5 MW // 5TG8240	3	Siemens	C	50	5TG8240
665	10012042	Prüftrenn-Reihenklemme	ZTR 6-2 // ZTR 6-2	Test disconnect terminal block	ZTR 6-2 // ZTR 6-2	1	Weidmueller	C	50	1023830000
666	10011502	Neutralleiter-Reihenklemme	ZNT 16S // 16 mm². 400 V. 76 A	Neutral conductor terminal block	ZNT 16S // ZNT 16S	1	Weidmueller	C	20	1739600000
667	10011485	Mehrstock-Reihenklemme	ZDLD 2.5-2N/PE/L/N // ZDLD 2.5-2N/PE/L/N	Multi-level terminal block	ZDLD 2.5-2N/PE/L/N // ZDLD 2.5-2N/PE/L/N	6	Weidmueller	C	10	1131760000
668	10157047	Hilfsleiteranschlussklemme für Rahmenklemme	3VA1 250. 3VA2 100/160/250	Auxiliary conductor terminal for frame terminal	3VA1 250. 3VA2 100/160/250	3	Siemens	C	70	3VA9200-0WB00
669	10004168	Befestigungsflansch	BF 12	Mounting flange 12	BF 12	2	Pepperl+Fuchs	C	50	49
670	10010877	Tüllengehäuse	Bgr.: 3 A. Längsbügel. gerade 1x M20 // 19 20 003 1440	Sleeve casing	Size: 3 A. Single locking lever. top entry 1x M20 // 19 20 003 1440	1	HARTING	C	50	19 20 003 1440
671	10178301	Befestigungsflansch	BF 18	Mounting flange	BF 18	3	Pepperl+Fuchs	C	50	50
672	10008776	Kabelverschraubung	Skintop ST-M40x1.5. silbergrau	Cable gland	Skintop ST-M40x1.5. silver grey	2	Lapp	C	50	53111050
673	10011537	Doppelstock-Schutzleiter-Reihenklemme	ZDT 2.5/2 PE. steckbar // ZDT 2.5/2 PE	Double-level protective conductor terminal block	ZDT 2.5/2 PE. pluggable // ZDT 2.5/2 PE	2	Weidmueller	C	50	1815170000
674	10008498	Aktivierungsschraube	grau 12-Monate	Activation screw	12 months // grey	4	PermaTec	C	50	101335
675	10010899	Schutzleiter-Reihenklemme	ZPE 2.5 // ZPE 2.5	Protective conductor terminal block	ZPE 2.5 // ZPE 2.5	1	Weidmueller	C	50	1608640000
676	10011048	Durchgangs-Reihenklemme	ZDU 6-2/3AN // ZDU 6-2/3AN	Feed-through terminal block	ZDU 6-2/3AN // ZDU 6-2/3AN	5	Weidmueller	C	50	1771410000
677	10370153	Befestigungswinkel	SX7000-16-1A	Mounting bracket	SX7000-16-1A	2	SMC	C	50	SX7000-16-1A
679	10011536	Doppelstock-Reihenklemme	ZDT 2.5/2. steckbar // ZDT 2.5/2	Double-deck terminal block	ZDT 2.5/2. pluggable // ZDT 2.5/2	31	Weidmueller	C	50	1815150000
680	10010812	Doppelstock-Reihenklemme	ZDK 2.5 // ZDK 2.5	Double-deck terminal block	ZDK 2.5 // ZDK 2.5	61	Weidmueller	C	50	1674300000
681	10013872	T-Anschluss	D8	T connection	D8	1	Riegler	C	50	109829

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005328

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
682	10011498	Neutralleiter-Reihenklemme	ZNT 2.5 S // ZNT 2.5 S	Neutral conductor terminal block	ZNT 2.5 S // ZNT 2.5 S	9	Weidmueller	C	50	1808300000
683	10238436	Befestigungswinkel	SX5000-16-1A	Mounting bracket	SX5000-16-1A	4	SMC	C	50	SX5000-16-1A
684	10011389	Schildtraeger	Doppeldrucktaster 22mm // 3SU1900-0AK10-0AA0	Twin pushbutton label holder 12.5 X 27MM	22mm // 3SU1900-0AK10-0AA0	2	Siemens	C	40	3SU1900-0AK10-0AA0
685	10011503	Durchgangs-Reihenklemme	ZDU 2.5 // ZDU 2.5	Feed-through terminal block	ZDU 2.5 // ZDU 2.5	9	Weidmueller	C	50	1608510000
686	10272385	Endwinkel	ZEW 35/2	End stop	ZEW 35/2	23	Weidmueller	C	50	8630740000
688	10415322	Schutzzaun	Einlegebereich	Safety fence	Insert area	1	Satech	C	40	211823
738	10015742	Gleitleiste	Murtfeldt	Bearing bar	Murtfeldt	2	3CON	C	40	1001100 10 04 02 003
739	10015741	Gleitleiste	Murtfeldt	Bearing bar	Murtfeldt	2	3CON	C	40	1001100 10 04 02 002
740	10350996	Hubleiste	1001400 10 02 01 01 01 001	Lifting bar	1001400 10 02 01 01 01 001	2	3CON	C	40	10350996
768	10013400	Schutz Werkzeugcodierung	Murtfeldt	Protection tool coding	Murtfeldt	1	3CON	C	40	1001100 10 13 002
799	10011230	Handbediengeräte	// FBG11B	Hand-held devices	// FBG11B	2	SEW	C	30	FBG11B
800	10008466	Gewindetuelle	G 2"-50 (2")mm. Messing	Threaded nozzle	G 2"-50 (2")mm. brass	2	Landefeld	C	50	GTTW 2050 MS
804	10008477	Muffe	G2	Sleeve	G2	2	*MISC*diverse*	C	50	10008477
816	10155767	Energiekette	1.638m E4.64L.300.250.0 + E4.641.300.2.12.C.A1	Energy chain	1.638m E4.64L.300.250.0 + E4.641.300.2.12.C.A1	1	Igus	C	10	1.638m E4.64L.300.250.0 + E4.641.300.2.12.C.A1
817	10008623	Schalldaempfer	G1 1/2 S 6.120/02 beidseitig 1 1/2" A	Silencer	G1 1/2 S 6.120/02 on both sides 1 1/2" A	2	Gebrüder Becker	C	40	73990108000
818	10029255	Reduzierdoppelnippel Nr. 245	AGxAG R2" R1 1/2" TG vz	Reducing double nipple no. 245	e/thread R2" R1 1/2" malleable cast iron galvanised	2	*MISC*diverse*	C	15	10029255
819	10436296	Schutzzaun	lt. Angebot OF24/041040	Safety fence	acc. Offer OF24/041040	1	Satech	C	40	213029

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005796

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
6	10004444	Bundle PROFINET IM	6ES7155-6AA01-0BN0	Bundle PROFINET IM	6ES7155-6AA01-0BN0	3	Siemens	A	50	6ES7155-6AA01-0BN0
11	10004179	Analoges eingangsmodul	SIMATIC ET 200SP. analoges Eingangsmodul. AI 4xRTD/TC High Feature. passend für BU-Typ A0. A1. Farbcode CC00. Kanal-Diagnose. 16Bit. +/-0.1%. 2-/3-/4-Wire	Analogue input module	SIMATIC ET 200SP. analogue input module. AI 4xRTD/TC High Feature suitable for BU types A0. A1. colour code CC00. channel diagnosis. 16Bit. +/-0.1%. 2-/3-/4-Wire	2	Siemens	A	70	6ES7134-6JD00-0CA1
21	10004289	Digitales ausgangsmodul	SIMATIC ET 200SP. Digitales Ausgangsmodul. DQ 8x 24V DC/0.5A Standard. Source Output (PNP.P-schaltend) Verpackungseinheit: 1 Stück. passend für BU-Typ A0. Farbcode CC02. Ersatzwertausgabe. Modul-Diagnose für: Kurzschluss nach L+ und M. Drahtbruch. Versorgungsspannung	Digital output module	SIMATIC ET 200SP. digital output module. DQ 8x 24V DC/0.5A standard. source output (PNP. P-switching) packaging unit: 1 piece. suitable for BU type A0. colour code CC02. substitute value output.6ES7132-6BF01-0BA0	6	Siemens	A	70	6ES7132-6BF01-0BA0
29	10004175	Digitales eingangsmodul	SIMATIC ET 200SP. Digitales Eingangsmodul. DI 8x 24VDC Standard. Eingangstyp 3 (IEC 61131). Sink Input. (PNP. P-lesend). Verpackungseinheit: 1 Stück. passend für BU-Typ A0. Farbcode CC01. Eingangsverzögerung 0.05..20ms. Modul-Diagnose für: Kurzschluss Geberversorgung. Drahtbruch. Versorgungsspannung	Digital input module	SIMATIC ET 200SP. Digital input module. DI 8x 24VDC standard. Input type 3 (IEC 61131). Sink input. (PNP. P-reading). Packaging unit: 1 piece. suitable for BU type A0. Color code CC01. Input delay 0.05..20ms. module diagnostics for: Short circuit encoder supply. Open circuit. Supply voltage	16	Siemens	A	70	6ES7131-6BF01-0BA0
35	10004177	Base Unit	6ES7193-6BP20-0DA0	SIMATIC ET 200SP. Base Unit BU. New load group	6ES7193-6BP20-0DA0	23	Siemens	A	70	6ES7193-6BP20-0DA0
40	10004163	Base Unit	SIMATIC ET 200SP. Base-Unit BU15-P16+A10+2B. BU-Typ A0. Push-In-Klemmen. mit 10 AUX-Klemmen. nach links gebrückt. BxH: 15mmx141mm	SIMATIC ET 200SP. Base Unit BU type. bridge to the left	SIMATIC ET 200SP. Base Unit BU15-P16 + A10+2B. BU type A0. push-in terminals. with 10 AUX terminals. bridged to the left. WxH: 15mmx141mm	30	Siemens	A	70	6ES7193-6BP20-0BA0
41	10004150	Base Unit	6ES7193-6BP00-0BA1	Base Unit	6ES7193-6BP00-0BA1	2	Siemens	A	70	6ES7193-6BP00-0BA1
44	10269914	Sensor- Aktorleitung	M12 5pol gerade 10M // BCC M415-0000-1A-017-PX0534-100-C003	Sensor-actuator cable	M12 5-pin straight 10M // BCC M415-0000-1A-017-PX0534-100-C003	31	Balluff	A	30	BCC0MKY
46	10010944	Stifteinsatz	Bgr.: 24 B. 24pol. 16A. Schraubanschluss // 09 33 024 2601	Harting insert Size: 24 B. 24pin. 16A. screw connection male	Size: 24 B. 24pin. 16A. screw connection // 09 33 024 2601	4	HARTING	A	10	09 33 024 2601
48	10216168	Sensor- Aktorleitung	M8 3pol gerade 10M // BCC M313-0000-10-001-PX0334-100-C003	Sensor-actuator cable	M8 3-pin straight 10M // BCC M313-0000-10-001-PX0334-100-C003	104	Balluff	A	10	BCC0KKP
49	10047254	Steckverbinder	SACC-M 8MS-3QO-0.5-M	plastic M8 a-coded 3pin field wireable. male	SACC-M 8MS-3QO-0.5-M	1	Phönix Contact	A	50	1441024
50	10004105	Halbleiter Reedschalter. PNP Schließer. Anschlussdrahtlänge 0.2m. LED Rot	D-M9PSAPC-595	Proximity switch Short	D-M9PSAPC-595	20	SMC	A	50	D-M9PSAPC-595
51	10011167	Relais	6A 250Vac. 1W. 24Vdc // RIF-0-RPT-24DC/21	Relay	6A 250Vac. 1 PDT .24Vdc // RIF-0-BPT/21	5	Phönix Contact	A	50	2903370
55	10216169	Sensor- Aktorleitung	M8 4pol gerade 5M // BCC M314-0000-10-003-PX0434-050-C003	Sensor-actuator cable	M8 4-pin straight 5M // BCC M314-0000-10-003-PX0434-050-C003	3	Balluff	A	50	BCC0K8J
79	10004147	SIMATIC ET 200SP. analoges Eingangsmodul. AI 4XI 2-/4-Wire Standard. Verpackungsmenge: 1 Stück. passend für BU-Typ A0. A1. Farbcode CC03. Modul-Diagnose. 16 Bit. +/-0.3%	6ES7134-6GD01-0BA1	Analogue input module	SIMATIC ET 200SP. analogue input module. AI 4XI 2-/4-Wire standard. packaging quantity: 1 piece. suitable for BU type A0. A1. colour code CC03. module diagnosis. 16 bit. +/-0.3%	4	Siemens	A	70	6ES7134-6GD01-0BA1
93	10011454	Zentrale Verarbeitungseinheit	SIMATIC S7-1500F. CPU 1517F-3 PN/DP. Zentralbaugruppe mit Arbeitsspeicher 3MByte für Programm und 8MByte für Daten. 1. Schnittstelle: PROFINET IRT mit 2 Port Switch. 2. Schnittstelle: PROFINET RT. 3. Schnittstelle: PROFIBUS. 2 NS Bit-Performance. SIMATIC Memory Card notwendig	Central Processing Unit	SIMATIC S7-1500F. CPU 1517F-3 PN/DP. central processing unit with 3MByte RAM for program and 8MByte RAM for data. 1st interface: PROFINET IRT with 2 port switch. 2nd interface: PROFINET RT. 3rd interface: PROFIBUS. 2 NS bit performance. SIMATIC Memory Card required	1	Siemens	A	50	6ES7517-3FP00-0AB0
96	10115178	IPC	277E 15" Touch. Windows 10 Enterprise 2019	Nanopanel PC	277E 15" Touch. Windows 10 Enterprise 2019	1	Siemens	A	15	6AV7882-0DB30-8EA0
98	10010959	Zentrale Verarbeitungseinheit	CU2 // HC500-CU2-PN	Central Processing Unit	CU2 // HC500-CU2-PN	2	Hetronik	A	60	HC500-CU2-PN
100	10041787	IPC	127E. Atom E3940. Windows 10 Enterprise	IPC	127E. Atom E3940. Windows 10 Enterprise	2	Siemens	A	15	6AG4021-0AB12-1BA0
105	10010961	Ausgangskarte	HC510. 10x2kW. 115V-230V. Strommessung // HC510-OC2-230-10-I-SL	Output card	HC510. 10x2kW. 115V-230V. current measurement // HC510-OC2-230-10-I-SL	15	Hetronik	A	60	HC510-OC2-230-10-I-SL
106	10010964	Rack	2x Lüfter 230Vac // HC510-RK-8-230	Rack	2x fan 230Vac // HC510-RK-8-230	2	Hetronik	A	60	HC510-RK-8-230
109	10010960	Spannungseinheit	VU2 // HC500-VU2-Y	Power unit	VU2 // HC500-VU2-Y	2	Hetronik	A	60	HC500-VU2-Y
110	10010968	Durchflusssensor	// SV7200	Flow sensor	// SV7200	1	IFM	A	50	SV7200
111	10238457	LAN-to-LAN Router	ICR-2701 SL v2i LAN-Router	LAN-to-LAN Router	ICR-2701 SL v2i LAN-Router	1	Lucom	A	10	BE-ICR-2701-SL
113	10433086	Speicherkarte	für S7-1x00 CPU/SINAMICS. 256MB	Memory Card	für S7-1x00 CPU/SINAMICS. 256MB	1	Siemens	A	50	6ES7954-8LL04-0AA0
114	10010962	Rack	1x Lüfter 230Vac // HC510-RK-4-230	Rack	1x fan 230Vac // HC510-RK-4-230	1	Hetronik	A	60	HC510-RK-4-230
117	10010797	Safeball	JSD-TD1 // JSD-TD1-330700	Safe ball	JSD-TD1 // JSD-TD1-330700	2	ABB	A	50	2TLA930005R0000
118	10004459	Elektronikmodul für ET 200SP	SIMATIC DP. Elektronikmodul für ET 200SP. F-DQ 4x24VDC/2A. 15mm Baubr.. bis PL E (ISO 13849) bis SIL 3 (IEC 61508)	Electronics module for ET 200SP	SIMATIC DP. electronics module for ET 200SP. F-DQ 4x24VDC/2A. 15mm width. up to PL E (ISO 13849) up to SIL 3 (IEC 61508)	4	Siemens	A	70	6ES7136-6DB00-0CA0
119	10011209	Feldbusschnittstelle	PROFINET IO RT // DFE32B	Fieldbus interface	PROFINET IO RT // DFE32B	1	SEW	A	40	DFE32B
120	10347295	Wartungseinheit	AC40-D-0426OAA	Maintenance unit	AC40-D-0426OAA	1	SMC	A	25	AC40-D-0426OAA
121	10143785	Elektronikmodul für ET 200SP	SIMATIC DP. Elektronikmodul für ET 200SP. F-DI 8x 24VDC HF. 15mm Baubr.. bis PL E (ISO 13849-1)/ SIL3 (IEC 61508)	Electronics module for ET 200SP	SIMATIC DP. electronic module for ET 200SP. F-DI 8x 24 V DC HF. 15 mm width. up to PLe (ISO 13849-1)/ SIL3 (IEC 61508)	3	Siemens	A	70	6ES7136-6BA01-0CA0
122	10004658	analoges Ausgangsmodul	SIMATIC ET 200SP. analoges Ausgangsmodul. AQ 4XU/I Standard. passend für BU-Typ A0. A1. Farbcode CC00. Modul-Diagnose. 16 Bit. +/-0.3%	Analogue output module	SIMATIC ET 200SP. analogue output module. AQ 4XU/I Standard. suitable for BU types A0. A1. colour code CC00. module diagnosis. 16 bit. +/- 0.3%	4	Siemens	A	50	6ES7135-6HD00-0BA1
123	10011219	Bremsenansteuerung	24Vdc // BMV	Brake control	24Vdc // BMV	2	SEW	A	15	BMV
127	10008029	Fuehrungszylinder	MLGPM40TF-50Z-B	Guide cylinder	MLGPM40TF-50Z-B	4	SMC	A	50	MLGPM40TF-50Z-B
128	10215060	Sicherheitsschalter	RFID. Magnetrastung. familien-kodiert	Safety switches	RFID. Magnet latching. Family-coded	2	Siemens	A	50	3SE6315-1BB01-1AP0
130	10011434	Selektivitaetsmodul	SITOP PSE200U 10 A Selektivitaetsmodul 4-kanalig Eingang: DC 24 V/40 A Ausgang: DC 24 V/4x 10 A Schwellwert einstellbar 3-10 A mit Summenmeldekontakt	Selectivity module 10A 4 channel 24V	SITOP PSE200U 10 A Selectivity module 4-channel input: 24 V DC/40 A output: 24 V DC/4x 10 A Level adjustable 3-10 A with common signaling contact *Ex approval no longer available*	2	Siemens	A	70	6EP1961-2BA21
132	10011208	Geberkarte	HIPERFACE // DEH11B	Encoder card	HIPERFACE // DEH11B	1	SEW	A	10	DEH11B
133	10011463	SCALANCE XB005 Unmanaged Industrial Ethernet Switch für 10/100 Mbit/s. zum Aufbau von kleinen Stern- und Linienstrukturen. LED-Diagnose. IP20. AC/DC 24V Spannungsversorgung. mit 5x 10/100 Mbit/s Twisted Pair Ports mit RJ45-Buchsen. Handbuch als Download verfügbar	6GK5005-0BA00-1AB2	Scalance	6GK5005-0BA00-1AB2	2	Siemens	A	70	6GK5005-0BA00-1AB2

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005796

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
136	10004233	Digitales ausgangsmodul	SIMATIC ET 200SP. Digitales Ausgangsmodul. DQ 16x 24V DC/0.5A Standard. Source Output (PNP.P-schaltend) Verpackungseinheit: 1 Stück. passend für BU-Typ A0. Farbcode CC00. Ersatzwertausgabe. Modul-Diagnose für: Kurzschluss nach L+ und M. Drahtbruch. Versorgungsspannung	Digital output module	SIMATIC ET 200SP. digital output module. DQ 16x 24V DC/0.5A standard. source output (PNP. P-switching) Packaging unit: 1 piece. suitable for BU type A0. color code CC00. substitute value output. module diagnosis for: short circuit after L+ and M. wire break. supply voltage	7	Siemens	A	50	6ES7132-6BH01-0BA0
138	10004237	Digitales Eingangsmodul	SIMATIC ET 200SP. Digitales Eingangsmodul. DI 16x 24V DC Standard. Eingangstyp 3 (IEC 61131). Sink Input. (PNP. P-lesend). Verpackungseinheit: 1 Stück. passend für BU-Typ A0. Farbcode CC00. Eingangsverzögerung 0.05..20ms. Modul-Diagnose für: Drahtbruch. Versorgungsspannung	Digital input module	SIMATIC ET 200SP. digital input module. DI 16x 24V DC standard. input type 3 (IEC 61131). sink input. (PNP. P-reading). packaging unit: 1 piece. suitable for BU type A0.	6	Siemens	A	70	6ES7131-6BH01-0BA0
139	10028812	Elektronischer Schutzschalter	6A	Electronic circuit breaker	6A	1	E-T-A	A	50	ESX10-TA-100-DC24V-6A
141	10004538	digitales Ausgangsmodul	6ES7132-6BD20-0BA0	Digital output module	SIMATIC ET 200SP. digitales Ausgangsmodul. DQ 4x 24VDC/2A Standard. passend für BU-Typ A0. Farbcode CC02. Modul-Diagnose	4	Siemens	A	70	6ES7132-6BD20-0BA0
143	10004928	Druckschalter	SDE5-D10-O-Q6E-P-M8	Pressure switch	SDE5-D10-O-Q6E-P-M8	1	Festo	A	10	527467
144	10249333	5/2-Wege-Magnetventil	SY7220-5WAOUD-02F-Q	Directional control valve	J	4	SMC	A	35	SY7220-5WAOUD-02F-Q
145	10041664	Verschlusskupplung	RMI12.2103/JV	Seal coupling	RMI12.2103/JV	6	Stäubli	A	15	RMI12.2103/JV
146	10011741	Türkupplungsdrehantrieb	Not-Aus IEC. 3VA1 250 // 3VA9257-0FK25	Door coupling rotary drive	Door mounted rotary operator EMERGENCY OFF IEC IP65 with door interlock accessory for: 3VA12	1	Siemens	A	70	3VA9257-0FK25
147	10248815	5/2-Wege-Magnetventil	SY5220-5WAOUD-01F-Q	Directional control valve	J	6	SMC	A	35	SY5220-5WAOUD-01F-Q
148	10182182	Sensor- Aktorleitung	M12 8pol gerade 20M // BCC M418-0000-1A-069-PX0825-200	Sensor-actuator cable	M12 8pol straight 20M // BCC M418-0000-1A-069-PX0825-200	2	Balluff	A	50	BCC0AT4
149	10011994	Buchsenmodul	modular. 2pol. 70A. 6-16mm². Axialschraubanschluss // 09 14 002 2741	Bushing module	modular. 2pin 70A. 6-16mm². axial screw connection // 09 14 002 2741	3	HARTING	A	50	09 14 002 2741
150	10011563	Bremswiderstand	// BW090-P52B	Brake resistor	// BW090-P52B	1	SEW	A	20	BW090-P52B
151	10011420	FI-Schutzschalter	30mA. 40A. Typ A. 400Vac // 5SV3344-6	Residual current device	30mA. 40A. Typ A. 400Vac // 5SV3344-6	1	Siemens	A	50	5SV3344-6
152	10338060	Digitaler Drucksensor	ISE20-P-C6L	Digital pressure sensor	ISE20-P-C6L	1	SMC	A	20	ISE20-P-C6L
153	10332004	Reflexionslichtschranke	OBR4000-18GM60-E5-V1-1C // M12 x 1. 4-polig	Reflection light barrier	OBR4000-18GM60-E5-V1-1C // M12 x 1. 4-pin	1	Pepperl+Fuchs	A	10	c
154	10248811	3/2 Magnetventil	SY513-5WAOUD-01F-Q	Directional control valve	K	1	SMC	A	45	SY513-5WAOUD-01F-Q
155	10011756	Magnetventil	VT317. 3/2 geschlossen // EVT317-5D-02F-Q	Solenoid valve	VT317. 3/2 closed // EVT317-5D-02F-Q	1	SMC	A	10	EVT317-5D-02F-Q
158	10010788	Thermostat	Schaltschrank-Innentemperaturregler	Thermostat	Control cabinet internal temperature controller	1	Rittal	A	50	3110000
159	10008489	Schmierstoffgeber	Futura SF02	Lubricator	Futura SF02	8	PermaTec	A	10	107008
160	10016022	3/2-Wegeventil	VPA342-1-02FA	3-Port Air Operated Valve	VPA342-1-02FA	2	SMC	A	50	VPA342-1-02FA
161	10004529	Steckdosenleitung	KMEB-1-24-10-LED	Plug socket with cable	KMEB-1-24-10-LED	1	Festo	A	50	193457
162	10010934	Buchsenmodul	modular Quintax. 4pol. 10A. geschirmt. ohne Crimpkontakte // 09 15 004 3113	4 Pin 10A module female	without crimp contacts	2	HARTING	A	50	09 15 004 3113
163	10010928	Buchsenmodul	modular. 12pol. 10A. Quick-Lock-Anschluss // 09140122732	Harting module 12pin. 10A female	modular. 12pin. 10A. Quick-Lock connection // 09140122732	1	HARTING	A	50	09 14 012 2732
164	10010966	Rack-Abdeckung	// HC510-SC	Rack cover	// HC510-SC	5	Hetronik	A	60	HC510-SC
165	10011340	Schlüsselschalter	2 Schaltstellungen. verrastend // 3SU1050-4BF01-0AA0	Key-operated switch	2 switch positions. latching // 3SU1050-4BF01-0AA0	1	Siemens	A	50	3SU1050-4BF01-0AA0
167	10011319	NOT-HALT-Pilzdrucktaster. 22 mm. rund. Metall. hochglanz. rot. 40 mm. zwangsläufige Verrastung. gemäß DIN EN ISO 13850. Drehentriegelung	40mm. rot // 3SU1050-1HB20-0AA0	Estop button red	40mm. red // 3SU1050-1HB20-0AA0	4	Siemens	A	50	3SU1050-1HB20-0AA0
168	10091796	Anschlusskabel	ZS-46-5F-X479	connection cable	ZS-46-5F-X479	1	SMC	A	50	ZS-46-5F-X479
169	10006185	Induktiver Sensor	BES0060. M12 4-polig	Inductive sensor	BES0060. M12 4pin	2	Balluff	A	50	BES M12MI-PSC20B-S04G
170	10006360	Induktiver Sensor	NBB3-V3-E2-V3 // M8 x 1 . 3-polig	Rectangular Inductive Sensor NO	NBB3-V3-E2-V3 // M8 x 1. 3-pin	2	Pepperl+Fuchs	A	50	225243
171	10041663	Induktiver Sensor	NBB8-18GM50-E2-V1	Inductive sensor NO flush M18	NBB8-18GM50-E2-V1	11	Pepperl+Fuchs	A	50	326161-0087
172	10011584	Induktiver Sensor	NBB8-F33-E2 // 3-polig	Inductive Sensor	NBB8-F33-E2 // 3-pin	1	Pepperl+Fuchs	A	50	200042
173	10010945	Buchseneinsatz	Bgr.: 24 B. 24pol. 16A. Schraubanschluss // 09 33 024 2701	Harting insert Size: 24 B. 24pin. 16A. screw connection female	09 33 024 2701	8	HARTING	A	15	09 33 024 2701
174	10010947	Buchseneinsatz	Bgr.: 3 A. 8pol. 10A. Quick-Lock-Anschluss // 09 36 008 2732	Harting insert Size: 3 A. 8pin. 10A. female	// 09 36 008 2732	2	HARTING	A	50	09 36 008 2732
175	10011214	Buchseneinsatz	Bgr.: 3 A. 4pol. 10A. Quick-Lock-Anschluss // 09200042733	Harting insert Size: 3 A. 4pin. 10A. female	// 09 20 004 2733	2	HARTING	A	40	09 20 004 2733
176	10004562	Induktiver Sensor	NBB4-12GM50-E2-V1 // M12 x 1 3pol	Inductive sensor	NBB4-12GM50-E2-V1 // M12 x 1 3pin	2	Pepperl+Fuchs	A	50	326161-0001
177	10012028	Doppeldrucktaster	I=weiß / O=schwarz // 3SU1001-3AB61-0AK0	Double push button	I=white / O=black // 3SU1001-3AB61-0AK0	2	Siemens	A	15	3SU1001-3AB61-0AK0
178	10010926	Buchsenmodul	modular. 8pol. 16A. Quick-Lock-Anschluss // 09 14 008 2733	Harting module 8pin. 16A. female	modular. 8pol. 16A. Quick-Lock-Anschluss // 09 14 008 2733	4	HARTING	A	50	09 14 008 2733
179	10010946	Stifteinsatz	Bgr.: 3 A. 8pol. 10A. Quick-Lock-Anschluss // 09 36 008 2632	Harting insert Size: 3 A. 8pin. 10A. male	Size: 3 A. 8pin. 10A. Quick-Lock connection // 09 36 008 2632	1	HARTING	A	50	09 36 008 2632
180	10011386	LED-Modul	weiß. Boden // 3SU1401-2BB60-3AA0	LED module white	3SU1401-2BB60-3AA0	1	Siemens	A	50	3SU1401-2BB60-3AA0
181	10011362	LED-Modul	rot. Boden // 3SU1401-2BB20-3AA0	LED module	red. floor // 3SU1401-2BB20-3AA0	3	Siemens	A	50	3SU1401-2BB20-3AA0
182	10011385	LED-Modul	blau. Boden // 3SU1401-2BB50-3AA0	LED module blue	3SU1401-2BB50-3AA0	2	Siemens	A	50	3SU1401-2BB50-3AA0
183	10010869	Buchsenmodul	modular. 5pol. 16A. Käfigzugfederanschluss // 09140052716	5 pin module female	modular. 5pin. 16A. cage clamp connection // 09 14 005 2716	19	HARTING	A	50	09 14 005 2716
184	10011360	LED-Modul	weiß. Front // 3SU1401-1BB60-3AA0	LED module white	3SU1401-1BB60-3AA0	2	Siemens	A	50	3SU1401-1BB60-3AA0
187	10004334	Leuchtdrucktaster. 22 mm. rund. Metall. hochglanz. weiß. Druckknopf. flach. tastend	Weiss	Push button - white 22mm	3SU1051-0AB60-0AA0	1	Siemens	A	50	3SU1051-0AB60-0AA0
188	10011346	Drucktaster	blau	Push button blue	3SU1051-0AB50-0AA0	2	Siemens	A	50	c
189	10005131	Drucktaster	Rot	Push button red 22mm	3SU1051-0AB20-0AA0	3	Siemens	A	50	3SU1051-0AB20-0AA0
190	10010867	Buchsenmodul	modular Quintax // 09 14 002 3101	Harting Quintax module female	09 14 002 3101	2	HARTING	A	50	09 14 002 3101
191	10011264	NH-Sicherungseinsatz	32A. 500Vac/250Vdc. gG. Gr. 000 // 3NA3812	NH fuse link	32A. 500Vac/250Vdc. gG. size 000 // 3NA3812	3	Siemens	A	70	3NA3812
193	10011622	Buchsenmodul	modular. 12pol. 10A. Crimpanschluss // 09 14 012 3101	Bushing module	modular. 12pin. 10A. Crimp connection // 09 14 012 3101	2	HARTING	A	15	09 14 012 3101
194	10011623	Stiftmodul	modular. 12pol. 10A. Crimpanschluss // 09 14 012 3001	Pin module	modular. 12pin. 10A. Crimp connection // 09 14 012 3001	2	HARTING	A	50	09 14 012 3001
195	10066313	Rillenkugellager	Di10 Da30 B9 // 6200-C-2HRS	Deep groove ball bearing	Di10 Da30 B9 // 6200-C-2HRS	16	FAG	A	50	6200-C-2HRS
196	10011417	Sicherungseinsatz	40A .400Vac/250Vdc. gG. D01. NEOZED // 5SE2340	Fuse link	40A .400Vac/250Vdc. gG. D01. NEOZED // 5SE2340	3	Siemens	A	50	5SE2340
197	10011418	Sicherungseinsatz	50A .400Vac/250Vdc. gG. D01. NEOZED // 5SE2350	Fuse link	50A .400Vac/250Vdc. gG. D01. NEOZED // 5SE2350	14	Siemens	A	40	5SE2350
198	10011415	Sicherungseinsatz	NEOZED-Sicherungseinsatz. D01. 10 A. gG. Un AC: 400 V. Un DC: 250 V. mit verzinnten Kontaktkappen	Fuse link	NEOZED fuse-link. D01. 10 A. gG. Un AC: 400 V. Un DC: 250 V. with tin-coated contact-caps	9	Siemens	A	40	5SE2310
199	10033088	Sicherungseinsatz	13A .400Vac/250Vdc. gG. D01. NEOZED	Fuse link	13A .400Vac/250Vdc. gG. D01. NEOZED	1	Siemens	A	50	5SE2013
218	10028917	Kompaktzylinder	CD55B50-30	Compact cylinder	CD55B50-30	1	SMC	A	20	CD55B50-30
225	10041654	Signalgeber elektronisch PNP. LED rot. 3-Draht 4.5-28VDC. Kabel axial 0.5m M8. Direktmontage	D-M9PSAPC	Proximity switch Long	PNP. LED red. 3-wire 4.5-28VDC. cable axial 0.5m M8. direct mounting	4	SMC	A	50	D-M9PSAPC
250	10008173	Sensorkopf	Infrarot-Thermosensor (0-500°C)	Sensor head	Infrared thermal sensor (0-500°C)	4	Keyence	A	50	FT-H20
252	10011320	Auswerteeinheit	IR-Thermosensor // FT-50AWP	Evaluation unit	IR-Thermosensor // FT-50AWP	5	Keyence	A	20	FT-50AWP
260	10014595	Durchflussschalter	PFM710S-C4-B-WS	Flow switch	PFM710S-C4-B-WS	4	SMC	A	20	PFM710S-C4-B-WS
263	10248813	2x3/2 Magnetventil	SY5A20-5WAOUD-01F-X234-Q	Directional control valve	2xK / SY5A20-5WAOUD-01F-X234-Q	7	SMC	A	25	SY5A20-5WAOUD-01F-X234-Q

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005796

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
268	10041497	Fuehrungswagen	KWVE20-B-V1-G3	Guide cart	KWVE20-B-V1-G3	2	Schaeffler	A	50	KWVE20-B-V1-G3
271	10008174	Schwenkantrieb	CRB2BW15-90SEZ	Swivel drive	CRB2BW15-90SEZ	4	SMC	A	50	CRB2BW15-90SEZ
283	10413120	Bremsstange KR 056 L2400		Brake rod KR 056 L2400		1	3CON	A	10	1005796 30 04 01 001
291	10026323	IR-Strahler	KW-L340_2040W-230V-UL-B_hor	IR radiator (mirrored)	KW-L340_2040W-230V-UL-B_hor	76	3CON	A	40	10000003
324	10013970	Ritzel	TK150 Modul 6	Pinion	TK150 Modul 6	4	3CON	A	10	1000_07_02_006__Ritzel_TK150_M6
327	10008655	Seitenkanalverdichter	Samos SI 1500 E1 50Hz	Side channel compressor	Samos SI 1500 E1 50Hz	1	Busch	A	80	1321147072
328	10016085	Drehschieber-Vakuumpumpe	U 5.300 inkl . PT100 Temperaturfühler	Rotary vane vacuum pump	U 5.300 incl . PT100 temperature sensor	1	Gebrüder Becker	A	30	G052135
329	10458232	PowerStroke	FSK 70	PowerStroke	FSK 70	1	Sitema	A	10	FSK 070 10
330	10011249	Movidrive	// MDX61B0370-503-4-0T	Movidrive	// MDX61B0370-503-4-0T	1	SEW	A	45	MDX61B0370-503-4-0T
331	10390383	Kegelradgetriebemotor	K77 DR2L132L4/BE20HR/TF/AK8W/V - lt. Angebot 421909161	Bevel geared motor	K77 DR2L132L4/BE20HR/TF/AK8W/V	1	SEW	A	25	K77 DR2L132L4/BE20HR/TF/AK8W/V
332	10008660	Kegelradgetriebe	P-280-L-5.00:1-Wa.13	Bevel gears	P-280-L-5.00:1-Wa.13	2	Graessner	A	20	21280P000258
333	10008680	Absturzsicherung	KR 056 31	Fall protection	KR 056 31	1	Sitema	A	50	KR 056 31
334	10021398	Movitrac	15kW. BG 3 // MC07B0150-503-4-00	Movitrac	15kW. FS 3 // MC07B0150-503-4-00	1	SEW	A	10	MC07B0150-503-4-00
335	10010787	Sicherheitslichtvorhang	C4C-EA19510A10000	Safety light curtain	deTec4 Core Receiver. L=1950mm // C4C-EA19510A10000	1	Sick	A	15	1211489
336	10011234	Movitrac	// MC07B0075-5A3-4-00	Movitrac	// MC07B0075-5A3-4-00	1	SEW	A	20	MC07B0075-5A3-4-00
337	10010784	Sicherheitslichtvorhang	C4C-SA19510A10000	Safety light curtain	deTec4 Core transmitter. L=1950mm // C4C-SA19510A10000	1	Sick	A	15	1211488
338	10255438	Umrichter	MDX61B0011-5A3-4-0T/DEH11B/DFE32B	Conveter	MDX61B0011-5A3-4-0T/DEH11B/DFE32B	1	SEW	A	15	MDX61B0011-5A3-4-0T/DEH11B/DFE32B
339	10474041	Bandzylinder ohne KS	MY1B63G-1200	Belt cylinder w/o rod	MY1B63G-1200	1	SMC	A	10	MY1B63G-1200
340	10156765	Rexel__DCMA-325-2T Hockdruckventilator Aluguss Mitteldruck einseitig ansaugend__SOD71008852	DCMA-325-2T	High pressure fan cast aluminum medium pressure single inlet	DCMA-325-2T	1	Rexel	A	20	SOD71008852
341	10010933	Integrierter Schrittmotor	MIS232S1EPH266	Integrated stepper motor	MIS232S1EPH266	2	JVL	A	40	MIS232S1EPH266
342	10168840	Ansaugfilter	FIL 0500 [530 157 016]	Suction filter	FIL 0500 [530 157 016]	1	Busch	A	20	530 157 016
343	10092117	Stellungsregler		Positioner	-	1	End-Armaturen	A	15	EPR/ED070-125
344	10017087	Schneckenradgetriebe	HTTW26X050NE23006J	Worm gear	HTTW26X050NE23006J	2	JVL	A	20	HTTW26X050NE23006J
345	10036083	Federsockel	FS 056 14	Spring base	FS 056 14	1	Sitema	A	50	FS 056 14
346	10010785	Sicherheitslichtvorhang	C4C-EA09030A10000	Safety light curtain	deTec4 Core Receiver. L=1000mm // C4C-EA09030A10000	1	Sick	A	50	1211516
347	10124627	Messkopf	IR-Thermosensor	Sensor Head	IR-Thermosensor	1	Keyence	A	20	FT-H50
348	10011819	Movitrac	1.5kW // MC07B0015-5A3-4-S0	Movitrac	1.5kW // MC07B0015-5A3-4-S0	1	SEW	A	40	MC07B0015-5A3-4-S0
349	10462825	FSK-Vertikalbefestigung	FL/FSK-V 70	FSK vertical mounting	FL/FSK-V 70	1	Sitema	A	10	FL 070 40
350	10010789	Sicherheitslichtvorhang	C4C-SA09030A10000	Safety light curtain	deTec4 Core transmitter. L=1000mm // C4C-SA09030A10000	1	Sick	A	50	1211498
351	10080055	Proportional-Verstaerker	81.75x34.2x38.9 M12x1 // EV2S-BT-G-M	Proportional amplifier	81.75x34.2x38.9 M12x1 // EV2S-BT-G-M	1	HAWE Hydraulik	A	15	6964 0013-84.HW
352	10005934	Kugelhahn ZU 2" mit Antrieb ED	DW70 Edelstahl/PTFE-FKM. doppeltwirkend	Ball valve ZU 2" with drive ED	DW70 stainless steel/PTFE-FKM. double-acting	1	End-Armaturen	A	10	ZU310028-ED620702
353	10016087	Vakuumfilter		Vacuum filter		3	Gebrüder Becker	A	15	74000208010
354	10012332	Einschraub-Widerstandsthermometer	902044/20-380-1003-1-8-50-104-26/000	Screw-in resistance thermometer	PT100. 260°C	1	Jumo	A	10	365259
355	10080054	Wegesitzventil	EM 11 V-1/4-G24	Directional seat valve	EM 11 V-1/4-G24	1	HAWE Hydraulik	A	35	6950 2413-00.HW
356	10474095	Wegesitzventil	EM 11 S-1/4-G 24	Directional seat valve	EM 11 S-1/4-G 24	1	HAWE Hydraulik	A	35	6950 9769-00.HW
357	10080057	Druckmessumformer	DT 2-1-MSD-T 7	Pressure transmitter	DT 2-1-MSD-T 7	1	HAWE Hydraulik	A	15	6956 0207-00.HW
358	10181794	SEW Geberleitung 50mmAbs-+AEH./D-SUB 15pol. L=20m	AS7W001101000/20	Encoder cable	50mmAbs-+AEH./D-SUB 15pol. L=20m	1	Inntal Kabel-konfektion	A	125	AS7W001101000/20
359	10017085	Kugelhahn ZU 2"	PN64. Edelst./PTFE-FKM. Flanschplatte F05/F07. voller Durchgang	Ball valve 2"	PN64. stainless steel/PTFE-FKM. flange plate F05/F07. full bore	2	End-Armaturen	A	50	ZU310028
360	10459606	Druckschaltgeraet	DG 35-1/4	Pressure switchgear	DG 35-1/4	1	HAWE Hydraulik	A	15	7000 4118-00.HW
361	10384281	Überwachungsrelais	3Ph. N-Leiter 15-70Hz. 3x90-690V IO-Link // 3UG5816-2AA40	Monitoring relay	3Ph. N-conductor. 15-70Hz. 3x90-690V IO-Link // 3UG5816-2AA40	1	Siemens	A	50	3UG5816-2AA40
362	10011171	Drucksensor	SPAU-V1R-W-Q4D-L-PNLK-PNVBA-M8D. M8 4pol // SPAU-V1R-W-Q4D-L-PNLK-PNVBA-M8D	Pressure sensor	SPAU-V1R-W-Q4D-L-PNLK-PNVBA-M8D. M8 4pin // SPAU-V1R-W-Q4D-L-PNLK-PNVBA-M8D	3	Festo	A	50	8001239
363	10181811	SEW Geberleitung glatt geschnitten/D-SUB 15pol L=15m	AKXH000101000/15	Encoder cable	AKXH000101000/15	1	Inntal Kabel-konfektion	A	95	AKXH000101000/15
364	10012466	Sensor-/Aktor-Leitungen	M12 17pol gerade. geschirmt für JVL Antriebe. 1m // WI1009-M12M17T01N	Sensor/actuator cables	M12 17pol straight. shielded for JVL drive. 1m // WI1009-M12M17T01N	2	JVL	A	10	WI1009-M12M17T01N
365	10168785	Kurvenrolle	D52 M20x1.5	Curve roller	D52 M20x1.5	12	Schaeffler	A	50	NUKR52-A
366	10011872	Sensor-/Aktor-Leitungen	M12 5pol gerade. geschirmt für JVL Antriebe. 10m // WI1000-M12F5T10N	Sensor/actuator cables	M12 5pol straight. shielded for JVL drive. 10m // WI1000-M12F5T10N	2	JVL	A	50	WI1000-M12F5T10N
367	10004189	Induktiver Sensor	NBB2-8GM25-E2-V3	Inductive sensor NO. flush	NBB2-8GM25-E2-V3	2	Pepperl+Fuchs	A	50	304615-0031
368	10011132	Reflexionslichtschranke	OBR7500-R100-EP-IO-V3 // M8 3-polig mit Polarisationsfilter	Reflection light barrier	OBR7500-R100-EP-IO-V3 // M8 3pin with polarization filter	3	Pepperl+Fuchs	A	10	10011132
369	10087943	Stoßdämpfer	RBC2725	Shock absorber	RBC2725	4	SMC	A	50	RBC2725
370	10011231	Kommunikationsschnittstelle	// FSC11B	Communications interface	// FSC11B	3	SEW	A	20	FSC11B
371	10011196	Bremswiderstand	// BW1	Brake resistor	// BW1	1	SEW	A	50	BW1
372	10011624	Induktiver Sensor	BES003C. M8 3-polig // BES M08MI-PSC15B-S49G	Inductive sensor	BES003C. M8 3pin // BES M08MI-PSC15B-S49G	2	Balluff	A	10	BES003C
373	10004441	Kabel 10m KMC-1-24-10-LED	KMC-1-24-10-LED	Cable 10m	KMC-1-24-10-LED	2	Festo	A	50	193459
374	10458233	Druckregler	AR30-F02B-B	Pressure regulator	AR30-F02B-B	1	SMC	A	10	AR30-F02B-B
375	10011162	M8 3pol gewinkelt	Sensor-/Aktor-Leitungen // V3-WM-10M-PUR	M8 3-pin angled	Sensor-/Aktor-Lines // V3-WM-10M-PUR	1	Pepperl+Fuchs	A	50	116463
376	10011105	M8 4pol gerade	Sensor-/Aktor-Leitungen // V31-GM-10M-PUR	Sensor-actuator cable	M8. 4-pin. 10m. straight // V31-GM-10M-PUR	1	Pepperl+Fuchs	A	15	116464
377	10213759	PVC Absaug- und Geblaeseschlauch	DI 76mm. s 4.1mm	PVC suction and pressure hose	DI 76mm. s 4.1mm	6	H-Plus	A	50	886945
378	10004142	Kabeldose M8 3pol 5M gerade	V3-GM-5m-PUR	Cable Socket M8 3-pin 5m Straight	V3-GM-5m-PUR	9	Pepperl+Fuchs	A	50	24772
379	10013197	Dichtung V-Ring	NBR 60 90mm für Welle 88-93mm schwarz	V-Ring	NBR 60 90mm for shaft 88-93mm black	2	*MISC*diverse*	A	50	T35044
380	10004922	Schmelzsicherung 80A gG 3NA3824	NH-Sicherungseinsatz. NH000. In: 80 A. gG. Un AC: 500 V. Un DC: 250 V. Stirnkennmelder. spannungsführende Grifflaschen	Safety fuse 80A gG 3NA3824	LV HRC fuse element. NH000. In: 80 A. gG. Un AC: 500 V. Un DC: 250 V. Front indicator. live grip lugs	3	Siemens	A	70	3NA3824
381	10033099	Sicherungseinsatz	35A .400Vac/250Vdc. gG. D01. NEOZED	Fuse link	35A .400Vac/250Vdc. gG. D01. NEOZED	3	Siemens	A	70	5SE2335
382	10004873	Sicherungseinsatz	NEOZED-Sicherungseinsatz. D01. 16 A. gG. Un AC: 400 V. Un DC: 250 V. mit verzinnten Kontaktkappen	Fuse link	NEOZED fuse-link. D01. 16 A. gG. Un AC: 400 V. Un DC: 250 V. with tin-coated contact-caps	3	Siemens	A	50	5SE2316
425	10291632	Kuehlgeraet	weco 07.1 A - 400V 50Hz (blaues Gehäuse)	Cooling unit	weco 07.1 A - 400V 50Hz (blue housing)	1	gwk	B	30	10209943
427	10454488	Monitor 50"	ProLite LH5075UHS-B1AG	Monitor 50"	ProLite LH5075UHS-B1AG	1	Iiyama	B	50	LH5075UHS-B1AG
428	10378393	Monitor 32"	ProLite LH3254HS-B1AG	Monitor 32"	ProLite LH3254HS-B1AG	1	Iiyama	B	10	LH3254HS-B1AG
430	10011938	Geregelte Stromversorgung	SITOP PSU8200 24 V/40 A Geregelte Stromversorgung Eingang: 3 AC 400-500 V Ausgang: DC 24 V/40 A	Regulated power supply	SITOP PSU8200 24 V/40 A stabilized power supply input: 400-500 V 3 AC output: 24 V DC/40 A *Ex approval no longer available*	1	Siemens	B	70	6EP3437-8SB00-0AY0
431	10011407	Leistungsschalter	415V 3-polig.	Circuit breaker	415V 3-polig.	1	Siemens	B	70	3VA1225-4EF32-0AA0
433	10005397	Stromversorgungseinheit	SITOP PSU8200 24 V/10 A Geregelte Stromversorgung Eingang: AC 120/230 V Ausgang: DC 24 V/10 A	Power supply unit	SITOP PSU8200 24 V/10 A regulated power supply input: AC 120/230 V output: DC 24 V/10 A	1	Siemens	B	70	6EP3334-8SB00-0AY0
434	10006392	Leistungsschütz	AC-3 22 kW/400V DC 24V 1S + 1OE S2 // 3RT2036-3KB40	Power Contactor	AC-3 22kW/400V DC 24V 1S + 1OE. S2 // 3RT2036-3KB40	14	Siemens	B	50	3RT2036-3KB40
435	10004941	Druckverstaerker	VBA10A-F02GN	Pressure amplifier	VBA10A-F02GN	1	SMC	B	15	VBA10A-F02GN

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005796

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
437	10011464	unmanaged Industrial Ethernet Switch	SCALANCE XB008 unmanaged Industrial Ethernet Switch für 10/100 Mbit/s. zum Aufbau von kleinen Stern- und Linienstrukturen. LED-Diagnose. IP20. AC/DC 24V Spannungsversorgung. mit 8x 10/100 Mbit/s Twisted Pair Ports mit RJ45-Buchsen. Handbuch als Download verfügbar	Unmanaged Industrial Ethernet Switch	SCALANCE XB008 Unmanaged Industrial Ethernet Switch for 10/100 Mbit/s. for setting up small star and line topologies. LED diagnostics. IP20. 24 V AC/DC power supply. with 8x 10/100 Mbit/s twisted pair ports with RJ45 sockets. Manual available as a download .	3	Siemens	B	70	6GK5008-0BA10-1AB2
438	10011403	Kompaktleistungsschalter	3VA1 IEC Frame 100. 36kA. 415V 3P. 16A. TM210 // 3VA1096-4ED32-0AA0	Circuit breaker	3VA1 IEC Frame 100. 36kA. 415V 3P. 16A. TM210 // 3VA1096-4ED32-0AA0	1	Siemens	B	70	3VA1096-4ED32-0AA0
439	10006377	Leistungsschütz	AC-3 25 kW/400V DC 24V 1S + 1OE S0 FZ // 3RT2026-2BB40	Power contactor	AC-3 25kW/400V DC 24V 1S + 1OE S0 FZ // 3RT2026-2BB40	1	Siemens	B	50	3RT2026-2BB40
440	10004812	Leitungsschutzschalter	400V 10kA. 3+N-polig. C. 16A. T=70mm // 5SY4616-7	Miniature circuit breaker	Miniature circuit breaker 400 V 10kA. 3+N-pole. C. 16A. D=70 mm	1	Siemens	B	10	5SY4616-7
441	10011511	Dauerlichtelement. mit integrierter LED. grün. AC/DC 24 V. Durchmesser 70 mm	Dauerlichtelement. grün // 8WD4420-5AC	Signal column green	Continuous light element. green // 8WD4420-5AC	1	Siemens	B	70	8WD4420-5AC
442	10011121	Dauerlichtelement. mit integrierter LED. rot. AC/DC 24 V. Durchmesser 70 mm	Dauerlichtelement. rot // 8WD4420-5AB	Signal column	Continuous light element. red // 8WD4420-5AB	1	Siemens	B	70	8WD4420-5AB
443	10010888	Reitersicherungselement	D-Switch // SV.9340950	Bus-mounting fuse base	D-Switch // SV.9340950	21	Rittal	B	50	9340950
444	10011122	Dauerlichtelement. mit integrierter LED. gelb. AC/DC 24 V. Durchmesser 70 mm	Dauerlichtelement. gelb // 8WD4420-5AD	Signal column Yellow	8WD4420-5AD	1	Siemens	B	70	8WD4420-5AD
445	10011153	Tuerpositionsschalter	Anschlussleitung L=800mm	Door-operated switch	with connection wire 800mm	3	Rittal	B	50	SZ2500470
446	10006393	Leitungsschutzschalter	400V 10kA. 3-polig. C. 6A. T=70mm // 5SY4306-7	Miniature circuit breaker	400V 10kA. 3-pin. C. 6A. D = 70mm // 5SY4306-7	1	Siemens	B	10	5SY4306-7
447	10005336	Leistungsschalter	0.28-0.4A 3RV2011-0EA25	Circuit breaker	0.28-0.4A 3RV2011-0EA25	1	Siemens	B	50	3RV2011-0EA25
448	10011157	Tuerpostionsschalter	ohne Anschlussleitung	Door-operated switch	without connection wire	3	Rittal	B	50	SZ4127010
449	10006350	Leitungsschutzschalter	400V 10kA. 3-polig. C. 13A. T=70mm // 5SY4313-7	Miniature circuit breaker 13A 3pol	400V 10kA. 3-polig. C. 13A. T=70mm // 5SY4313-7	2	Siemens	B	50	5SY4313-7
450	10011280	Leistungsschütz	AC-3 3 kW/400V DC 24V 1S S00 FZ // 3RT2015-2BB41	Power Contactor	AC-3 3kW/400V 1S DC 24V S00 FZ // 3RT2015-2BB41	2	Siemens	B	50	3RT2015-2BB41
451	10006386	Leistungsschütz	AC-3 3 kW/400V DC 24V 1OE S00 FZ // 3RT2015-2BB42	Power contactor	AC-3 3kW/400V DC 24V 1OE S00 FZ // 3RT2015-2BB42	10	Siemens	B	50	3RT2015-2BB42
452	10011423	Leitungsschutzschalter	230/400V 10kA. 1-polig. C. 10A. T=70mm // 5SY4110-7	Miniature circuit breaker	C10A. 1-pole. 230/400Vac // 5SY4110-7	1	Siemens	B	50	5SY4110-7
453	10004650	Leitungsschutzschalter	230/400V 10kA. 1-polig. C. 13A. T=70mm // 5SY4113-7	Miniature circuit breaker	230/400V 10kA. 1-polig. C. 13A. T=70mm // 5SY4113-7	2	Siemens	B	50	5SY4113-7
454	10088758	Befestigungselement	ZS-46-A2	Fastening element	ZS-46-A2	1	SMC	B	10	ZS-46-A2
497	10015603	Fuehrungsschiene	TKVD20-G3/120-30/30	Guide rail	TKVD20-G3/120-30/30	2	Schaeffler	B	10	TKVD20-G3/120-30/30
498	10008712	Zugfeder	Z-060E-01I	Tension spring	Z-060E-01I	4	Gutekunst	B	50	Z-060E-01I
504	10024967	Buchse	_	Bushing (mirrored)	_	4	3CON	B	40	s009_22_003__Buchse
516	10063704	Maschinenleuchte	Flatfram 4000K mit Rahmen IP65 // PR6060.38.4	Machine light (mirrored)	Flatfram 4000K with frame IP65 // PR6060.38.4	2	3CON	B	50	PR6060.38.4
521	10110048	ZB Spannsystem Basis	1001000 01 01	ZB clamping system base	1001000 01 01	2	3CON	B	40	10110048
522	10257456	ZB Spannsystem Obertisch	nicht zentrierend - Indexierung Rechts	ZB clamping system upper table	not centering - Indexing right	2	3CON	B	20	10257456__3CON__ZB Spannsystem Obertisch nicht zentrierend - Indexierung Rechts 1001000 01 03
523	10257366	ZB Spannsystem Obertisch	zentrierend - Indexierung Rechts	ZB clamping system upper table	centering - indexing right side	2	3CON	B	20	10257366__3CON__ZB Spannsystem Obertisch zentrierend - Indexierung Rechts__1001000_01_02
524	10257458	ZB Spannsystem Obertisch	nicht zentrierend - Indexierung Links	ZB clamping system upper table	not centering - Indexing left	4	3CON	B	20	10257458__3CON__ZB Spannsystem Obertisch nicht zentrierend - Indexierung Links__1001000_01_04
527	10011184	Kühlgerät	Dachaufbau 230V. 1kW // SK.3383500	Cooling unit	Roof-mounted 230V. 1kW // SK.3383500	1	Rittal	B	15	3383500
528	10459602	Proportional-Druckbegrenzungsventil	PMV 41-41/G 24 DIN	Proportional pressure relief valve	PMV 41-41/G 24 DIN	1	HAWE Hydraulik	B	45	6963 1665-63.HW
530	10008048	Lamellenkupplung	Roba-DS Gr. 160 Type 953.051 S - komplett montiert	Multi-plate clutch	Roba-DS Gr. 160 Type 953.051 S - cpl assembled	4	Chr. Mayr	B	20	8277263
531	10008637	Gelenkwelle Elastomer	Bohrung D1: 50 H7 PFN DIN 6885 Bohrung D2: 60 H7 PFN DIN 6885	Elastomeric drive shaft	Bore D1: 50 H7 PFN DIN 6885 Bore D2: 60 H7 PFN DIN 6885	2	R+W	B	20	EZ2/450/877 (B)
533	10008612	Kugelhahn	G2 Feder-schliessend	Ball valve	G2 spring-closing	11	Landefeld	B	50	KH 20 P FS
535	10459601	Membranspeicher	AC 202/70/3	Diaphragm accumulator	AC 202/70/3	1	HAWE Hydraulik	B	15	6963 1665-62.HW
536	10011436	Geregelte Stromversorgung	3-phasig 48Vdc/10A // 6EP3446-8SB00-0AY0	Regulated power supply	3-phase 48Vdc/10A // 6EP3446-8SB00-0AY0	1	Siemens	B	70	6EP3446-8SB00-0AY0
537	10006141	Axialluefter	225x225x80	Axial Fan	225x225x80	4	ebmpapst	B	50	W2E200-HK38-01
541	10091484	Gummipuffer	D30 H20 M8x20 // DVA.4-30-20-M8-20-55	Rubber buffer	D30 H20 M8x20 // DVA.4-30-20-M8-20-55	2	Elesa+Ganter	B	50	412801
542	10047167	MOSA M8 St. 0° selbstanschl. Schneidklemme	4-pol.. 0.14 - 0.34mm². 2.5 - 5.1mm	Metal M8 4pol field wireable male	4-pole.. 0.14 - 0.34mm². 2.5 - 5.1mm	1	Murr	B	40	7000-08351-0000000
547	10008486	Kugelknopf	GN 319.5-40-M10-B	Ball button	GN 319.5-40-M10-B	1	Elesa+Ganter	C	10	GN 319.5-40-M10-B
553	10027829	Andockrahmen Han 24B	Bgr.: 24 B // 09 30 024 1701	Docking frame Han 24B	Size.: 24 B // 09 30 024 1701	18	HARTING	C	50	09 30 024 1701
572	10011353	Kontaktmodul	1S. Boden // 3SU1400-2AA10-3BA0	Contact module 1NO Spring Type. floor	1NO. Boden // 3SU1400-2AA10-3BA0	6	Siemens	C	50	3SU1400-2AA10-3BA0
578	10011473	Schutzleiter-Reihenklemme	ZPE 2.5/4AN	Protective conductor terminal block	ZPE 2.5/4AN	19	Weidmueller	C	10	1608660000
582	10011194	Halter	3SU1550-0AA10-0AA0	Push Button Holder	3SU1550-0AA10-0AA0	13	Siemens	C	50	3SU1550-0AA10-0AA0
586	10010863	Blindabdeckung	modular // 09 14 000 9950	Blind cover single dummy module	modular // 09 14 000 995	6	HARTING	C	50	09 14 000 9950
588	10011505	Durchgangs-Reihenklemme	ZDU 2.5/4AN	Feed-through terminal block	ZDU 2.5/4AN // ZDU 2.5/4AN	90	Weidmueller	C	50	1608570000
594	10011514	Abschlussplatte	ZAP/TW 3	Cover plate	ZAP/TW 3	39	Weidmueller	C	50	1608800000
603	10267888	L-Steckverschraubung	4mm M5 AG	Push-in L-fitting	4mm M5 AG	3	Riegler	C	50	109259
604	10075947	L-Steckverschraubung	D = 6mm G 1/8" AG	L-Fitting	D = 6mm G 1/8" AG	4	Riegler	C	50	109262
605	10006380	Schlüsselaufnahme mit PROFINET Schnittstelle	EKS-A-IIX-G01-ST02/03. ELECTRONIC-KEY-SYSTEM. EKS-A-IIX-G01-ST02/03	Electronic-Key adapter with PROFINET interface	EKS-A-IIX-G01-ST02/03. ELECTRONIC-KEY-SYSTEM. EKS-A-IIX-G01-ST02/03	1	Euchner	C	50	106305
607	10004791	NH-Lasttrenner SV3431.035	SV3431.035	NH fuse switch SV3431.035	SV3431.035	1	Rittal	C	50	3431035
608	10049322	Signalleuchte	RGB. 520mm	Signal light	RGB. 520mm	1	LED2WORK	C	10	111090-14
610	10012299	Signalsäule	Sirenenelement. Mehrton 102 dB. 8 Töne + Lautstärke variabel. schwarz. AC/DC 24 V. Durchmesser 70 mm	Signal column	Siren element. Multi-tone 102 dB. 8 tones + variable volume. black. AC/DC 24 V. Diameter 70 mm	1	Siemens	C	40	8WD4420-0EA2
612	10012371	Systemleuchte	LED 400. 100-240 V. L: 262 mm. // SZ.2500100	System light	LED 400. 100-240 V. L: 262 mm. // SZ.2500100	3	Rittal	C	50	2500100
613	10011419	FI/LS-Schalter	10 kA. 1P+N. Typ A. 30 mA. C-Char. In: 13 A. Un AC: 230 V	FI/LS switch	10 kA. 1P+N. Typ A. 30 mA. C-Char. In: 13 A. Un AC: 230 V	4	Siemens	C	15	5SU1354-7KK13
614	10010790	Sicherheitsschalter	RFID. Magnetrastung. Betätiger // 3SE6310-1BC01	Safety switch	RFID. Magnet latching. actuator // 3SE6310-1BC01	2	Siemens	C	50	3SE6310-1BC01
615	10011413	Spannungsauslöser	24V DC. links // 3VA9988-0BM10	Shunt releases	24V DC. left // 3VA9988-0BM10	1	Siemens	C	15	3VA9988-0BM10
616	10011155	NH-Sicherungslasttrenner	Gr.000. 100A. 3-polig. Klemme. Abg. unten (60 mm) // SV.3431030	NH fuse switch disconnecter	Gr.000. 100A. 3-pol. box terminal. cable outlet bottom (60 mm) // SV.3431030	1	Rittal	C	50	3431030
617	10010903	Komfortgriff	VX Profilhalbzylinder // VX.8618250	Comfort grip	for semi-cylinder // VX.8618250	3	Rittal	C	50	8618250
618	10408524	Sockel	VX Bürstenleiste 100x1200mm // VX.8660095	Base	VX brush strip 100x1200 // VX.8660095	3	Rittal	C	50	8660095
619	10005147	Klemm- und Ausrichthalterung	BEF-1SHABPKU4	Clamp and alignment bracket	BEF-1SHABPKU4	8	Sick	C	50	2066614
620	10008626	Verteiler	FR-8-1/4	Distributor	FR-8-1/4	3	Festo	C	50	2078
621	10011486	FrontCom	Metalldeckel abschließbar mit Schlüssel // IE-FC-SFM-KEY2	FrontCom	Metal cover. Lockable with key // IE-FC-SFM-KEY2	1	Weidmueller	C	50	1450540000
623	10011509	Anschlusselement. mit Abschlussdeckel. schwarz. für Rohrmontage. mit Federzuganschluss.	Anschlusselement // 8WD4408-0AD	Signal column end piece	Connection element // 8WD4408-0AD	1	Siemens	C	70	8WD4408-0AD
624	10011510	Rohr mit Fuß. Länge 100 mm. Zubehör für Signalsäulen. mit Durchmesser 70 mm	Rohr mit Fuß // 8WD4308-0DA	Signal column foot piece	Pipe with foot // 8WD4308-0DA	1	Siemens	C	70	8WD4308-0DA
625	10010881	Wandsteckdose mit TwinCONTACT // CEE-Steckdose	16A 5P 6h 400V IP44 // 419	CEE socket	16A 5P 6h 400V IP44 // 419	1	Mennekes	C	50	419
626	10012523	SCHUKO-Steckdose	16 A. AC 250 V. DIN 49440 IP44 Blau	Earthed socket	16 A. AC 250 V. DIN 49440 IP44 blue	4	Merten	C	50	279075

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005796

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
628	10011287	Sockelgehäuse	Bgr.: 10 B. Längsbügel. seitlich 2x M20. niedrig. Kappe // Han 10B-asg2-LB-K-M20	Socket casing	Size: 10 B. Single locking lever. side entry 2x M20. low. cover // 19 30 010 1295	1	HARTING	C	50	19 30 010 1295
629	10011412	Hilfsschalter	Wechselkontakte Typ HQ (7MM) Zubehör für: 3VA1 und 3VA20-26	Auxiliary switch	Changeover contacts type HQ (7mm) accessory for: 3VA1 and 3VA20-26	1	Siemens	C	70	3VA9988-0AA12
630	10011396	Gehäuse für Befehlsgeräte. 22 mm. rund. Gehäusematerial Kunststoff. Gehäuseoberteil grau. 4 Befehlsstellen Kunststoff. Vertiefung für Schilder. ohne Bestückung	4 Befehlsstellen // 3SU1804-0AA00-0AB1	Casing	4 control points // 3SU1804-0AA00-0AB1	2	Siemens	C	50	3SU1804-0AA00-0AB1
632	10011490	FrontCom	Einsatz Power Typ F Steckdose DE orange // IE-FCI-PWB-DE-OR	FrontCom	Insert Power large. Type F. Socket connector. DE. orange // IE-FCI-PWB-DE-OR	1	Weidmueller	C	50	1554000000
633	10012111	Rahmenklemme	3VA1 250 // 3VA9253-0JA11	Box terminal 3VA9253-0JA11	3VA1 250 // 3VA9253-0JA11	2	Siemens	C	70	3VA9253-0JA11
634	10011710	Gelenkrahmen	Bgr.: 24. B 6 Module A-F // 09140240361	Articulated frame	Size: 24 B. 6 Module A-F // 09 14 024 0361	6	HARTING	C	15	09 14 024 0361
635	10011294	Gelenkrahmen	Bgr.: 10. B 3 Module A-C // 09 14 010 0361	Articulated frame. Size: 10B. 6 Module A-F	Size: 10 B. 6 Module A-F // 09 14 010 0361	1	HARTING	C	50	09 14 010 0361
636	10011293	Gelenkrahmen	Bgr.: 10. B 3 Module a-c // 09140100371	Articulated frame. Size: 10 B. 6 modules a-f	Size: 10 B. 6 modules a-f // 09 14 010 0371	1	HARTING	C	50	09 14 010 0371
637	10012071	FrontCom	Berührungsschutz // IE-FC-PWPC	FrontCom	Contact protection // IE-FC-PWPC	1	Weidmueller	C	50	1450820000
638	10012064	Tüllengehäuse	Bgr.: 10 B. Längsbügel. seitlich 1x M25. niedrig // 19300101541	Sleeve casing	Size: 10 B. Single locking lever. side entry 1x M25. low // 19 30 010 1541	1	HARTING	C	50	19 30 010 1541
640	10005409	Gehäuse für Befehlsgeräte. 22 mm. rund. Gehäusematerial Kunststoff. Gehäuseoberteil grau. 2 Befehlsstellen Kunststoff. Vertiefung für Schilder. ohne Bestückung	2 Befehlsstellen // 3SU1802-0AA00-0AB1	Casing	2 control points // 3SU1802-0AA00-0AB1	1	Siemens	C	50	3SU1802-0AA00-0AB1
641	10372569	Schaltschrank-Steckdose	Reiheneinbau 1-fach 16A IP20 gelb. Type CF // 1068028	Control cabinet socket	DIN rail 1x 16A IP20 yellow. Type CF //1068028	2	Phönix Contact	C	50	1068028
642	10006359	Hilfsstromschalter	1S+1Ô für LS-Schalter 5SL. 5SY. 5SP Einbauschalter 5TL1. FI/LS 5SU1. FI 5SV	Auxiliary switch	1 NO + 1 NC for LS switches 5SL. 5SY. 5SP. built-in switches 5TL1. FI/LS 5SU1. FI 5SV	3	Siemens	C	50	5ST3010
643	10041930	Montage-Set	IPC127E. Wandmontage	Mounting kit	IPC127E. Wall mount	2	Siemens	C	15	6AG4021-0AA20-0AA2
644	10297611	Winkel für Fußmontage. Zubehör für Signalsäulen. mit Durchmesser 50 mm und 70 mm	8WD4408-0CC	Bracket for signal column	with diameters 50 mm and 70 mm	1	Siemens	C	70	8WD4408-0CC
645	10011844	Klemmenabdeckung	3VA1 250 verlängert. 3P // 3VA9211-0WF30	Terminal cover	3VA1 250 extended. 3P // 3VA9211-0WF30	2	Siemens	C	50	3VA9211-0WF30
646	10016078	Buegelgriff	M.443/200 AE-V0	Bow-type handle	M.443/200 AE-V0	1	Elesa+Ganter	C	10	M.443/200 AE-V0
647	10011283	Überspannungsbegrenzer	24-70V DC // 3RT2916-1JK00	Surge limiter	24-70V DC // 3RT2916-1JK00	12	Siemens	C	50	3RT2916-1JK00
648	10004218	USB auf USB IE-BI-USB	–	USB to USB IE-BI-USB	–	1	Weidmueller	C	50	1019570000
649	10125509	Rahmenklemme	3VA1 100/160	Box terminal	3VA1 100/160	2	Siemens	C	20	3VA9153-0JA11
650	10011285	Überspannungsbegrenzer	24-70V DC // 3RT2936-1BB00	Surge limiter	24-70V DC // 3RT2936-1BB00	14	Siemens	C	50	3RT2936-1BB00
651	10016332	Kabelverschraubung	Skintop ST-M50x1.5. silbergrau	Cable gland	Skintop ST-M50x1.5. silver-grey	2	Lapp	C	50	53111060
652	10011276	Hilfsschalter	frontseitig 4S // 3RH2911-2XA40-0MA0	Auxiliary switch	Auxiliary switch on the front. 4 S current path 1 S. 1 S. 1 S. 1 S for 3RH2 and 3RT2 spring-cage connection 53/54. 63/64. 73/74. 83/84	4	Siemens	C	70	3RH2911-2XA40-0MA0
654	10011284	Überspannungsbegrenzer	24-70V DC // 3RT2926-1JK00	Surge limiter	24-70V DC // 3RT2926-1JK00	1	Siemens	C	50	3RT2926-1JK00
656	10004741	Reflektor	REF-H30x60	Reflector	REF-H30x60	1	Pepperl+Fuchs	C	50	246176
657	10025042	Sockelgehäuse	Bgr.: 3 A. Längsbügel. gerade 1x M20 // 19 20 003 1250	Socket casing	Size: 3 A. Single locking lever. top entry 1x M20 // 19 20 003 1250	4	HARTING	C	50	19 20 003 1250
658	10010894	Klemmenabdeckung	3VA1 100/160. 3P // 3VA9111-0WD30	Terminal cover	3VA1 100/160. 3P // 3VA9111-0WD30	2	Siemens	C	70	3VA9111-0WD30
659	10011212	Hutschienenmontage-Adapter	Hutschienenmontage-Adapter schwarz. für Befehlsgeräte. 22 mm. rund	Top hat rail assembly adapter	Adapter for DIN rail mounting Black. for command devices. 22 mm. round	1	Siemens	C	50	3SU1900-0KH80-0AA0
660	10011354	Kontaktmodul	1NC. Boden // 3SU1400-2AA10-3CA0	Contact module 1NC. Floor	1NC. Boden // 3SU1400-2AA10-3CA0	8	Siemens	C	50	3SU1400-2AA10-3CA0
661	10011492	Schutzleiter-Reihenklemme	ZPE 16 // ZPE 16	Protective conductor terminal block	ZPE 16 // ZPE 16	8	Weidmueller	C	50	1745250000
662	10004984	Verbindungsbaustein	elektrisch und mechanisch für 3RV2011 und 3RT201. Federzuganschluss	Terminal. Spring type for circuit breaker	Electrical and mechanical for 3RV2011 and 3RT201. Spring-type terminal	1	Siemens	C	70	3RA2911-2AA00
663	10012004	Kontaktmodul	1S. Front // 3SU1400-1AA10-3BA0	Contact module	1NO. Front // 3SU1400-1AA10-3BA0	5	Siemens	C	50	3SU1400-1AA10-3BA0
664	10011428	Distanzstück	0.5 TE // 5TG8240	Spacer	0.5 MW // 5TG8240	3	Siemens	C	50	5TG8240
665	10012042	Prüftrenn-Reihenklemme	ZTR 6-2 // ZTR 6-2	Test disconnect terminal block	ZTR 6-2 // ZTR 6-2	2	Weidmueller	C	50	1023830000
666	10011502	Neutralleiter-Reihenklemme	ZNT 16S // 16 mm². 400 V. 76 A	Neutral conductor terminal block	ZNT 16S // ZNT 16S	3	Weidmueller	C	20	1739600000
667	10011485	Mehrstock-Reihenklemme	ZDLD 2.5-2N/PE/L/N // ZDLD 2.5-2N/PE/L/N	Multi-level terminal block	ZDLD 2.5-2N/PE/L/N // ZDLD 2.5-2N/PE/L/N	6	Weidmueller	C	10	1131760000
668	10157047	Hilfsleiteranschlussklemme für Rahmenklemme	3VA1 250. 3VA2 100/160/250	Auxiliary conductor terminal for frame terminal	3VA1 250. 3VA2 100/160/250	3	Siemens	C	70	3VA9200-0WB00
670	10010877	Tüllengehäuse	Bgr.: 3 A. Längsbügel. gerade 1x M20 // 19 20 003 1440	Sleeve casing	Size: 3 A. Single locking lever. top entry 1x M20 // 19 20 003 1440	1	HARTING	C	50	19 20 003 1440
671	10178301	Befestigungsflansch	BF 18	Mounting flange	BF 18	2	Pepperl+Fuchs	C	50	50
672	10008776	Kabelverschraubung	Skintop ST-M40x1.5. silbergrau	Cable gland	Skintop ST-M40x1.5. silver grey	14	Lapp	C	50	53111050
673	10011537	Doppelstock-Schutzleiter-Reihenklemme	ZDT 2.5/2 PE. steckbar // ZDT 2.5/2 PE	Double-level protective conductor terminal block	ZDT 2.5/2 PE. pluggable // ZDT 2.5/2 PE	11	Weidmueller	C	50	1815170000
674	10008498	Aktivierungsschraube	grau 12-Monate	Activation screw	12 months // grey	8	PermaTec	C	50	101335
675	10010899	Schutzleiter-Reihenklemme	ZPE 2.5 // ZPE 2.5	Protective conductor terminal block	ZPE 2.5 // ZPE 2.5	1	Weidmueller	C	50	1608640000
676	10011048	Durchgangs-Reihenklemme	ZDU 6-2/3AN // ZDU 6-2/3AN	Feed-through terminal block	ZDU 6-2/3AN // ZDU 6-2/3AN	8	Weidmueller	C	50	1771410000
677	10370153	Befestigungswinkel	SX7000-16-1A	Mounting bracket	SX7000-16-1A	3	SMC	C	50	SX7000-16-1A
679	10011536	Doppelstock-Reihenklemme	ZDT 2.5/2. steckbar // ZDT 2.5/2	Double-deck terminal block	ZDT 2.5/2. pluggable // ZDT 2.5/2	173	Weidmueller	C	50	1815150000
680	10010812	Doppelstock-Reihenklemme	ZDK 2.5 // ZDK 2.5	Double-deck terminal block	ZDK 2.5 // ZDK 2.5	8	Weidmueller	C	50	1674300000
681	10013872	T-Anschluss	D8	T connection	D8	1	Riegler	C	50	109829
682	10011498	Neutralleiter-Reihenklemme	ZNT 2.5 S // ZNT 2.5 S	Neutral conductor terminal block	ZNT 2.5 S // ZNT 2.5 S	32	Weidmueller	C	50	1808300000
683	10238436	Befestigungswinkel	SX5000-16-1A	Mounting bracket	SX5000-16-1A	13	SMC	C	50	SX5000-16-1A
684	10011389	Schildtraeger	Doppeldrucktaster 22mm // 3SU1900-0AK10-0AA0	Twin pushbutton label holder 12.5 X 27MM	22mm // 3SU1900-0AK10-0AA0	2	Siemens	C	40	3SU1900-0AK10-0AA0
685	10011503	Durchgangs-Reihenklemme	ZDU 2.5 // ZDU 2.5	Feed-through terminal block	ZDU 2.5 // ZDU 2.5	9	Weidmueller	C	50	1608510000
686	10272385	Endwinkel	ZEW 35/2	End stop	ZEW 35/2	33	Weidmueller	C	50	8630740000
703	10075956	Winkeleinschraubanschluss mini	D = 4mm M3 AG	Angled screw-in connection mini	D = 4mm M3 AG	4	H-Plus	C	40	10075956
719	10012900	Drosselrueckschlagventil	GR-QS-6	One way control valve 6mm	GR-QS-6	4	Festo	C	50	193969
727	10011525	Doppelstock-Reihenklemme	ZDK 1.5 // ZDK 1.5	Double-deck terminal block	ZDK 1.5 // ZDK 1.5	16	Weidmueller	C	50	1791100000
728	10035895	Feder für Zwillingsrohr	22x10	Spring for twin tube	22x10	152	Heraeus	C	10	9759285
729	10015048	Schalldaempfer	M3	Silencer	M3	4	SMC	C	50	AN120-M3
730	10267889	Gerade Steckverschraubung	4mm M5 AG	Straight push in fitting	4mm M5 AG	4	Riegler	C	50	109112
732	10013350	Stabmagnet	D3 H6	Bar magnet	D3 H6	4	*MISC*diverse*	C	10	S-03-06-N
734	10008178	Durchfuehrung	LA 3	Bushing	LA 3	4	Lapp	C	10	61713520
735	10044550	Kabelhalter	3.1mm Kabel	Cable holder	3.1mm cable	4	RS-Components	C	50	817-8956

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005796

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
738	10015742	Gleitleiste	Murtfeldt	Bearing bar	Murtfeldt	2	3CON	C	40	1001100 10 04 02 003
739	10015741	Gleitleiste	Murtfeldt	Bearing bar	Murtfeldt	2	3CON	C	40	1001100 10 04 02 002
741	10013863	Klaue Zahnstange	D100	Claw gear rack	D100	4	3CON	C	40	1001100 20 02 01 001
756	10015655	Temperguss Knie	G2. 90 Grad	Malleable cast iron knee	G2. 90 Grad	1	*MISC*diverse*	C	50	10015655
768	10013400	Schutz Werkzeugcodierung	Murtfeldt	Protection tool coding	Murtfeldt	1	3CON	C	40	1001100_10_13_002
770	10402167	Verbindungswelle Ritzel 5000kg	1001100_30_02_01_002	Connecting shaft pinion 5000kg	1001100_30_02_01_002	4	3CON	C	40	10402167
775	10014637	Zahnstange	D100 Modul 6 L1753mm	Gear rack	D100 Modul 6 L1753mm	4	3CON	C	15	10014637__3CON__Zahnstange__D100 Modul 6 L1753mm
776	10257470	ZB Instandhaltungssicherung	D100	ZB Maintenance securing	D100	1	3CON	C	20	1001100 44 31 01
777	10459600	Hydraulikaggregat Behaelter	LP 125-20/B25-D-K2-NBR-X-XX- N-AB 1 K P E 150 -BWN 1 S-WXN-1-1-G 24	Hydraulic power unit Reservoir	LP 125-20/B25-D-K2-NBR-X-XX- N-AB 1 K P E 150 -BWN 1 S-WXN-1-1-G 24	1	HAWE Hydraulik	C	25	6963 1665-61.HW
778	10144832	Vakuumtank stehend. verzinkt	1000 Liter Inhalt -1 bar Vakuum -10/50 °C Betriebstemperatur 800 mm Durchmesser	Vacuum tank upright. galvanized	1000 liter capacity -1 bar vacuum -10/50 °C operating temperature 800 mm diameter	1	Maschinen- und Behälterbau GmbH	C	40	10144832
779	10036943	Mitteldruckschlauch	SAE 100 R4 // DN 50mm // 40 Meter	Medium pressure hose	SAE 100 R4 // DN 50mm // 40 Meter	1	Parker	C	50	811-32
780	10436273	Schutzzaun	213026	Safety fence	213026	1	Schmachtl	C	40	213026
781	10481524	Energiekette Serie E4.64L	2.730m E4.64L.100BZ65.400.0 + E4.641.100BZ65.2.12.C.A1	Energy chain series E4.64L	2.730m E4.64L.100BZ65.400.0 + E4.641.100BZ65.2.12.C.A1	1	Igus	C	15	2.730m E4.64L.100BZ65.400.0 + E4.641.100BZ65.2.12.C.A1
782	10322333	Schalldaempfer	G3 - S 6.400/	Silencer	G3 - S 6.400/	1	Gebrüder Becker	C	50	73980111000
783	10008636	Energiekette	2.73m E4.64L.300.400.0 + E4.641.300.2.12.C.A1	Energy chain	2.73m E4.64L.300.400.0 + E4.641.300.2.12.C.A1	1	Igus	C	10	2.73m E4.64L.300.400.0 + E4.641.300.2.12.C.A1
784	10011223	Bremswiderstand	// BW018-015-P	Brake resistor	// BW018-015-P	2	SEW	C	20	BW018-015-P
785	10012008	Gehäuse	mit Druckluftanschluss // FT-S1	Casing	with PA connection // FT-S1	4	Keyence	C	10	FT-S1
786	10008056	Nivellierelement + Schraube	BNSH250/B32 // M30x2.0x200mm	ZB levelling element + screw	BNSH250/B32 // M30x2.0x200mm	4	Bilz	C	10	12-0038 + 19-0244
787	10011207	Bremswiderstand	// BW147-T	Brake resistor	// BW147-T	1	SEW	C	50	BW147-T
788	10474047	Energiekette	1.547m E4.64L.150.200.0 + E4.641.150.1.12.C.A2	Energy chain series E4.64	1.547m E4.64L.150.200.0 + E4.641.150.1.12.C.A2	1	Igus	C	15	1.547m E4.64L.150.200.0 + E4.641.150.1.12.C.A2
789	10011172	Lastkreisüberwachung	48Vdc 4-kanalig // 9000-42084-0100600	Load circuit monitoring	48Vdc 4-channel // 9000-42084-0100600	1	Murr	C	90	9000-42084-0100600
790	10008552	Schalldaempfer	G2	Silencer	G2	1	Landefeld	C	20	SDH 20 E
791	10010890	Bremswiderstand	// BW072-005	Brake resistor	// BW072-005	1	SEW	C	10	BW072-005
792	10473998	Ausgleichselement	MY-J63	Floating joint	MY-J63	1	SMC	C	10	MY-J63
793	10008527	Gewindetuelle	G3	Threaded socket	G3	7	Landefeld	C	50	GTTW 3075 MS
794	10011904	Sammelschiene	PLS800. L=1095mm. 5mm Schienenstärke. CU // SV.3526000	Busbar	PLS 800. L: 1095 mm. bar thickness: 5 mm // SV.3526000	3	Rittal	C	50	3526000
795	10079104	Temperguss-Verschraubung	kegelig dichtend. AG x AG 2zoll_769387	Malleable cast iron fitting	conical sealing. AG x AG 2 inch_769387	1	*MISC*diverse*	C	15	10079104
796	10015633	Schlauchtuelle	G2 DN50	Hose nozzle	G2 DN50	6	*MISC*diverse*	C	50	180765
797	10156764	Rexel__Ansaug-Beruehrschutzgitter DRPA-15 SOD71006971	DRPA-15__SOD71006971	Intake touch guard grille	DRPA-15__SOD71006971	1	Rexel	C	20	SOD71006971
799	10011230	Handbediengeräte	// FBG11B	Hand-held devices	// FBG11B	3	SEW	C	30	FBG11B
800	10008466	Gewindetuelle	G 2"-50 (2")mm. Messing	Threaded nozzle	G 2"-50 (2")mm. brass	23	Landefeld	C	50	GTTW 2050 MS
801	10004281	Schutzgitter	240x240	Protective grille	240x240	8	ebmpapst	C	50	78128-2-4039
802	10008505	T-Stueck reduziert	G2" G2" TG vz	T-piece reduced	G2" G2" malleable iron galvanized	8	*MISC*diverse*	C	50	10008505
803	10018710	Reflektor	PL40A	Reflector	PL40A	3	Sick	C	10	1012720
804	10008477	Muffe	G2	Sleeve	G2	1	*MISC*diverse*	C	50	10008477
805	10015797	Gummi-Metall-Puffer	D60 H40 M10x28 // Typ DZ	Rubber-metal buffer	D60 H40 M10x28 // type DZ	4	*MISC*diverse*	C	50	10015797
806	10008463	Rohrdoppelnippel Nr. 530/23	AGxAG R2" L150 St vz	Pipe double nipple no. 530/23	AGxAG R2" L150 st galvanised	4	*MISC*diverse*	C	50	10008463
807	10004640	Reflektor	REF-H50	Reflector	REF-H50	3	Pepperl+Fuchs	C	50	123120
808	10338521	Gummi-Metall-Puffer	T76092	Rubber-metal buffer	Ø40 x 30mm // M10	4	None	C	50	T76092
809	10011538	Steckverbinder	ZP 2.5/1AN/3 // ZP 2.5/1AN/3	Connector	ZP 2.5/1AN/3 // ZP 2.5/1AN/3	79	Weidmueller	C	50	1815450000
810	10099231	Schraube	GN591-16-M4-10	Screw	GN591-16-M4-10	2	Elesa+Ganter	C	50	GN 591-16-M4-10
811	10015981	Einsteckboden	lang	Shelf insert	full width shelf	15	Igus	C	50	3200175
812	10231088	Durchführungsrillenbuchse	für Bohrung 11.5mm Außendurchmesser D: 11.00mm Innenduchmesser d: 7.5mm	Grooved bushing	for bore 11.5mm outer diameter D: 11.00mm inner diameter d: 7.5mm	76	Heraeus	C	20	9274131
813	10015982	Einsteckboden	kurz	Shelf insert	short	15	Igus	C	50	3200087
814	10008658	Trennsteg	breiter Fuss 64.2	Separator	64.2	150	Igus	C	50	64.2
815	10047130	Kabelverschraubung	SKINTOP ST-M 25x1.5 RAL 7001. silbergrau	Cable gland	SKINTOP ST-M 25x1.5 RAL 7001. silver grey	4	Lapp	C	40	53111030

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005797

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
6	10004444	Bundle PROFINET IM	6ES7155-6AA01-0BN0	Bundle PROFINET IM	6ES7155-6AA01-0BN0	2	Siemens	A	50	6ES7155-6AA01-0BN0
9	10011555	Web- und Applikationsserver	// pure.box 3	Web and application server	// pure.box 3	1	W&T	A	50	50518
11	10004179	Analoges eingangsmodul	SIMATIC ET 200SP. analoges Eingangsmodul. AI 4xRTD/TC High Feature. passend für BU-Typ A0. A1. Farbcode CC00. Kanal-Diagnose. 16Bit. +/-0.1%. 2-/3-/4-Wire	Analogue input module	SIMATIC ET 200SP. analogue input module. AI 4xRTD/TC High Feature suitable for BU types A0. A1. colour code CC00. channel diagnosis. 16Bit. +/-0.1%. 2-/3-/4-Wire	1	Siemens	A	70	6ES7134-6JD00-0CA1
15	10008794	Anlege-Widerstandsthermometer	PT100 180 Grad	Surface-mounted resistance thermometer	PT100 180°C	2	Jumo	A	40	635743
17	10025168	Lichtleiter-Messverstaerker	FS-Neo	Light conductor amplifier	FS-Neo	4	Keyence	A	10	FS-N11CP
19	10007687	Verteiler	Exact8. 10xM8. 3-pol.	Distribution block	10xM8 3pol M12	2	Murr	A	50	8000-80060-0000000
20	10010995	M12 12pol gewinkelt	7000-19061-3011000	Sensor-actuator cable	7000-19061-3011000 // M12 12-pin angled	2	Murr	A	50	7000-19061-3011000
21	10004289	Digitales ausgangsmodul	SIMATIC ET 200SP. Digitales Ausgangsmodul. DQ 8x 24V DC/0.5A Standard. Source Output (PNP.P-schaltend) Verpackungseinheit: 1 Stück. passend für BU-Typ A0. Farbcode CC02. Ersatzwertausgabe. Modul-Diagnose für: Kurzschluss nach L+ und M. Drahtbruch. Versorgungsspannung	Digital output module	SIMATIC ET 200SP. digital output module. DQ 8x 24V DC/0.5A standard. source output (PNP. P-switching) packaging unit: 1 piece. suitable for BU type A0. colour code CC02. substitute value output.6ES7132-6BF01-0BA0	8	Siemens	A	70	6ES7132-6BF01-0BA0
22	10035715	Fuehrungswagen	KWVE25-B-V1-G3	Guide cart	KWVE25-B-V1-G3	2	Schaeffler	A	50	KWVE25-B-V1-G3
28	10004452	Sensorleitung	M12 4pol 5M	Sensor-actuator cable	M12 4pol 5M	1	Murr	A	50	7000-14541-7960500
29	10004175	Digitales eingangsmodul	SIMATIC ET 200SP. Digitales Eingangsmodul. DI 8x 24VDC Standard. Eingangstyp 3 (IEC 61131). Sink Input. (PNP. P-lesend). Verpackungseinheit: 1 Stück. passend für BU-Typ A0. Farbcode CC01. Eingangsverzögerung 0.05..20ms. Modul-Diagnose für: Kurzschluss Geberversorgung. Drahtbruch. Versorgungsspannung	Digital input module	SIMATIC ET 200SP. Digital input module. DI 8x 24VDC standard. Input type 3 (IEC 61131). Sink input. (PNP. P-reading). Packaging unit: 1 piece. suitable for BU type A0. Color code CC01. Input delay 0.05..20ms. module diagnostics for: Short circuit encoder supply. Open circuit. Supply voltage	9	Siemens	A	70	6ES7131-6BF01-0BA0
31	10041638	Verschlusskupplung	RMI12.5103/JV	Seal coupling	RMI12.5103/JV	6	Stäubli	A	15	RMI12.5103/JV
35	10004177	Base Unit	6ES7193-6BP20-0DA0	SIMATIC ET 200SP. Base Unit BU. New load group	6ES7193-6BP20-0DA0	7	Siemens	A	70	6ES7193-6BP20-0DA0
36	10010927	Stiftmodul	modular. 12pol. 10A. Quick-Lock-Anschluss // 09 14 012 2632	Harting module 12pin. 10A. male	modular. 12pin. 10A. Quick-Lock connection // 09 14 012 2632	2	HARTING	A	10	09 14 012 2632
37	10010818	Lichtleitersensor	// FU-6F	Light conductor sensor	// FU-6F	4	Keyence	A	50	FU-6F
38	10011993	Stiftmodul	modular. 2pol. 70A. 6-16mm². Axialschraubanschluss // 09 14 002 2646	Pin module	modular. 2pin 70A. 6-16mm². axial screw connection // 09 14 002 2646	2	HARTING	A	10	09 14 002 2646
40	10004163	Base Unit	SIMATIC ET 200SP. Base-Unit BU15-P16+A10+2B. BU-Typ A0. Push-In-Klemmen. mit 10 AUX-Klemmen. nach links gebrückt. BxH: 15mmx141mm	SIMATIC ET 200SP. Base Unit BU type. bridge to the left	SIMATIC ET 200SP. Base Unit BU15-P16 + A10+2B. BU type A0. push-in terminals. with 10 AUX terminals. bridged to the left. WxH: 15mmx141mm	10	Siemens	A	70	6ES7193-6BP20-0BA0
41	10004150	Base Unit	6ES7193-6BP00-0BA1	Base Unit	6ES7193-6BP00-0BA1	3	Siemens	A	70	6ES7193-6BP00-0BA1
42	10010875	Stiftmodul	modular Quintax. 4pol. 10A. geschirmt. ohne Crimpkontakte // 09 15 004 3013	4 Pin 10A module male	modular Quintax. 4pin. 10A. shielded. without crimp contacts // 09 15 004 3013	2	HARTING	A	50	09 15 004 3013
48	10216168	Sensor- Aktorleitung	M8 3pol gerade 10M // BCC M313-0000-10-001-PX0334-100-C003	Sensor-actuator cable	M8 3-pin straight 10M // BCC M313-0000-10-001-PX0334-100-C003	94	Balluff	A	10	BCC0KKP
50	10004105	Halbleiter Reedschalter. PNP Schließer. Anschlussdrahtlänge 0.2m. LED Rot	D-M9PSAPC-595	Proximity switch Short	D-M9PSAPC-595	49	SMC	A	50	D-M9PSAPC-595
51	10011167	Relais	6A 250Vac. 1W. 24Vdc // RIF-0-RPT-24DC/21	Relay	6A 250Vac. 1 PDT .24Vdc // RIF-0-BPT/21	1	Phönix Contact	A	50	2903370
53	10010925	Stiftmodul	modular. 8pol. 16A. Quick-Lock-Anschluss // 09 14 008 2633	Harting module 8pin. 16A. male	modular. 8pin. 16A. Quick-Lock connection // 09 14 008 2633	5	HARTING	A	40	09 14 008 2633
55	10216169	Sensor- Aktorleitung	M8 4pol gerade 5M // BCC M314-0000-10-003-PX0434-050-C003	Sensor-actuator cable	M8 4-pin straight 5M // BCC M314-0000-10-003-PX0434-050-C003	4	Balluff	A	50	BCC0K8J
58	10010868	Stiftmodul	modular. 5pol. 16A. Käfigzugfederanschluss // 09 14 005 2616	5 Pin module male	modular. 5pin. 16A. cage clamp connection // 09 14 005 2616	5	HARTING	A	50	09 14 005 2616
61	10010866	Stiftmodul	modular Quintax // 09 14 002 3001	Harting Quintax module male	modular Quintax // 09 14 002 3001	2	HARTING	A	60	09 14 002 3001
64	10458723	1005797_62_01_02_001__Stanzmesser GBL1	_	1005797_62_01_02_001__ Punching knife GBL1	_	1	3CON	A	40	1005797_62_01_02_001__Stanzmesser GBL1
65	10458724	1005797_62_01_02_002__Stanzmesser GBL2	_	1005797_62_01_02_002__ Punching knife GBL2	_	1	3CON	A	40	1005797_62_01_02_002__Stanzmesser GBL2
66	10458726	1005797_62_01_02_003__Stanzmesser GBL3	_	1005797_62_01_02_003__ Punching knife GBL3	_	1	3CON	A	40	1005797_62_01_02_003__Stanzmesser GBL3
67	10458727	1005797_62_01_02_004__Stanzmesser GBL4	_	1005797_62_01_02_004__ Punching knife GBL4	_	1	3CON	A	40	1005797_62_01_02_004__Stanzmesser GBL4
68	10458728	1005797_62_01_02_005__Stanzmesser GBL5	_	1005797_62_01_02_005__ Punching knife GBL5	_	1	3CON	A	40	1005797_62_01_02_005__Stanzmesser GBL5
69	10458729	1005797_62_01_02_006__Stanzmesser GBL6	_	1005797_62_01_02_006__ Punching knife GBL6	_	1	3CON	A	40	1005797_62_01_02_006__Stanzmesser GBL6
70	10458730	1005797_62_01_02_007__Stanzmesser GBL7	_	1005797_62_01_02_007__ Punching knife GBL7	_	1	3CON	A	40	1005797_62_01_02_007__Stanzmesser GBL7
75	10458731	1005797_62_01_02_008__Stanzmesser GBL8	_	1005797_62_01_02_008__ Punching knife GBL8	_	1	3CON	A	40	1005797_62_01_02_008__Stanzmesser GBL8
76	10458732	1005797_62_01_02_009__Stanzmesser GBL9	_	1005797_62_01_02_009__ Punching knife GBL9	_	1	3CON	A	40	1005797_62_01_02_009__Stanzmesser GBL9
77	10458733	1005797_62_01_02_010__Stanzmesser GBL10	_	1005797_62_01_02_010__ Punching knife GBL10	_	1	3CON	A	40	1005797_62_01_02_010__Stanzmesser GBL10
78	10458738	1005797_62_02_02_001__Stanzmesser IPL1	_	1005797_62_02_02_001__ Punching knife IPL1	_	1	3CON	A	40	1005797_62_02_02_001__Stanzmesser IPL1
85	10458739	1005797_62_02_02_002__Stanzmesser IPL2	_	1005797_62_02_02_002__ Punching knife IPL2	_	1	3CON	A	40	1005797_62_02_02_002__Stanzmesser IPL2
86	10146419	Hochleistungsheizpatrone Ø12.5 60mm 400W	WAN DRGSL mit iTemp Type K 1000mm LEGLS SERD	High performance cartridge heater	Ø12.5x60mm // 400W	5	Tuerk+Hillinger	A	10	316534
87	10458740	1005797_62_02_02_003__Stanzmesser IPL3	_	1005797_62_02_02_003__ Punching knife IPL3	_	1	3CON	A	40	1005797_62_02_02_003__Stanzmesser IPL3
88	10458741	1005797_62_02_02_004__Stanzmesser IPL4	_	1005797_62_02_02_004__ Punching knife IPL4	_	1	3CON	A	40	1005797_62_02_02_004__Stanzmesser IPL4
91	10458742	1005797_62_02_02_005__Stanzmesser IPL5	_	1005797_62_02_02_005__ Punching knife IPL5	_	1	3CON	A	40	1005797_62_02_02_005__Stanzmesser IPL5
92	10458743	1005797_62_02_02_006__Stanzmesser IPL6	_	1005797_62_02_02_006__ Punching knife IPL6	_	1	3CON	A	40	1005797_62_02_02_006__Stanzmesser IPL6
103	10458744	1005797_62_02_02_007__Stanzmesser IPL7	_	1005797_62_02_02_007__ Punching knife IPL7	_	1	3CON	A	40	1005797_62_02_02_007__Stanzmesser IPL7

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005797

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
112	10458745	1005797_62_02_02_008__Stanzmesser IPL8	_	1005797_62_02_02_008__ Punching knife IPL8	_	1	3CON	A	40	1005797_62_02_02_008__Stanzmesser IPL8
116	10458746	1005797_62_02_02_009__Stanzmesser IPL9	_	1005797_62_02_02_009__ Punching knife IPL9	_	1	3CON	A	40	1005797_62_02_02_009__Stanzmesser IPL9
124	10458747	1005797_62_02_02_010__Stanzmesser IPL10	_	1005797_62_02_02_010__ Punching knife IPL10	_	1	3CON	A	40	1005797_62_02_02_010__Stanzmesser IPL10
125	10458748	1005797_62_02_02_011__Stanzmesser IPL11	_	1005797_62_02_02_011__ Punching knife IPL11	_	1	3CON	A	40	1005797_62_02_02_011__Stanzmesser IPL11
126	10458749	1005797_62_02_02_012__Stanzmesser IPL12	_	1005797_62_02_02_012__ Punching knife IPL12	_	1	3CON	A	40	1005797_62_02_02_012__Stanzmesser IPL12
129	10458750	1005797_62_02_02_013__Stanzmesser IPL13	_	1005797_62_02_02_013__ Punching knife IPL13	_	1	3CON	A	40	1005797_62_02_02_013__Stanzmesser IPL13
140	10458751	1005797_62_02_02_014__Stanzmesser IPL14	_	1005797_62_02_02_014__ Punching knife IPL14	_	1	3CON	A	40	1005797_62_02_02_014__Stanzmesser IPL14
156	10458752	1005797_62_02_02_015__Stanzmesser IPL15	_	1005797_62_02_02_015__ Punching knife IPL15	_	1	3CON	A	40	1005797_62_02_02_015__Stanzmesser IPL15
166	10458753	1005797_62_02_02_016__Stanzmesser IPL16	_	1005797_62_02_02_016__ Punching knife IPL16	_	1	3CON	A	40	1005797_62_02_02_016__Stanzmesser IPL16
211	10035716	Fuehrungswagen	KWVE25-B-N-V1-G3	Guide cart	KWVE25-B-N-V1-G3	8	Schaeffler	A	50	KWVE25-B-N-V1-G3
212	10249335	Wegeventil	3 (5/3-Wege Mittelstellung geschlossen)	Directional control valve	3 (3 Position Closed Centre)	18	SMC	A	25	SY7320-5WAOUD-02F-Q
217	10005677	Schneidstecker	M12 Schneidstecker gerade D-cod.. 4-pol	Insulation displacement connection	M12 . D-cod.. 4-pin	1	Murr	A	120	7000-14521-0000000
261	10033794	Fuehrungswagen	KWVE35-B-V1-G3	Guide cart	KWVE35-B-V1-G3	8	Schaeffler	A	50	KWVE35-B-V1-G3
263	10248813	2x3/2 Magnetventil	SY5A20-5WAOUD-01F-X234-Q	Directional control valve	2xK / SY5A20-5WAOUD-01F-X234-Q	1	SMC	A	25	SY5A20-5WAOUD-01F-X234-Q
276	10027908	Kompaktzylinder	CD55B20-25M	Compact cylinder	CD55B20-25M	14	SMC	A	50	CD55B20-25M
282	10012645	V-Ring	D68-73	V-Ring	D68-73	3	*MISC*diverse*	A	50	10012645
284	10163099	Bandzylinder ohne KS	MY3M40TF-1400	Belt cylinder w/o rod	MY3M40TF-1400	2	SMC	A	10	MY3M40TF-1400
285	10004569	Analoges eingangsmodul	6ES7134-6JF00-0CA1	Analogue input module	6ES7134-6JF00-0CA1	2	Siemens	A	70	6ES7134-6JF00-0CA1
286	10285300	Fuehrungszylinder	MGPL50TF-25AZ-M9P	Guide cylinder	MGPL50TF-25AZ-M9P	4	SMC	A	10	MGPL50TF-25AZ-M9P
287	10458976	Fuehrungszylinder	MGPA63TF-25BZ-XC8	Guide cylinder	MGPA63TF-25BZ-XC8	2	SMC	A	15	MGPA63TF-25BZ-XC8
293	10458903	Fuehrungszylinder	MGPA40TF-25BZ-XC8	Guide cylinder	MGPA40TF-25BZ-XC8	1	SMC	A	50	MGPA40TF-25BZ-XC8
294	10015234	Fuehrungszylinder	MGPL63TF-50Z	Guide cylinder	MGPL63TF-50Z	1	SMC	A	10	MGPL63TF-50Z
295	10163094	ISO-Zylinder_(ISO 15552)__C96SDB80-580C	C96SDB80-580C	ISO-Zylinder_(ISO 15552)__C96SDB80-580C	C96SDB80-580C	2	SMC	A	10	C96SDB80-580C
296	10015233	Fuehrungszylinder	MGPL63TF-25Z	Guide cylinder	MGPL63TF-25Z	1	SMC	A	10	MGPL63TF-25Z
297	10486518	Kompaktzylinder mit Führung und Einfahrhubbegrenzung	MGPL25TF-50AZ-XC9	Compact cylinder with guide and retraction stroke limiter	MGPL25TF-50AZ-XC9	1	SMC	A	35	MGPL25TF-50AZ-XC9
298	10012550	Anlege-Wiederstandsthermometer	PT100. 400 Grad // 902550/99-402-1003-1-11-5000/315	Surface-mounted resistance thermometer	PT100. 400°C	3	Jumo	A	40	669631
299	10458992	5/3 Wegeventil	SY9320-5WAOU-C10F-Q	5/3 directional valve	SY9320-5WAOU-C10F-Q	3	SMC	A	25	SY9320-5WAOU-C10F-Q
300	10030477	Vakuumsaugduese	VN-30-H-T6-PQ4-VQ5-RO2	Vacuum generator	VN-30-H-T6-PQ4-VQ5-RO2	1	Festo	A	50	193497
301	10184522	Rundzylinder	CDG1BN50-250Z	Round cylinder	CDG1BN50-250Z	2	SMC	A	10	CDG1BN50-250Z
302	10253123	Kompaktzylinder	ADNGF-32-60-P-A-S2	Compact cylinder	ADNGF-32-60-P-A-S2	11	Festo	A	10	537127
303	10162722	Kurvenrolle	D52 M20x1.5	Curve roller	D52 M20x1.5	2	Schaeffler	A	50	NUKRE52-A
304	10015179	Fuehrungszylinder	MGPL25TF-50Z	Guide cylinder	MGPL25TF-50Z	1	SMC	A	50	MGPL25TF-50Z
305	10158055	Fuehrungswagen	KWVE20-B-N-G3-V1	Guide cart	KWVE20-B-N-G3-V1	4	Schaeffler	A	50	KWVE20-B-N-G3-V1
306	10028119	Kompaktzylinder	CD55B80-50M	Compact cylinder	CD55B80-50M	1	SMC	A	10	CD55B80-50M
307	10458902	Kompaktzylinder	JCDQA50TF-20	Compact cylinder	JCDQA50TF-20	2	SMC	A	30	JCDQA50TF-20
308	10486508	ISO-Zylinder (ISO 6432) C85	CD85N25-140-A	ISO cylinder (ISO 6432) C85	CD85N25-140-A	1	SMC	A	10	CD85N25-140-A
310	10146423	Hochleistungsheizpatrone Ø12.5 100mm 400W	WAN DRGSL mit iTemp Type K 1000mm LEGLS SERD	High performance cartridge heater	Ø12.5x100mm // 400W	6	Tuerk+Hillinger	A	10	316532
311	10393130	Druckregler. Rückstrom.. G1/2. AC40-D	CD85N25-140-A	Pressure regulator. Return flow. G1/2. AC40-D	AR40K-F04BE-D	1	SMC	A	10	AR40K-F04BE-D
312	10004100	Induktiver Sensor	NBN3-8GM25-E2-V3	Inductive sensor NO Non flush	NBN3-8GM25-E2-V3	6	Pepperl+Fuchs	A	50	304615-0115
313	10486505	Rillenkugellager	62202-A-2RSR	Ball bearing	62202-A-2RSR	2	Schaeffler	A	50	62202-A-2RSR
314	10015280	Balgensauger 2.5-fach	D18 Silikon transparent	Bellows cups 2.5 bellows	D18 mm silicone. transparent	15	Fipa	A	25	21.018.013.2/28
315	10016908	Anschlussteil	M6-AG	Connector	M6-AG	15	Fipa	A	10	270103
316	10458848	O-Ring NBR 70 Shore	Di70 s8	O-Ring NBR 70 Shore	Di70 s8	2	*MISC*diverse*	A	50	10458848
317	10159780	Flachdichtung	FLACHDI-DN12	Flat seal	FLSEAL-DN12	2	Würth	A	50	886000071
318	10482912	Haberkorn O-Ring NBR 70 Shore T07823	28x2.5 mm	O-ring	28x2.5 mm	30	*MISC*diverse*	A	50	T07823
319	10100717	O-Ring NBR 70 Shore	Di20 s2	O-ring	Di20 s2	13	*MISC*diverse*	A	50	10100717
320	10462788	O-Ring NBR 70 Shore	Di 28 s1.5	O-Ring NBR 70 Shore	Di 28 s1.5	18	*MISC*diverse*	A	50	10462788
321	10072430	O-Ring NBR 70 Shore	Di12 s2	O-Ring NBR 70 Shore	Di12 s2	15	*MISC*diverse*	A	50	10072430
322	10411123	O-Ring NBR 70 Shore	Di18 s1.5	O-Ring NBR 70 Shore	Di18 s1.5	4	*MISC*diverse*	A	50	10411123
393	10325983	1005110_40_25_001__Sonderluftduese_G1 3_8	_	Air nozzle	_	12	3CON	B	40	10325983
394	10458891	1005797_10_02_04_01_001__Auswerfer_1	_	Ejector_1	_	1	3CON	B	40	10458891
397	10458892	1005797 10 02 04 01 002 Auswerfer 2		Ejector 2		1	3CON	B	40	10458892
398	10458893	1005797 10 02 04 01 003 Auswerfer 3		Ejector 3		1	3CON	B	40	10458893
399	10458894	1005797 10 02 04 01 004 Auswerfer 4		Ejector 4		1	3CON	B	40	10458894
400	10458895	1005797 10 02 04 01 005 Auswerfer 5		Ejector 5		1	3CON	B	40	10458895
401	10458898	1005797_10_02_04_01_006__Auswerfer_6	_	Ejector_6	_	1	3CON	B	40	10458898
403	10458897	1005797_10_02_04_01_007__Auswerfer_7	_	Ejector_7	_	1	3CON	B	40	10458897
405	10458896	1005797_10_02_04_01_009__Auswerfer_9	_	Ejector_9	_	1	3CON	B	40	10458896
406	10458899	1005797_10_02_04_01_010__Auswerfer_10	_	Ejector_10	_	1	3CON	B	40	10458899
407	10458901	1005797 10 02 04 01 011 Auswerfer 11		Ejector 11		1	3CON	B	40	10458901
410	10458922	1005797 10 02 04 01 012 Auswerfer 12		Ejector 12		1	3CON	B	40	10458922
411	10458923	1005797 10 02 04 01 013 Auswerfer 13		Ejector 13		1	3CON	B	40	10458923
415	10458924	1005797 10 02 04 01 014 Auswerfer 14		Ejector 14		1	3CON	B	40	10458924
419	10012599	Bundbohrbuchse DIN 172	Di30 Da42 L25 Form A	Collar drill bush	Di30 Da42 L25mm // Form A // DIN172	1	*MISC*diverse*	B	50	10012599
420	10461615	1005797_10_02_04_01_014__Auswerfer_15	_	Ejector_15	_	1	3CON	B	40	10461615
423	10486525	1005797_10_02_06_001__Abdeckschieber (Fertigungsteil)	_	Cover slide (production part)	_	1	3CON	B	40	10486525
424	10486526	1005797_10_02_06_02_001__Abdeckschieber (Fertigungsteil)	_	Cover slide (production part)	_	1	3CON	B	40	10486526

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005797

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
473	10027836	Bundbohrbuchse DIN 172	Di15 Da22 L28 Form A	Collar drill bush	Di15 Da22 L28 // Form A // DIN172	2	*MISC*diverse*	B	50	10027836
504	10024967	Buchse		Bushing (mirrored)		4	3CON	B	40	s009 22 003 Buchse
506	10162728	Fuehrungsschiene	TKVD35-G3/1675-37.5/37.5	Guide rail	TKVD35-G3/1675-37.5/37.5	2	Schaeffler	B	10	TKVD35-G3/1675-37,5/37,5
508	10158064	Fuehrungsschiene	TKVD25-G3/1750-35/35	Guide rail	TKVD25-G3/1750-35/35	4	Schaeffler	B	10	TKVD25-G3/1750-35/35
509	10012902	Zentrierbolzen	Z56-32-1	Centring element	Z56-32-1	2	STRACK NORMA	B	10	40023-1
510	10012706	Zentrierbuchse	Z56-32-2	Centring element	Z56-32-2	2	STRACK NORMA	B	10	40023-2
511	10158058	Fuehrungsschiene	TKVD20-G3/320/40/40	Guide rail	TKVD20-G3/320/40/40	4	Schaeffler	B	50	TKVD20-G3/320/40/40
512	10012865	Zentrierbuchse	Z56-20-2	Centring element	Z56-20-2	1	STRACK NORMA	B	50	40019-2
513	10191524	Zentrierbuchse	Z56-20-2	Centring element	Z56-20-2	1	STRACK NORMA	B	10	40019-2
514	10036628	Fuehrungsschiene	TKVD25-G3/160-20/20	Guide rail	TKVD25-G3/160-20/20	2	Schaeffler	B	10	TKVD25-G3/160-20/20
515	10012848	Fuehrungsbuchse	D32	Guide bushing with collar	D32	2	Fibro	B	15	2102.70.032
553	10027829	Andockrahmen Han 24B	Bgr.: 24 B // 09 30 024 1701	Docking frame Han 24B	Size.: 24 B // 09 30 024 1701	4	HARTING	C	50	09 30 024 1701
556	10027837	Positionier-Element	GN 409.1-10-M8-B	Positioning element	GN 409.1-10-M8-B	2	Elesa+Ganter	C	10	GN 409.1-10-M8-B
558	10011715	Gelenkrahmen	Bgr.: 24. B 6 Module a-f // 09 14 024 0371	Articulated frame	Size: 24 B. 6 Module a-f // 09 14 024 0371	3	HARTING	C	50	09 14 024 0371
570	10016654	ZB Schlauchtuelle gerade mit Einschraubstutzen	G3/8 DN10	ZB hose nozzle straight with screw-in socket	G3/8 DN10	2	Hilgendorf	C	10	F07628 + F07663
575	10016680	Einschraubstutzen gerade Ausführung. aus Messing	n. Zg. 39 D 1403 Ausf. 2	Straight Coupler 3/8" brass	n. ref. 39 D 1403 version 2	6	Hilgendorf	C	50	1307563
578	10011473	Schutzleiter-Reihenklemme	ZPE 2.5/4AN	Protective conductor terminal block	ZPE 2.5/4AN	4	Weidmueller	C	10	1608660000
583	10016679	Schlauchtuelle gerade	n. Zg. 39-V-16631	10mm barb with 3/8" nut	Straight Barbed Fitting 3/8"	2	Hilgendorf	C	10	1208938
588	10011505	Durchgangs-Reihenklemme	ZDU 2.5/4AN	Feed-through terminal block	ZDU 2.5/4AN // ZDU 2.5/4AN	25	Weidmueller	C	50	1608570000
594	10011514	Abschlussplatte	ZAP/TW 3	Cover plate	ZAP/TW 3	10	Weidmueller	C	50	1608800000
597	10041733	Schlauchtuelle 90°	ÜM aus Stahl-verzinkt aus Messing	45* 10mm barb with 3/8" nut. brass	made of galvanized steel made of brass	4	Hilgendorf	C	10	1208007
601	10011825	Steckverbinder GST15I3S B1 ZR1W WS	Buchsenteil mit Zugentlastung 3-polig // 91.931.3053.0	Connector	Female part with Tension relief 3-pole // 91.931.3053.0	11	Wieland	C	50	91.931.3053.0
602	10011826	Steckverbinder GST15I3S S1 ZR1W WS	Steckerteil mit Zugentlastung 3-polig // 91.932.3053.0	Connector	Plug part with Tension relief 3-pole // 91.932.3053.0	11	Wieland	C	50	91.932.3053.0
666	10011502	Neutralleiter-Reihenklemme	ZNT 16S // 16 mm². 400 V. 76 A	Neutral conductor terminal block	ZNT 16S // ZNT 16S	1	Weidmueller	C	20	1739600000
677	10370153	Befestigungswinkel	SX7000-16-1A	Mounting bracket	SX7000-16-1A	18	SMC	C	50	SX7000-16-1A
683	10238436	Befestigungswinkel	SX5000-16-1A	Mounting bracket	SX5000-16-1A	1	SMC	C	50	SX5000-16-1A
690	10008298	gesteuertes Rueckschlagventil	HGL-1/8-QS-6	Piloted non return valve G1/8 6mm	HGL-1/8-QS-6	2	Festo	C	50	530040
698	10011823	Steckverbinder GST15I2S B1 ZR1W WS	Buchsenteil mit Zugentlastung 2-polig // 91.921.3053.0	Connector	Female connector with strain relief 2-pole // 91.921.3053.0	3	Wieland	C	50	91.921.3053.0
701	10011824	Steckverbinder GST15I2S S1 ZR1W WS	Steckerteil mit Zugentlastung 2-polig // 91.922.3053.0	Connector	Male connector with strain relief 2-pole // 91.922.3053.0	3	Wieland	C	50	91.922.3053.0
705	10075881	Einschraubanschluss gerade	D = 8mm G 1/8" AG	Straight screw-in connection	D = 8mm G 1/8" AG	4	H-Plus	C	50	10075881
737	10158061	Minispanner	Gr. 2 // Form A	Mini tensioner	Size 2 // Form A	10	Norelem	C	20	05650-0500411
746	10163088	Energiekette__1.624m 2700.15.150.0 + 2615.34PZB.A2	1.624m 2700.15.150.0 + 2615.34PZB.A2	Energy chain	1.624m 2700.15.150.0 + 2615.34PZB.A2	1	Igus	C	10	1.624m 2700.15.150.0 + 2615.34PZB.A2
747	10164059	Energiekette	0.896m E2i.38.150.125.0 + 2615.34PZB.A1	Energy chain	0.896m E2i.38.150.125.0 + 2615.34PZB.A1	2	Igus	C	15	0.896m E2i.38.150.125.0 + 2615.34PZB.A1
748	10163089	Energiekette__0.784m 2700.15.125.0 + 2615.34PZB.A2	0.784m 2700.15.125.0 + 2615.34PZB.A2	Energy chain	0.784m 2700.15.125.0 + 2615.34PZB.A2	1	Igus	C	15	0.784m 2700.15.125.0 + 2615.34PZB.A2
749	10008299	gesteuertes Rueckschlagventil	HGL-1/4-QS-8	Piloted non return valve G1/4 8mm	HGL-1/4-QS-8	3	Festo	C	50	530041
750	10005611	Flexo-Kupplung	FK-M20X1.5	Flexo coupling	FK-M20X1.5	2	Festo	C	50	6143
751	10253125	Wellenmanschette	Wellen-Ø 12mm x 11mm	Shaft collar	Ø 12mm x 11mm	26	Ruland	C	15	MSP-12-SS
752	10119810	Rueckschlagventil	ISV-1/4	Vacuum security valve	ISV-1/4	35	Festo	C	50	33970
753	10015406	Fussklemmstueck	FS30	Flange connection	FS30	18	Rose+Krieger	C	50	13300000020
754	10029497	Ausgleichselement	M16x1.5	Floating joint	M16x1.5	1	SMC	C	10	JAS0-16-150
755	10015645	Schlauchtuelle	G1"-AG - D32	Hose nozzle	G1"-AG - D32	2	Landefeld	C	50	GT 1032 MSV
756	10015655	Temperguss Knie	G2. 90 Grad	Malleable cast iron knee	G2. 90 Grad	4	*MISC*diverse*	C	50	10015655
757	10016980	Schalldaempfer	U-3/8-B	Silencer	U-3/8-B	4	Festo	C	50	6843
758	10166837	Drosselrueckschlagventil	AS2201F-02-10A	Throttle check valve	AS2201F-02-10A	4	SMC	C	10	AS2201F-02-10A
759	10029247	Gelenkkopf	M10x1.25 KJ10D	Rod end	M10x1.25 KJ10D	1	SMC	C	50	KJ10D
760	10007668	L-Steckverschraubung	QSLV-1/8-6	Push-in fitting	QSLV-1/8-6	2	Festo	C	50	153087
761	10168018	Fussbefestugung CG-L050	CG-L050	Foot mounting CG-L050	CG-L050	4	SMC	C	50	CG-L050
762	10007679	L-Steckverschraubung	QSLV-G1/8-8	Push-in fitting	QSLV-G1/8-8	4	Festo	C	50	186140
763	10393131	Druckregler Drehknopfsperre. AC40-D	AR44P-580AS	Pressure regulator Rotary knob lock. AC40-D	AR44P-580AS	1	SMC	C	50	AR44P-580AS
764	10390988	Gegenlager	C85C25	Counter bearing	C85C25	1	SMC	C	70	C85C25
765	10172051	Verschlussstopfen	G3/8" Messing	Plug	G3/8" brass	1	Landefeld	C	50	VS 38 MS OB
766	10168085	Igus Trennsteg 38.1	38.1	Separator	38.1	456	Igus	C	50	38.1
769	10063455	Spannflansch Werkzeug	TYP01 System	Clamping flange tool	TYP01 System	2	3CON	C	50	10063455 3CON Spannflansch Werkzeug TYP01 System
798	10203695	Zentriereinsatz	für 250er & 320er Anlagen	Centring insert (mirrored)	for 250 & 320 systems	1	3CON	C	50	10008143 3con Zentriereinsatz 250/320

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005799

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
6	10004444	Bundle PROFINET IM	6ES7155-6AA01-0BN0	Bundle PROFINET IM	6ES7155-6AA01-0BN0	2	Siemens	A	50	6ES7155-6AA01-0BN0
9	10011555	Web- und Applikationsserver	// pure.box 3	Web and application server	// pure.box 3	1	W&T	A	50	50518
11	10004179	Analoges eingangsmodul	SIMATIC ET 200SP. analoges Eingangsmodul. AI 4xRTD/TC High Feature. passend für BU-Typ A0. A1. Farbcode CC00. Kanal-Diagnose. 16Bit. +/-0.1%. 2-/3-/4-Wire	Analogue input module	SIMATIC ET 200SP. analogue input module. AI 4xRTD/TC High Feature suitable for BU types A0. A1. colour code CC00. channel diagnosis. 16Bit. +/-0.1%. 2-/3-/4-Wire	2	Siemens	A	70	6ES7134-6JD00-0CA1
17	10025168	Lichtleiter-Messverstaerker	FS-Neo	Light conductor amplifier	FS-Neo	6	Keyence	A	10	FS-N11CP
21	10004289	Digitales ausgangsmodul	SIMATIC ET 200SP. Digitales Ausgangsmodul. DQ 8x 24V DC/0.5A Standard. Source Output (PNP.P-schaltend) Verpackungseinheit: 1 Stück. passend für BU-Typ A0. Farbcode CC02. Ersatzwertausgabe. Modul-Diagnose für: Kurzschluss nach L+ und M. Drahtbruch. Versorgungsspannung	Digital output module	SIMATIC ET 200SP. digital output module. DQ 8x 24V DC/0.5A standard. source output (PNP. P-switching) packaging unit: 1 piece. suitable for BU type A0. colour code CC02. substitute value output.6ES7132-6BF01-0BA0	5	Siemens	A	70	6ES7132-6BF01-0BA0
28	10004452	Sensorleitung	M12 4pol 5M	Sensor-actuator cable	M12 4pol 5M	1	Murr	A	50	7000-14541-7960500
29	10004175	Digitales eingangsmodul	SIMATIC ET 200SP. Digitales Eingangsmodul. DI 8x 24VDC Standard. Eingangstyp 3 (IEC 61131). Sink Input. (PNP. P-lesend). Verpackungseinheit: 1 Stück. passend für BU-Typ A0. Farbcode CC01. Eingangsverzögerung 0.05..20ms. Modul-Diagnose für: Kurzschluss Geberversorgung. Drahtbruch. Versorgungsspannung	Digital input module	SIMATIC ET 200SP. Digital input module. DI 8x 24VDC standard. Input type 3 (IEC 61131). Sink input. (PNP. P-reading). Packaging unit: 1 piece. suitable for BU type A0. Color code CC01. Input delay 0.05..20ms. module diagnostics for: Short circuit encoder supply. Open circuit. Supply voltage	10	Siemens	A	70	6ES7131-6BF01-0BA0
31	10041638	Verschlusskupplung	RMI12.5103/JV	Seal coupling	RMI12.5103/JV	10	Stäubli	A	15	RMI12.5103/JV
35	10004177	Base Unit	6ES7193-6BP20-0DA0	SIMATIC ET 200SP. Base Unit BU. New load group	6ES7193-6BP20-0DA0	8	Siemens	A	70	6ES7193-6BP20-0DA0
36	10010927	Stiftmodul	modular. 12pol. 10A. Quick-Lock-Anschluss // 09 14 012 2632	Harting module 12pin. 10A. male	modular. 12pin. 10A. Quick-Lock connection // 09 14 012 2632	2	HARTING	A	10	09 14 012 2632
37	10010818	Lichtleitersensor	// FU-6F	Light conductor sensor	// FU-6F	6	Keyence	A	50	FU-6F
38	10011993	Stiftmodul	modular. 2pol. 70A. 6-16mm². Axialschraubanschluss // 09 14 002 2646	Pin module	modular. 2pin 70A. 6-16mm². axial screw connection // 09 14 002 2646	3	HARTING	A	10	09 14 002 2646
40	10004163	Base Unit	SIMATIC ET 200SP. Base-Unit BU15-P16+A10+2B. BU-Typ A0. Push-In-Klemmen. mit 10 AUX-Klemmen. nach links gebrückt. BxH: 15mmx141mm	SIMATIC ET 200SP. Base Unit BU type. bridge to the left	SIMATIC ET 200SP. Base Unit BU15-P16 + A10+2B. BU type A0. push-in terminals. with 10 AUX terminals. bridged to the left. WxH: 15mmx141mm	10	Siemens	A	70	6ES7193-6BP20-0BA0
41	10004150	Base Unit	6ES7193-6BP00-0BA1	Base Unit	6ES7193-6BP00-0BA1	2	Siemens	A	70	6ES7193-6BP00-0BA1
42	10010875	Stiftmodul	modular Quintax. 4pol. 10A. geschirmt. ohne Crimpkontakte // 09 15 004 3013	4 Pin 10A module male	modular Quintax. 4pin. 10A. shielded. without crimp contacts // 09 15 004 3013	2	HARTING	A	50	09 15 004 3013
46	10010944	Stifteinsatz	Bgr.: 24 B. 24pol. 16A. Schraubanschluss // 09 33 024 2601	Harting insert Size: 24 B. 24pin. 16A. screw connection male	Size: 24 B. 24pin. 16A. screw connection // 09 33 024 2601	4	HARTING	A	10	09 33 024 2601
48	10216168	Sensor- Aktorleitung	M8 3pol gerade 10M // BCC M313-0000-10-001-PX0334-100-C003	Sensor-actuator cable	M8 3-pin straight 10M // BCC M313-0000-10-001-PX0334-100-C003	48	Balluff	A	10	BCC0KKP
50	10004105	Halbleiter Reedschalter. PNP Schließer. Anschlussdrahtlänge 0.2m. LED Rot	D-M9PSAPC-595	Proximity switch Short	D-M9PSAPC-595	28	SMC	A	50	D-M9PSAPC-595
51	10011167	Relais	6A 250Vac. 1W. 24Vdc // RIF-0-RPT-24DC/21	Relay	6A 250Vac. 1 PDT .24Vdc // RIF-0-BPT/21	1	Phönix Contact	A	50	2903370
52	10011384	LED-Modul	grün. Boden // 3SU1401-2BB40-3AA0	LED module	green. floor // 3SU1401-2BB40-3AA0	1	Siemens	A	50	3SU1401-2BB40-3AA0
53	10010925	Stiftmodul	modular. 8pol. 16A. Quick-Lock-Anschluss // 09 14 008 2633	Harting module 8pin. 16A. male	modular. 8pin. 16A. Quick-Lock connection // 09 14 008 2633	5	HARTING	A	40	09 14 008 2633
55	10216169	Sensor- Aktorleitung	M8 4pol gerade 5M // BCC M314-0000-10-003-PX0434-050-C003	Sensor-actuator cable	M8 4-pin straight 5M // BCC M314-0000-10-003-PX0434-050-C003	12	Balluff	A	50	BCC0K8J
56	10004670	Drucktaster	Gruen	Push button green 22mm	3SU1051-0AB40-0AA0	1	Siemens	A	50	3SU1051-0AB40-0AA0
57	10011363	LED-Modul	gelb. Boden // 3SU1401-2BB30-3AA0	LED module yellow	3SU1401-2BB30-3AA0	1	Siemens	A	50	3SU1401-2BB30-3AA0
58	10010868	Stiftmodul	modular. 5pol. 16A. Käfigzugfederanschluss // 09 14 005 2616	5 Pin module male	modular. 5pin. 16A. cage clamp connection // 09 14 005 2616	10	HARTING	A	50	09 14 005 2616
59	10216167	Sensor- Aktorleitung	M8 3pol gerade 5M // BNI IOL-302-002-Z046	Sensor-actuator cable	M8 3pol gerade 5M // BNI IOL-302-002-Z046	8	Balluff	A	50	BALFBNI00AU
60	10011309	Leuchtdrucktaster	gelb // 3SU1051-0AB30-0AA0	Push button yellow	3SU1051-0AB30-0AA0	1	Siemens	A	50	3SU1051-0AB30-0AA0
61	10010866	Stiftmodul	modular Quintax // 09 14 002 3001	Harting Quintax module male	modular Quintax // 09 14 002 3001	2	HARTING	A	60	09 14 002 3001
79	10004147	SIMATIC ET 200SP. analoges Eingangsmodul. AI 4XI 2-/4-Wire Standard. Verpackungsmenge: 1 Stück. passend für BU-Typ A0. A1. Farbcode CC03. Modul-Diagnose. 16 Bit. +/-0.3%	6ES7134-6GD01-0BA1	Analogue input module	SIMATIC ET 200SP. analogue input module. AI 4XI 2-/4-Wire standard. packaging quantity: 1 piece. suitable for BU type A0. A1. colour code CC03. module diagnosis. 16 bit. +/-0.3%	1	Siemens	A	70	6ES7134-6GD01-0BA1
118	10004459	Elektronikmodul für ET 200SP	SIMATIC DP. Elektronikmodul für ET 200SP. F-DQ 4x24VDC/2A. 15mm Baubr.. bis PL E (ISO 13849) bis SIL 3 (IEC 61508)	Electronics module for ET 200SP	SIMATIC DP. electronics module for ET 200SP. F-DQ 4x24VDC/2A. 15mm width. up to PL E (ISO 13849) up to SIL 3 (IEC 61508)	1	Siemens	A	70	6ES7136-6DB00-0CA0
121	10143785	Elektronikmodul für ET 200SP	SIMATIC DP. Elektronikmodul für ET 200SP. F-DI 8x 24VDC HF. 15mm Baubr.. bis PL E (ISO 13849-1)/ SIL3 (IEC 61508)	Electronics module for ET 200SP	SIMATIC DP. electronic module for ET 200SP. F-DI 8x 24 V DC HF. 15 mm width. up to PLe (ISO 13849-1)/ SIL3 (IEC 61508)	1	Siemens	A	70	6ES7136-6BA01-0CA0
147	10248815	5/2-Wege-Magnetventil	SY5220-5WAOUD-01F-Q	Directional control valve	J	1	SMC	A	35	SY5220-5WAOUD-01F-Q
159	10008489	Schmierstoffgeber	Futura SF02	Lubricator	Futura SF02	2	PermaTec	A	10	107008
180	10011386	LED-Modul	weiß. Boden // 3SU1401-2BB60-3AA0	LED module white	3SU1401-2BB60-3AA0	1	Siemens	A	50	3SU1401-2BB60-3AA0
187	10004334	Leuchtdrucktaster. 22 mm. rund. Metall. hochglanz. weiß. Druckknopf. flach. tastend	Weiss	Push button - white 22mm	3SU1051-0AB60-0AA0	4	Siemens	A	50	3SU1051-0AB60-0AA0
205	10015192	Fuehrungszylinder	MGPL32TF-50Z	Guide cylinder	MGPL32TF-50Z	1	SMC	A	50	MGPL32TF-50Z
206	10015189	Fuehrungszylinder	MGPL32TF-25Z	Guide cylinder	MGPL32TF-25Z	3	SMC	A	10	MGPL32TF-25Z
210	10012522	Fuss-Grobhandtaster	FAK-5/KC11/I. 1OE+1S	Palm switch	FAK-5/KC11/I. 1NC+1NO	2	Eaton	A	50	229749
212	10249335	Wegeventil	3 (5/3-Wege Mittelstellung geschlossen)	Directional control valve	3 (3 Position Closed Centre)	4	SMC	A	25	SY7320-5WAOUD-02F-Q
217	10005677	Schneidstecker	M12 Schneidstecker gerade D-cod.. 4-pol	Insulation displacement connection	M12 . D-cod.. 4-pin	1	Murr	A	120	7000-14521-0000000
225	10041654	Signalgeber elektronisch PNP. LED rot. 3-Draht 4.5-28VDC. Kabel axial 0.5m M8. Direktmontage	D-M9PSAPC	Proximity switch Long	PNP. LED red. 3-wire 4.5-28VDC. cable axial 0.5m M8. direct mounting	2	SMC	A	50	D-M9PSAPC
226	10035729	Näherungsschalter	SMT-8M-A-PS-24V-E-0.3-M8D	Proximity sensor T slot	SMT-8M-A-PS-24V-E-0.3-M8D	6	Festo	A	50	574334
228	10459347	1005799 30 02 01 01 001 Greifer 1	(mirrored)	Gripper 1	(mirrored)	1	3CON	A	40	10459347
229	10459338	1005799_30_02_01_01_001__Greifer_1	_	Gripper_1	_	1	3CON	A	40	10459338
230	10459349	1005799_30_02_03_01_001__Greifer_3	_	Gripper_3	_	1	3CON	A	40	10459349
231	10459362	1005799_30_02_04_01_001__Greifer_4	(mirrored)	Gripper_4	(mirrored)	1	3CON	A	40	10459362
232	10459358	1005799_30_02_04_01_001__Greifer_4	_	Gripper_4	_	1	3CON	A	40	10459358
233	10459366	1005799 30 02 06 01 001 Greifer 6		Gripper 6		1	3CON	A	40	10459366
234	10459050	Kegelradgetriebemotor	K19CMP63S/BK/PK/AK0H/SB1 - lt. Angebot 417949886A Pos 02	Bevel geared motor	K19CMP63S/BK/PK/AK0H/SB1 - lt. Angebot 417949886A Pos 02	1	SEW	A	20	K19CMP63S/BK/PK/AK0H/SB1, Angebot 417949886A, Pos 02
239	10459502	Klemm- und Bremselement pneumatisch	100x109x42 // UBPS3502BS1	clamping element	100x109x42 // UBPS3502BS1	3	Zimmer Group	A	20	UBPS3502BS1
240	10397110	Normzylinder	mit Verriegelung	Cylinder screw	CP96ND850-600C	3	SMC	A	10	CP96ND850-600C
250	10008173	Sensorkopf	Infrarot-Thermosensor (0-500°C)	Sensor head	Infrared thermal sensor (0-500°C)	2	Keyence	A	50	FT-H20
252	10011320	Auswerteeinheit	IR-Thermosensor // FT-50AWP	Evaluation unit	IR-Thermosensor // FT-50AWP	2	Keyence	A	20	FT-50AWP
257	10015222	Fuehrungszylinder	MGPL50TF-50Z	Guide cylinder	MGPL50TF-50Z	2	SMC	A	50	MGPL50TF-50Z
258	10220420	Eigenständiger Fotoelektrischer Sensor PZ-V32. PNP. M8-Stecker	PZ-V32. PNP. M8-Stecker	Square Reflective M8 Connector Type. PNP	PZ-V32. PNP. M8 plug	2	Keyence	A	50	PZ-V32P

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005799

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
259	10015221	Fuehrungszylinder	MGPL50TF-25Z	Guide cylinder	MGPL50TF-25Z	1	SMC	A	10	MGPL50TF-25Z
260	10014595	Durchflussschalter	PFM710S-C4-B-WS	Flow switch	PFM710S-C4-B-WS	2	SMC	A	20	PFM710S-C4-B-WS
261	10033794	Fuehrungswagen	KWVE35-B-V1-G3	Guide cart	KWVE35-B-V1-G3	10	Schaeffler	A	50	KWVE35-B-V1-G3
262	10249332	2x3/2 Magnetventil	SY7A20-5WAOUD-02F-X299-Q	Directional control valve	2xK	2	SMC	A	30	SY7A20-5WAOUD-02F-X299-Q
263	10248813	2x3/2 Magnetventil	SY5A20-5WAOUD-01F-X234-Q	Directional control valve	2xK / SY5A20-5WAOUD-01F-X234-Q	1	SMC	A	25	SY5A20-5WAOUD-01F-X234-Q
264	10015175	Fuehrungszylinder	MGPL25TF-20Z	Guide cylinder	MGPL25TF-20Z	2	SMC	A	50	MGPL25TF-20Z
265	10035641	Einschraub-Widerstandsthermometer	PT100 // 902040/10-387-1003-1-7.5-29-121-20	Screw-in resistance thermometer	PT100. 270°C	2	Jumo	A	40	446901
266	10015163	Fuehrungszylinder	MGPL20TF-20Z	Guide cylinder	MGPL20TF-20Z	4	SMC	A	50	MGPL20TF-20Z
267	10005037	Reflexions-Lichttaster	OBT300-R100-2EP-IO-V31-L	Reflection light scanner	OBT300-R100-2EP-IO-V31-L	4	Pepperl+Fuchs	A	50	267075-0059
268	10041497	Fuehrungswagen	KWVE20-B-V1-G3	Guide cart	KWVE20-B-V1-G3	6	Schaeffler	A	50	KWVE20-B-V1-G3
269	10321476	5/3 Magnetventil	SY5320-5WAOUD-01F-Q	Directional control valve	G / 3 (3 Position Closed Centre)	4	SMC	A	30	SY5320-5WAOUD-01F-Q
270	10014178	Wartungseinheit	Baugröße 20. Anschlussgröße G1/8	Maintenance unit	Size 20. connection size G1/8	1	SMC	A	15	AC20-A-0738OAY
271	10008174	Schwenkantrieb	CRB2BW15-90SEZ	Swivel drive	CRB2BW15-90SEZ	2	SMC	A	50	CRB2BW15-90SEZ
272	10492053	Kupplung für 902040/10	2.5m // 00308880	Coupling for 902040/10	2.5m // 00308880	2	Jumo	A	30	308880
273	10027999	Kompaktzylinder	CD55B63-25M	Compact cylinder	CD55B63-25M	4	SMC	A	50	CD55B63-25M
274	10005477	Rollenendschalter	M12 4-polig	Role Limit Switch	M12 4pin	1	Siemens	A	50	3SE5234-0HK50-1AC4
275	10016799	Induktiver Sensor	IME18. M12 4-polig // IME18-05BPSZC0S	Inductive sensor	IME18. M12 4pin // IME18-05BPSZC0S	2	Sick	A	100	1040934
276	10027908	Kompaktzylinder	CD55B20-25M	Compact cylinder	CD55B20-25M	4	SMC	A	50	CD55B20-25M
277	10390886	Rundzylinder	CD85N16-25-B	Round cylinder	CD85N16-25-B	7	SMC	A	50	CD85N16-25-B
278	10006253	Induktiver Sensor	IME12-04BPSZC0S	Inductive sensor	IME12-04BPSZC0S	9	Sick	A	90	1040764
279	10269913	Sensor- Aktorleitung	M12 5pol gerade 5M // BCC M415-0000-1A-017-PX0534-050-C003	Sensor-actuator cable	M12 5pol straight 5M // BCC M415-0000-1A-017-PX0534-050-C003	12	Balluff	A	30	BCC0MKW
280	10033999	Rillenkugellager	Di30 Da55 B13	Deep groove ball bearing	Di30 Da55 B13	4	FAG	A	50	6006-2RSR
281	10012190	Drucktaster	schwarz. tastend. Metall // 3SU10000-AB100-AA0	Push button	black. momentary contact. metal // 3SU1030-0AB10-0AA0	2	Siemens	A	15	3SU10000AB100AA0
282	10012645	V-Ring	D68-73	V-Ring	D68-73	4	*MISC*diverse*	A	50	10012645
288	10041496	IR-Strahler	KW-L700 4200W-230V-UL-C hor	IR radiator (mirrored)	KW-L700 4200W-230V-UL-C hor	2	3CON	A	40	10000005
289	10026325	IR-Strahler	KW-L500 3000W-230V-UL-C hor	IR radiator (mirrored)	KW-L500 3000W-230V-UL-C hor	36	3CON	A	40	10000004
290	10249378	IR-Strahler	KW-L80 600W-230V-UL-B uni	IR radiator	KW-L80 600W-230V-UL-B uni	2	3CON	A	25	10249378
291	10026323	IR-Strahler	KW-L340_2040W-230V-UL-B_hor	IR radiator (mirrored)	KW-L340_2040W-230V-UL-B_hor	20	3CON	A	40	10000003
292	10308524	IR-Strahler	KW-L235_1360W-230V-UL-B_uni	IR radiator	KW-L235_1360W-230V-UL-B_uni	8	3CON	A	40	10308524
326	10240205	Stirnzahnrad	T20 m2 B20	Spur gear	T20 m2 B20	2	3CON	A	40	10240205__3CON__Stirnzahnrad__T20 m2 B20
409	10025487	Fuehrungssaeule	202.23.050.200.10	Guide column	202.23.050.200.10	4	Fibro	B	10	202.23.050.200.10
419	10012599	Bundbohrbuchse DIN 172	Di30 Da42 L25 Form A	Collar drill bush	Di30 Da42 L25mm // Form A // DIN172	1	*MISC*diverse*	B	50	10012599
456	10459161	1005799 10 03 01 01 001 Schieber 1		Slider 1		1	3CON	B	40	10459161
457	10459162	1005799 10 03 02 01 001 Schieber 2		slider 2		1	3CON	B	40	10459162
458	10459163	1005799_10_03_03_01_001__Schieber_3_Segment_1	_	slider_3_segment_1	_	1	3CON	B	40	10459163
459	10459472	1005799_10_03_03_01_002__Schieber_3_Segment_2	_	slider_3_segment_2	_	1	3CON	B	40	10459472
460	10459473	1005799_10_03_03_01_003__Schieber_3_Segment_3	_	slider_3_segment_30	_	1	3CON	B	40	10459473
461	10459474	1005799_10_03_03_01_004__Schieber_3_Segment_4	_	slider_3_segment_4	_	1	3CON	B	40	10459474
462	10459475	1005799_10_03_03_01_005__Schieber_3_Segment_5	_	slider_3_segment_5	_	1	3CON	B	40	10459475
466	10459164	1005799_10_03_04_01_001__Schieber_4_Segment_1	_	slider_4_segment_1	_	1	3CON	B	40	10459164
468	10459480	1005799_10_03_04_01_002__Schieber_4_Segment_2	_	slider_4_segment_2	_	1	3CON	B	40	10459480
470	10459481	1005799_10_03_04_01_003__Schieber_4_Segment_3	_	slider_4_segment_3	_	1	3CON	B	40	10459481
471	10459482	1005799_10_03_04_01_004__Schieber_4_Segment_4	_	slider_4_segment_4	_	1	3CON	B	40	10459482
472	10459440	1005799_10_03_05_01_001__Schieber_5	_	Slider_5	_	1	3CON	B	40	10459440
473	10027836	Bundbohrbuchse DIN 172	Di15 Da22 L28 Form A	Collar drill bush	Di15 Da22 L28 // Form A // DIN172	4	*MISC*diverse*	B	50	10027836
475	10459448	1005799_10_03_05_01_002__Anschraubplatte_Schieber_5	_	Screw-on plate_slider_5	_	2	3CON	B	40	10459448
476	10459441	1005799 10 03 06 01 001 Schieber 6		Slider 6		1	3CON	B	40	10459441
484	10459230	Fuehrungsschiene	TKVD35-G3/1700-50/50	Guide rail	TKVD35-G3/1700-50/50	2	Schaeffler	B	50	TKVD35-G3/1700-50/50
486	10459495	Gelenkwelle Elastomer	EZ2/60/20-PFN/20 L862	Elastomer drive shaft	EZ2/60/20-PFN/20 L862	2	R+W	B	20	EZ2/60/20-PFN/20 L862
487	10260455	Fuehrungsschiene	TKVD35-G3/1000-20/20	Guide rail	TKVD35-G3/1000-20/20	3	Schaeffler	B	10	TKVD35-G3/1000-20/20
488	10073569	Stossdaempfer	YSR-12-12-C	Shock absorber	34572 - YSR-12-12-C	6	Festo	B	25	34572
496	10028150	Fuehrungsbuchse	Di20 Da30 L40	Guide bushing	Di20 Da30 L40	1	Fibro	B	10	2052.70.020.030.040
497	10015603	Fuehrungsschiene	TKVD20-G3/120-30/30	Guide rail	TKVD20-G3/120-30/30	6	Schaeffler	B	10	TKVD20-G3/120-30/30
498	10008712	Zugfeder	Z-060E-01I	Tension spring	Z-060E-01I	2	Gutekunst	B	50	Z-060E-01I
499	10087500	Gleitlager	Da07 Di05 L10	Sleeve bearing	Da07 Di05 L10	7	Igus	B	10	LSM-0507-10
501	10030764	Vakuumduese	10mm 0.6/10/4/7/24	Core vent with holes	10mm 0.6/10/4/7/24	960	Peter Kröner	B	50	11631042
504	10024967	Buchse		Bushing (mirrored)		6	3CON	B	40	s009 22 003 Buchse
517	10404113	Nadel (Fertigungsteil)	_	Needle	_	7	3CON	B	40	10404113
518	10426028	Nadel (Fertigungsteil)	_	Needle	_	7	3CON	B	40	10426028
520	10039614	ZB Fuehrungsbuchse	D50	assembly guide bushing (mirrored)	D50	4	3CON	B	40	10039614
539	10095135	ZB_Fuehrungsbuchse_3CON	D50_verpresst	ZB_guide bushing pressed_3CON	D50_pressed	4	3CON	B	50	s009_01_02__ZB_Fuehrungsbuchse_3CON_D50
548	10008538	Buegelgriff	GN 728-180-B-SW	Bow-type handle	GN 728-180-B-SW	2	Elesa+Ganter	C	10	GN 728-180-B-SW
553	10027829	Andockrahmen Han 24B	Bgr.: 24 B // 09 30 024 1701	Docking frame Han 24B	Size.: 24 B // 09 30 024 1701	8	HARTING	C	50	09 30 024 1701
555	10017230	ZB Schlauchtuelle 90 Grad mit Einschraubstutzen	G1/2 DN13	ZB hose nozzle 90 degrees with screw-in socket	G1/2 DN13	12	Hilgendorf	C	10	F07622 + F07675
556	10027837	Positionier-Element	GN 409.1-10-M8-B	Positioning element	GN 409.1-10-M8-B	4	Elesa+Ganter	C	10	GN 409.1-10-M8-B
558	10011715	Gelenkrahmen	Bgr.: 24. B 6 Module a-f // 09 14 024 0371	Articulated frame	Size: 24 B. 6 Module a-f // 09 14 024 0371	4	HARTING	C	50	09 14 024 0371
563	10041641	Schlauchtuelle 90°	ÜM aus Stahl-verzinkt aus Messing	90° 13mm barb with 1/2" nut. brass	made of galvanized steel made of brass	12	Hilgendorf	C	50	1208012
569	10025060	ZB Schlauchtuelle gerade mit Einschraubstutzen	G1/2 DN13	ZB hose nozzle straight with screw-in socket	G1/2 DN13	16	Hilgendorf	C	10	F07630 + F07675
572	10011353	Kontaktmodul	1S. Boden // 3SU1400-2AA10-3BA0	Contact module 1NO Spring Type. floor	1NO. Boden // 3SU1400-2AA10-3BA0	7	Siemens	C	50	3SU1400-2AA10-3BA0

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005799

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
573	10035662	Einschraubstutzen gerade Ausführung. aus Messing	n. Zg. 39 D 1403 Ausf. 3	Straight Coupler ½". brass	n. Zg. 39 D 1403 version 3	28	Hilgendorf	C	50	1307565
578	10011473	Schutzleiter-Reihenklemme	ZPE 2.5/4AN	Protective conductor terminal block	ZPE 2.5/4AN	4	Weidmueller	C	10	1608660000
579	10041640	Schlauchtuelle gerade	n. Zg. 39-V-16631	13mm barb with 1/2" nut	n. Zg. 39-V-16631	16	Hilgendorf	C	30	1208939
582	10011194	Halter	3SU1550-0AA10-0AA0	Push Button Holder	3SU1550-0AA10-0AA0	5	Siemens	C	50	3SU1550-0AA10-0AA0
585	10008209	Kegelschmiernippel	M6 45°	Conical grease nipple	M6 45°	8	*MISC*diverse*	C	50	10008209
588	10011505	Durchgangs-Reihenklemme	ZDU 2.5/4AN	Feed-through terminal block	ZDU 2.5/4AN // ZDU 2.5/4AN	25	Weidmueller	C	50	1608570000
592	10027834	Einsteckstopfen	33.5mm	Push-in plug	33.5mm	4	Essentra	C	50	12805
594	10011514	Abschlussplatte	ZAP/TW 3	Cover plate	ZAP/TW 3	10	Weidmueller	C	50	1608800000
603	10267888	L-Steckverschraubung	4mm M5 AG	Push-in L-fitting	4mm M5 AG	22	Riegler	C	50	109259
640	10005409	Gehäuse für Befehlsgeräte. 22 mm. rund. Gehäusematerial Kunststoff. Gehäuseoberteil grau. 2 Befehlsstellen Kunststoff. Vertiefung für Schilder. ohne Bestückung	2 Befehlsstellen // 3SU1802-0AA00-0AB1	Casing	2 control points // 3SU1802-0AA00-0AB1	2	Siemens	C	50	3SU1802-0AA00-0AB1
674	10008498	Aktivierungsschraube	grau 12-Monate	Activation screw	12 months // grey	2	PermaTec	C	50	101335
677	10370153	Befestigungswinkel	SX7000-16-1A	Mounting bracket	SX7000-16-1A	4	SMC	C	50	SX7000-16-1A
683	10238436	Befestigungswinkel	SX5000-16-1A	Mounting bracket	SX5000-16-1A	6	SMC	C	50	SX5000-16-1A
689	10030765	Klemmenkasten KX1528000. BHT: 200x150x80 mm. Ausschnitt rückseitig	Y212156	Terminal box KX1528000. WHT: 200x150x80 mm. Cut-out on the back	Y212156	1	Rittal	C	35	Y212156
703	10075956	Winkeleinschraubanschluss mini	D = 4mm M3 AG	Angled screw-in connection mini	D = 4mm M3 AG	2	H-Plus	C	40	10075956
705	10075881	Einschraubanschluss gerade	D = 8mm G 1/8" AG	Straight screw-in connection	D = 8mm G 1/8" AG	4	H-Plus	C	50	10075881
712	10459404	Energiekette Serie 2500	1.426m 2500.12.200.0 + 2125.2PZB+.A1 + 2125.3PZB+.A1	Energy chain 2500 series	1.426m 2500.12.200.0 + 2125.2PZB+.A1 + 2125.3PZB+.A1	2	Igus	C	15	1.426m 2500.12.200.0 + 2125.2PZB+.A1 + 2125.3PZB+.A1
713	10459503	Energiekette	1.288m E2.26.038.150.0+2030.12PZB+A1	Energy chain	1.288m E2.26.038.150.0+2030.12PZB+A1	3	Igus	C	15	1.288m E2.26.038.150.0+2030.12PZB+A1
714	10029640	Ausgleichselement. Standard	M16x1.5	Floating joint	M16x1.5	3	SMC	C	50	JAF50-16-150
715	10029512	Ausgleichselement. Standard	M12x1.25	Floating joint	M12x1.25	3	SMC	C	10	JAF40-12-125
716	10008510	Gewindetuelle GTTW 11238 MS	G1 1/2	Threaded socket	G1 1/2	12	Landefeld	C	50	GTTW 11238 MS
717	10069892	Verschlussschraube	1-1/2" ISK. Messing	Screw plug with hexagon socket. nickel-plated brass	1-1/2" ISK. Brass	2	Landefeld	C	50	VS 112 MS
718	10261055	Montagehalterung	STAR Standard Duty G1/4i	Mounting bracket	STAR Standard Duty G1/4i	2	PermaTec	C	50	109663
719	10012900	Drosselrueckschlagventil	GR-QS-6	One way control valve 6mm	GR-QS-6	2	Festo	C	50	193969
720	10261054	Schlauchanschluss	G1/4a D8 90°	Hose connection	G1/4a D8 90°	2	PermaTec	C	50	101497
721	10005749	Gehaeuse	1 Befehlsstelle // 3SU1801-0AA00-0AB1	Casing	1 command point // 3SU1801-0AA00-0AB1	1	Siemens	C	40	3SU1801-0AA00-0AB1
722	10014532	Anschlagschraube	M5x6 (RG) D8x5 (Kopf) NiRo	Stop screw	M5x6 (thread) D8x5 (head) cres	3	Misumi	C	15	SSTEH8
723	10283675	Schlauchanschluss	G1/4a D8 gerade	Hose connection	G1/4a D8 straight	2	PermaTec	C	50	101496
724	10011090	Schutzhaube	// ZS-33-F	Protective hood	// ZS-33-F	2	SMC	C	50	ZS-33-F
725	10390995	Montageset für Signalgeber	BJ6-016	Mounting set for signaling device	BJ6-016	7	SMC	C	50	BJ6-016
726	10027809	Steckverschraubung	M6 D4	Push-in fitting	M6 D4	4	H-Plus	C	50	881845
727	10011525	Doppelstock-Reihenklemme	ZDK 1.5 // ZDK 1.5	Double-deck terminal block	ZDK 1.5 // ZDK 1.5	12	Weidmueller	C	50	1791100000
728	10035895	Feder für Zwillingsrohr	22x10	Spring for twin tube	22x10	135	Heraeus	C	10	9759285
729	10015048	Schalldaempfer	M3	Silencer	M3	2	SMC	C	50	AN120-M3
730	10267889	Gerade Steckverschraubung	4mm M5 AG	Straight push in fitting	4mm M5 AG	2	Riegler	C	50	109112
731	10456337	Einschraubanschluss gerade	D = 4mm G 1/8" AG	Straight screw-in connection	D = 4mm G 1/8" AG	7	H-Plus	C	40	10456337
732	10013350	Stabmagnet	D3 H6	Bar magnet	D3 H6	2	*MISC*diverse*	C	10	S-03-06-N
733	10074771	Trennsteg_schmal__26.2	26.2	Separator	26.2	130	Igus	C	10	26.2
734	10008178	Durchfuehrung	LA 3	Bushing	LA 3	2	Lapp	C	10	61713520
735	10044550	Kabelhalter	3.1mm Kabel	Cable holder	3.1mm cable	2	RS-Components	C	50	817-8956
767	10027808	Schmierblock doppelt	s009 039	Scratchpad Double (mirrored)	s009 039	2	3CON	C	40	s009 039 Schmierblock doppelt
769	10063455	Spannflansch Werkzeug	TYP01 System	Clamping flange tool	TYP01 System	2	3CON	C	50	10063455 3CON Spannflansch Werkzeug TYP01 System
774	10045979	Zahnstange	B20 m2 L2000	Rack (mirrored)	B20 m2 L2000	2	3CON	C	40	10037318 3CON Zahnstange B20 m2 L2000
798	10203695	Zentriereinsatz	für 250er & 320er Anlagen	Centring insert (mirrored)	for 250 & 320 systems	1	3CON	C	50	10008143__3con__Zentriereinsatz__250/320

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005800

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
1	10255266	Rillenkugellager	Di30 Da62 B16	Deep groove ball bearing	Di30 Da62 B16	8	FAG	A	50	6206-C-2HRS-L038
391	10104462	Lenkrolle mit Feststeller und Fussschutz	KS LG 4/200/50K-FSTF-FU-S	Swivel castor with directional lock and feet protection	KS LG 4/200/50K-FSTF-FU-S	4	Wicke	B	10	42837
392	10104464	Lenkrolle	KS LG 4/200/50K	Swivel castor	KS LG 4/200/50K	4	Wicke	B	10	241123
395	10008520	Fuehrungsbuchse	Di8 Da12 B15	Guide bushing with flange	Di8 Da12 B15	4	Misumi	B	10	MPFZ8-15
396	10018483	Schraubendruckfeder DIN ISO 10243	HülsenØ20 DornØ10 L38 R33.3	Helical compression spring DIN ISO 10243	Sleeve Ø20 Mandrel Ø10 L38 R33.3	2	Fibro	B	50	241.14.20.038
505	10016429	Fuehrungsbuchse	1001100 70 01 02 006	Guide bushing	1001100 70 01 02 006	2	3CON	B	40	10016429 3CON Fuehrungsbuchse 1001100 70 01 02 006
544	10008609	Paletten-Rollenschiene	NR100/52 17 Rollen	Roller rails	NR100/52 17 rolls	2	Fourtec	C	50	204001
547	10008486	Kugelknopf	GN 319.5-40-M10-B	Ball button	GN 319.5-40-M10-B	4	Elesa+Ganter	C	10	GN 319.5-40-M10-B
548	10008538	Buegelgriff	GN 728-180-B-SW	Bow-type handle	GN 728-180-B-SW	4	Elesa+Ganter	C	10	GN 728-180-B-SW
549	10004844	Rastbolzen	GN 607-8-A-ST	Locking pin	GN 607-8-A-ST	4	Elesa+Ganter	C	50	GN 607-8-A-ST
711	10043570	Paletten-Rollenschiene	NR100/52 19 Rollen	Roller rails	NR100/52 // 19 Rolls	2	Fourtec	C	10	204001
771	10104427	Verriegelungswelle	1001100_70_01_01_002	Locking shaft	1001100_70_01_01_002	4	3CON	C	40	10104427__3CON__Verriegelungswelle__1001100_70_01_01_002
772	10153535	Wagengriff	1001100_70_01_01_003	Cart handle	1001100_70_01_01_003	4	3CON	C	40	10153535__3CON__Wagengriff__1001100_70_01_01_003

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005801

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
1	10255266	Rillenkugellager	Di30 Da62 B16	Deep groove ball bearing	Di30 Da62 B16	4	FAG	A	50	6206-C-2HRS-L038
391	10104462	Lenkrolle mit Feststeller und Fussschutz	KS LG 4/200/50K-FSTF-FU-S	Swivel castor with directional lock and feet protection	KS LG 4/200/50K-FSTF-FU-S	2	Wicke	B	10	42837
392	10104464	Lenkrolle	KS LG 4/200/50K	Swivel castor	KS LG 4/200/50K	2	Wicke	B	10	241123
395	10008520	Fuehrungsbuchse	Di8 Da12 B15	Guide bushing with flange	Di8 Da12 B15	2	Misumi	B	10	MPFZ8-15
396	10018483	Schraubendruckfeder DIN ISO 10243	HülsenØ20 DornØ10 L38 R33.3	Helical compression spring DIN ISO 10243	Sleeve Ø20 Mandrel Ø10 L38 R33.3	1	Fibro	B	50	241.14.20.038
505	10016429	Fuehrungsbuchse	1001100 70 01 02 006	Guide bushing	1001100 70 01 02 006	1	3CON	B	40	10016429 3CON Fuehrungsbuchse 1001100 70 01 02 006
547	10008486	Kugelknopf	GN 319.5-40-M10-B	Ball button	GN 319.5-40-M10-B	2	Elesa+Ganter	C	10	GN 319.5-40-M10-B
548	10008538	Buegelgriff	GN 728-180-B-SW	Bow-type handle	GN 728-180-B-SW	2	Elesa+Ganter	C	10	GN 728-180-B-SW
549	10004844	Rastbolzen	GN 607-8-A-ST	Locking pin	GN 607-8-A-ST	2	Elesa+Ganter	C	50	GN 607-8-A-ST
709	10061913	Paletten-Rollenschiene	NR100/52 24 Rollen L1222	Roller rails	NR100/52 24 rolls L1222	1	Fourtec	C	10	204101
710	10113119	Paletten-Rollenschiene	NR100/52 22 Rollen	Roller rails	NR100/52 22 rolls	1	Fourtec	C	10	204101
711	10043570	Paletten-Rollenschiene	NR100/52 19 Rollen	Roller rails	NR100/52 // 19 Rolls	1	Fourtec	C	10	204001
773	10423465	Wagengriff	1001100_70_01_01_003	Cart handle	1001100_70_01_01_003	2	3CON	C	40	10153535__3CON__Wagengriff__1001100_70_01_01_003

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005803

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
6	10004444	Bundle PROFINET IM	6ES7155-6AA01-0BN0	Bundle PROFINET IM	6ES7155-6AA01-0BN0	2	Siemens	A	50	6ES7155-6AA01-0BN0
9	10011555	Web- und Applikationsserver	// pure.box 3	Web and application server	// pure.box 3	1	W&T	A	50	50518
11	10004179	Analoges eingangsmodul	SIMATIC ET 200SP. analoges Eingangsmodul. AI 4xRTD/TC High Feature. passend für BU-Typ A0. A1. Farbcode CC00. Kanal-Diagnose. 16Bit. +/-0.1%. 2-/3-/4-Wire	Analogue input module	SIMATIC ET 200SP. analogue input module. AI 4xRTD/TC High Feature suitable for BU types A0. A1. colour code CC00. channel diagnosis. 16Bit. +/-0.1%. 2-/3-/4-Wire	4	Siemens	A	70	6ES7134-6JD00-0CA1
15	10008794	Anlege-Widerstandsthermometer	PT100 180 Grad	Surface-mounted resistance thermometer	PT100 180°C	7	Jumo	A	40	635743
17	10025168	Lichtleiter-Messverstaerker	FS-Neo	Light conductor amplifier	FS-Neo	9	Keyence	A	10	FS-N11CP
21	10004289	Digitales ausgangsmodul	SIMATIC ET 200SP. Digitales Ausgangsmodul. DQ 8x 24V DC/0.5A Standard. Source Output (PNP.P-schaltend) Verpackungseinheit: 1 Stück. passend für BU-Typ A0. Farbcode CC02. Ersatzwertausgabe. Modul-Diagnose für: Kurzschluss nach L+ und M. Drahtbruch. Versorgungsspannung	Digital output module	SIMATIC ET 200SP. digital output module. DQ 8x 24V DC/0.5A standard. source output (PNP. P-switching) packaging unit: 1 piece. suitable for BU type A0. colour code CC02. substitute value output.6ES7132-6BF01-0BA0	3	Siemens	A	70	6ES7132-6BF01-0BA0
22	10035715	Fuehrungswagen	KWVE25-B-V1-G3	Guide cart	KWVE25-B-V1-G3	6	Schaeffler	A	50	KWVE25-B-V1-G3
28	10004452	Sensorleitung	M12 4pol 5M	Sensor-actuator cable	M12 4pol 5M	1	Murr	A	50	7000-14541-7960500
29	10004175	Digitales eingangsmodul	SIMATIC ET 200SP. Digitales Eingangsmodul. DI 8x 24VDC Standard. Eingangstyp 3 (IEC 61131). Sink Input. (PNP. P-lesend). Verpackungseinheit: 1 Stück. passend für BU-Typ A0. Farbcode CC01. Eingangsverzögerung 0.05..20ms. Modul-Diagnose für: Kurzschluss Geberversorgung. Drahtbruch. Versorgungsspannung	Digital input module	SIMATIC ET 200SP. Digital input module. DI 8x 24VDC standard. Input type 3 (IEC 61131). Sink input. (PNP. P-reading). Packaging unit: 1 piece. suitable for BU type A0. Color code CC01. Input delay 0.05..20ms. module diagnostics for: Short circuit encoder supply. Open circuit. Supply voltage	13	Siemens	A	70	6ES7131-6BF01-0BA0
31	10041638	Verschlusskupplung	RMI12.5103/JV	Seal coupling	RMI12.5103/JV	6	Stäubli	A	15	RMI12.5103/JV
35	10004177	Base Unit	6ES7193-6BP20-0DA0	SIMATIC ET 200SP. Base Unit BU. New load group	6ES7193-6BP20-0DA0	6	Siemens	A	70	6ES7193-6BP20-0DA0
36	10010927	Stiftmodul	modular. 12pol. 10A. Quick-Lock-Anschluss // 09 14 012 2632	Harting module 12pin. 10A. male	modular. 12pin. 10A. Quick-Lock connection // 09 14 012 2632	2	HARTING	A	10	09 14 012 2632
37	10010818	Lichtleitersensor	// FU-6F	Light conductor sensor	// FU-6F	9	Keyence	A	50	FU-6F
38	10011993	Stiftmodul	modular. 2pol. 70A. 6-16mm². Axialschraubanschluss // 09 14 002 2646	Pin module	modular. 2pin 70A. 6-16mm². axial screw connection // 09 14 002 2646	2	HARTING	A	10	09 14 002 2646
40	10004163	Base Unit	SIMATIC ET 200SP. Base-Unit BU15-P16+A10+2B. BU-Typ A0. Push-In-Klemmen. mit 10 AUX-Klemmen. nach links gebrückt. BxH: 15mmx141mm	SIMATIC ET 200SP. Base Unit BU type. bridge to the left	SIMATIC ET 200SP. Base Unit BU15-P16 + A10+2B. BU type A0. push-in terminals. with 10 AUX terminals. bridged to the left. WxH: 15mmx141mm	17	Siemens	A	70	6ES7193-6BP20-0BA0
41	10004150	Base Unit	6ES7193-6BP00-0BA1	Base Unit	6ES7193-6BP00-0BA1	2	Siemens	A	70	6ES7193-6BP00-0BA1
42	10010875	Stiftmodul	modular Quintax. 4pol. 10A. geschirmt. ohne Crimpkontakte // 09 15 004 3013	4 Pin 10A module male	modular Quintax. 4pin. 10A. shielded. without crimp contacts // 09 15 004 3013	2	HARTING	A	50	09 15 004 3013
48	10216168	Sensor- Aktorleitung	M8 3pol gerade 10M // BCC M313-0000-10-001-PX0334-100-C003	Sensor-actuator cable	M8 3-pin straight 10M // BCC M313-0000-10-001-PX0334-100-C003	66	Balluff	A	10	BCC0KKP
50	10004105	Halbleiter Reedschalter. PNP Schließer. Anschlussdrahtlänge 0.2m. LED Rot	D-M9PSAPC-595	Proximity switch Short	D-M9PSAPC-595	46	SMC	A	50	D-M9PSAPC-595
51	10011167	Relais	6A 250Vac. 1W. 24Vdc // RIF-0-RPT-24DC/21	Relay	6A 250Vac. 1 PDT .24Vdc // RIF-0-BPT/21	1	Phönix Contact	A	50	2903370
53	10010925	Stiftmodul	modular. 8pol. 16A. Quick-Lock-Anschluss // 09 14 008 2633	Harting module 8pin. 16A. male	modular. 8pin. 16A. Quick-Lock connection // 09 14 008 2633	5	HARTING	A	40	09 14 008 2633
55	10216169	Sensor- Aktorleitung	M8 4pol gerade 5M // BCC M314-0000-10-003-PX0434-050-C003	Sensor-actuator cable	M8 4-pin straight 5M // BCC M314-0000-10-003-PX0434-050-C003	9	Balluff	A	50	BCC0K8J
58	10010868	Stiftmodul	modular. 5pol. 16A. Käfigzugfederanschluss // 09 14 005 2616	5 Pin module male	modular. 5pin. 16A. cage clamp connection // 09 14 005 2616	5	HARTING	A	50	09 14 005 2616
61	10010866	Stiftmodul	modular Quintax // 09 14 002 3001	Harting Quintax module male	modular Quintax // 09 14 002 3001	2	HARTING	A	60	09 14 002 3001
122	10004658	analoges Ausgangsmodul	SIMATIC ET 200SP. analoges Ausgangsmodul. AQ 4XU/I Standard. passend für BU-Typ A0. A1. Farbcode CC00. Modul-Diagnose. 16 Bit. +/-0.3%	Analogue output module	SIMATIC ET 200SP. analogue output module. AQ 4XU/I Standard. suitable for BU types A0. A1. colour code CC00. module diagnosis. 16 bit. +/- 0.3%	2	Siemens	A	50	6ES7135-6HD00-0BA1
136	10004233	Digitales ausgangsmodul	SIMATIC ET 200SP. Digitales Ausgangsmodul. DQ 16x 24V DC/0.5A Standard. Source Output (PNP.P-schaltend) Verpackungseinheit: 1 Stück. passend für BU-Typ A0. Farbcode CC00. Ersatzwertausgabe. Modul-Diagnose für: Kurzschluss nach L+ und M. Drahtbruch. Versorgungsspannung	Digital output module	SIMATIC ET 200SP. digital output module. DQ 16x 24V DC/0.5A standard. source output (PNP. P-switching) Packaging unit: 1 piece. suitable for BU type A0. color code CC00. substitute value output. module diagnosis for: short circuit after L+ and M. wire break. supply voltage	3	Siemens	A	50	6ES7132-6BH01-0BA0
200	10030275	Lufterhitzer	LHS 21S SYSTEM 230V 2.0kW	Air heater	LHS 21S SYSTEM 230V 2.0kW	8	Leister	A	50	139910
201	10466951	Ventilinsel	SS5Y3-3C-F12B-JJGGGGGGGGGL	Valve terminal	SS5Y3-3C-F12B-JJGGGGGGGGGL	1	SMC	A	40	SS5Y3-3C-F12B-JJGGGGGGGGGL
202	10466950	Ventilinsel	SS5Y3-3C-F12B-JJJGGGGGGGLL	Valve terminal	SS5Y3-3C-F12B-JJJGGGGGGGLL	1	SMC	A	40	SS5Y3-3C-F12B-JJJGGGGGGGLL
203	10013429	Parallelgreifer	DHPS-10-A	Parallel gripper	DHPS-10-A	4	Festo	A	50	1254040
204	10015182	Fuehrungszylinder	MGPL25TF-80Z	Guide cylinder	MGPL25TF-80Z	8	SMC	A	10	MGPL25TF-80Z
205	10015192	Fuehrungszylinder	MGPL32TF-50Z	Guide cylinder	MGPL32TF-50Z	1	SMC	A	50	MGPL32TF-50Z
206	10015189	Fuehrungszylinder	MGPL32TF-25Z	Guide cylinder	MGPL32TF-25Z	2	SMC	A	10	MGPL32TF-25Z
207	10015180	Fuehrungszylinder	MGPL25TF-75Z	Guide cylinder	MGPL25TF-75Z	2	SMC	A	50	MGPL25TF-75Z
208	10092219	Graeff__Temperatursensor_PT100__GF-7103.1.3-L.4.B.12.4000.A.350°C	PT100 // 350°C	Temp. sensor	PT100 // 350°C	8	Gräff	A	10	GF-7103.1.3-L.4.B.12.4000.A.350°C
209	10015177	Fuehrungszylinder	MGPL25TF-30Z	Guide cylinder	MGPL25TF-30Z	3	SMC	A	10	MGPL25TF-30Z
210	10012522	Fuss-Grobhandtaster	FAK-S/KC11/L 1OE+1S	Palm switch	FAK-S/KC11/L 1NC+1NO	2	Eaton	A	50	229749
211	10035716	Fuehrungswagen	KWVE25-B-N-V1-G3	Guide cart	KWVE25-B-N-V1-G3	6	Schaeffler	A	50	KWVE25-B-N-V1-G3
212	10249335	Wegeventil	3 (5/3-Wege Mittelstellung geschlossen)	Directional control valve	3 (3 Position Closed Centre)	5	SMC	A	25	SY7320-5WAOUD-02F-Q
213	10175496	Anschlussleitung_NEBV-S1G25-K-5-N-LE25-S6	VTUG Multipolinsel fest verlegt 5m	Connecting cable // VTUG multi-pole terminal permanent 5m	NEBV-S1G25-K-5-N-LE25-S6	2	Festo	A	15	575418
214	10145605	Fuehrungszylinder__4154770 - DFM-10-15-P-A-GF	DFM-10-15-P-A-GF	Guide cylinder	DFM-10-15-P-A-GF	1	Festo	A	50	4154770
215	10035730	Fuehrungswagen	KWVE15-B-H-V1-G3	Guide cart	KWVE15-B-H-V1-G3	18	INA	A	50	KWVE15-B-H-V1-G3
216	10005771	Kompaktzylinder	CD55B63-40	Compact cylinder	CD55B63-40	6	SMC	A	10	CD55B63-40
217	10005677	Schneidstecker	M12 Schneidstecker gerade D-cod.. 4-pol	Insulation displacement connection	M12 . D-cod.. 4-pin	1	Murr	A	120	7000-14521-0000000
218	10028917	Kompaktzylinder	CD55B50-30	Compact cylinder	CD55B50-30	6	SMC	A	20	CD55B50-30
219	10135959	Kurvenrolle	D12 M6	Curve roller	D12 M6	9	JNS	A	50	CFS6V-A
220	10028904	Kompaktzylinder	CD55B32-40	Compact cylinder	CD55B32-40	9	SMC	A	15	CD55B32-40
221	10005362	Kompaktzylinder	CD55B32-30	Compact cylinder	CD55B32-30	9	SMC	A	50	CD55B32-30
222	10035793	Druckregelventil	ARM5SA-08-A Einzelgerät mit Manometer. Druckbereich 0.05 - 0.7MPa. Anschluss 6mm Schlauch	Modular pressure control valve	single device with manometer. pressure range 0.05 - 0.7MPa. connection 6mm hose	15	SMC	A	10	ARM5SA-08-A
223	10035717	Kurvenrolle	CF6-VUURA	Curve roller	CF6-VUURA	6	JNS	A	50	CF6-VUURA
224	10437657	Induktiver Sensor	BES M08ZE1-PSC20B-S49G. M8 3-polig	Inductive sensor	BES M08ZE1-PSC20B-S49G. M8 3-pin	5	Balluff	A	50	BES060N
225	10041654	Signalgeber elektronisch PNP. LED rot. 3-Draht 4.5-28VDC. Kabel axial 0.5m M8. Direktmontage	D-M9PSAPC	Proximity switch Long	PNP. LED red. 3-wire 4.5-28VDC. cable axial 0.5m M8. direct mounting	15	SMC	A	50	D-M9PSAPC

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005803

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
226	10035729	Näherungsschalter	SMT-8M-A-PS-24V-E-0.3-M8D	Proximity sensor T slot	SMT-8M-A-PS-24V-E-0.3-M8D	5	Festo	A	50	574334
227	10008462	O-Ring NBR 70 Shore	di70 s5	O-ring	di70 s5	4	*MISC*diverse*	A	50	10008462
235	10466712	1005803_30_02_02_01_03_02_001__Heissluft_lgel	_	hot air tubing	_	1	3CON	A	80	10466712
236	10466714	1005803_30_02_02_02_02_01_001__Heissluft_lgel	_	hot air tubing	_	1	3CON	A	80	10466714
237	10466717	1005803_30_02_02_03_02_01_001__Heissluft_lgel	_	hot air tubing	_	1	3CON	A	80	10466717
238	10466720	1005803_30_02_02_04_02_01_001__Heissluft_lgel	_	hot air tubing	_	1	3CON	A	80	10466720
241	10466837	1005803_30_03_02_01_02_01_001__Heissluft_lgel	_	hot air tubing	_	1	3CON	A	80	10466837
242	10466838	1005803_30_03_02_02_02_01_001__Heissluft_lgel	_	hot air tubing	_	1	3CON	A	80	10466838
243	10466839	1005803_30_03_02_03_02_01_001__Heissluft_lgel	_	hot air tubing	_	1	3CON	A	80	10466839
244	10466840	1005803_30_03_02_04_02_02_001__Heissluft_lgel	_	hot air tubing	_	1	3CON	A	80	10466840
409	10025487	Fuehrungssaeule	202.23.050.200.10	Guide column	202.23.050.200.10	4	Fibro	B	10	202.23.050.200.10
463	10025162	Fuehrungsbuchse	D20	Guide bushing with flange	D20	1	Misumi	B	10	MPTNZ20-25
464	10017093	Fuehrungsschiene	TKVD20-G3/110-25/25	Guide rail	TKVD20-G3/110-25/25	3	Schaeffler	B	10	TKVD20-G3/110-25/25
465	10035785	Fuehrungsschiene	TKVD25-U-G3/150-45/45	Guide rail	TKVD25-U-G3/150-45/45	6	Schaeffler	B	50	TKVD25-U-G3/150mm-45/45
467	10035714	Fuehrungsschiene	TKVD25-U-G3/118-29/29	Guide rail	TKVD25-U-G3/118-29/29	6	Schaeffler	B	50	TKVD25-U-G3/118-29/29
469	10013336	Fuehrungsschiene	TKVD15-B-U-G3/102-21/21	Guide rail	TKVD15-B-U-G3/102-21/21	18	Schaeffler	B	50	TKVD15-B-U-G3/102-21/21
473	10027836	Bundbohrbuchse DIN 172	Di15 Da22 L28 Form A	Collar drill bush	Di15 Da22 L28 // Form A // DIN172	2	*MISC*diverse*	B	50	10027836
474	10032340	Kugelhahn	Rp 1/2" L48.5 Ms vernickelt	Ball valve	Rp 1/2" L48.5 brass nickel plated	8	*MISC*diverse*	B	50	10032340
477	10466740	1005803_10_02_02_01_04_001__Umbugschieber 4	_	Edgefolding slider 4	_	1	3CON	B	40	10466740
478	10466735	1005803_10_02_02_01_05_001__Umbugschieber 5	_	Edgefolding slider 5	_	1	3CON	B	40	10466735
479	10466737	1005803_10_02_02_01_06_001__Umbugschieber 6	_	Edgefolding slider 6	_	1	3CON	B	40	10466737
480	10466743	1005803_10_02_02_01_07_001__Eckumbugschieber 7	_	Edgefolding slider 7	_	1	3CON	B	40	10466743
481	10466744	1005803_10_02_02_01_08_001__Eckumbugschieber 8	_	Edgefolding slider 8	_	1	3CON	B	40	10466744
482	10466746	1005803_10_02_02_01_09_001__Eckumbugschieber 9	_	Edgefolding slider 9	_	1	3CON	B	40	10466746
483	10466741	1005803_10_02_02_02_01_001__Vorlegeschieber	_	Pre-slider	_	1	3CON	B	40	10466741
504	10024967	Buchse		Bushing (mirrored)		4	3CON	B	40	s009 22 003 Buchse
507	10170421	Kulissen Stellteil		Backdrop actuator		15	3CON	B	50	s001 01 04 Kullisen Stellteil
520	10039614	ZB Fuehrungsbuchse	D50	assembly guide bushing (mirrored)	D50	4	3CON	B	40	10039614
525	10315542	ZB Umbugeinheit A o li 40		ZB crimping unit		4	3CON	B	20	ZB Umbugeinheit A o li 40
526	10315544	ZB Umbugeinheit A_o_re_40	_	ZB crimping unit A_u_ri_40	_	1	3CON	B	20	ZB Umbugeinheit A_o_re_40
529	10315543	ZB Umbugeinheit A_u_li_40	_	ZB crimping unit A_l_le_40	_	1	3CON	B	20	ZB Umbugeinheit A_u_li_40
532	10316134	ZB Umbugeinheit B_o_li_40	_	ZB crimping unit B_o_li_40	_	6	3CON	B	20	ZB Umbugeinheit B_o_li_40
534	10316135	ZB Umbugeinheit B_u_li_40	_	ZB crimping unit B_u_li_40	_	1	3CON	B	20	ZB Umbugeinheit B_u_li_40
538	10316138	ZB Umbugeinheit B u re 40		ZB crimping unit B u re 40		2	3CON	B	20	ZB Umbugeinheit B u re 40
548	10008538	Buegelgriff	GN 728-180-B-SW	Bow-type handle	GN 728-180-B-SW	2	Elesa+Ganter	C	10	GN 728-180-B-SW
553	10027829	Andockrahmen Han 24B	Bgr.: 24 B // 09 30 024 1701	Docking frame Han 24B	Size.: 24 B // 09 30 024 1701	3	HARTING	C	50	09 30 024 1701
555	10017230	ZB Schlauchtuelle 90 Grad mit Einschraubstutzen	G1/2 DN13	ZB hose nozzle 90 degrees with screw-in socket	G1/2 DN13	9	Hilgendorf	C	10	F07622 + F07675
556	10027837	Positionier-Element	GN 409.1-10-M8-B	Positioning element	GN 409.1-10-M8-B	2	Elesa+Ganter	C	10	GN 409.1-10-M8-B
558	10011715	Gelenkrahmen	Bgr.: 24. B 6 Module a-f // 09 14 024 0371	Articulated frame	Size: 24 B. 6 Module a-f // 09 14 024 0371	3	HARTING	C	50	09 14 024 0371
560	10017800	ZB Schlauchtuelle 90 Grad mit Einschraubstutzen	G3/8 DN10	ZB hose nozzle 90 degrees with screw-in socket	G3/8 DN10	43	Hilgendorf	C	10	F07616 + F07663
563	10041641	Schlauchtuelle 90°	ÜM aus Stahl-verzinkt aus Messing	90° 13mm barb with 1/2" nut. brass	made of galvanized steel made of brass	9	Hilgendorf	C	50	1208012
565	10018129	Schlauchtuelle 90°	ÜM aus Stahl-verzinkt aus Messing	90° 10mm barb with 3/8" nut. brass	made of galvanized steel made of brass	43	Hilgendorf	C	50	1208003
569	10025060	ZB Schlauchtuelle gerade mit Einschraubstutzen	G1/2 DN13	ZB hose nozzle straight with screw-in socket	G1/2 DN13	12	Hilgendorf	C	10	F07630 + F07675
570	10016654	ZB Schlauchtuelle gerade mit Einschraubstutzen	G3/8 DN10	ZB hose nozzle straight with screw-in socket	G3/8 DN10	14	Hilgendorf	C	10	F07628 + F07663
573	10035662	Einschraubstutzen gerade Ausführung. aus Messing	n. Zg. 39 D 1403 Ausf. 3	Straight Coupler ½". brass	n. Zg. 39 D 1403 version 3	26	Hilgendorf	C	50	1307565
575	10016680	Einschraubstutzen gerade Ausführung. aus Messing	n. Zg. 39 D 1403 Ausf. 2	Straight Coupler 3/8" brass	n. ref. 39 D 1403 version 2	58	Hilgendorf	C	50	1307563
578	10011473	Schutzleiter-Reihenklemme	ZPE 2.5/4AN	Protective conductor terminal block	ZPE 2.5/4AN	4	Weidmueller	C	10	1608660000
579	10041640	Schlauchtuelle gerade	n. Zg. 39-V-16631	13mm barb with 1/2" nut	n. Zg. 39-V-16631	12	Hilgendorf	C	30	1208939
583	10016679	Schlauchtuelle gerade	n. Zg. 39-V-16631	10mm barb with 3/8" nut	Straight Barbed Fitting 3/8"	14	Hilgendorf	C	10	1208938
584	10041652	Drosselrueckschlagverschraubung	D = 4mm G 1/8" AG	Throttle Check Screw Connection	D = 4mm G 1/8" AG	30	Riegler	C	50	197580
588	10011505	Durchgangs-Reihenklemme	ZDU 2.5/4AN	Feed-through terminal block	ZDU 2.5/4AN // ZDU 2.5/4AN	25	Weidmueller	C	50	1608570000
591	10075854	Aufschraubanschluss	D = 8mm / G 1/8" IG	Screw-on connection	D = 8mm / G 1/8" IG	4	H-Plus	C	40	10075854
594	10011514	Abschlussplatte	ZAP/TW 3	Cover plate	ZAP/TW 3	10	Weidmueller	C	50	1608800000
597	10041733	Schlauchtuelle 90°	ÜM aus Stahl-verzinkt aus Messing	45° 10mm barb with 3/8" nut. brass	made of galvanized steel made of brass	1	Hilgendorf	C	10	1208007
657	10025042	Sockelgehäuse	Bgr.: 3 A. Längsbügel. gerade 1x M20 // 19 20 003 1250	Socket casing	Size: 3 A. Single locking lever. top entry 1x M20 // 19 20 003 1250	1	HARTING	C	50	19 20 003 1250
677	10370153	Befestigungswinkel	SX7000-16-1A	Mounting bracket	SX7000-16-1A	5	SMC	C	50	SX7000-16-1A
689	10030765	Klemmenkasten KX1528000. BHT: 200x150x80 mm. Ausschnitt rückseitig	Y212156	Terminal box KX1528000. WHT: 200x150x80 mm. Cut-out on the back	Y212156	1	Rittal	C	35	Y212156
690	10008298	gesteuertes Rueckschlagventil	HGL-1/8-QS-6	Piloted non return valve G1/8 6mm	HGL-1/8-QS-6	8	Festo	C	50	530040
691	10046544	KEL-DPZ Kabeldurchführungsplatte	KEL-DPZ 24|32 gy	KEL-DPZ Cable entry plate	KEL-DPZ 24|32 gy	8	Icotek	C	50	43730

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005803

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
692	10041642	Schlauchtuelle 90°	ÜM aus Stahl-verzinkt aus Messing	45* 13mm barb with 1/2" nut. brass	made of galvanized steel made of brass	5	Hilgendorf	C	30	1208011
693	10008130	Einschraubstutzen. 90°. aus Messing	n. Zg. 39 D 1405. Ausf. 4	Screw-in socket // 90° bend	G3/4 x G3/4	2	Hilgendorf	C	50	1307579
694	10032930	Anschlagschraube	M5x15 (FG 0.8) brüniert	Stop screw	M5x15 (fine thread 0.8) black oxide	2	Misumi	C	15	STRB5-15
695	10034322	Ausgleichselement	YA-03	Rod joint	YA-03	3	SMC	C	50	YA-03
696	10008101	Schlauchtuelle gerade	n. Zg. 39-V-16631	16mm barb with 3/4" nut	Thread: G3/4" Hose: DN16	2	Hilgendorf	C	50	1208940
697	10261082	Gewindetuelle	G 1/2"-19 (3/4")mm. Messing	Threaded nozzle	G 1/2"-19 (3/4")mm. Brass	8	Landefeld	C	50	GT 1219 MS
698	10011823	Steckverbinder GST15I2S B1 ZR1W WS	Buchsenteil mit Zugentlastung 2-polig // 91.921.3053.0	Connector	Female connector with strain relief 2-pole // 91.921.3053.0	8	Wieland	C	50	91.921.3053.0
699	10035792	Schott-Steckverbindung	QSMS-4	Bulkhead connector	QSMS-4	30	Festo	C	50	153376
700	10030279	Verbindungsstueck	YU-03	Rod joint	YU-03	3	SMC	C	10	YU-03
701	10011824	Steckverbinder GST15I2S S1 ZR1W WS	Steckerteil mit Zugentlastung 2-polig // 91.922.3053.0	Connector	Male connector with strain relief 2-pole // 91.922.3053.0	8	Wieland	C	50	91.922.3053.0
702	10015302	Doppelnippel	AGxAG G1/2 L30	Double nipple	AGxAG G1/2 L30	8	Landefeld	C	50	DN 1212 MSV
703	10075956	Winkeleinschraubanschluss mini	D = 4mm M3 AG	Angled screw-in connection mini	D = 4mm M3 AG	8	H-Plus	C	40	10075956
704	10236701	Einschraubwinkel	KQ2L04-M3G	Fitting	KQ2L04-M3G	2	SMC	C	10	KQ2L04-M3G
705	10075881	Einschraubanschluss gerade	D = 8mm G 1/8" AG	Straight screw-in connection	D = 8mm G 1/8" AG	5	H-Plus	C	50	10075881
706	10175803	Distanzhuelse	M5x10 - Nylon	Spacer sleeve	M5x10 - Nylon	16	Fischer Elektronik	C	50	DR 110 VO
707	10035794	Steckverschraubung	QSML-6H-4	Push-in fitting sleeve	QSML-6H-4	30	Festo	C	40	153350
708	10035720	L-Steckverschraubung	QSLV-1/8-4	Push-in fitting G1/8 4mm 90	QSLV-1/8-4	30	Festo	C	50	153086
742	10169990	Kulissenhalter		Backdrop holder		15	3CON	C	50	s001 01 03 Kulissenhalter
743	10169901	Kulissenhalter		Backdrop holder		6	3CON	C	50	s001 01 06 Kulissenhalter
744	10170287	Kulissenhalter		Backdrop holder		9	3CON	C	50	s001 21 04 Kulissenhalter
745	10169909	Kulissenjustierung	_	Backdrop adjustment	_	15	3CON	C	50	s001_01_08__Kulissenjustierung
769	10063455	Spannflansch_Werkzeug	TYP01 System	Clamping flange_tool	TYP01 System	2	3CON	C	50	10063455__3CON__Spannflansch_Werkzeug__TYP01 System

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005805

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
1	10255266	Rillenkugellager	Di30 Da62 B16	Deep groove ball bearing	Di30 Da62 B16	8	FAG	A	50	6206-C-2HRS-L038
391	10104462	Lenkrolle mit Feststeller und Fussschutz	KS LG 4/200/50K-FSTF-FU-S	Swivel castor with directional lock and feet protection	KS LG 4/200/50K-FSTF-FU-S	4	Wicke	B	10	42837
392	10104464	Lenkrolle	KS LG 4/200/50K	Swivel castor	KS LG 4/200/50K	4	Wicke	B	10	241123
395	10008520	Fuehrungsbuchse	Di8 Da12 B15	Guide bushing with flange	Di8 Da12 B15	4	Misumi	B	10	MPFZ8-15
396	10018483	Schraubendruckfeder DIN ISO 10243	HülsenØ20 DornØ10 L38 R33.3	Helical compression spring DIN ISO 10243	Sleeve Ø20 Mandrel Ø10 L38 R33.3	2	Fibro	B	50	241.14.20.038
505	10016429	Fuehrungsbuchse	1001100 70 01 02 006	Guide bushing	1001100 70 01 02 006	2	3CON	B	40	10016429 3CON Fuehrungsbuchse 1001100 70 01 02 006
544	10008609	Paletten-Rollenschiene	NR100/52 17 Rollen	Roller rails	NR100/52 17 rolls	2	Fourtec	C	50	204001
545	10015702	Paletten-Rollenschiene	NR100/52 15 Rollen	Roller rails	NR100/52 15 rolls	2	Fourtec	C	15	204101
547	10008486	Kugelknopf	GN 319.5-40-M10-B	Ball button	GN 319.5-40-M10-B	4	Elesa+Ganter	C	10	GN 319.5-40-M10-B
548	10008538	Buegelgriff	GN 728-180-B-SW	Bow-type handle	GN 728-180-B-SW	4	Elesa+Ganter	C	10	GN 728-180-B-SW
549	10004844	Rastbolzen	GN 607-8-A-ST	Locking pin	GN 607-8-A-ST	4	Elesa+Ganter	C	50	GN 607-8-A-ST
771	10104427	Verriegelungswelle	1001100_70_01_01_002	Locking shaft	1001100_70_01_01_002	4	3CON	C	40	10104427__3CON__Verriegelungswelle__1001100_70_01_01_002
772	10153535	Wagengriff	1001100_70_01_01_003	Cart handle	1001100_70_01_01_003	4	3CON	C	40	10153535__3CON__Wagengriff__1001100_70_01_01_003

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005808

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
6	10004444	Bundle PROFINET IM	6ES7155-6AA01-0BN0	Bundle PROFINET IM	6ES7155-6AA01-0BN0	3	Siemens	A	50	6ES7155-6AA01-0BN0
21	10004289	Digitales ausgangsmodul	SIMATIC ET 200SP. Digitales Ausgangsmodul. DQ 8x 24V DC/0.5A Standard. Source Output (PNP.P-schaltend) Verpackungseinheit: 1 Stück. passend für BU-Typ A0. Farbcode CC02. Ersatzwertausgabe. Modul-Diagnose für: Kurzschluss nach L+ und M. Drahtbruch. Versorgungsspannung	Digital output module	SIMATIC ET 200SP. digital output module. DQ 8x 24V DC/0.5A standard. source output (PNP. P-switching) packaging unit: 1 piece. suitable for BU type A0. colour code CC02. substitute value output.6ES7132-6BF01-0BA0	4	Siemens	A	70	6ES7132-6BF01-0BA0
29	10004175	Digitales eingangsmodul	SIMATIC ET 200SP. Digitales Eingangsmodul. DI 8x 24VDC Standard. Eingangstyp 3 (IEC 61131). Sink Input. (PNP. P-lesend). Verpackungseinheit: 1 Stück. passend für BU-Typ A0. Farbcode CC01. Eingangsverzögerung 0.05..20ms. Modul-Diagnose für: Kurzschluss Geberversorgung. Drahtbruch. Versorgungsspannung	Digital input module	SIMATIC ET 200SP. Digital input module. DI 8x 24VDC standard. Input type 3 (IEC 61131). Sink input. (PNP. P-reading). Packaging unit: 1 piece. suitable for BU type A0. Color code CC01. Input delay 0.05..20ms. module diagnostics for: Short circuit encoder supply. Open circuit. Supply voltage	13	Siemens	A	70	6ES7131-6BF01-0BA0
35	10004177	Base Unit	6ES7193-6BP20-0DA0	SIMATIC ET 200SP. Base Unit BU. New load group	6ES7193-6BP20-0DA0	15	Siemens	A	70	6ES7193-6BP20-0DA0
40	10004163	Base Unit	SIMATIC ET 200SP. Base-Unit BU15-P16+A10+2B. BU-Typ A0. Push-In-Klemmen. mit 10 AUX-Klemmen. nach links gebrückt. BxH: 15mmx141mm	SIMATIC ET 200SP. Base Unit BU type. bridge to the left	SIMATIC ET 200SP. Base Unit BU15-P16 + A10+2B. BU type A0. push-in terminals. with 10 AUX terminals. bridged to the left. WxH: 15mmx141mm	23	Siemens	A	70	6ES7193-6BP20-0BA0
44	10269914	Sensor- Aktorleitung	M12 5pol gerade 10M // BCC M415-0000-1A-017-PX0534-100-C003	Sensor-actuator cable	M12 5-pin straight 10M // BCC M415-0000-1A-017-PX0534-100-C003	24	Balluff	A	30	BCC0MKY
48	10216168	Sensor- Aktorleitung	M8 3pol gerade 10M // BCC M313-0000-10-001-PX0334-100-C003	Sensor-actuator cable	M8 3-pin straight 10M // BCC M313-0000-10-001-PX0334-100-C003	60	Balluff	A	10	BCC0KKP
49	10047254	Steckverbinder	SACC-M 8MS-3QO-0.5-M	plastic M8 a-coded 3pin field wireable. male	SACC-M 8MS-3QO-0.5-M	1	Phönix Contact	A	50	1441024
50	10004105	Halbleiter Reedschalter. PNP Schließer. Anschlussdrahtlänge 0.2m. LED Rot	D-M9PSAPC-595	Proximity switch Short	D-M9PSAPC-595	16	SMC	A	50	D-M9PSAPC-595
51	10011167	Relais	6A 250Vac. 1W. 24Vdc // RIF-0-RPT-24DC/21	Relay	6A 250Vac. 1 PDT .24Vdc // RIF-0-BPT/21	8	Phönix Contact	A	50	2903370
93	10011454	Zentrale Verarbeitungseinheit	SIMATIC S7-1500F. CPU 1517F-3 PN/DP. Zentralbaugruppe mit Arbeitsspeicher 3MByte für Programm und 8MByte für Daten. 1. Schnittstelle: PROFINET IRT mit 2 Port Switch. 2. Schnittstelle: PROFINET RT. 3. Schnittstelle: PROFIBUS. 2 NS Bit-Performance. SIMATIC Memory Card notwendig	Central Processing Unit	SIMATIC S7-1500F. CPU 1517F-3 PN/DP. central processing unit with 3MByte RAM for program and 8MByte RAM for data. 1st interface: PROFINET IRT with 2 port switch. 2nd interface: PROFINET RT. 3rd interface: PROFIBUS. 2 NS bit performance. SIMATIC Memory Card required	1	Siemens	A	50	6ES7517-3FP00-0AB0
94	10011248	Movidrive	// MDX61B0220-503-4-0T	Movidrive	// MDX61B0220-503-4-0T	1	SEW	A	55	MDX61B0220-503-4-0T
95	10390393	Kegelradgetriebemotor	K87 DR2L132S4/BE11HR/IS/TF/AK8W/V - lt. Angebot 421910583	Bevel geared motor	K87 DR2L132S4/BE11HR/IS/TF/AK8W/V	1	SEW	A	30	K87 DR2L132S4/BE11HR/IS/TF/AK8W/V
96	10115178	IPC	277E 15" Touch. Windows 10 Enterprise 2019	Nanopanel PC	277E 15" Touch. Windows 10 Enterprise 2019	1	Siemens	A	15	6AV7882-0DB30-8EA0
97	10008548	Absturzsicherung	KR 040 31	Fall protection	KR 040 31	1	Sitema	A	50	KR 040 31
98	10010959	Zentrale Verarbeitungseinheit	CU2 // HC500-CU2-PN	Central Processing Unit	CU2 // HC500-CU2-PN	1	Hetronik	A	60	HC500-CU2-PN
99	10012212	Sicherheitslichtvorhang	deTec4 Core Empfänger. L=1800mm // C4C-EA18010A10000	Safety light curtain	deTec4 Core Receiver. L=1800mm // C4C-EA18010A10000	1	Sick	A	30	1211487
100	10041787	IPC	127E. Atom E3940. Windows 10 Enterprise	IPC	127E. Atom E3940. Windows 10 Enterprise	2	Siemens	A	15	6AG4021-0AB12-1BA0
101	10310761	Umrichter	MDX61B0005-5A3-4-0T/DEH11B/DFE32B	Inverter	MDX61B0005-5A3-4-0T/DEH11B/DFE32B	3	SEW	A	40	MDX61B0005-5A3-4-0T/DEH11B/DFE32B
102	10010821	Sicherheitslichtvorhang	deTec4 Core Sender. L=1800mm // C4C-SA18010A10000	Safety light curtain	deTec4 Core transmitter. L=1800mm // C4C-SA18010A10000	1	Sick	A	30	1211486
104	10087935	Sicherheitslichtvorhang	C4C-EA10530A10000	safety light curtain	C4C-EA10530A10000	1	Sick	A	25	1211500
105	10010961	Ausgangskarte	HC510. 10x2kW. 115V-230V. Strommessung // HC510-OC2-230-10-I-SL	Output card	HC510. 10x2kW. 115V-230V. current measurement // HC510-OC2-230-10-I-SL	10	Hetronik	A	60	HC510-OC2-230-10-I-SL
106	10010964	Rack	2x Lüfter 230Vac // HC510-RK-8-230	Rack	2x fan 230Vac // HC510-RK-8-230	1	Hetronik	A	60	HC510-RK-8-230
107	10087934	Sicherheitslichtvorhang	C4C-SA10530A10000	safety light curtain	C4C-SA10530A10000	1	Sick	A	25	1211499
108	10036217	Federsockel	FS 040 11	Spring base	FS 040 11	1	Sitema	A	50	FS 040 11
109	10010960	Spannungseinheit	VU2 // HC500-VU2-Y	Power unit	VU2 // HC500-VU2-Y	1	Hetronik	A	60	HC500-VU2-Y
110	10010968	Durchflusssensor	// SV7200	Flow sensor	// SV7200	1	IFM	A	50	SV7200
111	10238457	LAN-to-LAN Router	ICR-2701 SL v2i LAN-Router	LAN-to-LAN Router	ICR-2701 SL v2i LAN-Router	1	Lucom	A	10	BE-ICR-2701-SL
113	10433086	Speicherkarte	für S7-1x00 CPU/SINAMICS. 256MB	Memory Card	für S7-1x00 CPU/SINAMICS. 256MB	1	Siemens	A	50	6ES7954-8LL04-0AA0
114	10010962	Rack	1x Lüfter 230Vac // HC510-RK-4-230	Rack	1x fan 230Vac // HC510-RK-4-230	1	Hetronik	A	60	HC510-RK-4-230
115	10351657	Bremsstange KR 040 L1950	1001400 30 04 02 001	Brake rod KR 040 L1950	1001400 30 04 02 001	1	LTM	A	10	10351657
117	10010797	Safeball	JSD-TD1 // JSD-TD1-330700	Safe ball	JSD-TD1 // JSD-TD1-330700	2	ABB	A	50	2TLA930005R0000
118	10004459	Elektronikmodul für ET 200SP	SIMATIC DP. Elektronikmodul für ET 200SP. F-DQ 4x24VDC/2A. 15mm Baubr.. bis PL E (ISO 13849) bis SIL 3 (IEC 61508)	Electronics module for ET 200SP	SIMATIC DP. electronics module for ET 200SP. F-DQ 4x24VDC/2A. 15mm width. up to PL E (ISO 13849) up to SIL 3 (IEC 61508)	4	Siemens	A	70	6ES7136-6DB00-0CA0
119	10011209	Feldbusschnittstelle	PROFINET IO RT // DFE32B	Fieldbus interface	PROFINET IO RT // DFE32B	1	SEW	A	40	DFE32B
120	10347295	Wartungseinheit	AC40-D-0426OAA	Maintenance unit	AC40-D-0426OAA	1	SMC	A	25	AC40-D-0426OAA
121	10143785	Elektronikmodul für ET 200SP	SIMATIC DP. Elektronikmodul für ET 200SP. F-DI 8x 24VDC HF. 15mm Baubr.. bis PL E (ISO 13849-1)/ SIL3 (IEC 61508)	Electronics module for ET 200SP	SIMATIC DP. electronic module for ET 200SP. F-DI 8x 24 V DC HF. 15 mm width. up to PLe (ISO 13849-1)/ SIL3 (IEC 61508)	3	Siemens	A	70	6ES7136-6BA01-0CA0
122	10004658	analoges Ausgangsmodul	SIMATIC ET 200SP. analoges Ausgangsmodul. AQ 4XU/I Standard. passend für BU-Typ A0. A1. Farbcode CC00. Modul-Diagnose. 16 Bit. +/-0.3%	Analogue output module	SIMATIC ET 200SP. analogue output module. AQ 4XU/I Standard. suitable for BU types A0. A1. colour code CC00. module diagnosis. 16 bit. +/- 0.3%	1	Siemens	A	50	6ES7135-6HD00-0BA1
123	10011219	Bremsenansteuerung	24Vdc // BMV	Brake control	24Vdc // BMV	4	SEW	A	15	BMV
127	10008029	Fuehrungszylinder	MLGPM40TF-50Z-B	Guide cylinder	MLGPM40TF-50Z-B	4	SMC	A	50	MLGPM40TF-50Z-B
128	10215060	Sicherheitsschalter	RFID. Magnetrastung. familien-kodiert	Safety switches	RFID. Magnet latching. Family-coded	1	Siemens	A	50	3SE6315-1BB01-1AP0
130	10011434	Selektivitaetsmodul	SITOP PSE200U 10 A Selektivitaetsmodul 4-kanalig Eingang: DC 24 V/40 A Ausgang: DC 24 V/4x 10 A Schwellwert einstellbar 3-10 A mit Summenmeldekontakt	Selectivity module 10A 4 channel 24V	SITOP PSE200U 10 A Selectivity module 4-channel input: 24 V DC/40 A output: 24 V DC/4x 10 A Level adjustable 3-10 A with common signaling contact *Ex approval no longer available*	2	Siemens	A	70	6EP1961-2BA21
131	10011402	Überwachungsrelais	Digitales Überwachungsrelais für 3-Phasen-Spg. mit N-Leiter für IO-Link AC 50...60 Hz 3 x 160 bis 690 V Phasenfolge. Phasenausfall Phasenasymmetrie unter-und Überspannung Hysterese 1-20 V Netzstabilisierungszeit Auslöseverzögerungszeit 1 Wechsler. Federzugtechnik	Monitoring relay	line monitoring IO-Link 3-phase+N digital monitoring relay for 3-phase voltage with N-conductor for IO-Link 50...60 Hz AC 3 x 160 to 690 V phase sequence. phase failure phase asymmetry undervoltage and overvoltage hysteresis 1-20 V line stabilization delay tripping delay time 1 changeover contact. spring-loaded connection system	1	Siemens	A	50	3UG4816-2AA40
132	10011208	Geberkarte	HIPERFACE // DEH11B	Encoder card	HIPERFACE // DEH11B	1	SEW	A	10	DEH11B
133	10011463	SCALANCE XB005 Unmanaged Industrial Ethernet Switch für 10/100 Mbit/s. zum Aufbau von kleinen Stern- und Linienstrukturen. LED-Diagnose. IP20. AC/DC 24V Spannungsversorgung. mit 5x 10/100 Mbit/s Twisted Pair Ports mit RJ45-Buchsen. Handbuch als Download verfügbar	6GK5005-0BA00-1AB2	Scalance	6GK5005-0BA00-1AB2	1	Siemens	A	70	6GK5005-0BA00-1AB2

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005808

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
134	10170894	SEW Geberleitung 50mmAbs-+AEH./D-SUB 15pol. L=10m	AS7W001101000/10	Encoder cable	AS7W001101000/10	1	Inntal Kabel-konfektion	A	75	AS7W001101000/10
135	10181810	SEW Geberleitung glatt geschnitten/D-SUB 15pol L=10m	AKXH000101000/10	Encoder cable	AKXH000101000/10	3	Inntal Kabel-konfektion	A	95	AKXH000101000/10
136	10004233	Digitales ausgangsmodul	SIMATIC ET 200SP. Digitales Ausgangsmodul. DQ 16x 24V DC/0.5A Standard. Source Output (PNP.P-schaltend) Verpackungseinheit: 1 Stück. passend für BU-Typ A0. Farbcode CC00. Ersatzwertausgabe. Modul-Diagnose für: Kurzschluss nach L+ und M. Drahtbruch. Versorgungsspannung	Digital output module	SIMATIC ET 200SP. digital output module. DQ 16x 24V DC/0.5A standard. source output (PNP. P-switching) Packaging unit: 1 piece. suitable for BU type A0. color code CC00. substitute value output. module diagnosis for: short circuit after L+ and M. wire break. supply voltage	6	Siemens	A	50	6ES7132-6BH01-0BA0
137	10140566	Kompaktzylinder	CDQ2B125TF-10DCMZ	Compact cylinder	CDQ2B125TF-10DCMZ	6	SMC	A	10	CDQ2B125TF-10DCMZ
138	10004237	Digitales Eingangsmodul	SIMATIC ET 200SP. Digitales Eingangsmodul. DI 16x 24V DC Standard. Eingangstyp 3 (IEC 61131). Sink Input. (PNP. P-lesend). Verpackungseinheit: 1 Stück. passend für BU-Typ A0. Farbcode CC00. Eingangsverzögerung 0.05..20ms. Modul-Diagnose für: Drahtbruch. Versorgungsspannung	Digital input module	SIMATIC ET 200SP. digital input module. DI 16x 24V DC standard. input type 3 (IEC 61131). sink input. (PNP. P-reading). packaging unit: 1 piece. suitable for BU type A0.	5	Siemens	A	70	6ES7131-6BH01-0BA0
139	10028812	Elektronischer Schutzschalter	6A	Electronic circuit breaker	6A	1	E-T-A	A	50	ESX10-TA-100-DC24V-6A
141	10004538	digitales Ausgangsmodul	6ES7132-6BD20-0BA0	Digital output module	SIMATIC ET 200SP. digitales Ausgangsmodul. DQ 4x 24VDC/2A Standard. passend für BU-Typ A0. Farbcode CC02. Modul-Diagnose	2	Siemens	A	70	6ES7132-6BD20-0BA0
142	10125734	Fuehrungswagen	HDR45-C-1SS	Guide carriage	HDR45-C-1SS	8	THK	A	20	HDR45-C-1SS
143	10004928	Druckschalter	SDE5-D10-O-Q6E-P-M8	Pressure switch	SDE5-D10-O-Q6E-P-M8	1	Festo	A	10	527467
144	10249333	5/2-Wege-Magnetventil	SY7220-5WAOUD-02F-Q	Directional control valve	J	3	SMC	A	35	SY7220-5WAOUD-02F-Q
145	10041664	Verschlusskupplung	RMI12.2103/JV	Seal coupling	RMI12.2103/JV	6	Stäubli	A	15	RMI12.2103/JV
146	10011741	Türkupplungsdrehantrieb	Not-Aus IEC. 3VA1 250 // 3VA9257-0FK25	Door coupling rotary drive	Door mounted rotary operator EMERGENCY OFF IEC IP65 with door interlock accessory for: 3VA12	1	Siemens	A	70	3VA9257-0FK25
147	10248815	5/2-Wege-Magnetventil	SY5220-5WAOUD-01F-Q	Directional control valve	J	4	SMC	A	35	SY5220-5WAOUD-01F-Q
148	10182182	Sensor- Aktorleitung	M12 8pol gerade 20M // BCC M418-0000-1A-069-PX0825-200	Sensor-actuator cable	M12 8pol straight 20M // BCC M418-0000-1A-069-PX0825-200	1	Balluff	A	50	BCC0AT4
149	10011994	Buchsenmodul	modular. 2pol. 70A. 6-16mm². Axialschraubanschluss // 09 14 002 2741	Bushing module	modular. 2pin 70A. 6-16mm². axial screw connection // 09 14 002 2741	3	HARTING	A	50	09 14 002 2741
150	10011563	Bremswiderstand	// BW090-P52B	Brake resistor	// BW090-P52B	3	SEW	A	20	BW090-P52B
151	10011420	Fi-Schutzschalter	30mA. 40A. Typ A. 400Vac // 5SV3344-6	Residual current device	30mA. 40A. Typ A. 400Vac // 5SV3344-6	1	Siemens	A	50	5SV3344-6
152	10338060	Digitaler Drucksensor	ISE20-P-C6L	Digital pressure sensor	ISE20-P-C6L	2	SMC	A	20	ISE20-P-C6L
153	10332004	Reflexionslichtschranke	OBR4000-18GM60-E5-V1-1C // M12 x 1. 4-polig	Reflection light barrier	OBR4000-18GM60-E5-V1-1C // M12 x 1. 4-pin	1	Pepperl+Fuchs	A	10	c
154	10248811	3/2 Magnetventil	SY513-5WAOUD-01F-Q	Directional control valve	K	1	SMC	A	45	SY513-5WAOUD-01F-Q
155	10011756	Magnetventil	VT317. 3/2 geschlossen // EVT317-5D-02F-Q	Solenoid valve	VT317. 3/2 closed // EVT317-5D-02F-Q	1	SMC	A	10	EVT317-5D-02F-Q
157	10005392	SENTRON. Zylindersicherungshalter. 14x51 mm. 1-polig. In: 50 A. Un AC: 690 V. LED Signalmelder	_	SENTRON. cylindrical fuse holder. 14x51 mm. 1-pin. In: 50 A. Un AC: 690 V. LED signal indicator	_	3	Siemens	A	70	3NW7112
158	10010788	Thermostat	Schaltschrank-Innentemperaturregler	Thermostat	Control cabinet internal temperature controller	1	Rittal	A	50	3110000
159	10008489	Schmierstoffgeber	Futura SF02	Lubricator	Futura SF02	4	PermaTec	A	10	107008
160	10016022	3/2-Wegeventil	VPA342-1-02FA	3-Port Air Operated Valve	VPA342-1-02FA	2	SMC	A	50	VPA342-1-02FA
161	10004529	Steckdosenleitung	KMEB-1-24-10-LED	Plug socket with cable	KMEB-1-24-10-LED	1	Festo	A	50	193457
162	10010934	Buchsenmodul	modular Quintax. 4pol. 10A. geschirmt. ohne Crimpkontakte // 09 15 004 3113	4 Pin 10A module female	without crimp contacts	2	HARTING	A	50	09 15 004 3113
163	10010928	Buchsenmodul	modular. 12pol. 10A. Quick-Lock-Anschluss // 09140122732	Harting module 12pin. 10A female	modular. 12pin. 10A. Quick-Lock connection // 09140122732	3	HARTING	A	50	09 14 012 2732
164	10010966	Rack-Abdeckung	// HC510-SC	Rack cover	// HC510-SC	2	Hetronik	A	60	HC510-SC
165	10011340	Schlüsselschalter	2 Schaltstellungen. verrastend // 3SU1050-4BF01-0AA0	Key-operated switch	2 switch positions. latching // 3SU1050-4BF01-0AA0	1	Siemens	A	50	3SU1050-4BF01-0AA0
167	10011319	NOT-HALT-Pilzdrucktaster. 22 mm. rund. Metall. hochglanz. rot. 40 mm. zwangsläufige Verrastung. gemäß DIN EN ISO 13850. Drehentriegelung	40mm. rot // 3SU1050-1HB20-0AA0	Estop button red	40mm. red // 3SU1050-1HB20-0AA0	4	Siemens	A	50	3SU1050-1HB20-0AA0
168	10091796	Anschlusskabel	ZS-46-5F-X479	connection cable	ZS-46-5F-X479	1	SMC	A	50	ZS-46-5F-X479
169	10006185	Induktiver Sensor	BES0060. M12 4-polig	Inductive sensor	BES0060. M12 4pin	2	Balluff	A	50	BES M12MI-PSC20B-S04G
170	10006360	Induktiver Sensor	NBB3-V3-E2-V3 // M8 x 1 . 3-polig	Rectangular Inductive Sensor NO	NBB3-V3-E2-V3 // M8 x 1. 3-pin	2	Pepperl+Fuchs	A	50	225243
171	10041663	Induktiver Sensor	NBB8-18GM50-E2-V1	Inductive sensor NO flush M18	NBB8-18GM50-E2-V1	11	Pepperl+Fuchs	A	50	326161-0087
172	10011584	Induktiver Sensor	NBB8-F33-E2 // 3-polig	Inductive Sensor	NBB8-F33-E2 // 3-pin	1	Pepperl+Fuchs	A	50	200042
173	10010945	Buchseneinsatz	Bgr.: 24 B. 24pol. 16A. Schraubanschluss // 09 33 024 2701	Harting insert Size: 24 B. 24pin. 16A. screw connection female	09 33 024 2701	4	HARTING	A	15	09 33 024 2701
174	10010947	Buchseneinsatz	Bgr.: 3 A. 8pol. 10A. Quick-Lock-Anschluss // 09 36 008 2732	Harting insert Size: 3 A. 8pin. 10A. female	// 09 36 008 2732	2	HARTING	A	50	09 36 008 2732
175	10011214	Buchseneinsatz	Bgr.: 3 A. 4pol. 10A. Quick-Lock-Anschluss // 09200042733	Harting insert Size: 3 A. 4pin. 10A. female	// 09 20 004 2733	2	HARTING	A	40	09 20 004 2733
176	10004562	Induktiver Sensor	NBB4-12GM50-E2-V1 // M12 x 1 3pol	Inductive sensor	NBB4-12GM50-E2-V1 // M12 x 1 3pin	2	Pepperl+Fuchs	A	50	326161-0001
177	10012028	Doppeldrucktaster	I=weiß / O=schwarz // 3SU1001-3AB61-0AK0	Double push button	I=white / O=black // 3SU1001-3AB61-0AK0	2	Siemens	A	15	3SU1001-3AB61-0AK0
178	10010926	Buchsenmodul	modular. 8pol. 16A. Quick-Lock-Anschluss // 09 14 008 2733	Harting module 8pin. 16A. female	modular. 8pol. 16A. Quick-Lock-Anschluss // 09 14 008 2733	5	HARTING	A	50	09 14 008 2733
179	10010946	Stifteinsatz	Bgr.: 3 A. 8pol. 10A. Quick-Lock-Anschluss // 09 36 008 2632	Harting insert Size: 3 A. 8pin. 10A. male	Size: 3 A. 8pin. 10A. Quick-Lock connection // 09 36 008 2632	1	HARTING	A	50	09 36 008 2632
180	10011386	LED-Modul	weiß. Boden // 3SU1401-2BB60-3AA0	LED module white	3SU1401-2BB60-3AA0	2	Siemens	A	50	3SU1401-2BB60-3AA0
181	10011362	LED-Modul	rot. Boden // 3SU1401-2BB20-3AA0	LED module	red. floor // 3SU1401-2BB20-3AA0	2	Siemens	A	50	3SU1401-2BB20-3AA0
182	10011385	LED-Modul	blau. Boden // 3SU1401-2BB50-3AA0	LED module blue	3SU1401-2BB50-3AA0	2	Siemens	A	50	3SU1401-2BB50-3AA0
183	10010869	Buchsenmodul	modular. 5pol. 16A. Käfigzugfederanschluss // 09140052716	5 pin module female	modular. 5pin. 16A. cage clamp connection // 09 14 005 2716	14	HARTING	A	50	09 14 005 2716
184	10011360	LED-Modul	weiß. Front // 3SU1401-1BB60-3AA0	LED module white	3SU1401-1BB60-3AA0	2	Siemens	A	50	3SU1401-1BB60-3AA0
185	10140596	Rillenkugellager	Di10 Da30 B14	Deep groove ball bearing	Di10 Da30 B14	24	FAG	A	50	62200-A-2RSR
186	10004299	Sicherung 3NW6120-1	3NW6120-1	Fuse 3NW6120-1	3NW6120-1	3	Siemens	A	50	3NW6120-1
187	10004334	Leuchtdrucktaster. 22 mm. rund. Metall. hochglanz. weiß. Druckknopf. flach. tastend	Weiss	Push button - white 22mm	3SU1051-0AB60-0AA0	2	Siemens	A	50	3SU1051-0AB60-0AA0
188	10011346	Drucktaster	blau	Push button blue	3SU1051-0AB50-0AA0	2	Siemens	A	50	c
189	10005131	Drucktaster	Rot	Push button red 22mm	3SU1051-0AB20-0AA0	2	Siemens	A	50	3SU1051-0AB20-0AA0
190	10010867	Buchsenmodul	modular Quintax // 09 14 002 3101	Harting Quintax module female	09 14 002 3101	2	HARTING	A	50	09 14 002 3101
191	10011264	NH-Sicherungseinsatz	32A. 500Vac/250Vdc. gG. Gr. 000 // 3NA3812	NH fuse link	32A. 500Vac/250Vdc. gG. size 000 // 3NA3812	3	Siemens	A	70	3NA3812
192	10006368	Schmelzsicherung 50A gG 3NA3820	50A gG 3NA3820	Safety fuse 50A gG 3NA3820	50A gG 3NA3820	3	Siemens	A	50	3NA3820
193	10011622	Buchsenmodul	modular. 12pol. 10A. Crimpanschluss // 09 14 012 3101	Bushing module	modular. 12pin. 10A. Crimp connection // 09 14 012 3101	2	HARTING	A	15	09 14 012 3101
194	10011623	Stiftmodul	modular. 12pol. 10A. Crimpanschluss // 09 14 012 3001	Pin module	modular. 12pin. 10A. Crimp connection // 09 14 012 3001	2	HARTING	A	50	09 14 012 3001
195	10066313	Rillenkugellager	Di10 Da30 B9 // 6200-C-2HRS	Deep groove ball bearing	Di10 Da30 B9 // 6200-C-2HRS	16	FAG	A	50	6200-C-2HRS

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005808

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
196	10011417	Sicherungseinsatz	40A .400Vac/250Vdc. gG. D01. NEOZED // 5SE2340	Fuse link	40A .400Vac/250Vdc. gG. D01. NEOZED // 5SE2340	4	Siemens	A	50	5SE2340
197	10011418	Sicherungseinsatz	50A .400Vac/250Vdc. gG. D01. NEOZED // 5SE2350	Fuse link	50A .400Vac/250Vdc. gG. D01. NEOZED // 5SE2350	6	Siemens	A	40	5SE2350
198	10011415	Sicherungseinsatz	NEOZED-Sicherungseinsatz. D01. 10 A. gG. Un AC: 400 V. Un DC: 250 V. mit verzinnten Kontaktkappen	Fuse link	NEOZED fuse-link. D01. 10 A. gG. Un AC: 400 V. Un DC: 250 V. with tin-coated contact-caps	3	Siemens	A	40	5SE2310
199	10033088	Sicherungseinsatz	13A .400Vac/250Vdc. gG. D01. NEOZED	Fuse link	13A .400Vac/250Vdc. gG. D01. NEOZED	3	Siemens	A	50	5SE2013
323	10014487	Ritzel	TK130 Modul 5	Pinion	TK130 Modul 5	2	3CON	A	10	202002714
425	10291632	Kuehlgeraet	weco 07.1 A - 400V 50Hz (blaues Gehäuse)	Cooling unit	weco 07.1 A - 400V 50Hz (blue housing)	1	gwk	B	30	10209943
426	10010886	Kühlgerät	Wandanbau. 230V. 0.55kW // SK.3303500	Cooling unit	Wall-mounted. 230V. 0.55kW // SK.3303500	1	Rittal	B	10	3303500
427	10454488	Monitor 50"	ProLite LH5075UHS-B1AG	Monitor 50"	ProLite LH5075UHS-B1AG	1	Iiyama	B	50	LH5075UHS-B1AG
428	10378393	Monitor 32"	ProLite LH3254HS-B1AG	Monitor 32"	ProLite LH3254HS-B1AG	1	Iiyama	B	10	LH3254HS-B1AG
429	10176128	Elastomerkupplung	EKH/800/162/B/60-PFN/40	Elastomer coupling	EKH/800/162/B/60-PFN/40	2	R+W	B	30	EKH/800/162/B/60-PFN/40
430	10011938	Geregelte Stromversorgung	SITOP PSU8200 24 V/40 A Geregelte Stromversorgung Eingang: 3 AC 400-500 V Ausgang: DC 24 V/40 A	Regulated power supply	SITOP PSU8200 24 V/40 A stabilized power supply input: 400-500 V 3 AC output: 24 V DC/40 A *Ex approval no longer available*	1	Siemens	B	70	6EP3437-8SB00-0AY0
431	10011407	Leistungsschalter	415V 3-polig.	Circuit breaker	415V 3-polig.	1	Siemens	B	70	3VA1225-4EF32-0AA0
432	10011224	Bremswiderstand	// BW039-012-T	Brake resistor	// BW039-012-T	1	SEW	B	50	BW039-012-T
433	10005397	Stromversorgungseinheit	SITOP PSU8200 24 V/10 A Geregelte Stromversorgung Eingang: AC 120/230 V Ausgang: DC 24 V/10 A	Power supply unit	SITOP PSU8200 24 V/10 A regulated power supply input: AC 120/230 V output: DC 24 V/10 A	1	Siemens	B	70	6EP3334-8SB00-0AY0
434	10006392	Leistungsschütz	AC-3 22 kW/400V DC 24V 1S + 1OE S2 // 3RT2036-3KB40	Power Contactor	AC-3 22kW/400V DC 24V 1S + 1OE. S2 // 3RT2036-3KB40	7	Siemens	B	50	3RT2036-3KB40
435	10004941	Druckverstaerker	VBA10A-F02GN	Pressure amplifier	VBA10A-F02GN	1	SMC	B	15	VBA10A-F02GN
436	10389353	Fuehrungsschiene	HDR45-C L1445 G40 G40	Guide rail	HDR45-C L1445 G40 G40	4	THK	B	50	HDR45-C L1445 G40 G40
437	10011464	unmanaged Industrial Ethernet Switch	SCALANCE XB008 unmanaged Industrial Ethernet Switch für 10/100 Mbit/s. zum Aufbau von kleinen Stern- und Linienstrukturen. LED-Diagnose. IP20. AC/DC 24V Spannungsversorgung. mit 8x 10/100 Mbit/s Twisted Pair Ports mit RJ45-Buchsen. Handbuch als Download verfügbar	Unmanaged Industrial Ethernet Switch	SCALANCE XB008 Unmanaged Industrial Ethernet Switch for 10/100 Mbit/s. for setting up small star and line topologies. LED diagnostics. IP20. 24 V AC/DC power supply. with 8x 10/100 Mbit/s twisted pair ports with RJ45 sockets. Manual available as a download .	3	Siemens	B	70	6GK5008-0BA10-1AB2
438	10011403	Kompaktleistungsschalter	3VA1 IEC Frame 100. 36kA. 415V 3P. 16A. TM210 // 3VA1096-4ED32-0AA0	Circuit breaker	3VA1 IEC Frame 100. 36kA. 415V 3P. 16A. TM210 // 3VA1096-4ED32-0AA0	1	Siemens	B	70	3VA1096-4ED32-0AA0
439	10006377	Leistungsschütz	AC-3 25 kW/400V DC 24V 1S + 1OE S0 FZ // 3RT2026-2BB40	Power contactor	AC-3 25kW/400V DC 24V 1S + 1OE S0 FZ // 3RT2026-2BB40	1	Siemens	B	50	3RT2026-2BB40
440	10004812	Leitungsschutzschalter	400V 10kA. 3+N-polig. C. 16A. T=70mm // 5SY4616-7	Miniature circuit breaker	Miniature circuit breaker 400 V 10kA. 3+N-pole. C. 16A. D=70 mm	1	Siemens	B	10	5SY4616-7
441	10011511	Dauerlichtelement. mit integrierter LED. grün. AC/DC 24 V. Durchmesser 70 mm	Dauerlichtelement. grün // 8WD4420-5AC	Signal column green	Continuous light element. green // 8WD4420-5AC	1	Siemens	B	70	8WD4420-5AC
442	10011121	Dauerlichtelement. mit integrierter LED. rot. AC/DC 24 V. Durchmesser 70 mm	Dauerlichtelement. rot // 8WD4420-5AB	Signal column	Continuous light element. red // 8WD4420-5AB	1	Siemens	B	70	8WD4420-5AB
443	10010888	Reitersicherungselement	D-Switch // SV.9340950	Bus-mounting fuse base	D-Switch // SV.9340950	12	Rittal	B	50	9340950
444	10011122	Dauerlichtelement. mit integrierter LED. gelb. AC/DC 24 V. Durchmesser 70 mm	Dauerlichtelement. gelb // 8WD4420-5AD	Signal column Yellow	8WD4420-5AD	1	Siemens	B	70	8WD4420-5AD
445	10011153	Tuerpositionsschalter	Anschlussleitung L=800mm	Door-operated switch	with connection wire 800mm	2	Rittal	B	50	SZ2500470
446	10006393	Leitungsschutzschalter	400V 10kA. 3-polig. C. 6A. T=70mm // 5SY4306-7	Miniature circuit breaker	400V 10kA. 3-pin. C. 6A. D = 70mm // 5SY4306-7	1	Siemens	B	10	5SY4306-7
447	10005336	Leistungsschalter	0.28-0.4A 3RV2011-0EA25	Circuit breaker	0.28-0.4A 3RV2011-0EA25	1	Siemens	B	50	3RV2011-0EA25
448	10011157	Tuerpostionsschalter	ohne Anschlussleitung	Door-operated switch	without connection wire	2	Rittal	B	50	SZ4127010
449	10006350	Leitungsschutzschalter	400V 10kA. 3-polig. C. 13A. T=70mm // 5SY4313-7	Miniature circuit breaker 13A 3pol	400V 10kA. 3-polig. C. 13A. T=70mm // 5SY4313-7	1	Siemens	B	50	5SY4313-7
450	10011280	Leistungsschütz	AC-3 3 kW/400V DC 24V 1S S00 FZ // 3RT2015-2BB41	Power Contactor	AC-3 3kW/400V 1S DC 24V S00 FZ // 3RT2015-2BB41	4	Siemens	B	50	3RT2015-2BB41
451	10006386	Leistungsschütz	AC-3 3 kW/400V DC 24V 1OE S00 FZ // 3RT2015-2BB42	Power contactor	AC-3 3kW/400V DC 24V 1OE S00 FZ // 3RT2015-2BB42	10	Siemens	B	50	3RT2015-2BB42
452	10011423	Leitungsschutzschalter	230/400V 10kA. 1-polig. C. 10A. T=70mm // 5SY4110-7	Miniature circuit breaker	C10A. 1-pole. 230/400Vac // 5SY4110-7	1	Siemens	B	50	5SY4110-7
453	10004650	Leitungsschutzschalter	230/400V 10kA. 1-polig. C. 13A. T=70mm // 5SY4113-7	Miniature circuit breaker	230/400V 10kA. 1-polig. C. 13A. T=70mm // 5SY4113-7	4	Siemens	B	50	5SY4113-7
454	10088758	Befestigungselement	ZS-46-A2	Fastening element	ZS-46-A2	1	SMC	B	10	ZS-46-A2
455	10140552	Gummi-Metall-Puffer	D25 H10 M6x18	Metal-rubber buffer	D25 H10 M6x18	2	None	B	50	T46114
504	10024967	Buchse		Bushing (mirrored)		4	3CON	B	40	s009 22 003 Buchse
516	10063704	Maschinenleuchte	Flatfram 4000K mit Rahmen IP65 // PR6060.38.4	Machine light (mirrored)	Flatfram 4000K with frame IP65 // PR6060.38.4	2	3CON	B	50	PR6060.38.4
519	10206128	Zahnstange	D60 Modul 5 L1963.5mm	Gear rack	D60 Modul 5 L1963.5mm	2	3CON	B	25	10206128
521	10110048	ZB Spannsystem Basis	1001000_01_01	ZB clamping system base	1001000_01_01	1	3CON	B	40	10110048
523	10257366	ZB Spannsystem Obertisch	zentrierend - Indexierung Rechts	ZB clamping system upper table	centering - indexing right side	2	3CON	B	20	10257366__3CON__ZB Spannsystem Obertisch zentrierend - Indexierung Rechts__1001000_01_02
524	10257458	ZB Spannsystem Obertisch	nicht zentrierend - Indexierung Links	ZB clamping system upper table	not centering - Indexing left	2	3CON	B	20	10257458__3CON__ZB Spannsystem Obertisch nicht zentrierend - Indexierung Links 1001000 01 04
547	10008486	Kugelknopf	GN 319.5-40-M10-B	Ball button	GN 319.5-40-M10-B	1	Elesa+Ganter	C	10	GN 319.5-40-M10-B
553	10027829	Andockrahmen Han 24B	Bgr.: 24 B // 09 30 024 1701	Docking frame Han 24B	Size.: 24 B // 09 30 024 1701	9	HARTING	C	50	09 30 024 1701
572	10011353	Kontaktmodul	1S. Boden // 3SU1400-2AA10-3BA0	Contact module 1NO Spring Type. floor	1NO. Boden // 3SU1400-2AA10-3BA0	6	Siemens	C	50	3SU1400-2AA10-3BA0
578	10011473	Schutzleiter-Reihenklemme	ZPE 2.5/4AN	Protective conductor terminal block	ZPE 2.5/4AN	12	Weidmueller	C	10	1608660000
582	10011194	Halter	3SU1550-0AA10-0AA0	Push Button Holder	3SU1550-0AA10-0AA0	13	Siemens	C	50	3SU1550-0AA10-0AA0
586	10010863	Blindabdeckung	modular // 09 14 000 9950	Blind cover single dummy module	modular // 09 14 000 995	3	HARTING	C	50	09 14 000 9950
588	10011505	Durchgangs-Reihenklemme	ZDU 2.5/4AN	Feed-through terminal block	ZDU 2.5/4AN // ZDU 2.5/4AN	62	Weidmueller	C	50	1608570000
594	10011514	Abschlussplatte	ZAP/TW 3	Cover plate	ZAP/TW 3	26	Weidmueller	C	50	1608800000
605	10006380	Schlüsselaufnahme mit PROFINET Schnittstelle	EKS-A-IIX-G01-ST02/03. ELECTRONIC-KEY-SYSTEM. EKS-A-IIX-G01-ST02/03	Electronic-Key adapter with PROFINET interface	EKS-A-IIX-G01-ST02/03. ELECTRONIC-KEY-SYSTEM. EKS-A-IIX-G01-ST02/03	1	Euchner	C	50	106305
606	10011471	1-Ph-Spartrafo	(230V/115V-10kVA) // 4023749	1-ph autotransformer	(230V/115V-10kVA) // 4023749	1	Trafo Modern	C	15	4023749
607	10004791	NH-Lasttrenner SV3431.035	SV3431.035	NH fuse switch SV3431.035	SV3431.035	1	Rittal	C	50	3431035
608	10049322	Signalleuchte	RGB. 520mm	Signal light	RGB. 520mm	1	LED2WORK	C	10	111090-14
609	10125701	Energiekette	1.365m E4.64L.300.150.0 + E4.641.300.1.12.C.A1	IGUS Energy chain	1.365m E4.64L.300.150.0 + E4.641.300.1.12.C.A1	1	Igus	C	15	1.365m E4.64L.300.150.0 + E4.641.300.1.12.C.A1
610	10012299	Signalsäule	Sirenenelement. Mehrton 102 dB. 8 Töne + Lautstärke variabel. schwarz. AC/DC 24 V. Durchmesser 70 mm	Signal column	Siren element. Multi-tone 102 dB. 8 tones + variable volume. black. AC/DC 24 V. Diameter 70 mm	1	Siemens	C	40	8WD4420-0EA2
611	10008249	Nivelliereleement + Schraube	BNSH160/B50 // M20x1.5x100mm	ZB levelling element + screw	BNSH160/B50 // M20x1.5x100mm	4	Bilz	C	50	12-0028 + 19-0156
612	10012371	Systemleuchte	LED 400. 100-240 V. L: 262 mm. // SZ.2500100	System light	LED 400. 100-240 V. L: 262 mm. // SZ.2500100	2	Rittal	C	50	2500100
613	10011419	FI/LS-Schalter	10 kA. 1P+N. Typ A. 30 mA. C-Char. In: 13 A. Un AC: 230 V	FI/LS switch	10 kA. 1P+N. Typ A. 30 mA. C-Char. In: 13 A. Un AC: 230 V	4	Siemens	C	15	5SU1354-7KK13
614	10010790	Sicherheitsschalter	RFID. Magnetrastung. Betätiger // 3SE6310-1BC01	Safety switch	RFID. Magnet latching. actuator // 3SE6310-1BC01	1	Siemens	C	50	3SE6310-1BC01
615	10011413	Spannungsauslöser	24V DC. links // 3VA9988-0BM10	Shunt releases	24V DC. left // 3VA9988-0BM10	1	Siemens	C	15	3VA9988-0BM10
616	10011155	NH-Sicherungslasttrenner	Gr.000. 100A. 3-polig. Klemme. Abg. unten (60 mm) // SV.3431030	NH fuse switch disconnecter	Gr.000. 100A. 3-pol. box terminal. cable outlet bottom (60 mm) // SV.3431030	1	Rittal	C	50	3431030
617	10010903	Komfortgriff	VX Profilhalbzylinder // VX.8618250	Comfort grip	for semi-cylinder // VX.8618250	2	Rittal	C	50	8618250
618	10408524	Sockel	VX Bürstenleiste 100x1200mm // VX.8660095	Base	VX brush strip 100x1200 // VX.8660095	2	Rittal	C	50	8660095
619	10005147	Klemm- und Ausrichthalterung	BEF-1SHABPKU4	Clamp and alignment bracket	BEF-1SHABPKU4	8	Sick	C	50	2066614
620	10008626	Verteiler	FR-8-1/4	Distributor	FR-8-1/4	2	Festo	C	50	2078

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005808

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
621	10011486	FrontCom	Metalldeckel abschließbar mit Schlüssel // IE-FC-SFM-KEY2	FrontCom	Metal cover. Lockable with key // IE-FC-SFM-KEY2	1	Weidmueller	C	50	1450540000
622	10011903	Sammelschiene	PLS800. L=895mm. 5mm Schienenstärke. CU // SV.3525010	Busbar	PLS 800. L: 895 mm. bar thickness: 5 mm // SV.3525010	3	Rittal	C	40	3525010
623	10011509	Anschlusselement. mit Abschlussdeckel. schwarz. für Rohrmontage. mit Federzuganschluss.	Anschlusselement // 8WD4408-0AD	Signal column end piece	Connection element // 8WD4408-0AD	1	Siemens	C	70	8WD4408-0AD
624	10011510	Rohr mit Fuß. Länge 100 mm. Zubehör für Signalsäulen. mit Durchmesser 70 mm	Rohr mit Fuß // 8WD4308-0DA	Signal column foot piece	Pipe with foot // 8WD4308-0DA	1	Siemens	C	70	8WD4308-0DA
625	10010881	Wandsteckdose mit TwinCONTACT // CEE-Steckdose	16A 5P 6h 400V IP44 // 419	CEE socket	16A 5P 6h 400V IP44 // 419	1	Mennekes	C	50	419
626	10012523	SCHUKO-Steckdose	16 A. AC 250 V. DIN 49440 IP44 Blau	Earthed socket	16 A. AC 250 V. DIN 49440 IP44 blue	4	Merten	C	50	279075
627	10408526	Sockel	VX vorne und hinten 100x800mm	base	VX front and back 100x800mm	2	Rittal	C	50	8660003
628	10011287	Sockelgehäuse	Bgr.: 10 B. Längsbügel. seitlich 2x M20. niedrig. Kappe // Han 10B-asg2-LB-K-M20	Socket casing	Size: 10 B. Single locking lever. side entry 2x M20. low. cover // 19 30 010 1295	1	HARTING	C	50	19 30 010 1295
629	10011412	Hilfsschalter	Wechselkontakte Typ HQ (7MM) Zubehör für: 3VA1 und 3VA20-26	Auxiliary switch	Changeover contacts type HQ (7mm) accessory for: 3VA1 and 3VA20-26	1	Siemens	C	70	3VA9988-0AA12
630	10011396	Gehäuse für Befehlsgeräte. 22 mm. rund. Gehäusematerial Kunststoff. Gehäuseoberteil grau. 4 Befehlsstellen Kunststoff. Vertiefung für Schilder. ohne Bestückung	4 Befehlsstellen // 3SU1804-0AA00-0AB1	Casing	4 control points // 3SU1804-0AA00-0AB1	2	Siemens	C	50	3SU1804-0AA00-0AB1
631	10261080	OM-Adapter	32A. 690V 3-polig // SV 9340.550	OM adaptor	32A. 690V. 3-pole // SV 9340.550	1	Rittal	C	10	9340550
632	10011490	FrontCom	Einsatz Power Typ F Steckdose DE orange // IE-FCI-PWB-DE-OR	FrontCom	Insert Power large. Type F. Socket connector. DE. orange // IE-FCI-PWB-DE-OR	1	Weidmueller	C	50	1554000000
633	10012111	Rahmenklemme	3VA1 250 // 3VA9253-0JA11	Box terminal 3VA9253-0JA11	3VA1 250 // 3VA9253-0JA11	2	Siemens	C	70	3VA9253-0JA11
634	10011710	Gelenkrahmen	Bgr.: 24. B 6 Module A-F // 09140240361	Articulated frame	Size: 24 B. 6 Module A-F // 09 14 024 0361	5	HARTING	C	15	09 14 024 0361
635	10011294	Gelenkrahmen	Bgr.: 10. B 3 Module A-C // 09 14 010 0361	Articulated frame. Size: 10B. 6 Module A-F	Size: 10 B. 6 Module A-F // 09 14 010 0361	1	HARTING	C	50	09 14 010 0361
636	10011293	Gelenkrahmen	Bgr.: 10. B 3 Module a-c // 09140100371	Articulated frame. Size: 10 B. 6 modules a-f	Size: 10 B. 6 modules a-f // 09 14 010 0371	1	HARTING	C	50	09 14 010 0371
637	10012071	FrontCom	Berührungsschutz // IE-FC-PWPC	FrontCom	Contact protection // IE-FC-PWPC	1	Weidmueller	C	50	1450820000
638	10012064	Tüllengehäuse	Bgr.: 10 B. Längsbügel. seitlich 1x M25. niedrig // 19300101541	Sleeve casing	Size: 10 B. Single locking lever. side entry 1x M25. low // 19 30 010 1541	1	HARTING	C	50	19 30 010 1541
639	10408534	Sockel	VX seitlich 100x500mm	base	VX lateral 100x500mm	2	Rittal	C	50	8660032
640	10005409	Gehäuse für Befehlsgeräte. 22 mm. rund. Gehäusematerial Kunststoff. Gehäuseoberteil grau. 2 Befehlsstellen Kunststoff. Vertiefung für Schilder. ohne Bestückung	2 Befehlsstellen // 3SU1802-0AA00-0AB1	Casing	2 control points // 3SU1802-0AA00-0AB1	1	Siemens	C	50	3SU1802-0AA00-0AB1
641	10372569	Schaltschrank-Steckdose	Reiheneinbau 1-fach 16A IP20 gelb. Type CF // 1068028	Control cabinet socket	DIN rail 1x 16A IP20 yellow. Type CF //1068028	2	Phönix Contact	C	50	1068028
642	10006359	Hilfsstromschalter	1S+1Ö für LS-Schalter 5SL. 5SY. 5SP Einbauschalter 5TL1. FI/LS 5SU1. FI 5SV	Auxiliary switch	1 NO + 1 NC for LS switches 5SL. 5SY. 5SP. built-in switches 5TL1. FI/LS 5SU1. FI 5SV	3	Siemens	C	50	5ST3010
643	10041930	Montage-Set	IPC127E. Wandmontage	Mounting kit	IPC127E. Wall mount	2	Siemens	C	15	6AG4021-0AA20-0AA2
644	10297611	Winkel für Fußmontage. Zubehör für Signalsäulen. mit Durchmesser 50 mm und 70 mm	8WD4408-0CC	Bracket for signal column	with diameters 50 mm and 70 mm	1	Siemens	C	70	8WD4408-0CC
645	10011844	Klemmenabdeckung	3VA1 250 verlängert. 3P // 3VA9211-0WF30	Terminal cover	3VA1 250 extended. 3P // 3VA9211-0WF30	2	Siemens	C	50	3VA9211-0WF30
646	10016078	Buegelgriff	M.443/200 AE-V0	Bow-type handle	M.443/200 AE-V0	1	Elesa+Ganter	C	10	M.443/200 AE-V0
647	10011283	Überspannungsbegrenzer	24-70V DC // 3RT2916-1JK00	Surge limiter	24-70V DC // 3RT2916-1JK00	14	Siemens	C	50	3RT2916-1JK00
648	10004218	USB auf USB IE-BI-USB		USB to USB IE-BI-USB		1	Weidmueller	C	50	1019570000
649	10125509	Rahmenklemme	3VA1 100/160	Box terminal	3VA1 100/160	2	Siemens	C	20	3VA9153-0JA11
650	10011285	Überspannungsbegrenzer	24-70V DC // 3RT2936-1BB00	Surge limiter	24-70V DC // 3RT2936-1BB00	7	Siemens	C	50	3RT2936-1BB00
651	10016332	Kabelverschraubung	Skintop ST-M50x1.5. silbergrau	Cable gland	Skintop ST-M50x1.5. silver-grey	2	Lapp	C	50	53111060
652	10011276	Hilfsschalter	frontseitig 4S // 3RH2911-2XA40-0MA0	Auxiliary switch	Auxiliary switch on the front. 4 S current path 1 S. 1 S. 1 S. 1 S for 3RH2 and 3RT2 spring-cage connection 53/54. 63/64. 73/74. 83/84	6	Siemens	C	70	3RH2911-2XA40-0MA0
653	10008550	Stellfuss	BSF80M12x100	Adjustable foot	BSF80M12x100	4	Schwaderer	C	50	BSF80M12x100
654	10011284	Überspannungsbegrenzer	24-70V DC // 3RT2926-1JK00	Surge limiter	24-70V DC // 3RT2926-1JK00	1	Siemens	C	50	3RT2926-1JK00
655	10125695	Sterngriff	M12x60	Star handle	M12x60	2	Norelem	C	50	06209-01-46312X60
656	10004741	Reflektor	REF-H30x60	Reflector	REF-H30x60	1	Pepperl+Fuchs	C	50	246176
657	10025042	Sockelgehäuse	Bgr.: 3 A. Längsbügel. gerade 1x M20 // 19 20 003 1250	Socket casing	Size: 3 A. Single locking lever. top entry 1x M20 // 19 20 003 1250	4	HARTING	C	50	19 20 003 1250
658	10010894	Klemmenabdeckung	3VA1 100/160. 3P // 3VA9111-0WD30	Terminal cover	3VA1 100/160. 3P // 3VA9111-0WD30	2	Siemens	C	70	3VA9111-0WD30
659	10011212	Hutschienenmontage-Adapter	Hutschienenmontage-Adapter schwarz. für Befehlsgeräte. 22 mm. rund	Top hat rail assembly adapter	Adapter for DIN rail mounting Black. for command devices. 22 mm. round	1	Siemens	C	50	3SU1900-0KH80-0AA0
660	10011354	Kontaktmodul	1NC. Boden // 3SU1400-2AA10-3CA0	Contact module 1NC. Floor	1NC. Boden // 3SU1400-2AA10-3CA0	8	Siemens	C	50	3SU1400-2AA10-3CA0
661	10011492	Schutzleiter-Reihenklemme	ZPE 16 // ZPE 16	Protective conductor terminal block	ZPE 16 // ZPE 16	5	Weidmueller	C	50	1745250000
662	10004984	Verbindungsbaustein	elektrisch und mechanisch für 3RV2011 und 3RT201. Federzuganschluss	Terminal. Spring type for circuit breaker	Electrical and mechanical for 3RV2011 and 3RT201. Spring-type terminal	1	Siemens	C	70	3RA2911-2AA00
663	10012004	Kontaktmodul	1S. Front // 3SU1400-1AA10-3BA0	Contact module	1NO. Front // 3SU1400-1AA10-3BA0	5	Siemens	C	50	3SU1400-1AA10-3BA0
664	10011428	Distanzstück	0.5 TE // 5TG8240	Spacer	0.5 MW // 5TG8240	3	Siemens	C	50	5TG8240
665	10012042	Prüftrenn-Reihenklemme	ZTR 6-2 // ZTR 6-2	Test disconnect terminal block	ZTR 6-2 // ZTR 6-2	1	Weidmueller	C	50	1023830000
666	10011502	Neutralleiter-Reihenklemme	ZNT 16S // 16 mm². 400 V. 76 A	Neutral conductor terminal block	ZNT 16S // ZNT 16S	1	Weidmueller	C	20	1739600000
667	10011485	Mehrstock-Reihenklemme	ZDLD 2.5-2N/PE/L/N // ZDLD 2.5-2N/PE/L/N	Multi-level terminal block	ZDLD 2.5-2N/PE/L/N // ZDLD 2.5-2N/PE/L/N	6	Weidmueller	C	10	1131760000
668	10157047	Hilfsleiteranschlussklemme für Rahmenklemme	3VA1 250. 3VA2 100/160/250	Auxiliary conductor terminal for frame terminal	3VA1 250. 3VA2 100/160/250	3	Siemens	C	70	3VA9200-0WB00
669	10004168	Befestigungsflansch	BF 12	Mounting flange 12	BF 12	2	Pepperl+Fuchs	C	50	49
670	10010877	Tüllengehäuse	Bgr.: 3 A. Längsbügel. gerade 1x M20 // 19 20 003 1440	Sleeve casing	Size: 3 A. Single locking lever. top entry 1x M20 // 19 20 003 1440	1	HARTING	C	50	19 20 003 1440
671	10178301	Befestigungsflansch	BF 18	Mounting flange	BF 18	3	Pepperl+Fuchs	C	50	50
672	10008776	Kabelverschraubung	Skintop ST-M40x1.5. silbergrau	Cable gland	Skintop ST-M40x1.5. silver grey	6	Lapp	C	50	53111050
673	10011537	Doppelstock-Schutzleiter-Reihenklemme	ZDT 2.5/2 PE. steckbar // ZDT 2.5/2 PE	Double-level protective conductor terminal block	ZDT 2.5/2 PE. pluggable // ZDT 2.5/2 PE	11	Weidmueller	C	50	1815170000
674	10008498	Aktivierungsschraube	grau 12-Monate	Activation screw	12 months // grey	4	PermaTec	C	50	101335
675	10010899	Schutzleiter-Reihenklemme	ZPE 2.5 // ZPE 2.5	Protective conductor terminal block	ZPE 2.5 // ZPE 2.5	1	Weidmueller	C	50	1608640000
676	10011048	Durchgangs-Reihenklemme	ZDU 6-2/3AN // ZDU 6-2/3AN	Feed-through terminal block	ZDU 6-2/3AN // ZDU 6-2/3AN	5	Weidmueller	C	50	1771410000
677	10370153	Befestigungswinkel	SX7000-16-1A	Mounting bracket	SX7000-16-1A	2	SMC	C	50	SX7000-16-1A
678	10011475	Durchgangs-Reihenklemme	ZDU 16 // ZDU 16	Feed-through terminal block	ZDU 16 // ZDU 16	6	Weidmueller	C	50	1745230000
679	10011536	Doppelstock-Reihenklemme	ZDT 2.5/2. steckbar // ZDT 2.5/2	Double-deck terminal block	ZDT 2.5/2. pluggable // ZDT 2.5/2	63	Weidmueller	C	50	1815150000
680	10010812	Doppelstock-Reihenklemme	ZDK 2.5 // ZDK 2.5	Double-deck terminal block	ZDK 2.5 // ZDK 2.5	58	Weidmueller	C	50	1674300000

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005808

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
681	10013872	T-Anschluss	D8	T connection	D8	1	Riegler	C	50	109829
682	10011498	Neutralleiter-Reihenklemme	ZNT 2.5 S // ZNT 2.5 S	Neutral conductor terminal block	ZNT 2.5 S // ZNT 2.5 S	28	Weidmueller	C	50	1808300000
683	10238436	Befestigungswinkel	SX5000-16-1A	Mounting bracket	SX5000-16-1A	4	SMC	C	50	SX5000-16-1A
684	10011389	Schildtraeger	Doppeldrucktaster 22mm // 3SU1900-0AK10-0AA0	Twin pushbutton label holder 12.5 X 27MM	22mm // 3SU1900-0AK10-0AA0	2	Siemens	C	40	3SU1900-0AK10-0AA0
685	10011503	Durchgangs-Reihenklemme	ZDU 2.5 // ZDU 2.5	Feed-through terminal block	ZDU 2.5 // ZDU 2.5	9	Weidmueller	C	50	1608510000
686	10272385	Endwinkel	ZEW 35/2	End stop	ZEW 35/2	36	Weidmueller	C	50	8630740000
687	10479817	Schutzgittersystem ImpactGuard®	OF24/061380	Safety fence system ImpactGuard®	OF24/061380	1	Satech	C	40	214256
688	10415322	Schutzzaun	Einlegebereich	Safety fence	Insert area	1	Satech	C	40	211823
738	10015742	Gleitleiste	Murtfeldt	Bearing bar	Murtfeldt	2	3CON	C	40	1001100 10 04 02 003
739	10015741	Gleitleiste	Murtfeldt	Bearing bar	Murtfeldt	2	3CON	C	40	1001100 10 04 02 002
740	10350996	Hubleiste	1001400 10 02 01 01 01 001	Lifting bar	1001400 10 02 01 01 01 001	2	3CON	C	40	10350996
768	10013400	Schutz Werkzeugcodierung	Murtfeldt	Protection tool coding	Murtfeldt	1	3CON	C	40	1001100_10_13_002

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005809

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
2	10453108	Kegelradgetriebemotor	K19 CMP50M/BK/PK/AK1H/SB1 - lt. Angebot 422583821 Pos. 01	Bevel geared motor	K19 CMP50M/BK/PK/AK1H/SB1 - lt. Angebot 422583821 Pos. 01	1	SEW	A	20	K19 CMP50M BK PK AK1H SB1 20240702 113453
3	10402706	Servomotor CMP50M/BK/PK/AK0H/SB1	lt. Angebot 421966576 Pos. 01	Servomotor CMP50M/BK/PK/AK0H/SB1	lt. Angebot 421966576 Pos. 01	2	SEW	A	20	CMP50M/BK/PK/AK0H/SB1 (Angebot 421966576, Pos. 100)
4	10153495	Spindelhubgetriebe	ZE-5-SN TR18x4-KH-RH-H50-SRO111-VS 199C0018	Screw jack	ZE-5-SN TR18x4-KH-RH-H50-SRO111-VS 199C0018	2	Zimm	A	25	10073722
6	10004444	Bundle PROFINET IM	6ES7155-6AA01-0BN0	Bundle PROFINET IM	6ES7155-6AA01-0BN0	2	Siemens	A	50	6ES7155-6AA01-0BN0
9	10011555	Web- und Applikationsserver	// pure.box 3	Web and application server	// pure.box 3	1	W&T	A	50	50518
10	10453088	Verbindungswelle	VWZ-60-541-20N/20	Connecting shaft	VWZ-60-541-20N/20	2	Zimm	A	10	28802
11	10004179	Analoges eingangsmodul	SIMATIC ET 200SP. analoges Eingangsmodul. AI 4xRTD/TC High Feature. passend für BU-Typ A0. A1. Farbcode CC00. Kanal-Diagnose. 16Bit. +/-0.1%. 2-/3-/4-Wire	Analogue input module	SIMATIC ET 200SP. analogue input module. AI 4xRTD/TC High Feature suitable for BU types A0. A1. colour code CC00. channel diagnosis. 16Bit. +/-0.1%. 2-/3-/4-Wire	4	Siemens	A	70	6ES7134-6JD00-0CA1
13	10012080	Analoges Eingangsmodul	6ES7134-6HD01-0BA1	Analogue input module	6ES7134-6HD01-0BA1	1	Siemens	A	70	6ES7134-6HD01-0BA1
14	10008393	Vakuumsaugduese	VN-14-H-T4-PQ3-VQ3-RO2-B	Vacuum generator	VN-14-H-T4-PQ3-VQ3-RO2-B	2	Festo	A	50	532648
15	10008794	Anlege-Widerstandsthermometer	PT100 180 Grad	Surface-mounted resistance thermometer	PT100 180°C	8	Jumo	A	40	635743
16	10437021	Flachzylinder	MDUB50-90DZ	Flat cylinder	MDUB50-90DZ	4	SMC	A	15	MDUB50-90DZ
17	10025168	Lichtleiter-Messverstaerker	FS-Neo	Light conductor amplifier	FS-Neo	5	Keyence	A	10	FS-N11CP
18	10011790	Magnetventil (G)	VUVG-P53C. Gr. 10 // VUVG-L10-P53C-T-M7-1R8L	Directional control valve	VUVG-P53C. Gr. 10 // VUVG-L10-P53C-T-M7-1R8L	9	Festo	A	50	574223
19	10007687	Verteiler	Exact8. 10xM8. 3-pol.	Distribution block	10xM8 3pol M12	2	Murr	A	50	8000-80060-0000000
20	10010995	M12 12pol gewinkelt	7000-19061-3011000	Sensor-actuator cable	7000-19061-3011000 // M12 12-pin angled	2	Murr	A	50	7000-19061-3011000
21	10004289	Digitales ausgangsmodul	SIMATIC ET 200SP. Digitales Ausgangsmodul. DQ 8x 24V DC/0.5A Standard. Source Output (PNP.P-schaltend) Verpackungseinheit: 1 Stück. passend für BU-Typ A0. Farbcode CC02. Ersatzwertausgabe. Modul-Diagnose für: Kurzschluss nach L+ und M. Drahtbruch. Versorgungsspannung	Digital output module	SIMATIC ET 200SP. digital output module. DQ 8x 24V DC/0.5A standard. source output (PNP. P-switching) packaging unit: 1 piece. suitable for BU type A0. colour code CC02. substitute value output.6ES7132-6BF01-0BA0	7	Siemens	A	70	6ES7132-6BF01-0BA0
22	10035715	Fuehrungswagen	KWVE25-B-V1-G3	Guide cart	KWVE25-B-V1-G3	20	Schaeffler	A	50	KWVE25-B-V1-G3
24	10453109	Stopperzylinder	DFSP-16-10-DS-PA	Stopper cylinder	DFSP-16-10-DS-PA	4	Festo	A	10	576058
26	10006158	Drucktransmitter SPTE-V1R-Q4-V-2.5K	SPTE-V1R-Q4-V-2.5K	Pressure transmitter SPTE-V1R-Q4-V-2.5K	SPTE-V1R-Q4-V-2.5K	2	Festo	A	40	571477
28	10004452	Sensorleitung	M12 4pol 5M	Sensor-actuator cable	M12 4pol 5M	1	Murr	A	50	7000-14541-7960500
29	10004175	Digitales eingangsmodul	SIMATIC ET 200SP. Digitales Eingangsmodul. DI 8x 24VDC Standard. Eingangstyp 3 (IEC 61131). Sink Input. (PNP. P-lesend). Verpackungseinheit: 1 Stück. passend für BU-Typ A0. Farbcode CC01. Eingangsverzögerung 0.05..20ms. Modul-Diagnose für: Kurzschluss Geberversorgung. Drahtbruch. Versorgungsspannung	Digital input module	SIMATIC ET 200SP. Digital input module. DI 8x 24VDC standard. Input type 3 (IEC 61131). Sink input. (PNP. P-reading). Packaging unit: 1 piece. suitable for BU type A0. Color code CC01. Input delay 0.05..20ms. module diagnostics for: Short circuit encoder supply. Open circuit. Supply voltage	10	Siemens	A	70	6ES7131-6BF01-0BA0
31	10041638	Verschlusskupplung	RMI12.5103/JV	Seal coupling	RMI12.5103/JV	8	Stäubli	A	15	RMI12.5103/JV
32	10007072	Kompaktzylinder	ADN-40-25-A-P-A	Compact cylinder	ADN-40-25-A-P-A	1	Festo	A	50	536293
33	10041692	Druckregelventil	MS4-LR-1/4-D6-RG-AS-WR	Pressure regulator	MS4-LR-1/4-D6-RG-AS-WR	4	Festo	A	10	527690
34	10088952	Siemens_Drucktaster__Sirius_ACT__3SU1801-2GA00-2AA1	1 Befehlsstelle. Grobhandtaster schwarz	Siemens_pushbutton	1 control point. Rough hand switch black	2	Siemens	A	15	3SU1801-2GA00-2AA1
35	10004177	Base Unit	6ES7193-6BP20-0DA0	SIMATIC ET 200SP. Base Unit BU. New load group	6ES7193-6BP20-0DA0	8	Siemens	A	70	6ES7193-6BP20-0DA0
36	10010927	Stiftmodul	modular. 12pol. 10A. Quick-Lock-Anschluss // 09 14 012 2632	Harting module 12pin. 10A. male	modular. 12pin. 10A. Quick-Lock connection // 09 14 012 2632	3	HARTING	A	10	09 14 012 2632
37	10010818	Lichtleitersensor	// FU-6F	Light conductor sensor	// FU-6F	5	Keyence	A	50	FU-6F
38	10011993	Stiftmodul	modular. 2pol. 70A. 6-16mm². Axialschraubanschluss // 09 14 002 2646	Pin module	modular. 2pin 70A. 6-16mm². axial screw connection // 09 14 002 2646	3	HARTING	A	10	09 14 002 2646
40	10004163	Base Unit	SIMATIC ET 200SP. Base-Unit BU15-P16+A10+2B. BU-Typ A0. Push-In-Klemmen. mit 10 AUX-Klemmen. nach links gebrückt. BxH: 15mmx141mm	SIMATIC ET 200SP. Base Unit BU type. bridge to the left	SIMATIC ET 200SP. Base Unit BU15-P16 + A10+2B. BU type A0. push-in terminals. with 10 AUX terminals. bridged to the left. WxH: 15mmx141mm	12	Siemens	A	70	6ES7193-6BP20-0BA0
41	10004150	Base Unit	6ES7193-6BP00-0BA1	Base Unit	6ES7193-6BP00-0BA1	4	Siemens	A	70	6ES7193-6BP00-0BA1
42	10010875	Stiftmodul	modular Quintax. 4pol. 10A. geschirmt. ohne Crimpkontakte // 09 15 004 3013	4 Pin 10A module male	modular Quintax. 4pin. 10A. shielded. without crimp contacts // 09 15 004 3013	2	HARTING	A	50	09 15 004 3013
43	10099760	Sensor induktiv	IE5366. M8 3-polig	Inductive Sensor	IE5366. M8 3-pined	6	IFM	A	50	IEB3002BBPKG/V4A/AS
45	10036567	Rillenkugellager	Di20 Da52 B21	Deep groove ball bearing	Di20 Da52 B21	2	FAG	A	50	62304-2RSR
46	10010944	Stifteinsatz	Bgr.: 24 B. 24pol. 16A. Schraubanschluss // 09 33 024 2601	Harting insert Size: 24 B. 24pin. 16A. screw connection male	Size: 24 B. 24pin. 16A. screw connection // 09 33 024 2601	4	HARTING	A	10	09 33 024 2601
47	10032275	Schneidstecker	Stift M8 3pol gerade. 0.25-0.5mm² // 7000-08325-0000000	Insulation displacement connection	Pin M8 3pol straight. 0.25-0.5mm² // 7000-08325-0000000	22	Murr	A	10	7000-08325-0000000
48	10216168	Sensor- Aktorleitung	M8 3pol gerade 10M // BCC M313-0000-10-001-PX0334-100-C003	Sensor-actuator cable	M8 3-pin straight 10M // BCC M313-0000-10-001-PX0334-100-C003	18	Balluff	A	10	BCC0KKP
49	10047254	Steckverbinder	SACC-M 8MS-3QO-0.5-M	plastic M8 a-coded 3pin field wireable. male	SACC-M 8MS-3QO-0.5-M	2	Phönix Contact	A	50	1441024
50	10004105	Halbleiter Reedschalter. PNP Schließer. Anschlussdrahtlänge 0.2m. LED Rot	D-M9PSAPC-595	Proximity switch Short	D-M9PSAPC-595	30	SMC	A	50	D-M9PSAPC-595
51	10011167	Relais	6A 250Vac. 1W. 24Vdc // RIF-0-RPT-24DC/21	Relay	6A 250Vac. 1 PDT .24Vdc // RIF-0-BPT/21	1	Phönix Contact	A	50	2903370
52	10011384	LED-Modul	grün. Boden // 3SU1401-2BB40-3AA0	LED module	green. floor // 3SU1401-2BB40-3AA0	1	Siemens	A	50	3SU1401-2BB40-3AA0
53	10010925	Stiftmodul	modular. 8pol. 16A. Quick-Lock-Anschluss // 09 14 008 2633	Harting module 8pin. 16A. male	modular. 8pin. 16A. Quick-Lock connection // 09 14 008 2633	5	HARTING	A	40	09 14 008 2633
55	10216169	Sensor- Aktorleitung	M8 4pol gerade 5M // BCC M314-0000-10-003-PX0434-050-C003	Sensor-actuator cable	M8 4-pin straight 5M // BCC M314-0000-10-003-PX0434-050-C003	9	Balluff	A	50	BCC0K8J
56	10004670	Drucktaster	Gruen	Push button green 22mm	3SU1051-0AB40-0AA0	1	Siemens	A	50	3SU1051-0AB40-0AA0
57	10011363	LED-Modul	gelb. Boden // 3SU1401-2BB30-3AA0	LED module yellow	3SU1401-2BB30-3AA0	1	Siemens	A	50	3SU1401-2BB30-3AA0
58	10010868	Stiftmodul	modular. 5pol. 16A. Käfigzugfederanschluss // 09 14 005 2616	5 Pin module male	modular. 5pin. 16A. cage clamp connection // 09 14 005 2616	14	HARTING	A	50	09 14 005 2616
59	10216167	Sensor- Aktorleitung	M8 3pol gerade 5M // BNI IOL-302-002-Z046	Sensor-actuator cable	M8 3pol gerade 5M // BNI IOL-302-002-Z046	38	Balluff	A	50	BALFBNI00AU
60	10011309	Leuchtdrucktaster	gelb // 3SU1051-0AB30-0AA0	Push button yellow	3SU1051-0AB30-0AA0	1	Siemens	A	50	3SU1051-0AB30-0AA0
61	10010866	Stiftmodul	modular Quintax // 09 14 002 3001	Harting Quintax module male	modular Quintax // 09 14 002 3001	2	HARTING	A	60	09 14 002 3001
62	10032954	Rillenkugellager	Di25 Da47 B12	Deep groove ball bearing	Di25 Da47 B12	2	FAG	A	50	6005-2RSR
71	10123119	Messverstärker	PNP für Messtaster GT2	measurement amplifier	PNP fpr measurement switch GT2	8	Keyence	A	10	GT2-71MCP
72	10030297	IR-Strahler	KW L340 1050W 230V UL RR uni	IR-Emitter	KW L340 1050W 230V UL RR uni	5	Heraeus	A	60	5143055
73	10030292	IR-Strahler	KW L110 370W 115V UL RR uni	IR-Emitter	KW L110 370W 115V UL RR uni	32	Heraeus	A	60	5143050
74	10011012	Lasersensor	M8 3-polig // LR-ZH500C3P	Laser sensor	M8 3pin // LR-ZH500C3P	2	Keyence	A	10	LR-ZH500C3P
79	10004147	SIMATIC ET 200SP. analoges Eingangsmodul. AI 4XI 2-/4-Wire Standard. Verpackungsmenge: 1 Stück. passend für BU-Typ A0. A1. Farbcode CC03. Modul-Diagnose. 16 Bit. +/-0.3%	6ES7134-6GD01-0BA1	Analogue input module	SIMATIC ET 200SP. analogue input module. AI 4XI 2-/4-Wire standard. packaging quantity: 1 piece. suitable for BU type A0. A1. colour code CC03. module diagnosis. 16 bit. +/-0.3%	2	Siemens	A	70	6ES7134-6GD01-0BA1
80	10007455	Fuehrungszylinder	DFM-25-25-P-A-KF	Guide cylinder	DFM-25-25-P-A-KF	6	Festo	A	50	170923

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005809

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
81	10415093	Pneumatischer Kompaktschlitten	MXH1015Z	Compact Slide Table	MXH1015Z	4	SMC	A	50	MXH1015Z
82	10014594	Wegeventil	VUVG-L14-T32C-MT-G18-1R8L	Directional control valve	VUVG-L14-T32C-MT-G18-1R8L	3	Festo	A	10	8031504
83	10123116	Anschlussleitung	für Messverstärker GT2	connection cable	for messurement amplifier GT2	8	Keyence	A	10	GT2-CA2M
84	10123117	Anschlusskabel	Messtaster	connection cable	measurement switch	8	Keyence	A	10	GT2-CH2M
86	10146419	Hochleistungsheizpatrone Ø12.5 60mm 400W	WAN DRGSL mit iTemp Type K 1000mm LEGLS SERD	High performance cartridge heater	Ø12.5x60mm // 400W	2	Tuerk+Hillinger	A	10	316534
89	10437100	IR-Strahler_KW L280 870W 230V-UL-RR uni	KW L280 870W 230V-UL-RR uni	IR-Emitter	KW L280 870W 230V-UL-RR uni	32	Heraeus	A	40	80008999
90	10437109	IR-Strahler	KW L400 1250W 230V-UL-RR uni	IR-Emitter	KW L400 1250W 230V-UL-RR uni	19	Heraeus	A	40	80008999
245	10453099	1005809_10_01_013__Zahnstange	(mirrored)	Tooth rack	(mirrored)	1	3CON	A	80	10453099
246	10453029	1005809_10_01_013__Zahnstange		Tooth rack		1	3CON	A	80	10453029
247	10453047	1005809_30_02_02_03_01_001__Greifer_01	(mirrored)	Gripper_01	(mirrored)	1	3CON	A	40	10453047
248	10437084	1005809_30_02_02_03_01_001__Greifer_01		Gripper_01		1	3CON	A	40	10437084
249	10453048	1005809_30_02_02_03_01_002__Greifer_02	(mirrored)	Gripper_02	(mirrored)	1	3CON	A	40	10453048
251	10437090	1005809_30_02_02_03_01_002__Greifer_02	_	Gripper_02	_	1	3CON	A	40	10437090
253	10453050	1005809_30_02_02_04_01_001__Greifer_03	(mirrored)	Gripper_03	(mirrored)	1	3CON	A	40	10453050
254	10437096	1005809_30_02_02_04_01_001__Greifer_03	_	Gripper_03	_	1	3CON	A	40	10437096
255	10453051	1005809_30_02_02_04_01_002__Greifer_04	(mirrored)	Gripper_04	(mirrored)	1	3CON	A	40	10453051
256	10437095	1005809_30_02_02_04_01_002__Greifer_04		Gripper_04		1	3CON	A	40	10437095
309	10314810	Mantelthermoelement 100mm Fuehler	TC-C1-K	Sheathed thermocouple 100mm sensor	TC-C1-K	4	3CON	A	40	10314810
325	10041705	Stirnzahnrad	T40 m2 B20	Spur gear	T40 m2 B20	2	3CON	A	15	10041705
402	10453131	Fuehrungsschiene	TKVD25-G3/1315-27.5/27.5	Guide rail	TKVD25-G3/1315-27.5/27.5	2	Schaeffler	B	50	TKVD25-G3/1315-27,5/27,5
404	10027820	Axiallüfter	230V AC / 29W. 171.5 x 51mm. 3300U/min. 500m³/h	Axial fan	230V AC/29W. 171.5 x 51mm. 3300rpm. 500m³/h	2	ebmpapst	B	15	W2E143-AB09-01
408	10032362	Schmierstoffgeber	Z-LUB-Mini	Lubricator	Z-LUB-Mini	2	Zimm	B	10	199C0015
409	10025487	Fuehrungssaeule	202.23.050.200.10	Guide column	202.23.050.200.10	4	Fibro	B	10	202.23.050.200.10
412	10460410	Klemmnabenkupplung	KUZ KK 24 11 11N	Clamping hub coupling	KUZ KK 24 11 11N	2	Zimm	B	10	KUZ KK 24 11 11N
414	10230990	Fuehrungsschiene	TKVD25-G3/180-30/30	Guide rail	TKVD25-G3/180-30/30	8	Schaeffler	B	10	TKVD25-G3/180-30/30
416	10036629	Fuehrungsschiene	TKVD25-G3/170-25/25	Guide rail	TKVD25-G3/170-25/25	8	Schaeffler	B	50	TKVD25-G3/170-25/25
417	10016785	Positionier-Element	M10x12. Form B	Positioning element	M10x12. Form B	22	Elesa+Ganter	B	10	GN 409.1-15-M10-B
418	10016987	Fuehrungsbuchse mit Bund	DI16 Da20 L20	Guide bushing with flange	DI16 Da20 L20	1	Fibro	B	50	2085.70.016.020
419	10012599	Bundbohrbuchse DIN 172	DI30 Da42 L25 Form A	Collar drill bush	DI30 Da42 L25mm // Form A // DIN172	1	*MISC*diverse*	B	50	10012599
421	10130022	Bundbohrbuchsen DIN 172-B	d16x16	Collar drill bush DIN172	d16x16	1	*MISC*diverse*	B	50	10130022
504	10024967	Buchse	_	Bushing (mirrored)	_	6	3CON	B	40	s009_22_003__Buchse
520	10039614	ZB Fuehrungsbuchse	D50	assembly guide bushing (mirrored)	D50	4	3CON	B	40	10039614
540	10132555	Zentriereinsatz	(mirrored) 180	Centring insert (mirrored)	(mirrored) 180	1	3CON	B	40	10132555
546	10314591	1004919_30_01_05_001__Verteilerblock__2x G3/8	_	Distrubution block	_	2	3CON	C	40	10314591
548	10008538	Buegelgriff	GN 728-180-B-SW	Bow-type handle	GN 728-180-B-SW	2	Elesa+Ganter	C	10	GN 728-180-B-SW
550	10453112	Energiekette Serie 2500	1.15m 2500.12.150.0 + 2125.34PZB.A2	Energy chain 2500 series	1.15m 2500.12.150.0 + 2125.34PZB.A2	2	Igus	C	15	1,15m 2500.12.150.0 + 2125.34PZB.A2
551	10062804	Schnellentlueftungsventil	SEU-1/8	Quick exhaust valve	SEU-1/8	1	Festo	C	50	4616
552	10004874	Lüftergitter	143mm Kunststoffbeschichteter Stahl	Fan grille. plastic-coated steel	143mm	4	ebmpapst	C	10	04013-2-4039
553	10027829	Andockrahmen Han 24B	Bgr.: 24 B // 09 30 024 1701	Docking frame Han 24B	Size.: 24 B // 09 30 024 1701	9	HARTING	C	50	09 30 024 1701
556	10027837	Positionier-Element	GN 409.1-10-M8-B	Positioning element	GN 409.1-10-M8-B	4	Elesa+Ganter	C	10	GN 409.1-10-M8-B
557	10479810	Achsausgleichselement	M10x1.5	Floating joint	M10x1.5	4	SMC	C	50	JA25-10-150
558	10011715	Gelenkrahmen	Bgr.: 24. B 6 Module a-f // 09 14 024 0371	Articulated frame	Size: 24 B. 6 Module a-f // 09 14 024 0371	5	HARTING	C	50	09 14 024 0371
560	10017800	ZB Schlauchtuelle 90 Grad mit Einschraubstutzen	G3/8 DN10	ZB hose nozzle 90 degrees with screw-in socket	G3/8 DN10	4	Hilgendorf	C	10	F07616 + F07663
563	10041641	Schlauchtuelle 90°	ÜM aus Stahl-verzinkt aus Messing	90° 13mm barb with 1/2" nut. brass	made of galvanized steel made of brass	1	Hilgendorf	C	50	1208012
564	10011380	Gehäuse	3 Befehlsstellen // 3SU1803-0AA00-0AB1	Casing	3 control points // 3SU1803-0AA00-0AB1	1	Siemens	C	50	3SU1803-0AA00-0AB1
565	10018129	Schlauchtuelle 90°	ÜM aus Stahl-verzinkt aus Messing	90° 10mm barb with 3/8" nut. brass	made of galvanized steel made of brass	4	Hilgendorf	C	50	1208003
566	10005891	Steckdosenleitung NEBV-H1G2-P-5-N-LE2	NEBV-H1G2-P-5-N-LE2	Socket cable NEBV-H1G2-P-5-N-LE2	NEBV-H1G2-P-5-N-LE2	2	Festo	C	50	566661
569	10025060	ZB Schlauchtuelle gerade mit Einschraubstutzen	G1/2 DN13	ZB hose nozzle straight with screw-in socket	G1/2 DN13	2	Hilgendorf	C	10	F07630 + F07675
570	10016654	ZB Schlauchtuelle gerade mit Einschraubstutzen	G3/8 DN10	ZB hose nozzle straight with screw-in socket	G3/8 DN10	14	Hilgendorf	C	10	F07628 + F07663
571	10043344	ZB Schlauchtuelle gerade mit Einschraubstutzen	G1/4 DN6	ZB hose nozzle straight with screw-in socket	G1/4 DN6	4	Hilgendorf	C	10	F07623 + F07655
572	10011353	Kontaktmodul	1S. Boden // 3SU1400-2AA10-3BA0	Contact module 1NO Spring Type. floor	1NO. Boden // 3SU1400-2AA10-3BA0	2	Siemens	C	50	3SU1400-2AA10-3BA0
573	10035662	Einschraubstutzen gerade Ausführung. aus Messing	n. Zg. 39 D 1403 Ausf. 3	Straight Coupler ½". brass	n. Zg. 39 D 1403 version 3	3	Hilgendorf	C	50	1307565
574	10031688	Haltefeder	Rundrohr 10mm	Retaining spring	Round tube 10mm	160	Heraeus	C	20	9759292
575	10016680	Einschraubstutzen gerade Ausführung. aus Messing	n. Zg. 39 D 1403 Ausf. 2	Straight Coupler 3/8" brass	n. ref. 39 D 1403 version 2	20	Hilgendorf	C	50	1307563
576	10033110	Anschlagschraube	M10x35 St 10.9 brüniert	Stop screw	M10x35 St 10.9 black-oxidised	8	Norelem	C	50	03087-11035
577	10008093	Einschraubstutzen gerade Ausführung. aus Messing	n. Zg. 39 D 1403. Ausf. 1	Double nipple // straight	G1/4	4	Hilgendorf	C	50	1307561
578	10011473	Schutzleiter-Reihenklemme	ZPE 2.5/4AN	Protective conductor terminal block	ZPE 2.5/4AN	3	Weidmueller	C	10	1608660000
579	10041640	Schlauchtuelle gerade	n. Zg. 39-V-16631	13mm barb with 1/2" nut	n. Zg. 39-V-16631	2	Hilgendorf	C	30	1208939
581	10008098	Schlauchtuelle gerade	n. Zg. 39-V-16631	6mm barb with 1/4" nut	Thread: G1/4" Hose: DN6	4	Hilgendorf	C	50	1208937
582	10011194	Halter	3SU1550-0AA10-0AA0	Push Button Holder	3SU1550-0AA10-0AA0	2	Siemens	C	50	3SU1550-0AA10-0AA0
583	10016679	Schlauchtuelle gerade	n. Zg. 39-V-16631	10mm barb with 3/8" nut	Straight Barbed Fitting 3/8"	14	Hilgendorf	C	10	1208938
585	10008209	Kegelschmiernippel	M6 45°	Conical grease nipple	M6 45°	1	*MISC*diverse*	C	50	10008209
586	10010863	Blindabdeckung	modular // 09 14 000 9950	Blind cover single dummy module	modular // 09 14 000 995	1	HARTING	C	50	09 14 000 9950
588	10011505	Durchgangs-Reihenklemme	ZDU 2.5/4AN	Feed-through terminal block	ZDU 2.5/4AN // ZDU 2.5/4AN	18	Weidmueller	C	50	1608570000
589	10100446	L-Steckverschraubung	D = 6 mm G 1/4" AG	Push-in L-fitting	D = 6 mm G 1/4" AG	8	H-Plus	C	40	868469
591	10075854	Aufschraubanschluss	D = 8mm / G 1/8" IG	Screw-on connection	D = 8mm / G 1/8" IG	5	H-Plus	C	40	10075854
592	10027834	Einstecktopfen	33.5mm	Push-in plug	33.5mm	6	Essentra	C	50	12805
593	10075880	Einschraubanschluss gerade	D = 10mm G 1/4" AG	Fitting	D = 10mm G 1/4" AG	11	Riegler	C	50	109122
594	10011514	Abschlussplatte	ZAP/TW 3	Cover plate	ZAP/TW 3	10	Weidmueller	C	50	1608800000
595	10275700	Leuze__Lichttaster mit Hintergrundausblendung__HT3C.B/4-M8.3	HT3C.B/4-M8.3	Light scanners with background suppression	HT3C.B/4-M8.3	2	Leuze Electronic	C	50	HT3C.B/4-M8.3
596	10033857	Drosselrueckschlagventil	ASP330F-01-06S	Throttle check valve with pilot valve	ASP330F-01-06S	4	SMC	C	15	ASP330F-01-06S
597	10041733	Schlauchtuelle 90°	ÜM aus Stahl-verzinkt aus Messing	45° 10mm barb with 3/8" nut. brass	made of galvanized steel made of brass	2	Hilgendorf	C	10	1208007
598	10485889	Anschlagschraube	STFHN10-13.5	Stop screw	STFHN10-13.5	2	Misumi	C	10	STFHN10-13.5

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005809

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
599	10014175	L-Steckverschraubung	QSMLV-M5-4-I	L-push-in fitting	QSMLV-M5-4-I	8	Festo	C	50	130831
600	10015808	T-Steckverbindung	QST-8	T-push-in fitting	QST-8	4	Festo	C	10	153130
601	10011825	Steckverbinder GST15I3S B1 ZR1W WS	Buchsenteil mit Zugentlastung 3-polig // 91.931.3053.0	Connector	Female part with Tension relief 3-pole // 91.931.3053.0	2	Wieland	C	50	91.931.3053.0
602	10011826	Steckverbinder GST15I3S S1 ZR1W WS	Steckerteil mit Zugentlastung 3-polig // 91.932.3053.0	Connector	Plug part with Tension relief 3-pole // 91.932.3053.0	2	Wieland	C	50	91.932.3053.0
603	10267888	L-Steckverschraubung	4mm M5 AG	Push-in L-fitting	4mm M5 AG	4	Riegler	C	50	109259
604	10075947	L-Steckverschraubung	D = 6mm G 1/8" AG	L-Fitting	D = 6mm G 1/8" AG	4	Riegler	C	50	109262
767	10027808	Schmierblock_doppelt	s009_039	Scratchpad_Double (mirrored)	s009_039	2	3CON	C	40	s009_039__Schmierblock_doppelt
769	10063455	Spannflansch Werkzeug	TYP01 System	Clamping flange tool	TYP01 System	1	3CON	C	50	10063455 3CON Spannflansch Werkzeug TYP01 System

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005811

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
2	10453108	Kegelradgetriebemotor	K19 CMP50M/BK/PK/AK1H/SB1 - lt. Angebot 422583821 Pos. 01	Bevel geared motor	K19 CMP50M/BK/PK/AK1H/SB1 - lt. Angebot 422583821 Pos. 01	1	SEW	A	20	K19 CMP50M BK PK AK1H SB1 20240702 113453
3	10402706	Servomotor CMP50M/BK/PK/AK0H/SB1	lt. Angebot 421966576 Pos. 01	Servomotor CMP50M/BK/PK/AK0H/SB1	lt. Angebot 421966576 Pos. 01	2	SEW	A	20	CMP50M/BK/PK/AK0H/SB1 (Angebot 421966576, Pos. 100)
4	10153495	Spindelhubgetriebe	ZE-5-SN TR18x4-KH-RH-H50-SRO111-VS 199C0018	Screw jack	ZE-5-SN TR18x4-KH-RH-H50-SRO111-VS 199C0018	2	Zimm	A	25	10073722
5	10030293	IR-Strahler	KW L140 440W 115V UL RR uni	IR-Emitter	KW L140 440W 115V UL RR uni	12	Heraeus	A	60	5143051
6	10004444	Bundle PROFINET IM	6ES7155-6AA01-0BN0	Bundle PROFINET IM	6ES7155-6AA01-0BN0	2	Siemens	A	50	6ES7155-6AA01-0BN0
7	10030291	IR-Strahler	KW L95 300W 57V UL RR uni	IR-Emitter	KW L95 300W 57V UL RR uni	40	Heraeus	A	60	5143049
8	10030289	IR-Strahler	KW L60 210W 57V UL RR uni	IR-Emitter	KW L60 210W 57V UL RR uni	16	Heraeus	A	60	5143047
9	10011555	Web- und Applikationsserver	// pure.box 3	Web and application server	// pure.box 3	1	W&T	A	50	50518
10	10453088	Verbindungswelle	VWZ-60-541-20N/20	Connecting shaft	VWZ-60-541-20N/20	2	Zimm	A	10	28802
11	10004179	Analoges eingangsmodul	SIMATIC ET 200SP. analoges Eingangsmodul. AI 4xRTD/TC High Feature. passend für BU-Typ A0. A1. Farbcode CC00. Kanal-Diagnose. 16Bit. +/-0.1%. 2-/3-/4-Wire	Analogue input module	SIMATIC ET 200SP. analogue input module. AI 4xRTD/TC High Feature suitable for BU types A0. A1. colour code CC00. channel diagnosis. 16Bit. +/-0.1%. 2-/3-/4-Wire	3	Siemens	A	70	6ES7134-6JD00-0CA1
12	10011007	Lasersensor	M8 3-polig // LR-ZB250C3P	Laser sensor	M8 3pin // LR-ZB250C3P	4	Keyence	A	10	LR-ZB250C3P
13	10012080	Analoges Eingangsmodul	6ES7134-6HD01-0BA1	Analogue input module	6ES7134-6HD01-0BA1	2	Siemens	A	70	6ES7134-6HD01-0BA1
14	10008393	Vakuumsaugduese	VN-14-H-T4-PQ3-VQ3-RO2-B	Vacuum generator	VN-14-H-T4-PQ3-VQ3-RO2-B	4	Festo	A	50	532648
15	10008794	Anlege-Widerstandsthermometer	PT100 180 Grad	Surface-mounted resistance thermometer	PT100 180°C	2	Jumo	A	40	635743
16	10437021	Flachzylinder	MDUB50-90DZ	Flat cylinder	MDUB50-90DZ	4	SMC	A	15	MDUB50-90DZ
17	10025168	Lichtleiter-Messverstaerker	FS-Neo	Light conductor amplifier	FS-Neo	4	Keyence	A	10	FS-N11CP
18	10011790	Magnetventil (G)	VUVG-P53C. Gr. 10 // VUVG-L10-P53C-T-M7-1R8L	Directional control valve	VUVG-P53C. Gr. 10 // VUVG-L10-P53C-T-M7-1R8L	9	Festo	A	50	574223
19	10007687	Verteiler	Exact8. 10xM8. 3-pol.	Distribution block	10xM8 3pol M12	2	Murr	A	50	8000-80060-0000000
20	10010995	M12 12pol gewinkelt	7000-19061-3011000	Sensor-actuator cable	7000-19061-3011000 // M12 12-pin angled	2	Murr	A	50	7000-19061-3011000
21	10004289	Digitales ausgangsmodul	SIMATIC ET 200SP. Digitales Ausgangsmodul. DQ 8x 24V DC/0.5A Standard. Source Output (PNP.P-schaltend) Verpackungseinheit: 1 Stück. passend für BU-Typ A0. Farbcode CC02. Ersatzwertausgabe. Modul-Diagnose für: Kurzschluss nach L+ und M. Drahtbruch. Versorgungsspannung	Digital output module	SIMATIC ET 200SP. digital output module. DQ 8x 24V DC/0.5A standard. source output (PNP. P-switching) packaging unit: 1 piece. suitable for BU type A0. colour code CC02. substitute value output.6ES7132-6BF01-0BA0	7	Siemens	A	70	6ES7132-6BF01-0BA0
22	10035715	Fuehrungswagen	KWVE25-B-V1-G3	Guide cart	KWVE25-B-V1-G3	24	Schaeffler	A	50	KWVE25-B-V1-G3
23	10343506	Flachzylinder	MDUB32TF-150DZ	Flat cylinder	MDUB32TF-150DZ	4	SMC	A	45	MDUB32TF-150DZ
24	10453109	Stopperzylinder	DFSP-16-10-DS-PA	Stopper cylinder	DFSP-16-10-DS-PA	8	Festo	A	10	576058
25	10461807	Stopperzylinder	DFSP-16-10-PS-PA	Stopper cylinder	DFSP-16-10-PS-PA	2	Festo	A	50	576060
26	10006158	Drucktransmitter SPTE-V1R-Q4-V-2.5K	SPTE-V1R-Q4-V-2.5K	Pressure transmitter SPTE-V1R-Q4-V-2.5K	SPTE-V1R-Q4-V-2.5K	6	Festo	A	40	571477
27	10315676	Reflexionslichttaster	OBT30-R2-E2-0.2M-V31-P. M8 4-polig. HGA	Triangulation sensor	OBT30-R2-E2-0.2M-V31-P. M8 4pin. HGA	2	Pepperl+Fuchs	A	10	70141875
28	10004452	Sensorleitung	M12 4pol 5M	Sensor-actuator cable	M12 4pol 5M	1	Murr	A	50	7000-14541-7960500
29	10004175	Digitales eingangsmodul	SIMATIC ET 200SP. Digitales Eingangsmodul. DI 8x 24VDC Standard. Eingangstyp 3 (IEC 61131). Sink Input. (PNP. P-lesend). Verpackungseinheit: 1 Stück. passend für BU-Typ A0. Farbcode CC01. Eingangsverzögerung 0.05..20ms. Modul-Diagnose für: Kurzschluss Geberversorgung. Drahtbruch. Versorgungsspannung	Digital input module	SIMATIC ET 200SP. Digital input module. DI 8x 24VDC standard. Input typ 3 (IEC 61131). Sink input. (PNP. P-reading). Packaging unit: 1 piece. suitable for BU type A0. Color code CC01. Input delay 0.05..20ms. module diagnostics for: Short circuit encoder supply. Open circuit. Supply voltage	10	Siemens	A	70	6ES7131-6BF01-0BA0
30	10290579	Fuehrungszylinder	MGPM25TF-20Z	Guiding cylinder	MGPM25TF-20Z	12	SMC	A	50	MGPM25TF-20Z
31	10041638	Verschlusskupplung	RMI12.5103/JV	Seal coupling	RMI12.5103/JV	8	Stäubli	A	15	RMI12.5103/JV
32	10007072	Kompaktzylinder	ADN-40-25-A-P-A	Compact cylinder	ADN-40-25-A-P-A	1	Festo	A	50	536293
33	10041692	Druckregelventil	MS4-LR-1/4-D6-RG-AS-WR	Pressure regulator	MS4-LR-1/4-D6-RG-AS-WR	2	Festo	A	10	527690
34	10088952	Siemens_Drucktaster__Sirius_ACT__3SU1801-2GA00-2AA1	1 Befehlsstelle. Grobhandtaster schwarz	Siemens_pushbutton	1 control point. Rough hand switch black	2	Siemens	A	15	3SU1801-2GA00-2AA1
35	10004177	Base Unit	6ES7193-6BP20-0DA0	SIMATIC ET 200SP. Base Unit BU. New load group	6ES7193-6BP20-0DA0	8	Siemens	A	70	6ES7193-6BP20-0DA0
36	10010927	Stiftmodul	modular. 12pol. 10A. Quick-Lock-Anschluss // 09 14 012 2632	Harting module 12pin. 10A. male	modular. 12pin. 10A. Quick-Lock connection // 09 14 012 2632	3	HARTING	A	10	09 14 012 2632
37	10010818	Lichtleitersensor	// FU-6F	Light conductor sensor	// FU-6F	4	Keyence	A	50	FU-6F
38	10011993	Stiftmodul	modular. 2pol. 70A. 6-16mm². Axialschraubanschluss // 09 14 002 2646	Pin module	modular. 2pin 70A. 6-16mm². axial screw connection // 09 14 002 2646	3	HARTING	A	10	09 14 002 2646
39	10015720	Reflexionslichttaster	PRK25C/4P-M12. M12 4-polig. polarisiert	Reflection light switch	PRK25C/4P-M12. M12 4pin. polarized	2	Leuze Electronic	A	10	PRK25C/4P-M12
40	10004163	Base Unit	SIMATIC ET 200SP. Base-Unit BU15-P16+A10+2B. BU-Typ A0. Push-In-Klemmen. mit 10 AUX-Klemmen. nach links gebrückt. BxH: 15mmx141mm	SIMATIC ET 200SP. Base Unit BU type. bridge to the left	SIMATIC ET 200SP. Base Unit BU15-P16 + A10+2B. BU type A0. push-in terminals. with 10 AUX terminals. bridged to the left. WxH: 15mmx141mm	11	Siemens	A	70	6ES7193-6BP20-0BA0
41	10004150	Base Unit	6ES7193-6BP00-0BA1	Base Unit	6ES7193-6BP00-0BA1	3	Siemens	A	70	6ES7193-6BP00-0BA1
42	10010875	Stiftmodul	modular Quintax. 4pol. 10A. geschirmt. ohne Crimpkontakte // 09 15 004 3013	4 Pin 10A module male	modular Quintax. 4pin. 10A. shielded. without crimp contacts // 09 15 004 3013	2	HARTING	A	50	09 15 004 3013
43	10099760	Sensor induktiv	IE5366. M8 3-polig	Inductive Sensor	IE5366. M8 3-pined	6	IFM	A	50	IEB3002BBPKG/V4A/AS
44	10269914	Sensor- Aktorleitung	M12 5pol gerade 10M // BCC M415-0000-1A-017-PX0534-100-C003	Sensor-actuator cable	M12 5-pin straight 10M // BCC M415-0000-1A-017-PX0534-100-C003	2	Balluff	A	30	BCC0MKY
45	10036567	Rillenkugellager	Di20 Da52 B21	Deep groove ball bearing	Di20 Da52 B21	2	FAG	A	50	62304-2RSR
46	10010944	Stifteinsatz	Bgr.: 24 B. 24pol. 16A. Schraubanschluss // 09 33 024 2601	Harting insert Size: 24 B. 24pin. 16A. screw connection male	Size: 24 B. 24pin. 16A. screw connection // 09 33 024 2601	4	HARTING	A	10	09 33 024 2601
47	10032275	Schneidstecker	Stift M8 3pol gerade. 0.25-0.5mm² // 7000-08325-0000000	Insulation displacement connection	Pin M8 3pol straight. 0.25-0.5mm² // 7000-08325-0000000	10	Murr	A	10	7000-08325-0000000
48	10216168	Sensor- Aktorleitung	M8 3pol gerade 10M // BCC M313-0000-10-001-PX0334-100-C003	Sensor-actuator cable	M8 3-pin straight 10M // BCC M313-0000-10-001-PX0334-100-C003	18	Balluff	A	10	BCC0KKP
49	10047254	Steckverbinder	SACC-M 8MS-3QO-0.5-M	plastic M8 a-coded 3pin field wireable. male	SACC-M 8MS-3QO-0.5-M	6	Phönix Contact	A	50	1441024
50	10004105	Halbleiter Reedschalter. PNP Schließer. Anschlussdrahtlänge 0.2m. LED Rot	D-M9PSAPC-595	Proximity switch Short	D-M9PSAPC-595	42	SMC	A	50	D-M9PSAPC-595
51	10011167	Relais	6A 250Vac. 1W. 24Vdc // RIF-0-RPT-24DC/21	Relay	6A 250Vac. 1 PDT .24Vdc // RIF-0-BPT/21	1	Phönix Contact	A	50	2903370
52	10011384	LED-Modul	grün. Boden // 3SU1401-2BB40-3AA0	LED module	green. floor // 3SU1401-2BB40-3AA0	1	Siemens	A	50	3SU1401-2BB40-3AA0
53	10010925	Stiftmodul	modular. 8pol. 16A. Quick-Lock-Anschluss // 09 14 008 2633	Harting module 8pin. 16A. male	modular. 8pin. 16A. Quick-Lock connection // 09 14 008 2633	5	HARTING	A	40	09 14 008 2633
54	10406337	Balgsauger	FGA 25 SI-S5 N016	Bellows suction cup	FGA 25 SI-S5 N016	8	Schmalz	A	20	10.01.06.00377
55	10216169	Sensor- Aktorleitung	M8 4pol gerade 5M // BCC M314-0000-10-003-PX0434-050-C003	Sensor-actuator cable	M8 4-pin straight 5M // BCC M314-0000-10-003-PX0434-050-C003	6	Balluff	A	50	BCC0K8J
56	10004670	Drucktaster	Gruen	Push button green 22mm	3SU1051-0AB40-0AA0	1	Siemens	A	50	3SU1051-0AB40-0AA0
57	10011363	LED-Modul	gelb. Boden // 3SU1401-2BB30-3AA0	LED module yellow	3SU1401-2BB30-3AA0	1	Siemens	A	50	3SU1401-2BB30-3AA0
58	10010868	Stiftmodul	modular. 5pol. 16A. Käfigzugfederanschluss // 09 14 005 2616	5 Pin module male	modular. 5pin. 16A. cage clamp connection // 09 14 005 2616	14	HARTING	A	50	09 14 005 2616
59	10216167	Sensor- Aktorleitung	M8 3pol gerade 5M // BNI IOL-302-002-Z046	Sensor-actuator cable	M8 3pol gerade 5M // BNI IOL-302-002-Z046	58	Balluff	A	50	BALFBNI00AU

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005811

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
60	10011309	Leuchtdrucktaster	gelb // 3SU1051-0AB30-0AA0	Push button yellow	3SU1051-0AB30-0AA0	1	Siemens	A	50	3SU1051-0AB30-0AA0
61	10010866	Stiftmodul	modular Quintax // 09 14 002 3001	Harting Quintax module male	modular Quintax // 09 14 002 3001	2	HARTING	A	60	09 14 002 3001
62	10032954	Rillenkugellager	Di25 Da47 B12	Deep groove ball bearing	Di25 Da47 B12	2	FAG	A	50	6005-2RSR
63	10458312	Rundrohr-Infrarotstrahler	D10x600. 1350 W. 230 V	Round tube infrared radiators	D10x600. 1350 W. 230 V	20	Heraeus	A	40	80008999-L450
245	10453099	1005809_10_01_013__Zahnstange	(mirrored)	Tooth rack	(mirrored)	1	3CON	A	80	10453099
246	10453029	1005809_10_01_013__Zahnstange	_	Tooth rack	_	1	3CON	A	80	10453029
309	10314810	Mantelthermoelement 100mm Fuehler	TC-C1-K	Sheathed thermocouple 100mm sensor	TC-C1-K	4	3CON	A	40	10314810
325	10041705	Stirnzahnrad	T40 m2 B20	Spur gear	T40 m2 B20	2	3CON	A	15	10041705
402	10453131	Fuehrungsschiene	TKVD25-G3/1315-27.5/27.5	Guide rail	TKVD25-G3/1315-27.5/27.5	2	Schaeffler	B	50	TKVD25-G3/1315-27,5/27,5
404	10027820	Axiallüfter	230V AC / 29W. 171.5 x 51mm. 3300U/min. 500m³/h	Axial fan	230V AC/29W. 171.5 x 51mm. 3300rpm. 500m³/h	2	ebmpapst	B	15	W2E143-AB09-01
408	10032362	Schmierstoffgeber	Z-LUB-Mini	Lubricator	Z-LUB-Mini	2	Zimm	B	10	199C0015
409	10025487	Fuehrungssaeule	202.23.050.200.10	Guide column	202.23.050.200.10	4	Fibro	B	10	202.23.050.200.10
412	10460410	Klemmnabenkupplung	KUZ_KK_24_11_11N	Clamping hub coupling	KUZ_KK_24_11_11N	2	Zimm	B	10	KUZ_KK_24_11_11N
413	10030274	Fuehrungsschiene	TKVD25-G3/300-30/30	Guide rail	TKVD25-G3/300-30/30	4	Schaeffler	B	10	TKVD25-G3/300-30/30
414	10230990	Fuehrungsschiene	TKVD25-G3/180-30/30	Guide rail	TKVD25-G3/180-30/30	8	Schaeffler	B	10	TKVD25-G3/180-30/30
416	10036629	Fuehrungsschiene	TKVD25-G3/170-25/25	Guide rail	TKVD25-G3/170-25/25	8	Schaeffler	B	50	TKVD25-G3/170-25/25
417	10016785	Positionier-Element	M10x12. Form B	Positioning element	M10x12. Form B	18	Elesa+Ganter	B	10	GN 409.1-15-M10-B
418	10016987	Fuehrungsbuchse mit Bund	Di16 Da20 L20	Guide bushing with flange	Di16 Da20 L20	1	Fibro	B	50	2085.70.016.020
419	10012599	Bundbohrbuchse DIN 172	Di30 Da42 L25 Form A	Collar drill bush	Di30 Da42 L25mm // Form A // DIN172	1	*MISC*diverse*	B	50	10012599
421	10130022	Bundbohrbuchsen DIN 172-B	d16x16	Collar drill bush DIN172	d16x16	1	*MISC*diverse*	B	50	10130022
422	10119833	Haberkorn__PA-Schlauch__191053	_	Haberkorn__ PA hose __191053	_	8	None	B	70	191053
485	10493112	1005811_10_02_03_01_001__Abdeckschieber_01	(mirrored)	Cover slide_01	(mirrored)	1	3CON	B	40	10493112
489	10458253	1005811_10_02_03_01_001__Abdeckschieber_01	_	Cover slide_01	_	1	3CON	B	40	10458253
490	10458249	1005811_10_02_03_02_001__Abdeckschieber_02	_	Cover slide_02	_	1	3CON	B	40	10458249
491	10493113	1005811_10_02_03_02_001__Abdeckschieber_02	(mirrored)	Cover slide_02	(mirrored)	1	3CON	B	40	10493113
492	10493094	1005811_10_02_03_02_001__Abdeckschieber_02	_	Cover slide_02	_	1	3CON	B	40	10493094
493	10493114	1005811_10_02_03_03_001__Abdeckschieber_03	(mirrored)	Cover slide_03	(mirrored)	1	3CON	B	40	10493114
494	10458247	1005811_10_02_03_03_001__Abdeckschieber_03	_	Cover slide_03	_	1	3CON	B	40	10458247
495	10493115	1005811_10_02_03_04_001__Abdeckschieber_04	(mirrored)	Cover slide_04	(mirrored)	1	3CON	B	40	10493115
500	10458257	1005811_10_02_03_04_001__Abdeckschieber_04	_	Cover slide_04	_	1	3CON	B	40	10458257
502	10493137	1005811 30 02 02 01 001 Stuetzschieber	(mirrored)	Support slider	(mirrored)	1	3CON	B	40	10493137
503	10465975	1005811 30 02 02 01 001 Stuetzschieber		Support slider		1	3CON	B	40	10465975
504	10024967	Buchse		Bushing (mirrored)		6	3CON	B	40	s009 22 003 Buchse
520	10039614	ZB Fuehrungsbuchse	D50	assembly guide bushing (mirrored)	D50	4	3CON	B	40	10039614
539	10095135	ZB Fuehrungsbuchse 3CON	D50 verpresst	ZB guide bushing pressed 3CON	D50 pressed	4	3CON	B	50	s009 01 02 ZB Fuehrungsbuchse 3CON D50
540	10132555	Zentriereinsatz	(mirrored) 180	Centring insert (mirrored)	(mirrored) 180	1	3CON	B	40	10132555
546	10314591	1004919_30_01_05_001__Verteilerblock__2x G3/8	_	Distrubution block	_	4	3CON	C	40	10314591
548	10008538	Buegelgriff	GN 728-180-B-SW	Bow-type handle	GN 728-180-B-SW	2	Elesa+Ganter	C	10	GN 728-180-B-SW
550	10453112	Energiekette Serie 2500	1.15m 2500.12.150.0 + 2125.34PZB.A2	Energy chain 2500 series	1.15m 2500.12.150.0 + 2125.34PZB.A2	2	Igus	C	15	1,15m 2500.12.150.0 + 2125.34PZB.A2
551	10062804	Schnellentlueftungsventil	SEU-1/8	Quick exhaust valve	SEU-1/8	1	Festo	C	50	4616
552	10004874	Lüftergitter	143mm Kunststoffbeschichteter Stahl	Fan grille. plastic-coated steel	143mm	4	ebmpapst	C	10	04013-2-4039
553	10027829	Andockrahmen Han 24B	Bgr.: 24 B // 09 30 024 1701	Docking frame Han 24B	Size.: 24 B // 09 30 024 1701	9	HARTING	C	50	09 30 024 1701
554	10408055	Energiekette	0.3m Z08.50.048.0 + 080.50.12PZ.A1	Energy chain	0.3m Z08.50.048.0 + 080.50.12PZ.A1	2	Igus	C	10	0.3m Z08.50.048.0 + 080.50.12PZ.A1
555	10017230	ZB Schlauchtuelle 90 Grad mit Einschraubstutzen	G1/2 DN13	ZB hose nozzle 90 degrees with screw-in socket	G1/2 DN13	1	Hilgendorf	C	10	F07622 + F07675
556	10027837	Positionier-Element	GN 409.1-10-M8-B	Positioning element	GN 409.1-10-M8-B	4	Elesa+Ganter	C	10	GN 409.1-10-M8-B
557	10479810	Achsausgleichselement	M10x1.5	Floating joint	M10x1.5	4	SMC	C	50	JA25-10-150
558	10011715	Gelenkrahmen	Bgr.: 24. B 6 Module a-f // 09 14 024 0371	Articulated frame	Size: 24 B. 6 Module a-f // 09 14 024 0371	5	HARTING	C	50	09 14 024 0371
559	10043448	ZB Schlauchtuelle 90 Grad mit Einschraubstutzen	G1/4 DN6	ZB hose nozzle 90 degrees with screw-in socket	G1/4 DN6	19	Hilgendorf	C	10	F07614 + F07655
560	10017800	ZB Schlauchtuelle 90 Grad mit Einschraubstutzen	G3/8 DN10	ZB hose nozzle 90 degrees with screw-in socket	G3/8 DN10	8	Hilgendorf	C	10	F07616 + F07663
561	10047178	Y-Verteiler	T-Stück M8-St 3pol./2x M8-Bu 3pol. // 7000-88621-0000000	Y-distributor	T-coupler M8-male 3p/2x M8-female 3p // 7000-88621-0000000	4	Murr	C	50	7000-88621-0000000
562	10029250	Ausgleichselement. Standard. Ausführung mit geringem Gewicht	M8	Floating joint	M8x1.25	4	SMC	C	50	JC20-8-125
563	10041641	Schlauchtuelle 90°	ÜM aus Stahl-verzinkt aus Messing	90° 13mm barb with 1/2" nut. brass	made of galvanized steel made of brass	1	Hilgendorf	C	50	1208012
564	10011380	Gehäuse	3 Befehlsstellen // 3SU1803-0AA00-0AB1	Casing	3 control points // 3SU1803-0AA00-0AB1	1	Siemens	C	50	3SU1803-0AA00-0AB1
565	10018129	Schlauchtuelle 90°	ÜM aus Stahl-verzinkt aus Messing	90° 10mm barb with 3/8" nut. brass	made of galvanized steel made of brass	8	Hilgendorf	C	50	1208003
566	10005891	Steckdosenleitung NEBV-H1G2-P-5-N-LE2	NEBV-H1G2-P-5-N-LE2	Socket cable NEBV-H1G2-P-5-N-LE2	NEBV-H1G2-P-5-N-LE2	4	Festo	C	50	566661
567	10008113	Schlauchtuelle 90°	ÜM aus Stahl-verzinkt. aus Messing	90° 6mm barb with ¼" nut. brass	made of galvanized steel made of brass	19	Hilgendorf	C	10	1208002
568	10008107	Schlauchtuelle 45°	G1/4 Di6 Messing	45* 6mm barb with ¼" nut. brass	45* 6mm barb with ¼" nut. brass	3	Hilgendorf	C	30	1208001
569	10025060	ZB Schlauchtuelle gerade mit Einschraubstutzen	G1/2 DN13	ZB hose nozzle straight with screw-in socket	G1/2 DN13	4	Hilgendorf	C	10	F07630 + F07675
570	10016654	ZB Schlauchtuelle gerade mit Einschraubstutzen	G3/8 DN10	ZB hose nozzle straight with screw-in socket	G3/8 DN10	16	Hilgendorf	C	10	F07628 + F07663
571	10043344	ZB Schlauchtuelle gerade mit Einschraubstutzen	G1/4 DN6	ZB hose nozzle straight with screw-in socket	G1/4 DN6	6	Hilgendorf	C	10	F07623 + F07655
572	10011353	Kontaktmodul	1S. Boden // 3SU1400-2AA10-3BA0	Contact module 1NO Spring Type. floor	1NO. Boden // 3SU1400-2AA10-3BA0	2	Siemens	C	50	3SU1400-2AA10-3BA0
573	10035662	Einschraubstutzen gerade Ausführung. aus Messing	n. Zg. 39 D 1403 Ausf. 3	Straight Coupler ½". brass	n. Zg. 39 D 1403 version 3	5	Hilgendorf	C	50	1307565
574	10031688	Haltefeder	Rundrohr 10mm	Retaining spring	Round tube 10mm	184	Heraeus	C	20	9759292

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005811

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
575	10016680	Einschraubstutzen gerade Ausführung. aus Messing	n. Zg. 39 D 1403 Ausf. 2	Straight Coupler 3/8" brass	n. ref. 39 D 1403 version 2	24	Hilgendorf	C	50	1307563
576	10033110	Anschlagschraube	M10x35 St 10.9 brüniert	Stop screw	M10x35 St 10.9 black-oxidised	8	Norelem	C	50	03087-11035
577	10008093	Einschraubstutzen gerade Ausführung. aus Messing	n. Zg. 39 D 1403. Ausf. 1	Double nipple // straight	G1/4	28	Hilgendorf	C	50	1307561
578	10011473	Schutzleiter-Reihenklemme	ZPE 2.5/4AN	Protective conductor terminal block	ZPE 2.5/4AN	3	Weidmueller	C	10	1608660000
579	10041640	Schlauchtuelle gerade	n. Zg. 39-V-16631	13mm barb with 1/2" nut	n. Zg. 39-V-16631	4	Hilgendorf	C	30	1208939
580	10406198	Positionierelement	GN 408.1-ST-10-M6-B	Positioning element	GN 408.1-ST-10-M6-B	4	Elesa+Ganter	C	50	GN 408.1-ST-10-M6-B
581	10008098	Schlauchtuelle gerade	n. Zg. 39-V-16631	6mm barb with 1/4" nut	Thread: G1/4" Hose: DN6	6	Hilgendorf	C	50	1208937
582	10011194	Halter	3SU1550-0AA10-0AA0	Push Button Holder	3SU1550-0AA10-0AA0	2	Siemens	C	50	3SU1550-0AA10-0AA0
583	10016679	Schlauchtuelle gerade	n. Zg. 39-V-16631	10mm barb with 3/8" nut	Straight Barbed Fitting 3/8"	16	Hilgendorf	C	10	1208938
584	10041652	Drosselrueckschlagverschraubung	D = 4mm G 1/8" AG	Throttle Check Screw Connection	D = 4mm G 1/8" AG	24	Riegler	C	50	197580
585	10008209	Kegelschmiernippel	M6 45°	Conical grease nipple	M6 45°	13	*MISC*diverse*	C	50	10008209
586	10010863	Blindabdeckung	modular // 09 14 000 9950	Blind cover single dummy module	modular // 09 14 000 995	1	HARTING	C	50	09 14 000 9950
587	10265458	Gerade Steckverschraubung	6mm G1/8 AG mini	Straight push in fitting	D = 6mm // G1/8 AG mini	6	Riegler	C	10	148792
588	10011505	Durchgangs-Reihenklemme	ZDU 2.5/4AN	Feed-through terminal block	ZDU 2.5/4AN // ZDU 2.5/4AN	18	Weidmueller	C	50	1608570000
589	10100446	L-Steckverschraubung	D = 6 mm G 1/4" AG	Push-in L-fitting	D = 6 mm G 1/4" AG	4	H-Plus	C	40	868469
590	10100445	L-Steckverschraubung	G 1/8" AG D = 6 mm SW10	Push-in L-fitting	G 1/8" AG D = 6 mm SW10	3	Riegler	C	40	109405
591	10075854	Aufschraubanschluss	D = 8mm / G 1/8" IG	Screw-on connection	D = 8mm / G 1/8" IG	4	H-Plus	C	40	10075854
592	10027834	Einsteckstopfen	33.5mm	Push-in plug	33.5mm	6	Essentra	C	50	12805
593	10075880	Einschraubanschluss gerade	D = 10mm G 1/4" AG	Fitting	D = 10mm G 1/4" AG	5	Riegler	C	50	109122
594	10011514	Abschlussplatte	ZAP/TW 3	Cover plate	ZAP/TW 3	9	Weidmueller	C	50	1608800000
736	10077905	Anschlag	_	Stop	_	10	3CON	C	40	10077905__3CON__Anschlag
769	10063455	Spannflansch Werkzeug	TYP01 System	Clamping flange tool	TYP01 System	1	3CON	C	50	10063455 3CON Spannflansch Werkzeug TYP01 System

issued by: **3CON Anlagenbau GmbH**
issued on: 04.11.2024
Price validity: up to 3 months after issue

OVERVIEW SPARE PARTS: 1011005813

Definition Priorities:
Priority (A) HIGH = Wear predictable & risk components
Priority (B) MEDIUM = Wear not predictable with proper maintenance and handling.
Priority (C) LOW = Wear NOT predictable.

The displayed Position number corresponds to the Summarized Spare Parts page, which contains comprehensive pricing and additional information.

POS	Item-Id	Description German 1	Description German 2	Description English 1	Description English 2	Amount	Manufacturer	Priority	Delivery Time	Manufacturer ID
1	10255266	Rillenkugellager	Di30 Da62 B16	Deep groove ball bearing	Di30 Da62 B16	8	FAG	A	50	6206-C-2HRS-L038
391	10104462	Lenkrolle mit Feststeller und Fussschutz	KS LG 4/200/50K-FSTF-FU-S	Swivel castor with directional lock and feet protection	KS LG 4/200/50K-FSTF-FU-S	4	Wicke	B	10	42837
392	10104464	Lenkrolle	KS LG 4/200/50K	Swivel castor	KS LG 4/200/50K	4	Wicke	B	10	241123
395	10008520	Fuehrungsbuchse	Di8 Da12 B15	Guide bushing with flange	Di8 Da12 B15	4	Misumi	B	10	MPFZ8-15
396	10018483	Schraubendruckfeder DIN ISO 10243	HülsenØ20 DornØ10 L38 R33.3	Helical compression spring DIN ISO 10243	Sleeve Ø20 Mandrel Ø10 L38 R33.3	2	Fibro	B	50	241.14.20.038
505	10016429	Fuehrungsbuchse	1001100 70 01 02 006	Guide bushing	1001100 70 01 02 006	2	3CON	B	40	10016429 3CON Fuehrungsbuchse 1001100 70 01 02 006
544	10008609	Paletten-Rollenschiene	NR100/52 17 Rollen	Roller rails	NR100/52 17 rolls	2	Fourtec	C	50	204001
545	10015702	Paletten-Rollenschiene	NR100/52 15 Rollen	Roller rails	NR100/52 15 rolls	2	Fourtec	C	15	204101
547	10008486	Kugelknopf	GN 319.5-40-M10-B	Ball button	GN 319.5-40-M10-B	4	Elesa+Ganter	C	10	GN 319.5-40-M10-B
548	10008538	Buegelgriff	GN 728-180-B-SW	Bow-type handle	GN 728-180-B-SW	4	Elesa+Ganter	C	10	GN 728-180-B-SW
549	10004844	Rastbolzen	GN 607-8-A-ST	Locking pin	GN 607-8-A-ST	4	Elesa+Ganter	C	50	GN 607-8-A-ST
771	10104427	Verriegelungswelle	1001100_70_01_01_002	Locking shaft	1001100_70_01_01_002	4	3CON	C	40	10104427__3CON__Verriegelungswelle__1001100_70_01_01_002
772	10153535	Wagengriff	1001100_70_01_01_003	Cart handle	1001100_70_01_01_003	4	3CON	C	40	10153535__3CON__Wagengriff__1001100_70_01_01_003