


Feature			Scenario				Step			
Name	Duration	T	P	F	S	<b>T</b>	P	F	S	
Verify the functionality of Create Task with v3 endpoint	5.264 s	1	0	1	0	7	3	1	3	
Verify the functionality of Update Others Task by Refiller	0.439 s	1	0	1	0	7	2	1	4	
Verify the functionality of Update Refill Task by Refiller	0.260 s	1	0	1	0	7	2	1	4	
Verify the functionality of Update Refill Task by Refiller from v3 endpoint	0.224 s	1	0	1	0	7	2	1	4	


Tag Scenario					Fea	ture		
Name	T	P	F	S	T	P	F	S
@Excel	4	0	4	0	4	0	4	0

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	Verify the functionality of Create Task with v3 endpoint	1	0	1	0	5.264 s
2	Verify the functionality of Update Others Task by Refiller	1	0	1	0	0.439 s
3	Verify the functionality of Update Refill Task by Refiller	1	0	1	0	0.260 s
4	Verify the functionality of Update Refill Task by Refiller from v3 endpoint	1	0	1	0	0.224 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Verify the functionality of Create Task with v3 endpoint	Create multiple tasks with valid data	7	3	1	3	5.261 s
2	Verify the functionality of Update Others  Task by Refiller	Update all the Others Task by Refiller from v3 endpoint	7	2	1	4	0.439 s
3	Verify the functionality of Update Refill  Task by Refiller	Update all the Priceboard Task by Refiller from v3 endpoint	7	2	1	4	0.260 s
4	Verify the functionality of Update Refill  Task by Refiller from v3 endpoint	Update all the Refill Task by Refiller from v3 endpoint	7	2	1	4	0.224 s

DETAILED SECTION -- 6 --

### **Verify the functionality of Create Task with v3 endpoint**

urios Steps
1 Total - 7
0 Pass - 3 7
. Fail - 1
0 Skip - 3

#### Create multiple tasks with valid data



#	Step / Hook Details	Status	Duration
1	Given Give Username and Password to get Access Token	PASSED	0.015 s
	username 6789014 password Dmart@12345		
2	And Give the Excel file to get the request payload "QuickFill_TestData.xlsx"	PASSED	1.706 s
3	And Give the sheet name "TaskList" and the number of tasks to be created 3	PASSED	0.096 s
4	When Requester call the Create Task v1 endpoint to create new tasks	FAILED	2.943 s
	io.restassured.path.json.exception.JsonPathException: Failed to parse the JSON document at io.restassured.path.json.JsonPath\$ExceptionCatcher.invoke(JsonPath.java:1002) at io.restassured.path.json.JsonPath\$4.doParseWith(JsonPath.java:967) at io.restassured.path.json.JsonPath\$JsonParser.parseWith(JsonPath.java:1047) at io.restassured.path.json.JsonPath.get(JsonPath.java:202) at com.dmartLabs.stepdefinitions.GenerateTokenStep.sendUsernameAndPasswordToGetAccessToken(GenerateTokenStep.java:21) at com.dmartLabs.stepdefinitions.CommonUtilities.genericHeader(CommonUtilities.java:237) at com.dmartLabs.stepdefinitions.CreateTaskSteps_v3.requesterCallTheCreateTaskV1EndpointToCreateTask(CreateTaskSteps_v3.java:45) at ?.Requester call the Create Task v1 endpoint to create new tasks(file:///C:/Users/FD329/OneDrive/Desktop/QuickFill_ApiFramework/src/test/resources/features/SingleSuite/CreateTask_v3.feature:12)  Caused by: groovy.json.JsonException: Lexing failed on line: 1, column: 1, while reading '<', no possible valid JSON value or punctuation could		

#	Step / Hook Details	Status	Duration
	be recognized.		
	at groovy.json.JsonLexer.nextToken(JsonLexer.java:86)		
	at groovy.json.JsonLexer\$nextToken.call(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:47)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:115)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:119)		
	at io.restassured.internal.path.json.ConfigurableJsonSlurper.parse(ConfigurableJsonSlurper.groovy:97)		
	at io.restassured.internal.path.json.ConfigurableJsonSlurper\$parse.callCurrent(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:51)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:156)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:168)		
	at io.restassured.internal.path.json.ConfigurableJsonSlurper.parseText(ConfigurableJsonSlurper.groovy:83)		
	at io.restassured.path.json.JsonPath\$4\$1.method(JsonPath.java:965)		
	at io.restassured.path.json.JsonPath\$ExceptionCatcher.invoke(JsonPath.java:1000)		
	at io.restassured.path.json.JsonPath\$4.doParseWith(JsonPath.java:967)		
	at io.restassured.path.json.JsonPath\$JsonParser.parseWith(JsonPath.java:1047)		
	at io.restassured.path.json.JsonPath.get(JsonPath.java:202)		
	at com.dmartLabs.stepdefinitions.GenerateTokenStep.sendUsernameAndPasswordToGetAccessToken(GenerateTokenStep.java:21)		
	at com.dmartLabs.stepdefinitions.CommonUtilities.genericHeader(CommonUtilities.java:237)		
	at com.dmartLabs.stepdefinitions.CreateTaskSteps_v3.requesterCallTheCreateTaskV1EndpointToCreateTask(CreateTaskSteps_v3.java:45)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at com.dmartLabs.runner.TestRunner.scenario(TestRunner.java:50)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		

DETAILED SECTION -- 8 --


#	Step / Hook Details	Status	Duration
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:584)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:172)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:804)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:145)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.util.ArrayList.forEach(ArrayList.java:1259)		
	at org.testng.TestRunner.privateRun(TestRunner.java:770)		
	at org.testng.TestRunner.run(TestRunner.java:591)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:402)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:396)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:355)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:304)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1180)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1102)		
	at org.testng.TestNG.runSuites(TestNG.java:1032)		
	at org.testng.TestNG.run(TestNG.java:1000)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)		
	* Not displayable characters are replaced by '?'.		
5	Then verify that status code be equal to "201"	SKIPPED	0.000 s
6	And Check the response time for the task created	SKIPPED	0.000 s
7	And Verify that Task is created successfully with v1 endpoint	SKIPPED	0.001 s

# **Verify the functionality of Update Others Task by Refiller**

FAILED	DURATION - 0.439 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 12:40:31.351 PM //	/ 12:40:31.790 PM /	Pass - 0	1	Pass - 2	7
		Fail - 1		Fail - 1	· 📜
		Skip - 0		Skip - 4	
		- 3κιμ - 0		3KIP - 4	

DETAILED SECTION -- 9 --

# **Update all the Others Task by Refiller from v3 endpoint**




#	Step / Hook Details	Status	Duration
1	Given Give Username and Password to get Access Token	PASSED	0.001 s
	username 727272 password Dmart@123		
2	And Give the Excel file to get the request payload for updating Others task "QuickFill_TestData.xlsx"	PASSED	0.415 s
3	And Give the sheet name "UpdateOthersTasksByRefiller" to get all the Others Task to be updated	FAILED	0.002 s
	java.lang.NullPointerException    at com.dmartLabs.stepdefinitions.  UpdateOthersTaskByRefillerSteps_v3.giveTheSheetNameToGetAllTheOthersTaskToBeUpdated(UpdateOthersTaskByRefillerSteps_v3.java:3 8)    at ?.Give the sheet name "UpdateOthersTasksByRefiller" to get all the Others Task to be updated(file:///C:/Users/FD329/OneDrive/Desktop/QuickFill_ApiFramework/src/test/resources/features/SingleSuite/UpdateOthersTaskByRefiller_v3.feature:11) * Not displayable characters are replaced by '?'.		
4	When Requester calls the Update Others Task v3 endpoint to update list of all others task	SKIPPED	0.000 s
5	Then Verify that status code be equal to "200"	SKIPPED	0.000 s
6	And Check the response time for the Others Task updated from v3 endpoint	SKIPPED	0.001 s
7	And Verify that others task is updated successfully from v3 endpoint	SKIPPED	0.000 s

## **Verify the functionality of Update Refill Task by Refiller**

FAILED	DURATION - 0.260 s	_	Scenarios Total - 1		Steps Total - 7	
/ 12:40:31.849 PM //	/ 12:40:32.109 PM /	F	Pass - 0	1	Pass - 2	7
			Skip - 0		Skip - 4	

DETAILED SECTION -- 10 --

### **Update all the Priceboard Task by Refiller from v3 endpoint**




#	Step / Hook Details	Status	Duration
1	Given Give Username and Password to get Access Token	PASSED	0.001 s
	username 979797 password Dmart@12345		
2	And Give the Excel file to get the request payload for updating Priceboad task "QuickFill_TestData.xlsx"	PASSED	0.239 s
3	And Give the sheet name "UpdatePriceboardTasksByRefiller" to get all the Priceboard Task to be updated	FAILED	0.001 s
	java.lang.NullPointerException at com.dmartLabs.stepdefinitions. UpdatePriceboardTaskByRefellierSteps_v3.giveTheSheetNameToGetAllThePriceboardTaskToBeUpdated(UpdatePriceboardTaskByRefellierSt eps_v3.java:38) at ?.Give the sheet name "UpdatePriceboardTasksByRefiller" to get all the Priceboard Task to be updated(file:///C:/Users/FD329/OneDrive/Desktop/QuickFill_ApiFramework/src/test/resources/features/SingleSuite/UpdatePriceboardTaskByRefiller_v3.feature:11) * Not displayable characters are replaced by '?'.		
4	When Requester calls the Update Priceboard Task v3 endpoint to update list of all priceboard task	SKIPPED	0.001 s
5	Then Verify that status code be equal to "200"	SKIPPED	0.000 s
6	And Check the response time for the Priceboard Task updated from v3 endpoint	SKIPPED	0.000 s
7	And Verify that priceboard task is updated successfully from v3 endpoint	SKIPPED	0.000 s

# **Verify the functionality of Update Refill Task by Refiller from v3 endpoint**

FAILED	DURATION - 0.224 s	Scenarios Total - 1		Steps Total - 7	
/ 12:40:32.161 PM // 12:40:32.385 PM /		Pass - 0	1	Pass - 2	7
		Skip - 0		Skip - 4	

### **Update all the Refill Task by Refiller from v3 endpoint**



#	Step / Hook Details	Status	Duration
1	Given Give Username and Password to get Access Token	PASSED	0.000 s
	username 797978 password Dmart@123		
2	And Give the Excel file to get the request payload for updating Refill task "QuickFill_TestData.xlsx"	PASSED	0.205 s
3	And Give the sheet name "UpdateRefillTasksByRefiller" to get all the Refill Task to be updated	FAILED	0.001 s
	java.lang.NullPointerException at com.dmartLabs.stepdefinitions. UpdateRefillTaskByRefillerSteps_v3.giveTheSheetNameAndTheNumberOfTasksToBeUpdated(UpdateRefillTaskByRefillerSteps_v3.java:38) at ?.Give the sheet name "UpdateRefillTasksByRefiller" to get all the Refill Task to be updated(file:///C:/Users/FD329/OneDrive/Desktop/QuickFill_ApiFramework/src/test/resources/features/SingleSuite/UpdateRefillTaskByRefiller_v3.feature:11) * Not displayable characters are replaced by '?'.		
4	When Requester calls the Update Refill Task's v3 endpoint to update list of all refill task	SKIPPED	0.000 s
5	Then verify that status code be equal to "200"	SKIPPED	0.001 s
6	And Check the response time for the Refill Task updated from v3 endpoint	SKIPPED	0.000 s
7	And Verify that refill task is updated successfully from v3 endpoint	SKIPPED	0.000 s