




Step 1-2: single-L CL fits and weighted residuals $WR=(v_{obs}^2-v_{mod}^2)/\sigma_{v^2}$ [A adequate, B +-+ wave, C +- wave, D structured other, E poor unstructured]; orange line: first crossover




Step 1-2: single-L CL fits and weighted residuals $WR=(v_{obs}^2-v_{mod}^2)/\sigma_{v^2}$ [A adequate, B +- wave, C +- wave, D structured other, E poor unstructured]; orange line: first crossover




Step 1-2: single-L CL fits and weighted residuals $WR=(v_{obs}^2-v_{mod}^2)/\sigma_{v^2}$ [A adequate, B +-+ wave, C -+- wave, D structured other, E poor unstructured]; orange line: first crossover




Step 1-2: single-L CL fits and weighted residuals $WR=(v_{obs}^2-v_{mod}^2)/\sigma_{v^2}$ [A adequate, B +-+ wave, C -+- wave, D structured other, E poor unstructured]; orange line: first crossover




Step 1-2: single-L CL fits and weighted residuals $WR=(v_{obs}^2-v_{mod}^2)/\sigma_{v^2}$ [A adequate, B ++ wave, C +- wave, D structured other, E poor unstructured]; orange line: first crossover




Step 1-2: single-L CL fits and weighted residuals $WR=(v_{obs}^2-v_{mod}^2)/\sigma_{v^2}$ [A adequate, B ++ wave, C +- wave, D structured other, E poor unstructured]; orange line: first crossover




Step 1-2: single-L CL fits and weighted residuals $WR=(v_{obs}^2-v_{mod}^2)/\sigma_{v^2}$ [A adequate, B ++ wave, C +- wave, D structured other, E poor unstructured]; orange line: first crossover




Step 1-2: single-L CL fits and weighted residuals $WR=(v_{obs}^2-v_{mod}^2)/\sigma_{v^2}$ [A adequate, B +-+ wave, C -+- wave, D structured other, E poor unstructured]; orange line: first crossover




Step 1-2: single-L CL fits and weighted residuals $WR=(v_{obs}^2-v_{mod}^2)/\sigma_{v^2}$ [A adequate, B ++ wave, C +- wave, D structured other, E poor unstructured]; orange line: first crossover




Step 1-2: single-L CL fits and weighted residuals $WR=(v_{obs}^2-v_{mod}^2)/\sigma_{v^2}$ [A adequate, B ++ wave, C +- wave, D structured other, E poor unstructured]; orange line: first crossover




Step 1-2: single-L CL fits and weighted residuals $WR=(v_{obs}^2-v_{mod}^2)/\sigma_{v^2}$ [A adequate, B +-+ wave, C -+- wave, D structured other, E poor unstructured]; orange line: first crossover




Step 1-2: single-L CL fits and weighted residuals $WR=(v_{obs}^2-v_{mod}^2)/\sigma_{v^2}$ [A adequate, B ++ wave, C +- wave, D structured other, E poor unstructured]; orange line: first crossover



Step 1-2: single-L CL fits and weighted residuals $WR=(v_{obs}^2-v_{mod}^2)/\sigma_{v^2}$ [A adequate, B ++ wave, C +- wave, D structured other, E poor unstructured]; orange line: first crossover



Step 1-2: single-L CL fits and weighted residuals $WR=(v_{obs}^2-v_{mod}^2)/\sigma_{v^2}$ [A adequate, B +-+ wave, C -+- wave, D structured other, E poor unstructured]; orange line: first crossover



Step 1-2: single-L CL fits and weighted residuals $WR=(v_{obs}^2-v_{mod}^2)/\sigma_{v^2}$ [A adequate, B ++ wave, C +- wave, D structured other, E poor unstructured]; orange line: first crossover

