

ARBAAZ

QURAISHI

Sales Engineer



PROFILE

Dynamic and self-driven engineering professional with the ability to increase sales and develop strategies to retain customers. Bringing forth a proven track record of working collaboratively with the team to achieve goals, increase revenue, and advance the sales cycle of the company.

EMPLOYMENT HISTORY

► Sales Engineer, Al Maimoon Trading Company L.L.C, Dubai

November 2020- February 2025

- Experienced Sales Engineer with 4 years of expertise managing sales and distribution as the authorized distributor for leading industrial brands in the Middle East and North Africa (MENA) region, including Nexson (Heat Exchangers), Hexonic (Heat Exchangers), Hauber Elektronik (Vibration Sensors), Cefem Process (Visual Cut-Off Switches & Disconnectors), Vibratex (Vibration Dampers & Noise Reduction), Indumar (Composite Pipe Repair Solutions), GIROL (Rotary Unions), Therman (Industrial Heating Solutions), and Berg Kompressoren (Compressors).
- Managed sales, marketing, quotations, and order processing for the MENA market.
- Established strong relationships with key clients, driving revenue growth and brand awareness across the region.
- Skilled in offering technical solutions, contract negotiations, and market expansion strategies.
- Delivered tailored solutions for various industries including oil & gas, power, and manufacturing.
- Expertise in handling technical inquiries and providing support from product selection to post-sales.
- Coordinated with international suppliers to ensure timely delivery and high-quality product standards.
- Conducted regular market analysis to identify trends and opportunities for business growth.
- Contributed to the development of marketing strategies, promotional activities, and product positioning.

EDUCATION

Bachelors of Technology in Mechanical Engineering, SRM Institute Of Science & Technology (Deemed University), Chennai

January 2015 — May 2019

Graduated with "First class with Distinction"

VISA STATUS

Subclass 485 -Full work permit without restrictions

CONTACT

- +61 466 122 038
- arbaazarq@gmail.com
- 6 Napier Street, Rooty Hill, 2766, NSW, Sydney, Australia
- www.linkedin.com/in/arbaazquraishi

TECHNICAL EXPERIENCE

- Heat Exchangers
- Compressors
- Rotary Union
- Vibration Dampers
- Vibration Sensors
- Visual Cut off switches
- Pipe and tank leakages and corrosion solutions
- Industrial Heating Solutions

CORE COMPETENCIES

- Project Management
- Site supervision and inspection
- Heating, Ventilation & Air Conditioning
- Report Writing
- Management and Leadership
- Business Development
- Mentorship and Training
- Cairo Heat Exchanger Selection Software
- Marketing and Networking
- Microsoft Word, Excel and Business Central

KEY PROJECT REFERENCES

Below is a project reference where I collaborated with end-users from the inquiry stage through to delivery, analyzing their requirements and providing optimized, cost-effective engineering solutions that enhanced system efficiency and performance.

HEAT EXCHANGERS

1. National Central Cooling Company PJSC, TABREED, UAE

Industry: District Cooling

- Project Scope: Two-year project contract for the brand Hexonic, where I was responsible for supplying both AHRI and non-AHRI plate heat exchangers in various tonnages as specified by the customer. This involved ensuring the proper design, sourcing, and delivery of these heat exchangers to meet the specific technical and capacity requirements outlined by the client.

2. Lafarge Emirates Cement, UAE

Industry: Cement

- Brand Replaced: Alfa Laval (Heat Exchanger, Type CB77-178L/M, Manuf No. 17448137, for Atlas Copco Compressors GA200W-8.5 / GA250W-8.5)
- Replaced by: Hexonic (Model LM110-90H/90-3C-2, Article No: 0200-0000 NON STANDARD, Copper Brazed Heat Exchanger)
- Application: Compressor Heat exchanger in kiln and preheater system

4. AREEJ Vegetables oils & Derivatives SAOC, Oman

Industry: Food

- Brand Replaced: Corema S.P.A (Model PC/AC-45EE-1S)
- Replaced by: Hexonic (Copper Brazed Heat Exchanger, Model: LB60-130H)
- Application: Edible Oil Cooling process

5. Emirates Steel Arkan, UAE

Industry: Steel

- Brand Replaced: Dolphin Radiators (Plate type, Pressure Rating: 8 bar)
- Replaced by: Nexson (Greenplate PX50-RA-101, Material: 316L, Plate Thickness: 0.5mm, Design Pressure: 10 Barg, Temp: -10 / 110°C)
- Application: Hydraulic Oil cooler.

6. Union Chlorine LLC, UAE

Industry: Chemical

- Brand Replaced: Alfa Laval (Gasket EPDM, M10MFM)
- Replaced by: Nexson (Equivalent Gaskets, EPDM, M10MFM)
- Application: P. Brine Cooler

7. Oman Chlorine S.A.O.G, Oman

Industry: Chemical

- Brand Replaced: Thermowave (Heat Exchanger Gaskets & Plates)
- Replaced by: Nexson (Equivalent Gaskets & Plates for Cooling Water from Flaker Drum)
- Application: Cooling water systems.

8. Union Chlorine LLC, UAE

Industry: Chemical

- Brand Replaced: Alfa Laval, Plate Pack, Plate Pack, Titanium SB 265 GR.1, EPDM Clip-On, M10-MFM, 30117-69-171
- Replaced by: Nexson, Spare parts Plates and gaskets, Plate pack, Titanium SB 265 Gr.1, EPDM Clip-On, M10-MFM, 30117-69-171, (95 PCS = 1 SET) Application: Acid Cooler

9. Union Chlorine LLC, UAE

Industry: Chemical

- Brand Replaced: Alfa Laval, Plate Pack, Plate Pack, Ti-PD SB 265 GR.11, EPDM Clip-On, M6-MFM, 30117-69-162
- Replaced by: Nexson, Plate pack, Ti-PD SB 265 Gr.11, EPDM Clip-on M6-MFM, 30117-69-162, (23 pcs = 1 SET)
- Application: NaCl Acid Cooler

10. Gulf Flour LLC, UAE

Industry: Chemical

- Brand Replaced: Alfa Laval, Type: T20-MWFG, Item: E-20401, Serial No: 30106-43261
- Replaced by: Nexson Greenplate Heat Exchanger, PX200A – 139 – area 129.87 m², Material: Alloy 59, Plate Thickness 0.6 mm, Design pressure : 10 / 10 Barg, Design temperature : -10 / 140 °c
- Application: Sulphuric Acid Cooler

11. Union Cement Factory, UAE

Industry: Cement

- Brand Replaced: Funke, Plate heat exchanger.type: fps-21-139-3-n.s.no.527511.dwg6170310020(fk1308270).cooling efficiency:350kw.rate of oil flow approx: 1530 l/min. maximum,cooling water temp inlet/outlet :32/36 degree celsius.
- Replaced by: Maxwor Mfg Part No. B12K-188PN16 Pressure Class NBR Gasket(Max 110°C) 0.5mm AISI316 Plate Ral5002 Painted CS Frame.
- Application: Thermal management of hydraulic oils.

12. National Care Company, SIDCO, KSA

Industry: Detergent

- Brand Replaced: API Heat Transfer, SIGMA M36 NBL, Fabrication number: PA 119651
- Replaced by: Hexonic JFC-035-P16-112 / HEX-01 JAG plate and frame heat exchangers
- Application: NaOH Acid Cooler

13. Al Ain Farms, UAE

Industry: Food

- Project Scope: Supply, installation, and commissioning of a heat exchanger skid with two 2-ton heat exchangers and three pumps (two operational, one standby). Installation of pipelines from the main chiller line and secondary storage tank to the heat exchanger with necessary valves. All pipe joints will use PN16 SS316 flanges, and pipelines will be fully insulated. Design and installation will align with specified flow and pressure requirements for optimal performance.
- Solution: Tanpera plug-and-play skid solution, designed for easy installation and optimal performance. The fully automated system includes a Gasketed Plate Heat Exchangers, circulation pumps, control valves, and a Siemens PLC control panel.

VIBRATION SENSORS

1.Sharjah Waste-to-Energy Plant Maintenance Company VEOLIA, UAE

Industry: Waste to Energy

- Vibration sensor model: HE200.01.20.00.00.02.100
- Application: Pump vibration monitoring system

2.Egyptian Refining Company ERC, Egypt

Industry: Oil & Gas

- Vibration Sensor Model: HE101.01.16.00.00.00.100
- Application: Motor and Drive units.

3. SOCAR Downstream Management LLC, Azerbaijan

Industry: Oil & Gas

- Vibration Sensor Model: HE100.02.16.01.01.00.000
- Application: Heydar Aliyev Oil Refinery Modernization and Reconstruction Project, Separator Unit Vibration Monitoring.

4. Mass Group Holding, Iraq

Industry: Powerplant

- Vibration Sensor Model: HE100.00.16.00.00.00.000
- Application: Turbines and Generators Units

5. FCC Servicios Ciudadanos, KSA

Industry: Transportation

- Vibration Sensor Model: 663.16.000.0
- Application: Riyadh Metro Project Line 5, Train Monitoring rolling stock.

VIBRATION DAMPERS

1. MERO 3 FPSO Project, UAE

Industry: Marine

- Item: 2 sets of 3 AVM's (Anti Vibration Mounts) à 18 950 Euro/set (of 3 AVM's) - Rear AVM-1 sliding in X; - Rear AVM-2 fixed (drawing D211004-002.pdf attached); - Front AVM-3 sliding in Y; - Including M30 HDG 8.8 fastening bolts upwards and downwards; - Including a 65 mm CS sole plate for welding downwards to deck; - AVM-structure in steel S355J2G3 painted acc. to Norsok M-501;
- Application: Motor Pump Skid

2. Abu Dhabi Ship Building, UAE

Industry: Marine

- Item: All Metal Resilient Cushion VT1120 AISI 316 MFG. P/NO.: VT1120 MAKE : Vibratex
- Application: Pipe hangers.

3. FPSO Voyageour spirit project MAN Energy Solutions Middle east LLC, UAE

Industry: Marine

- Item: VIBRATEC DMS 020-40NBR (10003801) for engine S12A2 and VIBRATEC 020-55NBR (10003803) for engine S16R
- Application: Ship engine mounts.

COMPRESSORS

1. Aster Hospital, UAE

Industry: Hospital

- Project scope: Supply of Nitrogen Package with a nominal inlet air flow of 300 Nm³/h, nominal outlet gas flow of 121 Nm³/h, nitrogen purity ranging from 99.5% to 99.995%, outlet pressure of 5 to 6 Bar, and inlet air pressure of 8 Bar.
- Solution: NITROBERG®1400 Onsite PSA Nitrogen Generator, 99.9-99.99% purity, 126.7-73.4 Nm³/h capacity, 418.1 Nm³/h compressed air demand, 11 bar design pressure, 7 bar operating pressure, 55-85 dB noise, +5/+40°C ambient temp, 230V 50Hz, 150W, ISO8573-1 Class1.4.1 air quality, includes TCP control panel, purity sensor, pressure sensors, and regulators, dimensions 930x1770x2510 mm, weight 2087 kg per item.

VISUAL CUT OFF SWITCHES

1. Maaden Mining, KSA

Industry: Mining

- VCS Model: IM 400 III C MAADEN 1 SENS 2NO, SAFEBLOC ACIER-400A-3P-B/B
- Application: Various motors in the Crushers and Grinding mills

2. Lafarge Cement Bazain Plant, Iraq

Industry: Cement

- VCS Model: VCS Handle (Laterally operating and insulating switch handle) for Fiberglass Polyester Box Shell VCS , to sizes of Switch disconnecter (IM): 40A , 63A , 80A , 160A , Part No: T091557 , Manufacturer: cefem
- Application: Motor and Drive units.

3. Star Cement Factory, UAE

Industry: Cement

- VCS Model: IM 315 III C +1NO-NC+ARU/7B SAFEBLOC ACIER-315A-3P-B/B CEFEM
- Application: Kiln Mill Motors

ROTARY UNIONS

1. Abu Dhabi National Paper Mill, UAE

Industry: Paper

- Brand Replaced: Steam Rotary Joint, DEUBLIN TYPE: GF150M, SIZE: DN150 PN16 FOR PM2 Yankee Dryer Supply & Condensate Drainage Joint,Ref. Order No.CO2002248, OVER MECCANICCA SPA JOB No. F317- ADNIP
- Replaced by: Girol SF06000-00001 Rotary Union 6'.
- Application: Tissue Paper Yankee machine.

2. Dubai Municipality , UAE

Industry: Municipality

- Project Scope: Design and implement a solution to enhance system capacity by selecting and integrating a rotary screw compressor that meets the operational demands of the end user, ensuring optimal performance, energy efficiency, and reliability within specified environmental and operational conditions.
- Solution: Conducted a technical study and recommended the Berg KOMPBERG® BSDF110 Screw Compressor, which features a capacity range of 7-19.2 m³/m, a nominal motor power of 110 kW, a sound level of 83 dB(A), and a cooling air demand of 17,500 m³/h. This solution enhanced operational quality and efficiency for municipalities, supported installation processes, and ensured optimal performance in industrial applications with an ambient temperature range of +5 to +40°C.

THERMON

1. United Foods Company , UAE

Industry: Food

- Project Scope: Steam heat tracing for a 63-meter mild steel (MS) pipeline with a 1 ½ inch diameter, transporting vegetable oil at 40°C. The goal is to maintain a consistent temperature of 40°C along the entire pipeline. A quote is requested for the suitable heat tracing solution, along with insulation.
- Solution: Based on the project study, we supplied the following materials: Steam Tracer (3/8" O.D. x .035" SS SMLS), Glass Tape, SS Banding, Crimp Seal, 3/8" SS Tube Union, 3/8" SS Male Connector, Therмотube, Termination Seal Kit, LCF Clamps, Crimping Tool, and Banding Tool. Additionally, we provided the detailed engineering datasheet and installation manual.

2. Commercial United Packaging, UAE

Industry: Packaging

- Brand Replaced: Deublin DN 65 and DN50 Rotary Joint.
- Replaced by: Girol URO252-00074 and URO202-00074 Rotary Union.
- Application: Polypropylene Extrusion Machine.

3. Emirates Steel Arkan, UAE

Industry: Steel

- Brand Replaced: Deublin 2425-001-177-180, 2420-001-141-180, 257-049-124 and Swivel union ¾" COSIL
- Replaced by: Girol - NBD075-GF3KX, MD0050-00059, MD0075-00009 and Y-D075-GS6GS respectively.
- Application: Steel mill roller coolers.

PIPE AND TANK REPAIR SOLUTIONS

1. Dubai Municipality, UAE

Industry: Municipality

- Project Scope: The project involves a 72" steel pipe that requires the application of Boreshield ARO 11. Supply and application of Boreshield ARO 11 for a 72" diameter pipe with a length of 64 on site.
- Solution: Based on the project specifications, we supplied the BoreShield™ 2-Ply Reinforcement System (BS1230ARO II 12x30, qty 265), Stop It® Compression Banding (CB12700, 12" wide x 700', qty 5), and Stop It® Tool, Perforating Pin Roller - Large (PTLGPPROL, qty 2) with a 50% overlap.

2. National Oil Storage Company FZC

Industry: Oil storage

- Project Scope: Repair of a 10" diameter carbon steel pipe, 20 years old, with gas oil leakage occurring during discharging operations. The leakage is due to pinholes located near the flanges and pipeline connections.
- Solution: 4 kits of XCorr HP 100 Large Kit, 2 pieces of 5" wide x 200' Stop It® Compression Banding, and 1 piece of a dual-component pneumatic dispenser gun (1,000 mL).

More references can be provided upon request.

SALES ACHIEVEMENTS

- Increased regional sales by 20% within the first year through strategic relationship management and targeted client outreach.
- Successfully acquired 15 new clients across the MENA region, contributing to an 18% increase in market share in key sectors such as oil & gas and manufacturing.
- Drove 25% year-over-year growth in sales revenue by developing and executing a focused marketing and sales strategy.
- Led a cross-functional team that improved client retention rates by 15% by enhancing post-sales support and client engagement initiatives.
- Achieved AED 2 million in sales revenue by closing key contracts with top clients, exceeding annual targets by 10%.
- Negotiated and secured long-term contracts worth AED 0.5 million, increasing overall company revenue and establishing strong client loyalty.

MARKET RESEARCH & ANALYSIS

- Conducted in-depth market research to identify emerging industry trends, enabling the expansion of the product portfolio and resulting in a 30% increase in sales volume.
- Identified key growth opportunities in the MENA region through market analysis, leading to the successful launch of 3 new product lines that accounted for 10% of total revenue.
- Performed competitive market analysis and positioned products more effectively, resulting in a 15% increase in market share in the heat exchanger sector.
- Utilized data analytics tools to predict market trends and adjust sales strategies, boosting market penetration by 18%.
- Conducted regular SWOT analyses to assess competitor strategies and identify potential gaps in product offerings, leading to the development of more targeted sales initiatives.
- Monitored and analyzed customer feedback to refine product positioning, contributing to a 20% increase in customer satisfaction.

TEAM COLLABORATION

- Collaborated with product development, marketing, and logistics teams to align sales strategies, resulting in a 10% reduction in project timelines and improved client satisfaction.
- Worked closely with the marketing team to design and implement targeted promotional campaigns, which led to a 20% increase in lead generation.
- Partnered with technical support and engineering teams to customize solutions for clients, achieving 95% customer satisfaction and contributing to a 15% boost in repeat business.
- Coordinated with cross-functional teams to implement integrated sales campaigns, resulting in a 10% increase in overall sales performance.
- Facilitated regular meetings with internal teams to streamline operations and enhance product delivery efficiency, improving client delivery times by 12%.
- Worked alongside internal teams to develop training programs for junior staff, enhancing team performance and contributing to a 20% improvement in sales productivity.