

✗ 1) The superior pulmonary vein lies: *0/2

- ☒ A) Antero-superior to the left main bronchus. ✗
- ☐ B) Anterior and in between sp-arterial and hyp-arterial.
- ☐ C) Most anterior structure in the hilum.
- ☐ D) Most inferior structure in the hilum.

Correct answer

- ☒ C) Most anterior structure in the hilum.

✓ 2) Diagnostic radiological criteria of *2/2
ARDS is:

- ☐ A) Multiple cavitary lung lesions.
- ☐ B) Massive fibrosis.
- ☒ C) Bilateral lung opacities that progress into amore asymmetrical shape. ✓
- ☐ D) Pneumothorax.

✓ 3) People with asthma might need *2/2
two kinds of medications

✓ 3) People with asthma might need ^{*2/2} two kinds of medications.

☐ A) Nasal decongestants to minimize mucus and antihistamines to control allergic reactions..

☒ B) Quick -relief (fast- acting) medications to stop symptoms and long - term medication to prevent symptoms. ✓

☐ C) Pills and liquids.

☐ D) Expectorants for coughing and antihistamines for allergies.

✓ 4) Long acting beta two agonist ^{*2/2} should be used with inhaled corticosteroids due to which of the following:

☐ A) Delay up regulation of receptors.

☒ B) Airway obstruction is reversible. ✓

☐ C) Hypoxia occurs as a consequence of ventilationperfusion mismatch.

☐ D) Decrease the hypokalemic effect.

✓ 5) The hallmark of asthma that distinguishes it from other obstructive airway diseases is that in asthma: *2/2

☐ A) Hyperinflation is present on chest roentgenogram.

☒ B) Airway obstruction is reversible. ✓

☐ c) Hypoxia occurs as consequence of ventilation- perfusion mismatch.

☐ D) The FEV1\ FVC ratio is reduced.

✓ 6) What is correct statement about tuberculous pleural effusion: *2/2

☒ A) Typically lymphocytic effusion. ✓

☐ B) Adenosine deaminase may be a useful diagnostic test.

☐ C) Culture positive in 100 % of cases.

☐ D) Presence of pus cell.

! ✓ 7) Cavitation is common association of. *2/2

Done

docs.google.com



☐ D) Presence of pus cell.

✓ 7) Cavitation is common association of: *2/2

- ☐ A) Adenocarcinoma.
- ☐ B) Large cell carcinoma.
- ☐ C) Small cell lung cancer.
- ☒ D) Squamous cell carcinoma. ✓

✓ 8) What is correct statement about malignant pleural effusion: *2/2

- ☐ A) Milky effusion.
- ☒ B) Low pH and low glucose. ✓
- ☐ C) Raised pleural fluid cholesterol(> 5.7 mmol/L).
- ☐ D) The presence of pus.



Done

docs.google.com



✓ 9) The BCG vaccine is administered *2/2
for immunity against :

☐ A) Malaria.

☒ B) Tuberculosis. ✓

☐ C) Jaundice.

☐ D) Hepatitis.

✓ 10) The diameter of indurations in *2/2
tuberculin test is >15 mm for:

☐ A) Children less than 4 years old.

☒ B) Normal individual. ✓

☐ C) HIV or high risk for HIV.

☐ D) Microbiology lab workers.



✓ 11) Why the pulmonary artery BP is *2/2
lower than the systemic arterial BP.



✓ 11) Why the pulmonary artery BP is ^{*2/2} lower than the systemic arterial BP:

- ☐ A) The output of right ventricle is less than that of the left ventricle.
- ☐ B) The left ventricular wall is thicker than the right vntricule.
- ☐ C) The aorta is more elastic than the pulmonary artery.
- ☒ D) The pulmonary resistance is less than the systemic resistance. ✓

✓ 12) A 47 years old patient ^{*2/2} presented with dyspnea, fever and dry cough and pleuritic chest pain, the condition was associated with hyponatremia the most probably causative organism is

- ☒ A) Legionella pneumonia. ✓
- ☐ B) Streptococcal pneumonia.
- ☐ C) S. aureus.
- ☐ D) Mycoplasma.

✓ 13) Common medications which does not cause ILD include: *2/2

- ☐ A) Methotrexate.
- ☐ B) Nitrofurantone.
- ☐ C) Amiodarone.
- ☒ D) Long acting beta agonist. ✓

✓ 14) Lofgren s syndrome is characterized by: *2/2

- ☐ A)Arthritis.
- ☐ B) Erythema nodosum.
- ☐ C) Bilateral hilar adenopathy.
- ☒ D) All of the above ✓

✓ 15) Which of the subgroups of patients with idiopathic pulmonary fibrosis may be considered for long term oxygen therapy: *2/2

- ☒ A) Patients with clinically significant resting hypoxemia. ✓

✓ 15) Which of the subgroups of patients with idiopathic pulmonary fibrosis may be considered for long term oxygen therapy: *2/2

- ☒ A) Patients with clinically significant resting hypoxemia. ✓
- ☐ B) Patients with smoke.
- ☐ C) Patients with exertional hypoxemia.
- ☐ D) Patients who do not respond to pulmonary therapy.

✓ 16) What is the most accurate investigation to diagnose bronchiectasis: *2/2

- ☐ A) Chest x ray.
- ☒ B) High resolution CT. ✓
- ☐ C) Pulmonary function tests.
- ☐ D) Arterial blood gases



✓ 17) An anxious young woman who is taking birth control pills presents *2/2

✓ 17) An anxious young woman who ^{*2/2} is taking birth control pills presents to emergency room with shortness of breath, which of the following physical findings would make the diagnosis of pulmonary embolus unlikely:

- ☐ A) Wheezing.
- ☐ B) Pleuritic chest pain.
- ☐ C) Right sided S3 sound.
- ☒ D) Bilateral basal crepitations. ✓

✓ 18) A 69 years old recently ^{*2/2} bedridden due to fracture femur. He presented with shortness of breath and fever. Which of the following is high sensitive for predicting of the absence of PE and is used for patient whose probability for PE is unlikely and need only minimal additional testing?

- ☐ A) V/Q scan.
- ☒ B) D-Dimer testing. ✓
- ☐ C) CT pulmonary angiography

✗ 19) A 70 years old female, his husband is a constructor presented with dyspnea and chest pain. Chest X- ray showed small RT sided pleural effusion and pleural nodules. Aspiration of pleural fluid revealed exudative hemorrhagic pleural effusion. Which of the following is most diagnostic next step: *0/2

☐ A) Transthoracic ultrasound guided pleural biopsy.

☒ B) Thoracoscopic guided pleural biopsy. ✗

☐ C) Abrams pleural biopsy.

☐ D) CT guided pleural biopsy.

Correct answer

☒ A) Transthoracic ultrasound guided pleural biopsy.

✓ 20) Which of the following is risk for pneumothorax. *2/2

☒ A) Chest trauma. ✓

☐ B) Diaphragmatic hernia.

Done

docs.google.com



✓ 20) Which of the following is risk for pneumothorax. *2/2

- ☒ A) Chest trauma. ✓
- ☐ B) Diaphragmatic hernia.
- ☐ C) Pulmonary fibrosis.
- ☐ D) GERD.



*

.../2

☒ Option 1 ✗

No correct answers

This content is neither created nor endorsed by Google. - [Terms of Service](#) - [Privacy Policy](#)

Does this form look suspicious? [Report](#)

Google Forms

