

1/1 **A patient with R.F comes with .19 ✓
dancing movement, how can you
:explain this movement**

Myopathy ☐

Neuromuscular junction disease ☐



Sydenham's chorea ☒

Psychosis ☐

أخرى: ☐

1/1 **Which of the following is one of .20 ✓
?Jones's major criteria**



Pancarditis ☒

Fever ☐

Elevated ESR ☐

Previous RF ☐

أخرى: ☐



1/1*

**The most posterior .1 ✓
.structure of heart is**



left atrium ☒

Right atrium ☐

Left ventricle ☐

Right atrial appendage ☐

أخرى: ☐

1/1*

**Which of the following .2 ✓
represents the surface
anatomy of the apex of the
?heart**

Lies opposite the left 6th
intercostal space. ☐

Lies opposite the 4th thoracic
vertebrae ☐

✓ Lies opposite the left 5th
intercostal space 9 cm from
the middle line ☒



1/1*

Which of the following .3 ✓
describes Ventricular septal
?defect murmur



Holosystolic murmur ☒

Ejection systolic murmur ☐

Systolic-diastolic murmur ☐

early diastolic murmur . ☐

أخرى: ☐

1/1 * .4 ✓
Wide fixed split present in



ASD ☒

MS ☐

Pulmonary embolism. ☐

Constructive pericarditis ☐

أخرى: ☐

1/1*

Beck triad (the 3 Ds, -5
distended neck veins, distant
heart sound and decreased blood
pressure is present in which of
?the following



Congestive heart failure (CHF)



Cardiac shock



Cardiomyopathy



Cardiac Tamponade



أخرى:



1/1*

Typical features of acute -6
pericarditis



Chest pain is identical of myocardial infarction



Friction rub best heard over lower sternal border at mid expiration.



ECG changes only seen in anterior chest leads.



Elevation of serum creatin kinase



أخرى:



1/1*

Which investigation is the
most appropriate in assessment
of pericardial effusion

-7



ECG.



Chest x-ray.



Transthoracic echo



Cardiac enzymes



أخرى:



1/1*

Fever, Clubbing and Osler's
nodes occur in

-8



Leptospirosis



Typhoid fever



Infective endocarditis



Rheumatic fever



أخرى:



1/1*

Prophylactic antibiotic is -9
indicated before dental extraction
:in the following



Coronary artery bypass.



Prosthetic aortic valve



Chronic kidney disease



Liver cell failure



أخرى:



1/1*

Normal PR interval duration is-10



130-250msec



120-200msec



200-250msec



أخرى:



1/1

What kind of murmur is -11



1/1 **What kind of murmur is -11 ✓
associated with chronic mitral valve
.regurgitation**

Mid systolic click and late systolic
murmur heard at apex ☐

Mid diastolic click and late diastolic
murmur heard at apex ☐

Diastolic rumble ☐



Holosystolic murmur ☒

أخرى: ☐

1/1 **The aortic component of the -12 ✓
second heart sound in Aortic
stenosis is**



Soft ☒

Accentuated ☐

Wide fixed splitting ☐

Variable ☐

أخرى: ☐

1/1*

In MS, systemic
embolization occurs more
frequently in

-13



Patients with AF



In older patients



In those with a reduced COP



well anticoagulated patient




أخرى:



1/...

? What is the axis of this ECG .14



Right axis




well anticoagulated patient



أخرى:



1/... ? What is the axis of this ECG .14 ✕



Right axis



Normal axis



Left axis



Odd axis



أخرى:



ليس هناك أي إجابات صحيحة

1/1* The ventricular repolarization .15



1/1* **The ventricular repolarization .15** ✓
in ECG (electrocardiography) is
best seen in

P wave ☐

Q wave ☐



T wave ☒

R wave ☐

أخرى: ☐

1/1* **Which of the following .16** ✓
conditions is most closely
associated with weight gain,
nausea, and a decrease in urine
?output

Angina pectoris ☐

Cardiomyopathy ☐

Left-sided heart failure ☐



Right-sided heart failure ☒

أخرى: ☐

1/1* **Which of the following is true .17** ✓
?regarding pulmonary circulation

✓ It is a low-pressure system that allows for improved gas exchange. ☒

It is the larger of the two circulatory systems. ☐

The system functions with an increased arterial pressure to circulate through the distal parts of the body. ☐

It consists of the left side of the heart, the aorta, and its branches ☐

أخرى: ☐

1/1 **Rheumatic Fever usually .18** ✓
:follows an infection with

✓ Streptococcus group A ☒

Staphylococcus aureus ☐

Streptococcus viridans ☐

H.influenza ☐

1/1* **Amyloid and sarcoid are .3 ✓**
what type of
?cardiomyopathy



Infiltrative ☒

congested. ☐

Dilated ☐

Hypertrophic ☐

أخرى: ☐

1/1* **A 13-year-old girl -4 ✓**
presents with a complaint of
fatigue and shortness of
breath

with moderate exercise. She
has no significant past
medical history. Her exercise
intolerance was only recently

1/1*

A 13-year-old girl -4 ✓

**presents with a complaint of
fatigue and shortness of
breath**

with moderate exercise. She
has no significant past
medical history. Her exercise
intolerance was only recently
noted after joining a
neighborhood volleyball
team. Her HR is 110/min, RR
20/min, BP 115/65 mmHg,
and T 36.9 °C. On

physical exam, her second
heart sound is found to be
widely split and fixed in all

phases of respiration. A
systolic ejection murmur is
heard at the left middle and

upper sternal border. Her
chest x-ray shows
enlargement of the right
atrium and

ventricle. Her ECG shows a
right axis deviation. Which of
the following is the

physical exam, her second heart sound is found to be widely split and fixed in all phases of respiration. A systolic ejection murmur is heard at the left middle and upper sternal border. Her chest x-ray shows enlargement of the right atrium and ventricle. Her ECG shows a right axis deviation. Which of the following is the most likely cause of her ?murmur

- Turbulent flow across an ASD ☐
- Turbulent flow across a VSD ☐
- Persistent flow through a patent ductus arteriosus ☐
- Increased flow across the aortic valve ☐
- ✓ Increased flow across the pulmonary valve ☒

أخرى: ☐

1/1* **A 2-week-old male infant -5 ✓**
with history of 36-week
gestational age at birth
presents

to the emergency
department with tachypnea.
His mother reports that he

initially fed well when
discharged from the hospital
after birth but for the past

several days seems to
become tired with feeding
and takes less than an
ounce at

any one time. On physical
exam he is tachypneic, with
/a HR of 140/min, RR 60

min, BP 70/45 mmHg, and T
36.8 °C. The infant is noted
to have a hyperactive

precordium, bounding
peripheral arterial pulses,
and a continuous
machinelike

murmur along the left
sternal border. His chest x-
ray shows a moderately

to have a hyperactive
precordium, bounding
peripheral arterial pulses,
and a continuous
machinelike
murmur along the left
sternal border. His chest x-
ray shows a moderately
enlarged heart, a prominent
pulmonary artery, and
increased intrapulmonary
vascular
markings. Which of the
following is the most likely
?diagnosis

ASD ☐

Aortic insufficiency ☐

AV canal defect ☐



Patent ductus arteriosus ☒

Pulmonary branch stenosis ☐

Option 6 ☐

أخرى: ☐

1/1* A 2-week-old male infant -5 ✓
with history of 36-week
gestational age at birth
presents

to the emergency
department with tachypnea.
His mother reports that he

initially fed well when
discharged from the hospital
after birth but for the past

several days seems to
become tired with feeding
and takes less than an
ounce at

any one time. On physical
exam he is tachypneic, with
/a HR of 140/min, RR 60

min, BP 70/45 mmHg, and T
36.8 °C. The infant is noted
to have a hyperactive

precordium, bounding
peripheral arterial pulses,
and a continuous
machinelike

murmur along the left
sternal border. His chest x-
ray shows a moderately

enlarged heart, a prominent
pulmonary artery, and
increased intrapulmonary
vascular

markings. Which of the
following is the most likely
?diagnosis

ASD ☐

Aortic insufficiency ☐

AV canal defect ☐



Patent ductus arteriosus ☒

1/1* Amyloid and sarcoid are .3 ✓
what type of
?cardiomyopathy

- ✓ Infiltrative ☒
- congested. ☐
- Dilated ☐
- Hypertrophic ☐
- أخرى: ☐

0/1* A 13-year-old girl -4 ✕
presents with a complaint of
fatigue and shortness of
breath

with moderate exercise. She
has no significant past
medical history. Her exercise
intolerance was only recently
noted after joining a
neighborhood volleyball
team. Her HR is 110/min, RR
20/min, BP 115/65 mmHg,
and T 36.9 °C. On


physical exam, her second
heart sound is found to be
widely split and fixed in all
phases of respiration. A
systolic ejection murmur is
heard at the left middle and
upper sternal border. Her
chest x-ray shows
enlargement of the right
atrium and
ventricle. Her ECG shows a
right axis deviation. Which of
the following is the
most likely cause of her
?murmur

- ✕ Turbulent flow across an ASD ☒
- Turbulent flow across a VSD ☐
- Persistent flow through a patent
ductus arteriosus ☐
- Increased flow across the aortic
valve ☐
- Increased flow across the
pulmonary valve ☐
- أخرى: ☐

الإجابة الصحيحة

- Increased flow across the
pulmonary valve ☒

1/1* **What is the spot diagnosis ✓
?of the following ECG**



Acute anterior myocardial infarction ☐

✓ Acute inferior myocardial infarction ☒

Unstable angina. ☐

NSTEMI ☐

أخرى: ☐

1/1*

The best tool for -17 ✓
evaluation of posterior
cardiac structures

Transthoracic Echocardiography ☐

ECG ☐

Chest X-ray ☐

✓ Transesophageal
echocardiography



أخرى: ☐

1/1*

The most common -19 ✓
complication post cardiac
surgery



Bleeding ☒

Infection ☐

Stroke ☐

Arrhythmias ☐

Renal failure ☐

أخرى: ☐

1/1* **Echocardiography can -16 ✓
be used for**

Remove embolus of the heart ☐

✓ **Correctly locate the blockages
in the arteries and veins** ☒

Assess the baby's heart, anatomy
and function ☐

Measure heartbeat ☐

أخرى: ☐

1/1 **A 58 year old man with -17 ✓
history of old anterior
myocardial infarction.
Echocardiography showed
severely reduced systolic
function. Which of the
following is the answer**

Ejection fraction= 55% ☐

Ejection fraction= 50% ☐

Ejection fraction= 40% ☐

✓ **Ejection fraction= 25%** ☒

1/1*

Which of the following.14 ✓
isn't a risk factor for
?atherosclerosis

Cancer ☒Diabetes ☐Smoking ☐Hypercholesterolemia ☐أخرى: ☐

1/1

Atherosclerosis occurs -15 ✓
.primarily in

Veins ☐Capillaries ☐Arteries ☒Venules ☐أخرى: ☐

1/1* Which of these factors.-12 ✓
is not a risk factor for
?ischemic heart disease

Smoking ☐

Diabetes (type1and2) ☐

Hypertension ☐



Being female ☒

أخرى: ☐

1/1 Which of the following is. -13 ✓
not part of atherosclerotic
?plaque

Fibrous cap ☐

Cholesterol accumulation ☐

Lipid core. ☐



Platelets ☒

أخرى: ☐

1/1*

**What is the most .10 ✓
common cause of
ventricular tachycardia
?(VT)**



Myocardial ischemia ☒

Electrolytes imbalance ☐

Renal failure ☐

Interstitial pulmonary fibrosis ☐

أخرى: ☐

1/1*

**Early .11 ✓
afterdepolarizations
.developed in**

Phase 0 ☐

Phase 4 ☐



Phase 2 or 3 ☒

Phase 1 ☐

أخرى: ☐



1/1*

Please review the .8 ✓
following rhythm strip and
select your answer from the
:choices provided



✓ Sinus rhythm with first-degree AVB ☒

Junctional rhythm ☐

Accelerated idio ventricular ☐

Atrial flutter ☐

أخرى: ☐

1/1

In ECG flutter waves of .9 ✓
atrial flutter are most
prominent in

Posterior leads ☐

Anterior leads ☐



Inferior leads ☒

Lateral leads ☐

Bilateral lower limb edema ☐

أخرى: ☐

1/1*

**A 45 year old man, -7 ✓
presented to outpatient
clinic complaining of
bilateral lower edema &
enlargement of abdominal
contour within previous 3
months. Examination of
patient revealed congested
neck veins this finding
:indicate**

Decreased venous return ☐

**✓ Increased central venous
pressure ☒**

Chronic Left side heart failure ☐

Acute left side heart failure ☐

أخرى: ☐

1/1 **years old women was 68 -6 ✓**
admitted to hospital with
heart failure the underlying
cause is determined to be
.aortic stenosis
which sign is most likely to be
?present

Pleural effusion ☐

Raised jugular venous pressure ☐

✓ Fine basal crepitation on both lungs. ☒

Bilateral lower limb edema ☐

أخرى: ☐

1/1* **A 45 year old man, -7 ✓**
presented to outpatient
clinic complaining of
bilateral lower edema &
enlargement of abdominal
contour within previous 3

1/1

**Which of the following .1 ✓
tests is the standard for the
.diagnosis of myocarditis**

Echocardiography ☐

ECG. ☐



Endomyocardial biopsy ☒

Electrocardiogram ☐

أخرى: ☐

1/1*

**By echo, patients with .2 ✓
congestive cardiomyopathy
:have LV that are**

Thick and hyperdynamic ☐

Increased shortening fraction and
hypertrophy ☐



Dilated and poorly contracting ☒

Hypertrophied with normal
chamber size ☐

أخرى: ☐

