



PASSPORT® Functional Requirements Specification

Loyalty Interface Version: 3.07

Created:
October 10, 2006

Revised:
July, 24, 2015



Legal Notice - This document contains proprietary information of Gilbarco Inc. In consideration of the receipt of this document, the recipient agrees not to reproduce, copy, use or transmit this document and/or the information contained herein unless given advance written permission by Gilbarco Inc. Recipient further agrees to surrender upon Gilbarco Inc. request all Gilbarco Inc. proprietary information.

REVISION HISTORY

Date	Author	Version	Description
5/2/2013	B. Eubanks	3.0	Entire document -Major rework to include the Multiple Loyalty feature and its effects on Passport behavior, such as configuration screens, CRIND idle screen toggle, CWS loyalty selection window, and loyalty selection at the CRIND; previous Revision History references are invalid 1.1 References - updated version and date for POS Loyalty Message Specification and POS Loyalty Use Case Model
5/3/2013	B. Eubanks	3.01	2.3 Open Issues - removed this section 3.4 CRIND - corrected and updated CRIND screen illustrations
5/3/2013	B. Eubanks	3.02	3.4 CRIND - additional CRIND screen updates
5/3/2013	B. Eubanks	3.03	2.2 Assumptions - added last bullet
5/8/2013	B. Eubanks	3.04	3.7.3 Extraction Tool - added details around Extraction Tool behavior
6/9/2014	L.Hester	3.05	Add a new Loyalty Interface option to the general tab to allow selection of which loyalty message spec to use when sending messages to the configured loyalty host.
8/11/2014	L.Hester	3.06	Added a new loyalty business period type on the general tab to allow a site to program when the loyalty host business period ends. This new period type is also now available under period type when viewing\printing the Loyalty Transaction Details Report.
7/24/2015	L.Hester	3.07	Removed “offer loyalty” drop down from section 3.2.2.3.1. This is covered on the prompts tab.

Table of Contents

1	Document Information.....	ii
2	Introduction.....	5
2.1	References	6
2.2	Assumptions	6
2.3	Glossary	7
3	System Behavior	10
3.1	Feature Activation	11
3.2	Manager Work Station	11
3.2.1	Security Group Maintenance	11
3.2.2	Loyalty Interface.....	12
3.2.2.1	Loyalty Provider Listing	13
3.2.2.2	Function Keys	14
3.2.2.2.1	Add Key	14
3.2.2.2.2	Change Key	16
3.2.2.2.3	Delete Key	17
3.2.2.2.4	Purge Loyalty SAF Key	18
3.2.2.2.5	Exit Key	19
3.2.2.3	Loyalty Provider Configuration Screens	19
3.2.2.3.1	General Tab.....	20
3.2.2.3.2	Receipts Tab.....	22
3.2.2.3.3	Prompts Tab	24
3.2.2.3.4	Loyalty Card Mask Tab	26
3.2.3	Fuel Site Options.....	27
3.2.4	Forecourt Installation	27
3.2.5	Period Maintenance	28
3.2.6	Reports	29
3.3	Cashier Work Station	29
3.3.1	Network Functions.....	31
3.3.2	Loyalty Keys on CWS	32
3.3.2.1	Loyalty Status Key	32
3.3.2.1.1	Single Loyalty Provider	32
3.3.2.1.2	Multiple Loyalty Providers	32
3.3.2.1.3	Exceptions	33
3.3.2.2	Loyalty ID Key.....	34
3.3.3	Loyalty Prompting at Tender	34
3.3.3.1	Single Loyalty Provider.....	34
3.3.3.2	Multiple Loyalty Providers	35
3.3.4	PIN Pad	35
3.3.5	Loyalty Acquisition	35
3.4	CRIND.....	36
3.4.1	Idle Screen	37
3.4.2	Loyalty Selection.....	40
3.4.2.1	ADA Loyalty Selection	41
3.4.3	Loyalty Acquisition	42
3.4.3.1	ADA Loyalty Acquisition	46
3.4.4	CRIND PPU Rollback Beep Tones	47
3.4.5	CRIND Screen Timeouts.....	47
3.4.6	Competitive Pump and CRIND	47
3.4.7	NGP CRIND Behavior	48
3.4.8	Attended Mode	49
3.5	Reports.....	49

3.5.1	Loyalty Configuration Report	49
3.5.2	Loyalty Discount Report	50
3.5.3	Loyalty Transaction Detail Report	52
3.5.4	Loyalty Store and Forward Report	55
3.5.5	Other Reports	55
3.6	Receipts.....	56
3.6.1	Prepay Fuel Sale with PPU Discount.....	56
3.6.1.1	Inside Prepay Receipt	57
3.6.1.2	CRIND Completion Receipt	58
3.6.1.3	Inside Prepay Completion Reprint Receipt with PPU Discounts.....	59
3.6.2	CRIND Receipt with Loyalty Discount	60
3.6.3	Inside Post Pay Receipt	61
3.6.4	CRIND Receipt for Dispensers that Cannot Fuel at \$0.000 PPU	62
3.7	Other	63
3.7.1	Loyalty Provider Offline	63
3.7.2	XMLGateway	63
3.7.2.1	PJR Files	63
3.7.2.2	Summary Files	63
3.7.3	Extraction Tool.....	64



Topics:	
References	Open Issues
Assumptions	Glossary

The purpose of this document is to describe Passport® enhancements for support of up to two generic loyalty interfaces. Use this document in conjunction with the Loyalty Interface Message Specification and the Loyalty Interface Use Case Model for full loyalty interface functionality. The interface is generic in order for Passport to interface with various and multiple Loyalty providers.

NOTE 1: Customer-funded requirements may cause behavior to vary from that described in this document.

NOTE 2: This specification applies to Passport versions 10 and later only. Use version 2.3 of this specification for Loyalty Interface behavior in earlier Passport versions.

2.1 References

- Loyalty Interface PRS, Version 1.5, dated October 13, 2006
- POS/Loyalty Interface Use Case Model, Version 1.4, dated December 8, 2006
- POS/Loyalty Interface Message Specification, Version 1.4, dated April 26, 2007

2.2 Assumptions

- Passport prompts for loyalty identifier only on Sale and Refund transactions.
- The loyalty system manages any minimum PPU amounts/floor limits after discounting.
- Volume limits are not configurable in Passport. The interface requires the loyalty system to dictate volume limits when discounting the fuel PPU.
- Gilbarco reserves loyalty card identification for a later Passport development phase.
- Passport always applies loyalty discounts in addition to any other discounts and promotions participating in the transaction. The loyalty host is responsible for enforcing whether the Customer has the option to redeem the loyalty discount or defer redemption until a future transaction. If the loyalty host does not enforce redemption, Passport redeems the discount.
- Passport does not support loyalty host provided graphics, video, or audio at the POS, CRIND, CAT or Car Wash Kiosk.
- Passport does not support loyalty at the Car Wash Kiosk.
- Passport does not send line level transaction details to the loyalty host as the transaction occurs. Instead, Passport sends entire transaction information at tender time or as otherwise outlined in this document.
- Passport supports scanning loyalty barcodes inside at the PIN pad and outside at the CRIND. The loyalty barcode can represent a Customer ID or a loyalty coupon tied to a reward. However, Passport supports scanning of only a single loyalty barcode in a transaction.

- Passport supports the use of loyalty cards that also serve as a method of payment, but Passport will require the Customer to present the card twice - once as a loyalty identifier and once again as a method of payment.
- Passport sends PCATS Payment Systems Product codes for fuel grades, UPC or PLU codes for dry stock items (populates the ProductCode element with the NetworkProduct code associated with the UPC\PLU), NACS tender codes as configured in **MWS > Set Up > Store > Tender Maintenance**, and NACS reason codes for discount and override reasons.
- Passport allows one Loyalty identifier per transaction. After Passport accepts a valid Loyalty identifier no further prompting for Loyalty occurs and no additional Loyalty identifier is accepted.
- Loyalty tender is not applied to refund transactions.
- For proper Loyalty performance at the CRIND:
 - The CRIND BIOS version must support:
 - Volume presets
 - Money presets
 - Lowering of PPU with the handle up or nozzle removed
 - The pump configuration must allow the dispenser to fuel at \$0.000 PPU
 - The pump firmware must support extended status to allow grade-constrained sales
- Passport broadcasts BeginCustomer and EndCustomer loyalty request messages to all enabled Generic Loyalty Providers for any sale transaction that occurs inside or outside at the CRIND, no matter the number of Loyalty Providers configured in **MWS > Set Up > Store > Loyalty Interface**.
- The Loyalty Interface protocol does not change; however, if a sale transaction includes a FORGIVEN tender, the Generic Loyalty FinalizeRewards message does not include the FORGIVEN tender. The discount that would have brought the fuel PPU to \$0.000 will appear as if the fuel PPU actually was \$0.000 in the FinalizeRewards message.
- Passport continues to support the TankBank / Digital Rewards interface as is; however, use of the TankBank interface is mutually exclusive of the generic Loyalty Interface.
- The Multiple Loyalty feature is incompatible with dispensers programmed to perform in Force-Payment Mode. If the Operator activates Multiple Loyalty and enables more than one Loyalty Provider, Passport disables Loyalty at all dispensers programmed to perform in Force-Payment Mode. Loyalty inside is not affected.

2.3 Glossary

Term	Definition
------	------------

Term	Definition
Alternate ID	A manually entered Loyalty token
ASC	Authorized Service Contractor
Attendant	Store associate assisting clients on the fueling Forecourt
BOS	Back Office System
Cashier	Store associate operating the POS inside
CRIND	Card Reader in Dispenser
Customer	A person purchasing fuel and dry stock items, or returning merchandise
CWS	Cashier Work Station
Dispenser	An outside fueling device that allows the Customer to dispense fuel
EDH	Enhanced Dispenser Hub; device and its behavior which provides PA-DSS compliance for Passport
Fueling Position	One side of a dispenser
FRS	Functional Requirements Specification; describes in detail the features, functions, or enhancements of the product
Generic Loyalty	Discounting and Customer messaging based on Loyalty token and controlled by a Loyalty Provider (by contract with the store owner) via PCATS standard Generic Loyalty messaging
Loyalty Identifier	A token that uniquely identifies the Customer to the loyalty provider: • A magnetic stripe card swiped at a card reader • An RFID device that is read by an RFID reader • A barcode that is scanned at a scanner • A numeric value the Customer manually enters at the PIN pad or CRIND keypad
Loyalty Reward	Points earned toward future discounts, cents off per gallon of fuel, or a dollar amount off an item or the transaction
Loyalty Provider	An application that manages the loyalty program, membership, reward accrual, reward redemption, and loyalty reporting
Manager	Store manager, usually in reference to MWS operations
MWS	Manager Work Station
NACS	National Association of Convenience Stores
Network	The payment host
NGP	Next Generation Payment device
Operator	Cashier, manager, or other authorized Passport user
OPT	Outside Payment Terminal; device that allows the Customer to purchase fuel and/or non-fuel items on the Forecourt (CRIND, CAT, and Car Wash Kiosk)
Passport	The Point of Sale system (server, EDH, clients)
PCATS	Petroleum Convenience Alliance for Technology Standards
PDL	Parameter Download or Parameter Data Load, usually performed through message exchanges with the network

Term	Definition
POS	Point of Sale; device that allows the Cashier to sell or refund items
POS System	The in-store Point of Sale solution, consisting of one or more POS devices and a POS server or controller that allows the Operator to perform administrative functions
PPU	Price per Unit
PRM	Product Requirements Matrix; bulleted list of high level requirements
PRS	Product, Program, or Project Requirements Specification; high-level list of major requirements, usually more detailed than the PRM and potentially broken down by system component
PSP	Payment Service Provider; may relate to network payment, loyalty, or other interfaces
RFID	Radio Frequency Identifier
Storeowner	The person who is financially and operationally responsible for the site (POS, building, dispensers, etc.)



Topics:	
Feature Activation	Reports
Manager Work Station	Receipts
Cashier Work Station	Other
CRIND	

This section provides detailed requirements for the loyalty interfaces (Enhanced Loyalty and Multiple Loyalty) as they are implemented in Passport version 10. Subsections define the implementation by component.

3.1 Feature Activation

The functionality associated with the Loyalty Interfaces is enabled by activation of either the **Enhanced Loyalty Interface** or the **Multiple Loyalty Interface** feature under **MWS > Feature Activation**. If the store owner wishes to offer a single loyalty program, activation of the **Enhanced Loyalty Interface** is sufficient. If the store owner wishes to offer more than one loyalty program, whether it be two generic programs or a combination of network and generic, activation of the **Multiple Loyalty Interface** feature is required, even if the **Enhanced Loyalty Interface** feature is already activated.

When the store owner activates either feature:

- The CWS displays the **Loyalty Status** and **Loyalty ID** buttons at the appropriate time in a transaction
- The **MWS > Set Up > Store > Security Group Maintenance** application displays loyalty functions for selection

3.2 Manager Work Station

This section describes behavior within the Manager Work Station application.

3.2.1 Security Group Maintenance

Passport allows the Operator to define in **MWS > Set Up > Store > Security Group Maintenance** the set of functions each configured permission group may perform. The loyalty functions listed in and controlled by Security Group Maintenance are:

- Loyalty Interface
- Loyalty Reports

These functions do not display until either the **Enhanced Loyalty Interface** or the **Multiple Loyalty Interface** feature is activated in **MWS > Feature Activation**.

Following is an illustration of the functions displayed in **Security Group Maintenance**.

The screenshot shows the 'Security Group Maintenance' window. The 'Security Group Description' field contains 'Cashier'. The 'Security Level' is set to 30. The 'System Applications' list includes the following items: Local Accounts Maintenance, Local Accounts Transaction Report, **Loyalty Interface** (highlighted), Loyalty Reports, Manager Workstation, Method of Payment Totals Report, Network Journal Report, Network Menu, Network Reports, Network Site Configuration, Non Resettable Grade Totals Variance Re, Non-Resettable Grand Totals Report, Paid In / Paid Out Report, Paid In / Paid Out Report View 2, and Period Maintenance. The 'Application Functions' list is empty. The sidebar on the right has 'Save' and 'Cancel' buttons. The status bar at the bottom right shows 'Operator 91' and 'Store Store Name'.

An Operator assigned to a Security Group with access to the Loyalty Interface function may access the **MWS > Set Up > Store > Loyalty Interface** listing (all function keys appear). The **Add**, **Change**, **Delete**, and **Exit** keys display and are enabled.

An Operator assigned to a Security Group with access to the **Loyalty Reports** function may access the **MWS > Reports > Loyalty Reports** listing and select reports to view or print. Reports that display are:

- Loyalty Discount Report
- Loyalty Transaction Detail Report
- Loyalty Configuration Report
- Loyalty Store and Forward Report


Each of these reports is described in the [Reports](#) section.

3.2.2 Loyalty Interface

The Loyalty Interface application allows an Operator to configure parameters that control behavior for a particular Loyalty Provider. If the **Enhanced Loyalty Interface** feature is enabled, the Operator may configure one Generic Loyalty Provider. If the

Multiple Loyalty Interface feature is activated, the Operator may configure up to two separate Generic Loyalty Providers.

Following is an illustration of the **Loyalty Configuration** listing screen that displays when the Operator selects **MWS > Set up > Store > Loyalty Interface** and no Loyalty Providers are configured.



Elements that display as part of the **Loyalty Configuration** listing screen are the **Loyalty Provider** listing and function keys.

3.2.2.1 Loyalty Provider Listing

The **Loyalty Provider** listing contains **Loyalty Provider Name** and **Type** headers. Below are descriptions of these fields and their function.

- **Loyalty Provider Name**
 - 18 characters maximum length
 - Valid characters - alphanumeric (characters 32 through 126 of the ASCII character set)
 - This is the name the Cashier or Customer sees in the prompt for Loyalty token acquisition

- Must be unique - Passport allows no duplication of name among programmed names when adding a Loyalty Provider
- **Type:** A drop-down menu for the Operator to select the type of loyalty provider. Selections are:
 - **Generic** - Operator selects this to configure a third party Loyalty program administered by an external Loyalty provider and paid for by the Storeowner
 - **Network** - displays only for a Customer-funded implementation in which the payment network administers a loyalty program; for information purposes only; the Operator may not select it to perform a **Change**, **Delete**, or **Purge SAF**.

3.2.2.2 Function Keys

Passport displays **Add**, **Change**, **Delete**, **Purge Loyalty SAF**, and **Exit** function keys.

3.2.2.2.1 Add Key

If the Operator selects the **Add** key and the maximum number of Loyalty Providers are configured yet, Passport displays the **Loyalty Provider Name** field and **Loyalty Provider Type** menu for the Operator to complete, along with **Save** and **Cancel** keys.

- **Save** - After completing the **Loyalty Provider Name** field and selecting a **Loyalty Provider Type** from the menu, the Operator selects the **Save** key to save the information to the Passport database and allow the Operator to continue programming Loyalty information for this Loyalty Provider. When the Operator selects the **Save** key Passport validates the **Loyalty Provider Name** and **Loyalty Provider Type** values. If configured values are valid, Passport saves these fields and moves to the **Loyalty Configuration** tabs. However, if either field is invalid, Passport highlights the invalid field and displays the error message

The errors in red must be corrected before you can continue. OK.

The Operator must select the **OK** key; Passport returns to the Loyalty Provider Name and Type configuration screen.

- **Cancel** - The Operator selects the **Cancel** key to exit from the Loyalty Provider name/type screen without saving. Passport displays a warning message for the Operator to confirm the Cancel action:

Do you want to save changes? Yes/No/Cancel.

If the Operator selects:

- **Yes** - Passport validates the **Loyalty Provider Name** and **Loyalty Provider Type** values. If configured values are valid, Passport saves these fields and moves to the **Loyalty Configuration** tabs; however, if either field is invalid, Passport highlights the invalid field and displays the error message

The errors in red must be corrected before you can continue. OK.

The Operator must select the **OK** key; Passport returns to the Loyalty Provider Name and Type configuration screen.

- **No** - Passport returns to the **Loyalty Provider** listing screen
- **Cancel** - Passport returns to the Loyalty Provider Name and Type configuration screen

If the Operator has already configured the maximum number of Loyalty Providers and selects the **Add** key, Passport displays the error message:

Cannot add any more Loyalty Providers. Maximum number of Loyalty Providers configured. OK.

The Operator must select **OK**; Passport returns to the **Loyalty Provider** listing screen.

Following is an illustration of the **Loyalty Provider Name and Type** configuration screen. This screen displays after the Operator selects the **Add** key (assuming the site has not used all available Loyalty Provider types) from the **Loyalty Configuration** listing screen.

12:10 PM
04/04/2011

POS Help

Loyalty Provider Name

Loyalty Provider Type


Loyalty Configuration

Save

Cancel

Operator 91
Store Store Name

Following is an illustration of the **Loyalty Configuration** listing screen that displays when the Operator selects > **Set up > Store > Loyalty Interface** after one Generic Loyalty Provider has been configured.



3.2.2.2.2 Change Key

After highlighting one of the existing Loyalty Providers in the list, the Operator selects the **Change** key to modify configuration parameters for the selected Loyalty Provider, including the **Loyalty Provider Name** and **Loyalty Provider Type**. Passport displays the Loyalty Configuration tabs along with **Save** and **Cancel** keys. See [Loyalty Provider Configuration Screens](#) below for information on programming the fields.

After making changes to fields on the Loyalty configuration tabs the Operator selects:

- **Save** - to save the information to the Passport database. When the Operator selects the **Save** key Passport validates the configuration values. If configured values are valid, Passport saves these fields and returns to the **Loyalty Provider** listing screen; however, if any field is invalid, Passport highlights the invalid field in red and displays the error message:

The errors in red must be corrected before you can continue. OK.

The Operator must select the **OK** key; Passport returns to the Loyalty configuration tabs to allow the Operator to make further changes.

- **Cancel** - to exit from the Loyalty configuration tabs without saving. Passport displays a warning message for the Operator to confirm the Cancel action:

Do you want to save changes? Yes/No.

If the Operator selects:

- **Yes** - Passport validates the Loyalty configuration field values. If configured values are valid, Passport saves these fields and returns to the **Loyalty Provider** listing screen; however, if any field is invalid, Passport highlights the invalid field and displays the error message:

The errors in red must be corrected before you can continue. OK.

The Operator must select the **OK** key; Passport returns to the Loyalty configuration tabs to allow the Operator to make further changes.

- **No** - Passport returns to the **Loyalty Provider** listing screen without saving

NOTE: If the Operator highlights a **Loyalty Provider** of type **Network** and selects the **Change** key, Passport displays the error message:

The selected loyalty provider is not configurable. OK.

The Operator selects **OK** and Passport returns to the **Loyalty Provider** listing screen.

3.2.2.2.3 Delete Key

After highlighting one of the existing Loyalty Providers in the list, the Operator selects the **Delete** key to remove the Loyalty Provider from the **Loyalty Provider** listing, the parameters configured for it, and all historical transaction data associated with it.

Passport displays a warning message to the Operator:

WARNING! Deleting [Loyalty Provider Name] will cause you to lose all configuration, transaction data, and reports for this loyalty provider. Are you sure you want to delete [Loyalty Provider Name]?

Passport also displays **Yes** and **No** keys. If the Operator selects **No**, Passport returns to the **Loyalty Provider** listing screen without deleting the Loyalty Provider.

If the Operator selects **Yes**, Passport validates:

- The **Enabled** field on the **General** tab of the **Loyalty Configuration** screen for this Loyalty Provider is set to **No**.
- There are no transactions in progress involving this Loyalty Provider
- There are no transactions with associated discounts in the Store and Forward queue for this Loyalty Provider

If any of these checks fail, Passport displays an error message indicating the applicable issue to be resolved:

- **[Loyalty Provider] Enabled field is set to Yes in Loyalty Configuration. OK**
- **[Loyalty Provider] transactions in progress. Please try later. OK**
- **[Loyalty Provider] transactions in Store and Forward. Please try later. OK**

The Operator must select **OK**; Passport returns to the **Loyalty Provider** listing screen.

If all the above checks validate, Passport:

- Deletes the Loyalty Provider from the **Loyalty Provider** listing screen
- Deletes all Loyalty Provider configuration parameters from the database for this Loyalty Provider
- Purges all transaction data for this Loyalty Provider in the Passport database tables

NOTE: If the Operator highlights the **Loyalty Provider** of type **Network** and selects the **Delete** key, Passport displays an error message:

[Loyalty Provider Name] cannot be removed. OK.

The Operator selects **OK** and Passport returns to the **Loyalty Provider** listing screen.

3.2.2.2.4 Purge Loyalty SAF Key

After highlighting one of the existing Loyalty Providers in the list, the Operator selects the **Purge Loyalty SAF** key to delete all Loyalty transactions pending in the Loyalty Store and Forward queue for that particular Loyalty Provider. The Operator may wish to delete all pending Loyalty transactions for a particular Loyalty Provider when the Storeowner has discontinued business with the Loyalty Provider; wants to remove all transactions left; and delete the Loyalty Provider from the **Loyalty Provider** listing.

If the Operator selects a Loyalty Provider and selects the **Purge Loyalty SAF** key, Passport displays the warning message:

Warning! You are going to delete all [Loyalty Provider Name] transactions in Store and Forward. Before taking this action, you should disable [Loyalty Provider Name] and print the [Loyalty Provider Name] Store and Forward report. Are you sure you want to purge?

Passport Also displays **Yes** and **No** keys. If the Operator selects:

- **Yes** - Passport checks that:
 - There are transactions for the Loyalty Provider in Store and Forward; if there are no transactions in Store and Forward, Passport displays the error message:
No transactions in [Loyalty Provider Name] Store and Forward. OK
The Operator must select the **OK** key to return to the **Loyalty Provider** listing screen without purging
 - The **Enabled** field on the **General** tab of the Loyalty Configuration for the Loyalty Provider is set to **No**. If the **Enabled** field is set to **Yes**, Passport displays the error message:
[Loyalty Provider Name] is not disabled. Cannot purge [Loyalty Provider Name] Store and Forward. OK
The Operator must select the **OK** key to return to the **Loyalty Provider** listing screen without purging
 - There are no transactions or services in progress for the Loyalty Provider. If there are pending transactions or services for the Loyalty Provider, Passport displays the error message:

You have pending [Loyalty Provider Name] transactions. Cannot purge [Loyalty Provider Name] Store and Forward. Please try again later. OK

The Operator must select the **OK** key to return to the **Loyalty Provider** listing screen without purging

If all the above checks succeed, Passport deletes all transactions in Store and Forward for the Loyalty Provider and displays the message:

[Loyalty Provider Name] Store and Forward purged successfully. You must use your most recent [Loyalty Provider Name] Store and Forward Report to reconcile with your Loyalty Provider. OK

The Operator must select the **OK** key to return to the **Loyalty Provider** listing screen

- **No** - Passport returns to the **Loyalty Provider** listing screen without purging

NOTE: If the Operator selects the Loyalty Provider of type **Network** and selects the **Purge Loyalty SAF** key, Passport displays the error message:

Cannot purge [Loyalty Provider Name]. Purge Loyalty SAF does not apply to Network Loyalty Provider Type. OK

Operator must select **OK** to return to the **Loyalty Provider** listing screen without purging.

3.2.2.2.5 Exit Key

The Operator selects the **Exit** key to leave the **Loyalty Configuration** listing screen. Passport returns to the **MWS > Set up > Store** selection screen.

3.2.2.3 Loyalty Provider Configuration Screens

The **Loyalty Configuration** application contains four tabs:

- General
- Receipts
- Prompts
- Loyalty Card Mask

These tabs allow the Operator to establish parameters for how Passport interacts with the Customer, CRIND, PIN pad, Cashier, and Loyalty Provider.

In addition to these tabs, the **Loyalty Configuration** screen contains **Save** and **Cancel** keys. When the Operator selects the **Save** key, Passport validates all programmed parameters. If the parameters are valid, Passport saves the data and returns to the **Loyalty Interface** listing screen. If the parameters do not validate, Passport displays an error message describing the error to allow the Operator to correct them.

3.2.2.3.1 General Tab

Following is an illustration of the **Loyalty Configuration General** tab.

Host port number (####).

03:23 PM
08/14/2014

POS Help

Loyalty Configuration

General Receipts Prompts Loyalty Card Mask

Loyalty Provider Name: Generic

Loyalty Provider Type: Generic

Enabled: Yes

Site Identifier: Generic01

Host IP Address: 10.5.48.6

Port Number: 7900

Allow manual entry outside: No

Allow cashier to auth prepay only pump: No

Allow instant rewards outside: No

Send all transactions to loyalty provider: No

Loyalty Interface Version: Gilbarco v1.0

24hr Loyalty period cut time: 00:00

Loyalty Configuration

Save

Cancel

Operator 91

Store Store Name

Following is a description of each of the **General** tab fields.

- **Loyalty Provider Name** - this field contains the name the Operator configured on the **Loyalty Interface** listing screen; this field is editable; if the Operator changes this field, selects **Save**, and Passport successfully validates all fields, the Loyalty Provider Name field in the **Loyalty Interface** listing screen updates to this value; refer to [Loyalty Provider Listing](#) above for further definition
- **Loyalty Provider Type** - this field contains the type of Loyalty Provider (**Generic**) configured for the selected Loyalty Provider; this field is not editable (except for customer-funded implementations)
- **Enabled** - this field is a Yes/No menu; default value is No
 - **Yes** - this Loyalty Provider is active; Passport prompts for Loyalty, acquires Loyalty tokens, and exchanges messages with this Loyalty Provider
 - **No** - the Loyalty Provider is not active; Passport does not prompt for Loyalty, acquire Loyalty tokens, or exchange messages with this Loyalty

Provider; all other fields and tabs, except **Loyalty Provider Name** and **Loyalty Provider Type**, are grayed out and inaccessible; note that reports are available for the Loyalty Provider, even though this field is set to No

- **Site Identifier** - this field contains the unique identifier used by the Loyalty Provider to identify this particular store; this field accepts up to 12 alphanumeric characters; default is empty; required field
- **Host IP Address** - this field contains the IP Address of the Loyalty Provider device on site or the IP Address of the Loyalty server off site; accepts up to 15 characters (four sets of three-digit octets, each separated by a decimal); defaults to empty; required field
- **Port Number** - this field contains the Port through which the Loyalty Provider communicates with Passport; accepts up to five numeric characters; defaults to empty; required field
- **Allow manual entry outside** - this field is a Yes/No menu; defaults to No
 - **Yes** - the Customer may manually enter the Loyalty token at the CRIND; Customer prompting at the CRIND includes instructions for manual entry, such as Enter Loyalty Number
 - **No** - manual entry does not display as a means of Loyalty token acquisition at the CRIND and manual entry is invalid
- **Allow cashier to auth prepay only pump** - this field is a Yes/No menu; defaults to No; this field is a site-wide setting; therefore, if the Operator adds a second Loyalty Provider, the value given to this field from the first configured Loyalty Provider populates as the default for the second Loyalty Provider; if the Operator changes the value of this field for either Loyalty Provider and successfully saves the change, Passport changes it for both
 - **Yes** - the Cashier may authorize a dispenser configured as Prepay Only when the Loyalty icon displays on the dispenser in the CWS Forecourt and the Customer may come inside to pay after fueling completes
 - **No** - the Cashier may not authorize Prepay Only dispensers
- **Allow instant rewards outside** - this field is a Yes/No menu; defaults to No
 - **Yes** - the Loyalty Provider may offer discounts based on merchandise purchased at the CRIND and the Customer's method of payment
 - **No** - the Loyalty Provider does not offer instant rewards
- **Send all transactions to loyalty provider** - this field is a Yes/No menu; default value is No; when the Operator places the cursor within this field, the MWS message bar displays:

Send non-loyalty transactions to the loyalty provider. No loyalty provider may receive information on transactions in which the customer presented a loyalty ID from another loyalty provider. This field may not be set to Yes for more than one loyalty provider.

 - **Yes** - Passport sends transaction details to this Loyalty Provider for all sale transactions in which the Customer did not present a valid Loyalty token. If the Operator configures more than one Loyalty Provider, and attempts to set this field to Yes for more than one loyalty Provider, Passport displays in the MWS message bar the error message:

Only one loyalty provider may receive non-loyalty transactions. You have already configured another loyalty provider to receive non-loyalty transactions.

- **No** - Passport sends a transaction to the Loyalty Provider only after acquiring a valid Loyalty token for that Loyalty Provider
- **Loyalty Interface Version** - this is a drop-down menu, selections are:
 - Gilbarco v1.0
 - Gilbarco v1.1
 - Refer to the individual message specification for contents of each version.
- **24hr Loyalty period cut time** - this is the time that the loyalty host ends its business period. The value here can be used when viewing\printing the Transaction Loyalty Details report for the Loyalty host period type.

3.2.2.3.2 Receipts Tab

Following is an illustration of the **Loyalty Configuration Receipts** tab.

The screenshot shows the 'Loyalty Configuration' window with the 'Receipts' tab selected. The interface includes a top status bar with a clock icon, the time '05:31 PM', and the date '05/01/2013'. A 'Help' button is in the top right. The main area has four tabs: 'General', 'Receipts', 'Prompts', and 'Loyalty Card Mask'. The 'Receipts' tab contains the following fields:

Field	Value
Always print inside loyalty receipt	Yes
Always print outside loyalty receipt	Yes
Inside offline receipt line 1	My Bucket is not available.
Inside offline receipt line 2	Log onto www.mybucket.com
Inside offline receipt line 3	to get your credits.
Outside offline receipt line 1	My bucket is not available.
Outside offline receipt line 2	Log onto www.mybucket.com
Outside offline receipt line 3	to get your credits.

On the right side of the window, there is a 'Loyalty Configuration' panel with 'Save' and 'Cancel' buttons. At the bottom right, the text 'Operator 91' and 'Store Store Name' is displayed.

Following is a description of each of the **Receipts** tab fields.

- **Always print inside loyalty receipt** - this field is a Yes/No menu; defaults to Yes
 - **Yes** - Passport automatically prints the receipt at the CWS receipt printer for any transaction that includes a Loyalty token from this Loyalty Provider, even if the **MWS > Set Up > Register > Register Group Maintenance > Transaction Options > A receipt is printed for each transaction** field is unchecked
 - **No** - the **MWS > Set Up > Register > Register Group Maintenance > Transaction Options > A receipt is printed for each transaction** field controls receipt printing at the CWS
- **Always print outside loyalty receipt** - this field is a Yes/No menu; defaults to Yes
 - **Yes** - the CRIND automatically prints the receipt for any transaction that includes a Loyalty token from this Loyalty Provider (applies to all CRIND transactions except those in which the Customer used the cash acceptor or purchased a car wash; the CRIND always prints a receipt for these transactions)
 - **No** - the CRIND prints receipts according to site configuration
- **Inside loyalty offline receipt line 1, Inside loyalty offline receipt line 2, and Inside loyalty offline receipt line 3** - each of these fields is a 40-character text line to be printed on the inside receipt if the Customer presents a valid Loyalty token and Passport cannot communicate with the Loyalty Provider; all three lines default to empty
- **Outside loyalty offline receipt line 1, Outside loyalty offline receipt line 2, and Outside loyalty offline receipt line 3** - each of these fields is a 40-character text line to be printed on the outside receipt if the Customer presents a valid Loyalty token and Passport cannot communicate with the Loyalty Provider; all three lines default to empty; CRIND wraps the display text as necessary

3.2.2.3.3 Prompts Tab

Following is an illustration of the **Loyalty Configuration Prompts** tab.

The screenshot shows a software interface for 'Loyalty Configuration'. At the top left, there is a clock icon showing '05:36 PM' and the date '05/01/2013'. To the right of this is a text box containing the prompt: 'Prompt for Loyalty ID at the POS Registers when the tender button is selected'. In the top right corner, there is a 'Help' button with a question mark icon. The main area is titled 'Loyalty Configuration' and has four tabs: 'General', 'Receipts', 'Prompts', and 'Loyalty Card Mask'. The 'Prompts' tab is currently selected. It contains four configuration items, each with a label and a dropdown menu:

- 'POS prompt at tender' with a dropdown menu showing 'Always'.
- 'Prompt for Loyalty Offline Inside' with a dropdown menu showing 'No'.
- 'Prompt for Loyalty Offline Outside' with a dropdown menu showing 'No'.
- 'Prompt customer to Insert Card Outside' with a dropdown menu showing 'Yes'.

On the right side of the interface, there is a vertical panel with a 'Loyalty Configuration' title, a 'Save' button (floppy disk icon), and a 'Cancel' button (red square icon). At the bottom right, there is a status bar showing 'Operator 91' and 'Store Store Name'.

Following is a description of each of the **Prompts** tab fields.

- **POS prompt at tender** - this field displays a menu with the values outlined below for Operator selection; defaults to **Always**
 - **Always** - the CWS prompts for Loyalty when the Cashier selects the **Tender** button for all inside transactions
 - **Never** - the CWS never prompts for Loyalty when the Cashier selects the **Tender** button; the Cashier must select the **Loyalty ID** key during item entry if the Customer wishes to supply a Loyalty ID
 - **Fuel Transaction** - the CWS prompts for Loyalty when the Cashier selects the **Tender** button only if the transaction contains a fuel sale item; CWS behavior depends upon the number of Loyalty Providers enabled and the values selected

If the Operator configures multiple Loyalty Providers, the actual behavior depends upon the values selected. Following are special rules in the case of multiple Loyalty Providers enabled:


- If the Operator assigns **Always** to at least one of the Loyalty Providers, then the CWS always prompts for Loyalty but displays in the Loyalty selection listing only those Loyalty Providers configured to prompt always, as well as Loyalty Providers configured as **Fuel Transaction** if there is a fuel item in the transaction
- If the Operator does not assign **Always** to any Loyalty Providers but assigns **Fuel Transaction** to at least one Loyalty Provider, the CWS prompts for Loyalty only when the transaction contains a fuel item and displays only those Loyalty Providers configured with **Fuel Transaction** prompting in the Loyalty selection listing
- **Prompt for Loyalty Offline Inside** - this is a Yes/No field; defaults to No
 - **Yes** - the CWS prompts for Loyalty when the Cashier selects the **Tender** button, even when the Loyalty Provider is not communicating with Passport
 - **No** - the CWS does not prompt for Loyalty if this Loyalty Provider is not communicating with Passport

If the Operator configures multiple Loyalty Providers, the actual behavior depends upon the number of Loyalty Providers available and online. If only one Loyalty Provider is available, Passport prompts using the red box approach. If more than one Loyalty Provider is available or this field is set to Yes, Passport displays the Loyalty Provider selection menu for the Cashier to choose.

- **Prompt for Loyalty Offline Outside** - this is a Yes/No field; defaults to No
 - **Yes** - the CRIND display screen prompts for this Loyalty Provider (or displays this Loyalty Provider on the Loyalty Selection screen, if multiple Loyalty Providers), even when the Loyalty Provider is not communicating with Passport
 - **No** - the CRIND display screen does not prompt for Loyalty (or does not display this Loyalty Provider on the Loyalty Selection screen, if multiple Loyalty Providers) if this Loyalty Provider is not communicating with Passport
- **Prompt customer to Insert Loyalty Card Outside** - this is a Yes/No field; defaults to Yes
 - **Yes** - the CRIND displays the prompt for inserting the Loyalty token magnetic stripe card at the Loyalty Acquisition screen; if only one Loyalty Provider is configured, this also controls toggling at the CRIND idle screen
 - **No** - if the CRIND supports barcode scanning, the Loyalty Acquisition screen does not display the prompt for inserting the Loyalty token magnetic stripe card; if the CRIND does not support barcode scanning, selecting **No** does not change CRIND screen content nor does it prevent the Customer from swiping a magnetic stripe Loyalty token

3.2.2.3.4 Loyalty Card Mask Tab

Following is an illustration of the **Loyalty Configuration Loyalty Card Mask** tab.



The **Loyalty Card Mask** tab contains a listing of configured masks for this Loyalty Provider and a blank field for entering a new card mask. The Operator selects the **Add** key to begin adding a new card mask to the listing. Passport inserts a new entry into the listing, filling the entry with **New Mask** and highlighting the new entry with blue background. When the Operator begins keying the digits of the new card mask (up to twelve digits), Passport replaces the **New Mask** entry with the digits as the Operator keys. After keying all the digits for the new card mask, the Operator selects the **Save** key. Passport does not validate unique card masks, as some Loyalty Providers' card masks may overlap.

The Operator may select an existing card mask from the listing and select the **Delete** key to remove it from the listing. Passport displays the prompt:

Are you sure you want to delete it?

Passport also displays **Yes** and **No** keys. The Operator must select one of the keys to continue.

3.2.3 Fuel Site Options

Since multiple PPU discounts may be applied to a CRIND transaction, a new field is added to the **MWS > Fuel > Site Options > CRIND General** tab. This field is called **Enable CRIND tone for PPU Rollback**. The field is a check box, which controls whether the CRIND emits tones when it rolls back the PPU for Loyalty discounts, Method of Payment discounts, or local fuel discounts (such as for Car Wash purchase). The field defaults to unselected. The Operator deselects this field if the CRIND devices should not emit beep tones for PPU rollback.

Following is an illustration of the field on the **MWS > Fuel > Site Options > CRIND General** tab.

The screenshot shows the 'Site Options' window with the 'CRIND General' tab selected. The interface includes a top header with a clock showing 05:51 PM and the date 05/01/2013, a 'POS' button, and a 'Help' button. The 'Site Options' tab is active, displaying a 'Promotional Display' section with a text input field. Below this, the 'Enable CRIND tone for PPU Rollback' checkbox is highlighted with a red rectangle. Other fields include 'CRIND Authorization Time Out' set to 60 and a 'GSM Connected' checkbox. A caution note at the bottom states: '(CAUTION! Make sure dispensers are IDLE before saving changes to this value)'. On the right side, there are 'Save' and 'Cancel' buttons. The bottom status bar shows 'Operator 91' and 'Store Store Name'.

3.2.4 Forecourt Installation

The **MWS > Set Up > Forecourt Installation > Dispensers** tab contains a check box field, **Bar Code**, to indicate the dispenser has a bar code scanner and can accept bar code scans for Loyalty identifier.

Following is an illustration of the **Dispensers** tab.

Forecourt Installation Set Up

Dispensers | Kiosks | Payment Terminals | Product | Tanks

No.	Manufacturer	Pump Protocol	Type	Pay	Device ID	Slow Down	SPC
1	Wayne	Wayne	MULTI_3	Yes	Loop1 - 1	0	No
2	Wayne	Wayne	MULTI_3	Yes	Loop1 - 2	0	No
3	Gilbarco	Gilbarco CRI...	MULTI_3	Yes	Loop2 - 3	0	No

Buttons: Add, Change, Delete Last

Form Fields:

- Manufacturer: Gilbarco
- Pump Protocol: Gilbarco CRIND
- Model:
- Serial Number:
- Type: MULTI_3
- Address: Loop 2, Device ID 3
- Slow Down: 0.00
- SPC: ☐
- Pay at Pump: ☐
- Auto On: ☐
- Bar Code: ☒
- Transponder / RFID: ☐
- Bill Acceptor: ☐

Buttons: Copy Existing, Update List, Cancel

Right Sidebar: Forecourt Installation, Save, Cancel, Check

Bottom Right: Operator 91, Store Store Name

3.2.5 Period Maintenance

For each Loyalty Provider configured, the following Loyalty reports display for selection for automatic printing on the **MWS > Set Up > Store > Period Maintenance > Store Close Reports** and **Shift Close Options** tabs:

- Loyalty Discount Report
- Loyalty Transaction Detail Report

Passport adds the Loyalty Provider Name to the beginning of each report listed.

The new Loyalty reports described in the **Loyalty Reports** section above display as reports the Operator may select to print automatically at Store Close or Shift Close in **MWS > Set Up > Store > Period Maintenance**. These reports display as selectable under Store Close Reports and Auxiliary Reports on the **Store Close Reports** tab. They also display as selectable under Shift Close Reports and Auxiliary Reports on the **Shift Close Options** tab.

If the Operator disables a Loyalty Provider, the associated reports continue to display. If the Operator deletes a Loyalty Provider, the associated reports no longer display in **Period Maintenance** and no longer print as part of the Store Close or Shift Close process.

3.2.6 Reports

For each Loyalty Provider configured, the following Loyalty reports display for selection on the **MWS > Report > Loyalty Reports** screen:

- Loyalty Discount Report
- Loyalty Interface Configuration Report
- Loyalty Store and Forward Report
- Loyalty Transaction Detail Report

Passport adds the Loyalty Provider Name to the beginning of each report listed. Passport retains Loyalty period reports for 180 days.

3.3 Cashier Work Station

This section describes Loyalty behavior at the CWS. Passport communicates with a Generic Loyalty Provider on sale and refund transactions. During an inside sale transaction the Customer may present a Loyalty token or identifier to earn or redeem Loyalty rewards. Passport supports the following types of rewards for fuel items for inside sale transactions:

- PPU rollback
- New price
- Loyalty tender

Passport supports the following type of rewards for merchandise for inside sale transactions:

- Amount off
- Percent off
- Loyalty tender

If the Loyalty Provider returns a transaction level Loyalty reward, Passport applies it using the Loyalty tender. If the total transaction amount is less than the Loyalty reward tender amount, Passport adjusts the reward amount to the transaction total. **Note:** Any report that contains tender totals reports the Loyalty tender also.

If the Loyalty Provider gives the Customer the option to accept or decline Loyalty rewards redemption and the Customer chooses not to redeem Loyalty rewards, Passport informs the Loyalty Provider. If the Loyalty Provider does not give an option to allow the Customer to redeem the rewards, Passport automatically applies any discounts from the Loyalty Provider.

When the Cashier completes tendering the transaction Passport informs the Loyalty Provider that the tendering process is complete and the final transaction details.

If the Cashier voids the entire transaction using the transaction void button Passport informs the Loyalty Provider that the entire transaction is voided. The Cashier cannot manually void a Loyalty discount. However, if the Cashier voids an item with a loyalty discount, Passport sends the transaction details to the Loyalty Provider again after the Cashier presses the **Tender** button.


For post pay or manual fuel items that receive a Loyalty reward, Passport calculates the discount based on any volume limit returned by the Loyalty Provider.

Loyalty discount amounts do not appear on the receipt journal until the Cashier presses the **Tender** button. Passport adds the Loyalty discount directly below the discounted item. The entry includes the discount description the Loyalty Provider returns and the amount of the discount.

If the Loyalty Provider returns Customer receipt text, the text prints on the receipt directly above the receipt footer.

If the Loyalty Provider returns a Loyalty reward with a volume limit on a prepay fuel item and the volume limit reduces the amount of the prepay fuel item, Passport adjusts the prepay dollar amount to the discounted PPU multiplied by the volume limit. For each fuel grade that is eligible for the discount, Passport displays a red box containing the fuel grade, the adjusted prepay amount (or the original prepay amount if the fuel grade is not eligible for the discount), and a prompt to accept the fuel grade. The red box displays in round robin fashion until the Cashier presses the **Yes** button on one of the red boxes.

Following is an illustration of the CWS displaying a red box.



Only the fuel grade the Cashier selects received the PPU rollback at the dispenser. At the CRIND, if the Customer attempts to select a different grade, the CRIND displays the message:

Select another grade.

3.3.1 Network Functions

Passport displays the online status of each of the Loyalty Providers programmed in **MWS > Set Up > Store > Loyalty Interface**. At the item entry or Sign On screen, if the Cashier selects **More > Network Functions** and:

- No Loyalty Providers are configured and enabled in **MWS > Set Up > Store > Loyalty Interface**, Passport does not display Loyalty Provider information
- The Operator configured at least one Generic Loyalty Provider in **MWS > Set Up > Store > Loyalty Interface**, Passport displays an entry on the Network Status screen for each such configured Loyalty Provider. Each entry contains the Loyalty Provider Name, and an indication as to whether the Loyalty Provider is **Online**, **Offline**, or **Disabled**

3.3.2 Loyalty Keys on CWS

Passport supports two Loyalty keys on the CWS: **Loyalty Status** and **Loyalty ID**. Both keys display on the CWS at the appropriate time regardless of whether a Loyalty feature bundle is active.

3.3.2.1 Loyalty Status Key

The **Loyalty Status** key displays at the CWS idle screen. The Cashier may select the **Loyalty Status** key outside a transaction to produce a receipt for the Customer with information from the Loyalty Provider about the Customer's Loyalty account.

3.3.2.1.1 Single Loyalty Provider

If the Cashier selects the **Loyalty Status** key and a single Loyalty Provider is enabled, Passport displays on the yellow bar the prompt:

Enter [Loyalty Provider Name] Card

Passport also displays the numeric keypad, **Manual**, **Cancel**, and **Enter** keys. The Cashier may scan a Loyalty token barcode or the Customer may swipe the Loyalty token magnetic stripe. If the Customer wishes to enter the Loyalty token manually, the Cashier selects the **Manual** key, the yellow bar displays:

Have Customer Enter [Loyalty Provider Name] ID.

At the same time, the PIN pad displays:

Enter Loyalty ID.

The Customer keys the Loyalty token and selects the **Enter** key. Passport sends a **GetRewardStatus** request message to the Loyalty Provider; the Loyalty Provider responds with information that Passport then prints on a receipt the Cashier may give to the Customer.

3.3.2.1.2 Multiple Loyalty Providers

If multiple Loyalty Providers are enabled, Passport displays the Loyalty Provider selection list containing all enabled Loyalty Providers along with the yellow bar prompt:

Select Loyalty Program or Cancel

Passport also displays the **Cancel** and **Enter** keys. The Cashier selects the Loyalty Provider and then selects the **Enter** key (selecting **Cancel** key causes Passport to exit Loyalty selection and return to tender). Passport displays on the yellow bar the prompt:

Enter [Loyalty Provider Name] Card

Passport also displays the numeric keypad, **Manual**, **Cancel**, and **Enter** keys. The Cashier may scan a Loyalty token barcode or the Customer may swipe the Loyalty token magnetic stripe. If the Customer wishes to enter the Loyalty token manually, the Cashier selects the **Manual** key, the yellow bar displays:

Have Customer Enter [Loyalty Provider Name] ID,

At the same time, the PIN pad displays:

Enter Loyalty ID.

The Customer keys the Loyalty token and selects the **Enter** key. Passport sends a **GetRewardStatus** request message to the Loyalty Provider; the Loyalty Provider responds with information that Passport then prints on a receipt the Cashier may give to the Customer.

3.3.2.1.3 Exceptions

If the Loyalty Provider is online but does not respond when Passport sends the **GetRewardStatus** request message, the CWS displays on the yellow bar the error message:

Loyalty Host Offline

and a red box with the error message:

POS Status request timed out at server. Please try again. OK.

The Cashier must select the **OK** key to return to idle.

Passport displays a red box with the error message:

No loyalty providers are available at this time. OK.

when the Cashier selects the **Loyalty Status** key under the following circumstances:

- There is no Loyalty Provider configured in **MWS > Set Up > Store > Loyalty Interface**
- There is at least one Loyalty Provider configured, but none with the **Enabled** field set to **Yes**
- There is at least one Loyalty Provider configured with the **Enabled** field set to **Yes**, but none are detected as online with Passport and none that are enabled have the **Prompt for Loyalty Offline Inside** field set to **Yes**

The Cashier must select the **OK** key to return to idle.

If the Operator enables a Loyalty Provider with the **Prompt for Loyalty Offline Inside** field in **MWS > Set Up > Store > Loyalty Interface** set to **Yes**, the Loyalty Provider displays when the Cashier selects the **Loyalty Status** key, even if the Loyalty Provider is offline; otherwise, the offline Loyalty Provider does not display when the Cashier selects the **Loyalty Status** key.

If the Operator selects the **Loyalty Status** key and a Loyalty Provider is not enabled, the CWS yellow bar displays the error message:

Loyalty is currently disabled.

If the Customer swipes a magnetic stripe Loyalty card, Passport uses the card masks configured in Loyalty Interface Configuration to validate the Loyalty identifier. If the card swipe does not match any of the configured card masks, the CWS yellow bar displays the error message:

Invalid Loyalty Identifier. Please re-enter.

If the card swipe matches a card mask, Passport sends the Loyalty identifier to the Loyalty Provider. If the Loyalty Provider responds that it does not recognize the Loyalty identifier, the CWS yellow bar displays the error message:

Invalid Loyalty Identifier. Please re-enter.

3.3.2.2 Loyalty ID Key

The **Loyalty ID** key replaces the **Loyalty Status** key on the CWS screen when the Cashier begins ringing items for a transaction. The Cashier may select the **Loyalty ID** key at any point during a transaction, up to selecting the **Tender** button, to allow the Customer to present a Loyalty token. Refer to the [Loyalty Status Key](#) section above for **Loyalty ID** behavior for displaying available Loyalty Providers (prior to Loyalty acquisition). Behavior of the **Loyalty ID** key after Passport displays the available Loyalty Providers matches the sequence for Loyalty prompting and acquisition outlined below.

Passport accepts only one valid Loyalty identifier per sale transaction. If the Cashier selects the **Loyalty ID** button after the Customer enters a valid Loyalty identifier, the CWS displays the error message:

To change Loyalty Identifier please void this transaction.

If the Cashier attempts to add a fuel item to the transaction after the Customer enters a valid Loyalty identifier, the CWS displays the error message:

Transaction already contains a loyalty ID. Cannot add a fuel sale with a loyalty ID.

3.3.3 Loyalty Prompting at Tender

In general, the Loyalty prompting text that displays on the CWS depends upon the number and type of Loyalty programs enabled on Passport.

3.3.3.1 Single Loyalty Provider

For a Passport using a single Loyalty Provider, the Loyalty prompt contains the **Loyalty Provider Name** from the **MWS > Set up > Store > Loyalty Interface** listing screen. When the Cashier selects the **Tender** button in a transaction, the POS displays to the Cashier the Loyalty prompt:

Enter [Loyalty Provider Name] ID

in a red box with **Yes** and **No** keys (**Help** key is gray and inaccessible).

- If the Customer does not wish to present a Loyalty token, the Cashier selects the **No** key to exit Loyalty and continue to tender.
- If the customer wishes to present a Loyalty token, the Cashier selects the **Yes** key. The CWS displays to the Cashier the prompt:

Enter [Loyalty Provider Name] ID

on the yellow bar along with **Manual**, and **Cancel** keys

- The Customer may swipe a magnetic stripe card Loyalty token at the PIN pad.
- The Cashier may scan a barcode Loyalty token at the CWS scanner.
- If the Customer wishes to enter the Loyalty token manually, the Cashier selects the **Manual** key on the CWS; the PIN pad prompt changes from **Swipe [Loyalty Provider Name] card** to **Enter Loyalty ID**; the Customer keys the

Loyalty token or Alternate ID and selects the **Enter** key on the PIN pad. If the Customer enters an invalid Loyalty token or Alternate ID, the PIN pad and POS display an error message and allows the Customer to retry. If the Customer enters a valid Loyalty token, the CWS continues to payment.

- The Cashier may select the **Cancel** key to exit Loyalty token acquisition and continue to payment.

3.3.3.2 Multiple Loyalty Providers

When the Cashier selects the **Tender** button in a transaction, the POS displays a selection menu listing all enabled Loyalty Providers (**Loyalty Provider Name**) and the CWS yellow bar displays the prompt **Select Loyalty Program or Cancel**. In addition to the selection menu, the CWS displays the **Cancel** and **Enter** keys.

- The Cashier may select one of the listed Loyalty Providers and then select the **Enter** key to move to Loyalty token acquisition. The CWS displays on the yellow bar the prompt **Enter [Loyalty Provider Name] ID** along with **Manual**, and **Cancel** keys.
 - The Customer may swipe a magnetic stripe card Loyalty token at the PIN pad.
 - The Cashier may scan a barcode Loyalty token at the CWS scanner.
 - If the Customer wishes to enter the Loyalty token manually, he advises the Cashier; the Cashier selects the **Manual** key on the CWS; the PIN pad prompt changes from **Swipe [Loyalty Provider Name] card** to **Enter Loyalty ID**; the Customer keys the Loyalty token or Alternate ID and selects the **Enter** key on the PIN pad. If the Customer enters an invalid Loyalty token or Alternate ID, the PIN pad and POS display an error message and allows the Customer to retry. If the Customer enters a valid Loyalty token, the CWS continues to payment.
- The Cashier may select the **Cancel** key to exit Loyalty selection and continue to tender.

3.3.4 PIN Pad

The PIN pad displays the **Loyalty Provider Name** as part of the Loyalty acquisition prompt when the Cashier selects Loyalty for a store with a single Loyalty Provider enabled or selects a Loyalty Provider from a list of Loyalty Providers for a store with multiple Loyalty Providers enabled.

If the PIN pad is offline at Loyalty acquisition, the only method of Loyalty acquisition is barcode scan. Under this circumstance, the CWS yellow displays the prompt **PIN pad offline - Scan [Loyalty Provider Name] Barcode**. If the Customer has no barcode Loyalty token, the Cashier may select the **Cancel** key to move on to Tender.

3.3.5 Loyalty Acquisition

If the Loyalty token acquired is valid, Passport sends a request to the Loyalty Provider; processes the response; and continues to Tender. If the Loyalty Provider is offline at Loyalty acquisition, Passport displays an error message:

[Loyalty provider Name] offline.

If the Loyalty token is invalid, the CWS displays on the yellow bar an error message describing the reason the Loyalty token is invalid. At the same time, the CWS displays a red box containing the prompt:

Invalid Loyalty Identifier. Please re-enter.

along with the **OK** key (**Help** key is gray and inaccessible). The Cashier must select the **OK** key. The yellow bar redisplay the **Enter [Loyalty Provider Name] ID** prompt, to allow another attempt at Loyalty acquisition for the same Loyalty Provider. The Cashier controls the number of attempts at Loyalty acquisition.

If the Loyalty Provider is offline, the CWS displays on the yellow bar the error message:

Loyalty Host Offline

and a red box with the error message:

No response received from loyalty server. OK.

The Cashier must select the **OK** key to return to item entry.

3.4 CRIND

This section describes Loyalty behavior at the CRIND. Unless otherwise cited in this document, Customer prompting for Wayne 4X21, Wayne 2X16, and Tokheim dispensers appears similar to that shown for Gilbarco Single-Line dispensers. Allow for slight variations in the format based on dispenser-specific length limitations.

If the Customer swipes a Loyalty identifier, the CRIND uses the **MWS > Set Up > Store Loyalty Interface > Loyalty Configuration > Loyalty Card Mask** data to determine how to process the swiped card data. If the swiped card data does not match any entries in the Loyalty Card Mask, the CRIND assumes the swiped data is a method of payment and continue with payment card processing. If the swiped data matches an entry in the Loyalty Card Mask configuration, the CRIND sends the data to the Loyalty Provider.

If the Customer attempts to manually enter the Loyalty identifier, the Customer must enter each digit in less than ten seconds; otherwise the CRIND automatically cancels the transaction. If the customer manually enters an invalid Loyalty identifier, the CRIND displays the following messages:

Invalid Loyalty ID.

Please see cashier.

Your transaction has been cancelled.

If the customer enters a valid Loyalty identifier, the CWS Forecourt displays a Loyalty symbol on the dispenser where the Customer is located indicating the Customer is a Loyalty customer. This symbol displays until the CRIND transaction completes or is cancelled.

If the Loyalty Provider supports the option to allow the Customer to decide to redeem a previously earned reward, the CRIND prompts the Customer for redeeming rewards. The Customer chooses whether to redeem the reward. If the Customer chooses to redeem the reward, the CRIND applies the discount received from the Loyalty Provider to the appropriate fuel grades or other items in the transaction. The CRIND rolls back fuel prices based on the fuel discount information received from the Loyalty Provider. The Customer continues the CRIND transaction as usual.

When the Customer lifts the nozzle and begins fueling the CRIND informs the Loyalty Provider that fueling has started. The CRIND displays any Customer messaging the Loyalty Provider returns during fueling. If the store has an Applause product, the Applause streaming content may interrupt these messages.

If the Loyalty Provider dictates a volume limit, the CRIND stops fueling at the volume restriction if the Customer has not already stopped fueling. When the Customer lowers the nozzle, the CRIND informs the Loyalty Provider that fueling is complete. The CRIND displays after fueling Customer messaging the Loyalty Provider supplies. The CRIND sends the Loyalty Provider the final transaction details.

3.4.1 Idle Screen

If a single Loyalty Provider is enabled and Loyalty is offered outside at the CRIND, the CRIND idle screen toggles with a screen giving instructions for entering a Loyalty token using the Loyalty Provider name. Following are illustrations of the toggling idle screens.

Toggle insert payment card

Toggle enter Loyalty ID



If multiple Loyalty Providers are enabled and Loyalty is offered at the CRIND, the CRIND idle screen does not toggle, but includes a selection for entering a Loyalty token or identifier.

Following is an illustration of the non-toggling Gilbarco multi-line graphical CRIND idle screen with Loyalty and debit soft keys.



Equivalent text for Gilbarco Single-Line display:

- INSERT CARD, PRESS DEBIT KEY, YES FOR LOYALTY, OR LIFT HANDLE

Following is an illustration of the equivalent content for Wayne multi-line graphical screen with no soft keys.



NOTE: Although certain Wayne dispenser models do support note acceptor hardware, Passport's Competitive Pump Control does not support this functionality, thus the reason for omission of **BILLS** from the Wayne display content.

If the Gilbarco dispenser is equipped with a note acceptor, the CRIND activates the note acceptor at the idle screen for accepting bills. If the Customer does not select a Loyalty Provider and present a valid Loyalty token prior to inserting bills, the CRIND assumes no Loyalty, disables the Loyalty soft key, and does not display the Loyalty soft key text on subsequent screens.

The CRIND activates the card reader at the idle screen for reading the magnetic stripe of a payment card. If the Customer swipes a Loyalty card at the idle screen and the CRIND fails to recognize the card as payment, the CRIND displays a decline message, and the CRIND returns to the idle screen.

If multiple Loyalty Providers are enabled, the Customer must press the Loyalty soft key to advance to Loyalty selection or acquisition screens. If the Customer attempts to enter a Loyalty token manually, the CRIND emits error beeps. If the Customer attempts to scan a Loyalty token barcode at the idle screen:

- The barcode scanner-equipped Gilbarco CRIND does not detect the barcode (Gilbarco CRIND does not enable the scanner until the appropriate time in the transaction)
- The barcode scanner-equipped Wayne CAT displays the error **Cannot use scanner at this time** (Wayne CAT has no means for enabling or disabling the scanner)

Note: Tokheim dispensers do not support barcode scanner.

3.4.2 Loyalty Selection

The Loyalty Selection screen displays only if multiple Loyalty Providers are enabled and the Customer selects Loyalty from the idle screen. Following is an illustration of the Loyalty Selection screen.



Equivalent text for Gilbarco Single-Line display:

- SELECT 1 = LOYALTY NAME 1, 2 = LOYALTY Name 2, OR PRESS NO TO PAY NOW

Following is an illustration of the equivalent content for Wayne multi-line graphical screen with no soft keys.



The customer may:

- Select one of the Loyalty Provider soft keys, or designated key on the CRIND keypad, to move to Loyalty acquisition
- Select the **Pay Now** soft key, or designated key on the CRIND keypad, to exit Loyalty selection and move to payment entry (at which point CRIND allows only payment entry, no more Loyalty). If the Customer selects **Pay Now** and then selects the **Cancel** key, the CRIND displays the Customer message **Your transaction has been cancelled.** and returns to the Idle screen
- Select the **Cancel** key on the CRIND keypad to return to the idle screen with Loyalty still enabled.

If the Customer selects the soft key adjacent to one of the available Loyalty Providers, or designated key on the CRIND keypad, the CRIND displays the Loyalty acquisition screen with the applicable Loyalty acquisition methods.

3.4.2.1 ADA Loyalty Selection

Passport supports ADA requirements at the CRIND by displaying numeric pad selections mapped to each soft key selection available. Below are sample CRIND screens displaying Loyalty Selection for a site with ADA enabled.

The following screen displays when the Customer initially selects the ADA key.



The following Gilbarco multi-line graphical CRIND screen displays two Loyalty Provider selections, as well as the Pay Now selection.

Select Reward

☐ 1 - Loyalty Name 1 ☐

☐ 2 - Loyalty Name 2 ☐

☐ ☐

☐ 4 - Pay Now ☐

NOTE: Gilbarco Single-Line CRIND and Wayne 2X16 and 4X21 dispensers are already ADA compliant as these displays provide the Customer with instructions for using keys on the numeric keypad to make selections.

3.4.3 Loyalty Acquisition

The CRIND allows the Customer up to three attempts to enter a Loyalty token using any method of Loyalty acquisition supported by the Loyalty Provider. If the Customer is not successful in entering a valid Loyalty token, the CRIND displays an error message and returns to Loyalty acquisition. If the Customer is not successful in entering a valid Loyalty token on the third attempt, the CRIND displays an error message, and moves to payment entry with no further Loyalty prompting.

If the Loyalty Provider is offline when the CRIND acquires a Loyalty token from the Customer, the CRIND displays the error message: **Discount Host Unavailable** for five seconds and moves to payment with no further Loyalty prompting.

If the Customer selects the **Cancel** key on the CRIND keypad at the Loyalty acquisition screen, the CRIND returns to the previous screen.

The Loyalty acquisition screen displays the **Pay Now** prompt to allow the Customer to exit Loyalty token acquisition and move to payment card entry with no further Loyalty prompting. The remaining content of the Loyalty acquisition screen depends upon the configuration parameters for the Loyalty Provider.

The CRIND displays a Loyalty acquisition screen similar to the following illustration for a Loyalty Provider that allows only magnetic stripe card swipe Loyalty token acquisition. The CRIND screen is comprised of the Loyalty card swipe prompt and the **Pay Now** option.



Equivalent text for Gilbarco Single-Line display:

- INSERT LOYALTY NAME CARD OR PRESS NO TO PAY NOW

Following is an illustration of the equivalent content for Wayne multi-line graphical screen with no soft keys.



Alternatively, the CRIND displays a Loyalty acquisition screen similar to the following illustration for a Generic Loyalty program, which allows all three methods of Loyalty token acquisition, as well as the **Pay Now** option.



Equivalent text for Gilbarco Single-Line display:

- INSERT OR SCAN LOYALTY NAME CARD, PRESS YES FOR LOYALTY #, PRESS NO TO PAY NOW

Following is an illustration of the equivalent content for Wayne multi-line graphical screen with no soft keys.



If the Customer swipes or scans an invalid card, the CRIND displays the error message **Invalid Loyalty Number** and returns to the Loyalty acquisition screen. The Single-Line equivalent error message is **Invalid Loyalty #**. If the Customer has not entered a valid Loyalty token after three attempts, the CRIND displays the **Invalid Loyalty Number** (or equivalent Single-Line **Invalid Loyalty #**) error message and moves to payment entry with no further Loyalty prompting.

If the Loyalty Provider allows manual entry of the Loyalty token, the Customer selects the soft key adjacent to the **Enter Loyalty Number** prompt, or designated key on the CRIND keypad, to advance to the manual Loyalty token acquisition screen and key the Alternate ID or Card Number. If the Customer selects the **Enter Loyalty Number** soft key, or designated key on the CRIND keypad, the CRIND displays the manual entry screen similar to the following illustration and updates the screen with each digit key press.



Equivalent text for Gilbarco Single-Line display:

- ENTER LOYALTY # OR PRESS CANCEL TO GO BACK

Following is an illustration of the equivalent content for Wayne multi-line graphical screen with no soft keys.

Enter Loyalty Number

Press  when done

Press **CANCEL**
to go back

The Customer may key the Loyalty Number, and then press the **Enter** key on the CRIND keypad. If the Customer keys an invalid Loyalty Number, the CRIND displays the error message **Invalid Loyalty Number** and returns to the previous screen. The Single-Line equivalent error message is **Invalid Loyalty #**. The CRIND allows the Customer up to two additional attempts to key a valid Loyalty Number. If the Customer fails to key a valid Loyalty Number after the third attempt, the CRIND displays the error message and returns to the idle screen with no Loyalty soft key (allowing no more Loyalty for this transaction).

If the Customer selects the **Cancel** key on the CRIND keypad during manual entry of the Loyalty number, the CRIND returns to the previous Loyalty acquisition screen. If the Customer enters a valid Loyalty Number, the CRIND displays the Loyalty authorizing screen, similar to the following illustration.

One moment please ...

Four empty square boxes are arranged vertically on the left side of the screen, and four empty square boxes are arranged vertically on the right side of the screen.

3.4.3.1 ADA Loyalty Acquisition

The following screen illustrates the ADA Loyalty Acquisition screen for a Loyalty program that allows all three methods of Loyalty token acquisition, as well as the **Pay Now** option.



The following screen illustrates the ADA Loyalty Acquisition screen for a Loyalty program that allows magnetic card swipe and bar code scan for Loyalty token acquisition but no manual entry, as well as the **Pay Now** option.



The following screen illustrates the ADA Loyalty Acquisition screen for manual entry of the Loyalty token.



3.4.4 CRIND PPU Rollback Beep Tones

If Passport sends a reduced PPU to the dispenser (PPU rollback), the CRIND device emits a series of three short beep tones to signal to the Customer when the PPU rollback occurs. The CRIND device emits the signal up to twice during a transaction:

- At Loyalty PPU rollback
- At Method of Payment and locally configured Fuel Discounting rollback (this signal may occur for multiple rollbacks, including Rewards promotions)

The Operator controls whether the CRIND devices emit the beep tones with a new field found on the **MWS > Fuel > Site Options > CRIND General** tab. Refer to the [Fuel Site Options](#) section for additional information on this field.

3.4.5 CRIND Screen Timeouts

Following are business rules regarding screen timeouts.

- **Loyalty selection screen** - the CRIND screen allows up to 20 seconds for the Customer to make a selection; if the Customer makes no selection within the 20 second time out, the CRIND returns to the idle screen
- **Loyalty acquisition screen** - the CRIND screen allows up to 20 seconds for the Customer to begin entry of a Loyalty token; if the Customer does not act to enter a Loyalty token within the 20 second timeout, the CRIND returns to the idle screen; if the Customer manually enters the Loyalty token, the CRIND resets the 20 second timeout at each key press (30 seconds for Tokheim dispensers)
- **Invalid manual entry screen** - if the Customer manually enters an invalid Loyalty token, the CRIND displays **Invalid Loyalty Number** (or equivalent Single-Line **Invalid Loyalty #**) for 2 seconds, then returns to the manual entry screen; if the Customer exceeds the maximum three tries, the CRIND displays **Invalid Loyalty Number** (or equivalent Single-Line **Invalid Loyalty #**) for 2 seconds and returns to the idle screen with no Loyalty prompt
- **Pay Now selection** - when the Customer selects the Pay Now soft key to bypass Loyalty selection or acquisition, the CRIND sets a timeout of 60 seconds; if the Customer does not swipe a payment card or insert bills within 60 seconds, Passport cancels the transaction

3.4.6 Competitive Pump and CRIND

Passport displays the same Loyalty prompting text for Wayne 2X16 and 4X20 dispensers as described in subsections above for the Gilbarco Single-Line dispensers, but formatted to fit the text properly onto the Wayne display. Wayne Ovation dispenser textual content is essentially the same as that for Gilbarco multi-line graphical displays. For Wayne Ovation displays that contain graphical content, Passport downloads to the Wayne dispenser all static text within the graphical content. Passport uses the native Wayne font for any real-time textual content added to these screens. For screens that contain no graphical content, other than the Shell logo, Passport uses the native Wayne font for all textual content; the content is the same as for Wayne 4X21 displays.

If the EDH communicates with Wayne dispensers that do not support dispensing fuel at \$0.000 PPU, Passport prints CRIND and CWS receipts as well as logs the \$0.001 PPU dispensed in the sale transaction to the FORGIVEN tender.

NOTE: Tokheim dispensers display content similar to that of the Wayne 4X21, except in the case of Tokheim equipped with DPT/TED. Tokheim DPT/TED dispensers do not allow data entry except with the use of pre-injected prompts. This limitation affects two specific behaviors:

- **Loyalty Selection prompting:** carried out as a sequential series of prompts that include a Loyalty Provider Name along with YES/NO; the Customer must respond by selecting either the **YES** key (to accept this Loyalty Provider) or the **NO** key (to move to the next Loyalty Provider Name); one additional prompt displays the **Pay Now** option; the prompts display in sequence until the Customer selects the **YES** key, the Customer selects **NO** to all selections (which causes the CRIND to return to the original Idle screen with Loyalty), or the prompt timer expires; an example of the prompts follows:
 - **MY LOCAL LOYALTY YES/NO** (if the Customer selects NO, the next prompt displays)
 - **PAY NOW YES/NO** (if the Customer selects NO, the CRIND returns to the idle screen with Loyalty)
- **Manual entry of the Loyalty Number:** Tokheim dispensers must use pre-injected prompts rather than Shell-specific wording; therefore, the manual entry prompt displays as:
 - **Enter ID Number**
 - **Then Press ENTER**

3.4.7 NGP CRIND Behavior

The Gilbarco secure outdoor payment terminal (NGP) requires special display characteristics for the Loyalty token manual entry screen. The manual entry prompt displays as **Enter Loyalty Number**. When these dispensers are in manual entry mode, only predefined prompts are available and soft keys are disabled.

Following is a sample CRIND screen displaying the NGP manual entry screen (after the Customer selects the **Enter Loyalty Number** soft key).

Enter Loyalty Number

—

Press ENTER/OK when Done
Press CANCEL to Cancel

3.4.8 Attended Mode

If the CRIND is operating in Attended Mode in which the Attendant uses a unique token for identification, the CRIND prompts for the Attendant token, Customer's Loyalty identifier, or to select a method of payment. The Attendant must enter the Customer's Loyalty identifier first. If the Customer's Loyalty identifier is valid, the CRIND applies any Loyalty discounts and the transaction continues as usual as an Attended token sale or a CRIND sale.

If the CRIND is operating in Assigned Mode, the CRIND prompts for the Customer's Loyalty identifier, to select a method of payment, or to lift the nozzle to pay inside. If Attendant enters a valid Loyalty identifier, the transaction continues as a regular Loyalty transaction.

3.5 Reports

Passport provides four types of Loyalty reports:

- **Loyalty Configuration** - report of the configuration parameters for the Loyalty Provider as programmed in **MWS > Set Up > Store > Loyalty Interface**
- **Loyalty Discount** - summary report, by period, of Loyalty discounts from a specific Loyalty Provider
- **Loyalty Transaction Detail** - detailed report, by period, of all transactions that received Loyalty discounts from a specific Loyalty Provider
- **Loyalty Transaction Store and Forward** - detailed report of loyalty transactions remaining in the Loyalty Provider's Store and Forward queue

3.5.1 Loyalty Configuration Report

Passport V10 introduces Loyalty Configuration reports to the listing of Loyalty reports available by configured period. Passport provides a **Loyalty Configuration Report** for each Generic Loyalty Provider programmed in **MWS > Set Up > Store > Loyalty Interface**. Passport includes the Loyalty Provider Name as part of the **Loyalty Configuration Report** title. The report provides details of the programming parameters the Operator can view for the Loyalty Provider on the **Loyalty Interface** tabs.

Following is an illustration of the format and content of the **Loyalty Configuration Report**.

My Bucket Loyalty Configuration Report

Site ID: 111111

Report created 06/02/2013 11:11:57 AM

Loyalty Interface Configuration

General

Loyalty Provider Name: My Bucket
Enabled: Yes
Site Identifier: Passport1234
Host IP Address: 10.5.40.6
Port Number: 7900

Loyalty Provider Type: Generic
Allow manual entry outside: Yes
Allow cashier to auth prepay only pump: No
Allow instant rewards outside: Yes
Send all transactions to loyalty provider: No
Offer loyalty: Inside and Outside

Receipts

Always print inside loyalty receipt: Yes
Always print outside loyalty receipt: Yes
Inside loyalty offline receipt line 1: My Bucket is not available.
Inside loyalty offline receipt line 2: Log onto www.mybucket.com
Inside loyalty offline receipt line 3: to get your credits.
Outside loyalty offline receipt line 1: My Bucket is not available.
Outside loyalty offline receipt line 2: Log onto www.mybucket.com
Outside loyalty offline receipt line 3: to get your credits.

Prompts

POS prompt at tender: Always
Prompt for Loyalty Offline Inside: No
Prompt for Loyalty Offline Outside: No
Prompt customer to Insert Loyalty Card Outside: Yes

Loyalty Card Mask

Loyalty Mask 1: 999999
Loyalty Mask 2: 444

3.5.2 Loyalty Discount Report

Passport V10 provides a **Loyalty Discount Report**, by configured period, for each Generic Loyalty Provider programmed in **MWS > Set Up > Store > Loyalty Interface**. Passport includes the **Loyalty Provider Name** as part of the **Loyalty Discount Report** title. The operator may also obtain the report by Calendar Day and Manager Period.

The **Loyalty Discount Report** provides the Operator with summary data on the Loyalty discounts applied to transactions for a particular period.

If the Operator deletes a Loyalty Provider configured in the **Loyalty Interface** configuration screens, the associated reports no longer display in the **Loyalty Reports** listing. If the Operator disables a Loyalty Provider configured in the **Loyalty Interface** configuration screens, the associated reports continue to display in the **Loyalty Reports** listing, but may not have a period to select for printing after Passport has purged the data.

Following is an illustration of the format and content of the **Loyalty Discount Report**.

My Bucket Loyalty Discount Report

Site ID: 111111

Report created 06/02/2013 11:11:57 AM

PERIOD From Jun 1 2013 12:10:15AM To Jun 2 2013 12:11:22AM

PPG Transaction Details (PPG was rolled back before dispensing)

Grade	Count	Volume	Discount Amount
Premium	93	1,239.335	\$123.93
Total	93	1,239.335	\$123.93

Post Pay Fuel Ticket Transaction Details (Fuel was discounted after dispensing)

Grade	Count	Volume	Discount Amount
Regular	77	339.335	\$33.93
Total	77	339.335	\$33.93

Grand Total Loyalty Fuel Discounts

Grade	Count	Volume	Discount Amount
Regular	77	339.335	\$33.93
Premium	93	1,239.335	\$123.93
Total	170	1,578.670	\$157.86

Loyalty Merchandise Discounts

Item	Reward Description	Count	Discount Amount
123456789012	Twinkie Discount	2	\$0.50
Total		2	\$0.50

Loyalty Tender Discounts	Count	Discount Amount
Total	2	\$2.00

3.5.3 Loyalty Transaction Detail Report

Passport V10 provides a **Loyalty Transaction Detail Report**, by configured period, for each Generic Loyalty Provider programmed in **MWS > Set Up > Store > Loyalty Interface**. Passport includes the **Loyalty Provider Name** as part of the **Loyalty Transaction Detail Report** title. The operator may also obtain the report by Calendar Day, Manager Period and Loyalty Host Period.

The **Loyalty Transaction Detail Report** provides the Operator with detailed data on the Loyalty discounts applied to transactions for a particular period. Following is an illustration of the format and content of the **Loyalty Transaction Detail Report**.

My Bucket Loyalty Transaction Detail Report

Site ID: 111111

Report created 06/02/2013 11:11:57 AM

PERIOD FROM Jun 1 2013 12:10:15AM TO Jun 2 2013 12:11:22AM

PPG Transaction Details (PPG was rolled back before dispensing)

Date Time Loyalty Ref #	Terminal Loyalty ID	Grade	Street PPG	Actual PPG	PPG Disc	Vol	Total Disc	Total Sale
06/01/11 08:27 12584	Pump 1 XXXXXXXXXX1011	Diesel	\$3.899	\$3.749	\$0.10	10.912	\$1.09	\$47.91*
06/01/11 08:31 126	Reg 2 / Pump 2 XXXXXXXXXX1002	Premium	\$3.859	\$3.759	\$0.10	5.000	\$0.50	\$18.75
06/01/11 10:43 129	Pump 4 XXXXXXXXXX8888	Regular	\$3.759	\$3.659	\$0.10	13.664	\$1.37	\$50.00
Totals						Fuel Vol 29.576	Disc \$ \$2.96	Sales \$ \$116.66

Post Pay Fuel Ticket Transaction Details (Fuel was discounted after dispensing)

Date Time Loyalty Ref #	Terminal Loyalty ID	Grade	PPG	Vol	Disc	Fuel Amt	Total Sale
06/01/11 09:22 127	Reg 1 / Pump 2 XXXXXXXXXX0008	Regular	\$3.799	13.685	\$1.37	\$51.99	\$51.99
06/01/11 09:52 128	Reg 2 / Pump 2 XXXXXXXXXX8888	Regular	\$3.799	55.434	\$5.54	\$210.59	\$219.59
Totals				Fuel Vol 69.119	Disc \$ \$6.91	Fuel \$ \$262.58	Sales \$ \$271.58

Merchandise Transaction Details

Date Time Loyalty Ref #	Terminal Loyalty ID	PLU/UPC	Original Price	Disc Price	Total Disc	Total Sale
----------------------------	------------------------	---------	----------------	------------	------------	------------

Loyalty Interface

System Behavior

06/01/11 08:27 12584	Pump 1 XXXXXXXXXX1011	123456	\$8.00	\$7.00	\$1.00	\$47.91*
06/01/11 19:52 138	Reg 2 XXXXXXXXXX4444	123456789012	\$1.79	\$0.00	\$1.79	\$ 34.76

Totals					Disc \$ \$2.79	Sales \$ \$82.67
---------------	--	--	--	--	---------------------------------	-----------------------------------

Loyalty Tender Discount Transaction Details

Date Time	Terminal	Loyalty Ref #	Loyalty ID	Total Disc	Total Sale
06/01/11 12:15	Reg 1	139	XXXXXXXXXX1018	\$1.00	\$20.00
06/01/11 13:52	Reg 2	148	XXXXXXXXXX3444	\$1.00	\$21.00

Totals				Disc \$ \$2.00	Sales \$ \$41.00
---------------	--	--	--	---------------------------------	-----------------------------------

Loyalty Transaction Summary Totals

Disc Count 9	Disc \$ \$14.65	Sales Count 8	Sales \$ \$464.00
------------------------	---------------------------	-------------------------	-----------------------------

* - Transaction with multiple My Bucket Loyalty discounts applied.

Following are definitions of the report columns.

Column Header	Definition
PPG Transaction Details	
Date Time	Date and time of the transaction
Terminal	Location of the transaction; Pump # for CRIND sales; Reg # / Pump # for prepay sales
Grade	Discounted fuel grade (full grade name)
Street PPG	PPU before applying any discounts (if Cash/Credit pricing is enabled, it is the PPG for the pricing level assigned to the tender the customer used)
Actual PPG	PPU at which the fuel actually dispensed; can be different from the Street PPG if a discount is applied before fueling
PPG Disc	PPU rollback amount attributed to the Loyalty discount
Vol	Total fuel volume dispensed
Total Disc	Total dollar amount attributed to the Loyalty discount
Total Sale	Final transaction dollar amount
Loyalty Ref #	Loyalty Sequence ID the Loyalty Provider assigns to the transaction
Loyalty ID	Loyalty identifier the Loyalty Provider returns
Post Pay Fuel Ticket Transaction Details	
Date Time	Date and time of the transaction
Terminal	Location of the transaction; Pump # for CRIND sales; Reg # for inside non-fuel transactions; Reg # / Pump # for prepay or post

	pay sales
Grade	Discounted fuel grade (full grade name)
PPG	PPU at which the fuel dispensed
Vol	Total fuel volume dispensed
Disc	Calculated Loyalty discount amount
Fuel Amt	Total fuel sale amount before the discount
Total Sale	Final transaction dollar amount
Loyalty Ref #	Loyalty Sequence ID the Loyalty Provider assigns to the transaction
Loyalty ID	Loyalty identifier the Loyalty Provider returns
Merchandise Transaction Details	
Date Time	Date and time of the transaction
Terminal	Location of the transaction; Pump # for CRIND sales; Reg # for inside non-fuel transactions; Reg # / Pump # for prepay or post pay sales
PLU/UPC	PLU or UPC number of the discounted dry stock item
Original Price	Price of the item before applying the Loyalty discount
Disc Price	Price of the item after applying the Loyalty discount
Total Disc	Total dollar amount of the Loyalty discount
Total Sale	Final transaction dollar amount
Loyalty Ref #	Loyalty Sequence ID the Loyalty Provider assigns to the transaction
Loyalty ID	Loyalty identifier the Loyalty Provider returns
Loyalty Tender Discount Transaction Details	
Date Time	Date and time of the transaction
Terminal	Location of the transaction; Pump # for CRIND sales; Reg # for inside non-fuel transactions; Reg # / Pump # for prepay or post pay sales
Loyalty Ref #	Loyalty Sequence ID the Loyalty Provider assigns to the transaction
Loyalty ID	Loyalty identifier the Loyalty Provider returns
Total Disc	Dollar amount of the Loyalty tender
Total Sale	Final transaction dollar amount
Loyalty Transaction Summary Totals	
Disc Count	Total count of Loyalty discounts from this Loyalty Provider
Disc \$	Total dollar amount of the Loyalty discounts from this Loyalty Provider
Sales Count	Total count of transactions that received discounts from the Loyalty Provider; can vary from the Disc Count
Sales \$	Total transaction dollar amount of these sales

3.5.4 Loyalty Store and Forward Report

Passport provides a **Store and Forward Report** for each Generic Loyalty Provider programmed in **MWS > Set Up > Store > Loyalty Interface**. Passport includes the **Loyalty Provider Name** as part of the Loyalty Store and Forward Report title. This report contains detailed information on each loyalty transaction currently in the Store and Forward queue that belongs to the Loyalty Provider.

Following is an illustration of the format and content of a **Loyalty Store and Forward Report**.

My Bucket Loyalty Store and Forward Report

Site ID: 111111

Report created 06/02/2013 11:11:57 AM

Date Time	Terminal	Loyalty Ref #	Loyalty ID	Total Disc	Total Sale
06/01/11 12:15	Reg 1	139	XXXXXXXXXX1018	\$1.00	\$20.00
06/01/11 13:52	CRIND 2	148	XXXXXXXXXX3444	\$1.00	\$21.00
Total			Count 2	\$2.00	\$41.00

Following are definitions of the report columns.

Column Header	Definition
Date Time	Date and time of the transaction
Terminal	Location of the transaction; Pump # for CRIND sales; Reg # / Pump # for prepaid sales
Loyalty Ref #	Loyalty Sequence ID the Loyalty Provider assigns to the transaction
Loyalty ID	Loyalty identifier the Loyalty Provider returns
Total Disc	Dollar amount of the Loyalty Discount in the transaction
Total Sale	Final transaction dollar amount of the transaction
Totals	Total Count, Discount, Sale

3.5.5 Other Reports

Passport provides incidental information regarding Loyalty transactions in various reports, such as Till and Store Till Summary reports. Loyalty discounts add to the count and amount of:

- Sales -> Discounts
- Other -> Fuel Discounts
- Other -> Loyalty Discounts
- Loyalty tender

In Fuel Sales Details, Till Fuel Sales Details, Fuel Sales / Pump Totals Reconciliation, and CRIND Sales reports Fuel Money values by grade reflect non-discounted fuel amounts. The Fuel Discounts line includes Loyalty fuel discounts.

Loyalty discounts also affect Discount amounts shown in Fuel Discount summary, Department Sales, and Discount Summary reports.

The System Events report logs entries when an Operator makes changes to the Loyalty Interface Configuration tabs.

3.6 Receipts

Passport prints receipts with each loyalty discount immediately beneath the item that receives the discount (i.e. discounts applied to car wash, dry stock, and PPU rollback) except for Loyalty tender discounts. Loyalty tender discounts, which behave as a transaction level discount, print within the tender section of the receipt. Customer receipt messages print near the bottom of the receipt.

To speed up receipt printing and make the receipt content easier to read, the following portions of a CRIND receipt now print in 20-column format:

- Site name and address
- Transaction date
- Transaction time
- Network payment information
- Fuel and merchandise data
- Car Wash code data

NOTE: all receipts provided in this document act as a guide for receipt contents; actual receipts will vary.

3.6.1 Prepay Fuel Sale with PPU Discount

This section provides sample receipts for the inside original, CRIND completion, and inside completion reprint receipts available on a transaction that includes a prepay fuel sale item with PPU rollback discounts. These receipt samples provide guidelines for how each receipt throughout the transaction shows the Customer the discounts and messaging applied.

3.6.1.1 Inside Prepay Receipt

A PPU discount on a prepay does not print special lines. Following is a sample original inside prepay receipt for a fuel sale in which the Customer received a Generic Loyalty PPU rollback with pre-fueling Loyalty messaging printed at the bottom.

1 2 3 4
1234567890123456789012345678901234567890

Friendly Store
7300 West Friendly Avenue
Greensboro, NC
27410
9999999999

12/31/2013 12:12:12 PM
Register: 2 Trans #: 999 Op ID: 99
Your cashier: George Clooney

*** PREPAID RECEIPT ***

REGULAR CR PUMP #2 \$10.00 99

Subtotal = \$10.00

Tax = \$ 0.00

Total = \$10.00

Change Due = \$0.00

Credit \$10.00

XXXX XXXX XXXX 9210, DISCOVER

INVOICE: 001560

AUTH 190746

Buyer agrees to pay the total, according
to the agreement with the card issuer

Signature: _____

You earned \$0.10 per gallon today by
using your My Bucket Loyalty card.

Site name
Address line 1
Address line 2
Address line 3
Retailer number

Date/Time of the transaction
Register, Transaction #, Operator ID
Cashier name

Fuel grade, Pricing Level, fueling position #,
and prepay amount

Tax line

Total purchase line

Credit tender amount

Start network section
Start Credit payment lines

End Credit payment lines

End network section

Signature line for Merchant copy

Generic Loyalty pre-fueling message
Continuation of message

3.6.1.2 CRIND Completion Receipt

The CRIND completion receipt contains no network details, as this information is available on the original prepay receipt and the inside completion reprint receipt. Following is the prepay CRIND completion receipt from the above prepay transaction in which the Customer received a Generic Loyalty PPU rollback (PPU discount lines do not print, but the receipt does reflect the discounted or dispensed PPU).

1 2
12345678901234567890

Friendly Store
7300 West Friendly
Greensboro, NC
27410
12/31/2013
12:24:23 PM

PREPAID RECEIPT

PUMP #2
REGULAR 3.166G
PRICE/GAL 3.159
FUEL TOTAL \$ 10.00

FINAL PURCHASE
AMOUNT RECEIPT WITH
FULL TRANSACTION
DETAIL AVAILABLE
INSIDE

Site name

Address line 1

Address line 2

Address line 3

Transaction Date

Transaction Time

Fueling position #

Fuel grade and volume dispensed

Dispensed Price per Gallon

Total purchase

Customer notice to come inside for full receipt

The prepay completion reprint receipt that the Customer may request inside after fueling completes contains all associated Customer receipt messages as well as network details of the transaction. Following is the prepay completion reprint receipt from the above prepay transaction in which the Customer received a Generic Loyalty PPU rollback.

End Credit payment lines
End network section

3.6.2 CRIND Receipt with Loyalty Discount

For Loyalty transactions that initiate and complete at the CRIND, the receipt contains details of the Loyalty discounts as well as Customer receipt messages. Following is an example CRIND receipt printed with Generic Loyalty and Local Fuel PPU discounts with Customer receipt messages.

1 2
12345678901234567890

Friendly Store
7300 West Friendly
Greensboro, NC
27410

12/31/2013

12:25:33 PM

XXXX XXXX XXXX 9210

DISCOVER

INVOICE: 001560

AUTH 190746

PUMP #2

REGULAR 3.166G

PRICE/GAL 3.399

MyBucket/GAL -0.100

FuelDis/GAL -0.140

NET/GAL 3.159

FUEL TOTAL \$10.00

Subtotal = \$10.00

Tax = \$ 0.00

Total = \$10.00

CREDIT \$10.00

This is where the Generic Loyalty
Customer Receipt Message 1 prints.

Site name

Address line 1

Address line 2

Address line 3

Transaction Date and Transaction ID

Transaction Time

Fueling position #

Fuel grade and volume dispensed

Street PPU

Generic Loyalty PPU discount amount

Local fuel PPU discount amount

Dispensed PPU

Fuel sale total amount

Subtotal line prints only if merchandise purchased

Tax line prints only if merchandise purchased

Total line prints only if merchandise purchased

Amount tendered

Generic Loyalty Customer Receipt Message
Continuation of message

3.6.3 Inside Post Pay Receipt

For Post Pay transactions, the receipt contains details of the Loyalty discounts as well as Customer receipt messages. Following is an example post pay 40-column receipt printed with Generic Loyalty and local fuel discounts.

1 2 3 4
1234567890123456789012345678901234567890

Friendly Store
7300 West Friendly Avenue
Greensboro, NC
27410
99999999999

12/31/2013 12:12:12 PM
Register: 2 Trans #: 999 Op ID: 99
Your cashier: Brad Pitt

REGULAR CR PUMP #2
12.101 GAL @ \$ 3.399/GAL \$41.13 99

DISCOUNTS APPLIED AFTER FUELING:

MY BUCKET \$0.100/GAL \$-1.00
(Max 10 GAL)
LOCAL DISC \$-1.21

Fuel Item Total \$38.92

KIT KAT BAR \$1.39

Subtotal = \$40.31

Tax = \$ 0.08

Total = \$40.39

Change Due = \$0.00

Credit \$40.39

XXXX XXXX XXXX 9210, DISCOVER

INVOICE: 001560

AUTH 190746

Buyer agrees to pay the total, according
To the agreement with the card issuer

Signature: _____

Beginning My bucket Balance \$0.20/gal
Good For Up to 20 Gallons
My Bucket reward used \$0.10/gal

Site name
Address line 1
Address line 2
Address line 3
Retailer number

Transaction Date and Time
Register, Transaction #, Operator ID
Cashier name

Fuel grade, pricing level, fueling position #
Gallons dispensed, dispensed PPU, fuel total

Generic Loyalty discount line
Volume limit line, if applicable
Local fuel discount line

Fuel item total dollar amount

Subtotal line
Tax line

Total purchase line

Amount tendered
Start network section
Start Credit payment lines

End Credit payment lines
End network section

Loyalty customer message
Continuation of loyalty customer message
Continuation of loyalty customer message

3.6.4 CRIND Receipt for Dispensers that Cannot Fuel at \$0.000 PPU

Some dispensers cannot pump at a \$0.000 PPU. If a customer receives discounts that reduce the price of fuel to \$0.000 PPU, Passport forgives the portion of the PPU at which the dispenser pumps. However, for Weights and Measures compliance, the receipt must show the actual dispensed PPU and actual dispensed fuel sale total. Following is an illustration of a CRIND receipt for a transaction in which the customer received PPU discounts amounting to the full PPU on a dispenser that can fuel at no less than \$0.001 PPU.

Friendly Store	Site name
7300 West Friendly	Address line 1
Greensboro, NC	Address line 2
27410	Address line 3
12/31/2012 620120870	Transaction Date and Transaction ID
12:25:33 PM	Transaction Time
XXXX XXXX XXXX 9210	Payment authorization details begin
DISCOVER	
INVOICE: 001560	
AUTH 190746	Payment authorization details end
PUMP #2	Fueling position #
REGULAR 43.166G	Fuel grade and volume dispensed
PRICE/GAL 3.399	Street PPU
	Blank line to offset before fueling discounts
DISCOUNTS BEFORE	New line for delineating PPU rollback discounts
FUELING:	applied before fueling
MyBucket/GAL -0.100	PPU rollback discount applied before fueling
LocalDisc/GAL -3.299	Discount that reduced PPU to \$0.000 as applied
	Blank line
NET/GAL * 0.001	Dispensed PPU
	Blank line
FUEL TOTAL \$ 0.04	Dispensed fuel sale total amount as displayed on CRIND
	Blank line
FORGIVEN: \$- 0.04	PPU forgiven when dispenser cannot fuel at \$0.000
	Blank line

```
* $0.001/GAL
FORGIVEN. DISPENSER
CANNOT PUMP $0.000.

CREDIT          $0.00
```

Forgiven PPU explanation. Lines wrap as required.

Amount tendered

3.7 Other

This section contains other requirements and behavior related to Loyalty.

3.7.1 Loyalty Provider Offline

Passport supports store and forward for Loyalty transactions completed when the Loyalty Provider is offline. Passport stores the Loyalty transaction until the Loyalty Provider is online again and then sends the transaction to the Loyalty Provider. Passport sends heartbeat messages when it cannot communicate to the Loyalty Provider to determine the availability of the Loyalty Provider and automatically restores Loyalty prompting to its normal state when it confirms the Loyalty Provider is available again. Passport sends the store and forward queue messages to the Loyalty Provider when it comes back online. This enables the Loyalty Provider to debit the redeemed rewards and credit earned rewards properly.

3.7.2 XMLGateway

This section contains Loyalty behavior with regard to the XMLGateway interface to the BOS.

3.7.2.1 PJR Files

Passport exports total fuel dollars BOS as gross fuel dollars, by grade, as if dispensed at full street price. In addition to the gross fuel dollars the item-level detail includes any Loyalty fuel discounts applied, rounded to the nearest cent. The PCATS standard POS Journal XML files indicate if a loyalty discount is part of the transaction. The discount reason code for this is loyaltyDiscount.

3.7.2.2 Summary Files

Passport reflects Loyalty discounts in the following fields of summary files:

- Merchandise Code Movement (MCM):
 - DiscountAmount
 - DiscountCount
- Fuel Grade Movement (FGM):
 - DiscountAmount
 - DiscountCount
- Miscellaneous Summary Movement (MSM):
 - DiscountAmount

- DiscountCount
- Item Sales Movement (ISM):
 - DiscountAmount
 - DiscountCount

3.7.3 Extraction Tool

The **Extraction Tool** supports **Import** and **Export** of multiple Loyalty Provider configurations when the Operator selects **Store > Loyalty Interface** on the **Import Data** or **Export Data** screen. The Operator must exercise caution to ensure **Extraction Tool** data import and export is between two systems running the same Passport version, service pack, and quick fixes. Failure to do so may cause loss of data to the point that Passport and the EDH no longer operate properly.

If the Operator does an **Export Data** function that includes selection of the **Loyalty Interface** check box under the **Store** folder (may **Select All** or specifically select the item), Passport saves all configuration data for the Generic Loyalty Providers to the extraction file.

If the Operator performs an **Import Data** function that includes **Loyalty Interface** under the **Store** folder, then for each Loyalty Provider saved in the extraction file, Passport searches the importing system's Loyalty Provider information for a match between the **Loyalty Provider Name** field in the extract file and the **Loyalty Provider Name** fields in the importing system's Loyalty Provider configuration. If the importing system contains a Loyalty Provider with a Loyalty Provider Name that matches the Loyalty Provider Name field in the extraction file, Passport updates the Loyalty Provider configuration record on the system with the information from the extraction file. If there is no match between the extraction file and the system's loyalty Provider Name fields, and the system has not already reached the maximum number of Loyalty Providers configurable, Passport adds the extraction file Loyalty Provider configuration information to the system Loyalty Interface database.

If an error occurs such that Passport does not save all the Loyalty Providers in the extraction file into the **Loyalty Interface** database, the **MWS** displays an error message as an indication that the Operator should review carefully the Loyalty Provider configuration data contained in the Loyalty Interface application on the importing Passport. For instance, if Passport already has at least one Loyalty Provider configured and the Import Data process cannot add all Loyalty providers included in the Import file, Passport displays the error message **Cannot add any more Loyalty providers. Maximum number of Loyalty Providers configured.**