

# Loan Hub User Manuals

Guides for administrators, staff, customers, market partners, and IT — with real product screenshots.

Admin

Staff

Digital Apply

Market

IT install

Screenshots

Print or Save as PDF (Ctrl/Cmd+P). Navigation links are hidden when printing.

## Contents

01 Overview

02 Admin

03 Staff

04 Customers

05 Market partners

06 Screenshots

07 IT installation

# DECSI Loan Hub — User Manuals

Practical guides for **DECSI Loan Hub** (AI-powered Credit Intelligence), **Digital Apply**, and **Seqela Market**.

| Manual          | Who it is for                             | In-app Help                                                                        |
|-----------------|-------------------------------------------|------------------------------------------------------------------------------------|
| Admin           | System administrators                     | Hub → <b>Help</b> ( <a href="/hub/help/"> /hub/help/ </a> )                        |
| Staff           | Branch / HO / eng / finance / committee   | Hub → <b>Help</b>                                                                  |
| Customers       | Borrowers applying online                 | Digital Apply → <b>Help</b> ( <a href="/help/"> /help/ </a> )                      |
| Market partners | Dealers & price reporters                 | Market → <b>Help</b> ( <a href="/market-portal/help/"> /market-portal/help/ </a> ) |
| Screenshots     | UI captures used in this pack             | Hub / Digital Apply Help                                                           |
| IT installation | DECSI IT — install & minimum requirements | Hub → <b>Help</b>                                                                  |

## Printable pack:

- HTML
- PDF

```
python3 docs/user_manual/build_html.py
docker compose exec web python docs/user_manual/build_pdf.py
```

## Which portal am I on?

| Audience         | URL                                             | Sign-in                              |
|------------------|-------------------------------------------------|--------------------------------------|
| Staff & admin    | <a href="/hub/login/"> /hub/login/ </a>         | Staff username & password (+ MFA)    |
| Customers        | <a href="/"> / </a>                             | Mobile or customer number & password |
| Market reporters | <a href="/market-portal/"> /market-portal/ </a> | Portal account or guest quote        |

Legacy: </staff/> → hub; </applicant-portal/> → Digital Apply.

## Product at a glance

Customer (Digital Apply)  
Register → Apply → Fee  
→ Submit → Notices / status  
→ Schedule (when approved)

Staff hub  
Intake → Docs → Appraisal  
→ Collateral → Committee  
→ Post-approval → Disburse  
Delegations (cover)

Admin  
Users & geography  
Document packs  
Digital Apply settings  
Approve delegations

Market (Seqela Market): Area → Product & price → price bands

## Glossary (shared)

| Term                    | Meaning                                           |
|-------------------------|---------------------------------------------------|
| Queue ID                | Unique loan reference ( HK-... )                  |
| Loan category / product | Loan type (docs + appraisal mode)                 |
| Document pack           | Required/optional docs for a product              |
| Digital Apply           | Public online application                         |
| Processing fee          | Application fee (ETB)                             |
| Cooperative queue       | Branch intake gate                                |
| Approval queue          | Committee voting                                  |
| Post-approval           | Conditions → schedule → ready                     |
| Agentic Assist          | Staff AI helper (cannot approve/disburse)         |
| Delegation              | Temporary cover of staff powers (admin-approved)  |
| Source channel          | Online (Digital Apply) vs staff/branch entry      |
| Repayment schedule      | Customer installment table after credit approval  |
| Seqela Market           | External price quotes                             |
| Price band              | Aggregated market price range for an area/product |

## Support

Lockouts / MFA / outages → DECSI IT. Customers → branch with Queue ID. Market actors → DECSI liaison if suspended.

# Admin User Manual

**Audience:** Super Administrators and System Administrators who configure DECSI Loan Hub.

**Entry:** Staff hub → `/hub/login/` (Django Admin also available at `/admin/` for data maintenance).

This guide covers day-to-day **configuration** and **oversight**. Operational lending steps are in the Staff manual. Customer-facing steps are in the Customer manual.

## 1. Your role

| Role                                                                                | What you typically do                                                                                                                                                                  |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Super Administrator</b><br>( <code>superadmin</code> ) / Django <b>superuser</b> | Full <b>Settings</b> menu: geography, users, loan products, document packs, Digital Apply, committees, collateral policy, estimation mode; <b>approve/reject authority delegations</b> |
| <b>System Administrator</b> ( <code>admin</code> )                                  | Oversight, checkup views, unlock users (with IT), security audit when permitted; <b>approve/reject authority delegations</b>                                                           |


Menus are role-scoped. If you do not see **Settings**, ask for a superuser account or elevated role. All staff see **Delegations** in the hub nav.

## 2. Sign in and security

### 2.1 Sign in

1. Open `/hub/login/`.
2. Enter your **username** and **password**.
3. If MFA is enabled for your account (or required by policy), open your authenticator app and enter the one-time code at `/hub/mfa/verify/`.

**Screenshot (H-01):** Staff login — enter username and password for AI-powered Credit Intelligence.



**Screenshot (H-02):** MFA verify — enter the one-time code from your authenticator app.

2.2 First-time MFA enrollment

- 1. After password login (or from security settings), open **MFA setup** ( </hub/mfa/setup/> ).
- 2. Scan the QR code with an authenticator app (Google Authenticator, Microsoft Authenticator, etc.).
- 3. Confirm with a code from the app.
- 4. Store recovery practices per DECSI IT policy.

2.3 Password

| Need                   | Where                                                                                           |
|------------------------|-------------------------------------------------------------------------------------------------|
| Forgot password        | <a href="/hub/password-reset/">/hub/password-reset/</a> (email token — SMTP must be configured) |
| Change while logged in | <a href="/hub/password-change/">/hub/password-change/</a>                                       |

## 2.4 Lockouts

Repeated failed logins can lock an account. Unlock from the user edit screen or the unlock action (allowed for admin / VP IT / superuser). Review related events in the **security audit** log.

Staff and Digital Apply applicants use **separate** logout / auth-event stores. Disabling MFA (if allowed): `/hub/mfa/disable/`. Sessions may use idle timeout with keepalive ( `/hub/session/keepalive/` ).

## 2.5 Security audit

Roles such as admin, auditor, risk & compliance, VP IT, and superuser can open:

- **Audit log:** `/hub/security/audit/`
- **Export:** `/hub/security/audit/export/` (CSV / Excel)

Use this for investigations (failed logins, MFA events, unlocks).

## 3. Hub Settings (configuration checklist)

Open the **Settings** dropdown in the hub navigation (superuser). Configure in roughly this order for a new branch or institution go-live:

**Screenshot (H-19):** Digital Apply settings — open/close portal, fee, and security controls.

**Screenshot (H-20):** Document pack — required and optional docs for one loan category.

1. Districts → Branches → Departments (if H0)
2. Area: Regions → Zones → Cities (Woredas)
3. Users (assign role, branch/district, optional department)
4. Loan categories (products)
5. Document types (global catalog)
6. Document pack per category
7. Approval committees
8. Collateral types, policy, estimation config
9. Digital Apply (open/close, fee, security)
10. Spot-check Online loan intake

### 3.1 Geography and organisation

| Setting                                   | Purpose                                                        |
|-------------------------------------------|----------------------------------------------------------------|
| <b>Districts / Branches</b>               | Scope who sees which loans and reports                         |
| <b>Departments</b>                        | Head-office Cooperative, Finance, Credit, Management, Board    |
| <b>Regions / Zones / Cities (Woredas)</b> | Location hierarchy used for collateral pricing and market area |

Bulk CSV upload options exist for zones, branches, categories, users, and related data where enabled in the UI.

## 3.2 Users

1. Open **Users** from Settings (or manage-users screens).
2. Create or edit a staff user.
3. Set:

- **Role** (branch manager, loan officer, finance manager, etc.)

- **Branch** and/or **district**

- **Department** for HO users when needed

1. Communicate temporary password and require change on first login if that is your policy.
2. Encourage or enforce MFA enrollment.

Do **not** create borrower accounts here — customers register in Digital Apply as applicant accounts.

## 3.3 Loan categories (products)

### Settings → Loan categories

- Create/edit products customers and staff select at intake.
- Each category drives **document pack** and **appraisal mode** (MSME vs corporate, as configured).
- Keep names clear for both staff and Digital Apply applicants.

## 3.4 Document types and packs

### Two layers:

1. **Document types & authentication** — global catalog of document kinds, OCR/auth rules, reference samples.
2. **Document pack per category** — Settings → open a category → **Document pack**

Mark each type **required** or **optional** and set display order.

Digital Apply and staff document screens both use the pack for the selected product. If a category has **no pack**, the system falls back to the global document catalog (filtered by appraisal mode). After changing packs, test one online draft and one staff loan.

Staff can also **Request document** on a loan (type from the pack) so the branch manager is notified to upload a missing file.

## 3.5 Approval committees

### Settings → Approval committees

- Define who votes at each level.
- Align members with amount thresholds and tie-breaker rules used by your credit policy.
- Credit Department Head and admins typically maintain this.

### 3.6 Collateral configuration

| Screen                                | Purpose                                                            |
|---------------------------------------|--------------------------------------------------------------------|
| <b>Collateral types</b>               | Types available on requests                                        |
| <b>Collateral field-work policy</b>   | Field visit / evidence rules                                       |
| <b>Estimation config</b> (superadmin) | Whether loan officers, engineering, or both value collateral       |
| <b>Unlock queue</b>                   | Approve unlocks when a locked valuation must be corrected          |
| <b>Catalog / unit prices</b>          | Maintained mainly by engineering roles; admins oversee consistency |

### 3.7 Digital Apply

**Settings → Digital apply** (superuser)

Typical controls:

| Control                             | Effect                                                                   |
|-------------------------------------|--------------------------------------------------------------------------|
| Portal open / closed                | When closed, applicants see “Digital apply is temporarily closed”        |
| Processing fee (ETB)                | Amount charged before submit; <b>0 ETB</b> auto-waives payment           |
| Password rules                      | Length and character requirements for applicant passwords                |
| Max failed logins / lockout minutes | Applicant account lockout                                                |
| Register rate limit (per IP / hour) | Limits new registrations from one IP                                     |
| Idle session minutes                | Applicant session timeout                                                |
| Require terms acceptance            | Checkbox at registration (terms wording is fixed in the UI)              |
| Require CBS customer lookup         | Validates customer number against core banking when enabled              |
| Chapa status                        | Live vs mock/demo payment mode (environment-driven; shown for operators) |

After go-live, use **Online loan intake** to confirm applications appear for branch staff.

### 3.8 Authority delegation (approve as admin)

Staff can request a colleague to cover selected powers (**Delegations** in the hub nav → </hub/delegations/>).

1. A staff user creates a request (principal, delegate, scopes, date window, reason).
2. Status stays **Pending** until an **admin / superadmin Approves** or **Rejects**.
3. While approved and inside the window, the delegate may act; actions are audited as acted by delegate for principal.
4. Principal or admin can **Revoke** early.

Scopes that can be delegated (only powers the principal already holds):

- Committee voting

- Cooperative intake approval
- Loan officer appraisal / documents
- Finance disbursement approval
- Assign loan officer

Admins see a banner when requests await approval.

**Screenshot (H-23):** Delegations — pending approval list and Approve / Reject actions.

## 4. Day-to-day admin tasks

### 4.1 Open or close Digital Apply

1. Settings → **Digital apply**.
2. Toggle portal availability.
3. Notify branches before closing (applicants cannot finish new submissions).

### 4.2 Adjust processing fee

1. Settings → **Digital apply**.
2. Update fee in ETB.
3. Confirm a test payment in mock mode (if available) before relying on live Chapa.

### 4.3 Add a new loan product

1. Create **Loan category**.
2. Attach **Document pack** (required/optional docs).
3. Ensure committees and appraisal expectations cover the product.
4. If Digital Apply should offer it, confirm the category is active/selectable online.

### 4.4 Onboard a branch

1. Create district (if new) → branch.
2. Create users (BM, cooperative manager, LOs, accountant as needed).
3. Assign committee membership if the branch participates.
4. Verify unit prices / wordas for that geography if collateral is used.

### 4.5 Investigate a locked user

1. Open the user record.
2. Confirm lockout reason via **Security audit**.
3. Unlock if policy allows.
4. Advise password reset and MFA check.

## 4.6 Monitor online applications

**Settings → Online loan intake** ( `/hub/online_loan_intake/` — nav under Settings for superuser)

- Lists **submitted** Digital Apply loans and **open drafts**.
- Search by Queue ID, name, phone, or customer number.
- Non-HO roles are branch-scoped when they open the page.
- Submitted apps mint a `LoanRequest` with **source channel = online**.
- On submit, the system may **auto-assign** the first active loan officer at the branch (else the branch manager).
- Branch staff also receive **Notifications** ( `online_intake` ) when a customer submits.

Coordinate with branch managers if intake is stuck.

## 4.7 Approve or reject a delegation

1. Open **Delegations** (or use the pending-approval banner).
2. Review principal, proposed delegate, scopes, and window.
3. **Approve** or **Reject**.
4. Confirm the delegate sees “Acting by delegation” after approval.

## 5. Django Admin ( `/admin/` )

Use Django Admin for advanced data maintenance (models, flags, one-off corrections). Prefer hub **Settings** UIs for routine configuration so audits and validation stay consistent.

Common admin areas:

- Loan requests, categories, document requirements
- Committees and votes
- Applicant portal settings, accounts, online applications, applicant notices
- Market actors, observations, price bands (Seqela Market)
- Staff delegations (if registered)
- Security / auth-related records as registered

Treat Admin changes as privileged: log why you changed a record.

## 6. Environment and payment notes (for IT admins)

These are usually set in deployment ( `.env` ), not only in the UI:

| Topic                | Notes                                                                                        |
|----------------------|----------------------------------------------------------------------------------------------|
| MFA / lockout / idle | Staff auth hardening (see IT manual and deployment settings)                                 |
| Email (SMTP)         | Required for staff password reset                                                            |
| Chapa keys           | Live vs mock Digital Apply payments ( <code>CHAPA_*</code> , <code>CHAPA_FORCE MOCK</code> ) |
| Applicant SMS        | OTP / status SMS gateway ( <code>APPLICANT_SMS_*</code> )                                    |
| Market bands         | Periodic <code>recompute_market_bands</code> for price bands                                 |

Coordinate with DevOps before changing production secrets.

## 7. Admin quick reference

| Task              | Navigation                                       |
|-------------------|--------------------------------------------------|
| Manage products   | Settings → Loan categories                       |
| Document catalog  | Settings → Document types                        |
| Product checklist | Category → Document pack                         |
| Committees        | Settings → Approval committees                   |
| Portal fee / open | Settings → Digital apply                         |
| Online apps       | Settings → Online loan intake                    |
| Delegations       | Hub → Delegations                                |
| Collateral rules  | Settings → Collateral policy / Estimation config |
| Audit             | <code>/hub/security/audit/</code>                |
| Unlock user       | Edit user → unlock                               |
| In-app Help / PDF | <code>/hub/help/</code>                          |
| Low-level data    | <code>/admin/</code>                             |

## 8. Related manuals

- Staff user manual
- Customer user manual
- Market partners
- Screenshots
- Manual index · Printable HTML pack

• In-app: [/hub/help/](#)

# Staff User Manual

---

**Audience:** Branch, district, head-office, engineering, finance, risk, and committee users.

**Entry:** `/hub/login/` — product brand in the hub: AI-powered Credit Intelligence.

Borrower self-service is covered in the Customer manual. Platform configuration is in the Admin manual.


## 1. Getting started

---

### 1.1 Sign in

1. Go to `/hub/login/`.
2. Enter username and password.
3. Complete MFA if prompted ( `/hub/mfa/verify/` ).
4. You land on the Credit Intelligence / hub home for your role.

**Screenshot (H-01):** Staff login — enter username and password for AI-powered Credit Intelligence.



**Seqela**

**AI-powered Credit Intelligence**  
Staff hub

**Sign in**  
Secure staff login for officers and managers.

**Username**

**Password**

**Login**

[Forgot password?](#)

© Seqela Technologies

H-01 — Staff hub login

**Screenshot (H-04):** Hub home — role-scoped KPIs and shortcuts after sign-in.

**Screenshot (H-05):** Header — Notifications, Help, Delegations, and Logout sit beside your name and role.

**Forgot password:** </hub/password-reset/> (email link).

**Change password while logged in:** </hub/password-change/> .

**MFA setup:** </hub/mfa/setup/> .

**Delegations:** </hub/delegations/> .

**Help / PDF:** </hub/help/> .

If your account is locked after failed attempts, contact an administrator or IT.

## 1.2 What you see depends on your role

Menus are role-scoped. Examples:

| Role                                         | Typical menus                                                                                                |
|----------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| Branch Manager                               | Loan requests, Collateral, Approval queue, Post-approval, Notifications, Reports, Unlock, <b>Delegations</b> |
| Loan Officer                                 | Loan requests, documents, appraisal, collateral (when allowed), <b>Delegations</b>                           |
| Cooperative Manager                          | Cooperative queue, Approval / Post-approval, Collateral, Reports, <b>Delegations</b>                         |
| Credit Loan Officer / Credit Head            | HO loans, committees (head), oversight, <b>Delegations</b>                                                   |
| Finance Manager                              | Disbursement queue, Approval / Post-approval, Reports, <b>Delegations</b>                                    |
| Accountant / District Manager / Exec / Board | Approval queue, Committee loans, Reports, <b>Delegations</b>                                                 |
| Engineer / Engineering Head                  | Catalog, Unit prices, Collateral, Engineering QA, Unlock (head), <b>Delegations</b>                          |
| Risk / Auditor                               | Reports, review, security audit (when permitted), <b>Delegations</b>                                         |
| Admin / Superadmin                           | Settings, checkup, <b>approve Delegations</b> , audit                                                        |

Always work only on loans in **your branch / district / department** scope. When covering a colleague, a green banner shows **Acting by delegation**.

## 2. Loan lifecycle (happy path)

```
Create / receive request
  → Assign loan officer (if needed)
  → Cooperative intake (branch)
  → Documents (+ authentication)
  → Appraisal (steps 1–7)
  → Collateral (+ optional engineering QA)
  → Submit to committee → Vote
  → Post-approval (conditions → schedule → ready)
  → Finance disbursement → Disbursed
```

Keep the **Queue ID** (for example `HK-000000001`) in emails, calls, and notes.

### Sources of loans

| Source            | How it enters the hub                                                                                                                                                                  |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Branch / HO staff | <b>Add loan request</b> (or Agentic Assist draft for eligible roles); <code>source_channel</code> = staff/branch                                                                       |
| Digital Apply     | Customer submit mints a loan with <code>source_channel=online</code> ; appears in <b>Online loan intake</b> and <b>Notifications</b> ; may <b>auto-assign</b> LO (or BM) at the branch |

## 2.1 Authority delegation

Use **Delegations** when you need a colleague to cover you (leave, travel, overload).

1. Open **Delegations** ( /hub/delegations/ ).
2. Request cover: choose **delegate**, **scopes** you already hold, start/end time, and reason.
3. Wait for **admin approval** (Pending → Approved / Rejected).
4. While approved, the delegate sees **Acting by delegation** and can perform those scopes.
5. Principal or admin can **Revoke** early.

| Scope                 | What the delegate can do                |
|-----------------------|-----------------------------------------|
| Committee voting      | Cast votes as the principal             |
| Cooperative intake    | Approve/reject branch intake            |
| Appraisal / documents | Work as assigned loan officer           |
| Finance disbursement  | Finance disbursement approval           |
| Assign loan officer   | BM / DM / Credit Head assignment powers |

Actions are audited as acted by delegate for principal. Do not share passwords — use delegation instead.

**Screenshot (H-23):** Delegations — request cover and (for admins) Approve / Reject.

## 3. Role playbooks

### 3.1 Branch Manager

1. **Create** a loan request (customer number lookup when available).
2. **Assign** a loan officer.
3. Ensure **Cooperative** intake is completed for branch loans.
4. Monitor officer progress (documents, appraisal, collateral).
5. If engineering mode applies: send to engineering / follow unlock needs.
6. **Submit to committee** when the file is ready.
7. Track **Post-approval** until finance can disburse.

Also: respond to unlock requests when collateral is locked incorrectly.

### 3.2 Loan Officer

1. Open the assigned loan from **Loan requests**.
2. **Upload / review documents** against the product checklist.
3. Complete **appraisal** steps (MSME cashflow or corporate mode).
4. Capture **collateral** evidence when your estimation mode allows it.
5. Respond if committee **returns** the file for corrections.

6. Support post-approval document or condition follow-ups as asked.

Document authentication may show statuses such as pending, needs review, verified, or rejected — clear exceptions before committee.

### 3.3 Cooperative Manager

1. Open **Cooperative queue**.
2. Review new branch requests (including online intake).
3. **Approve into queue** when the request is acceptable for officer work.
4. Escalate incomplete or suspicious files per branch procedure.

Until intake approval, officers may be blocked from progressing branch loans.

### 3.4 Credit Loan Officer / Credit Department Head

- **Credit LO:** Create and process **HO Credit** loans (“Add HO loan”), appraisal, and related queues.
- **Credit Head:** Oversight of HO credit work and **approval committee** configuration (with admin).

### 3.5 Committee voters

(CEO, VPs, board members, accountants, district managers, and other configured members)

1. Open **Approval queue** or **Committee loans**.
2. Review appraisal pack / evidence (Excel or PDF packs when available).
3. **Cast vote** (approve / decline / follow return workflow as offered).
4. Do not rely on Agent Assist for a binding decision — the assistant cannot approve.

Committee statuses you will see: Not submitted → Pending → Approved / Declined / Returned to loan officer.

### 3.6 Post-approval workers

After committee **Approved**:

1. Open **Post-approval** queue / detail.
2. Clear **conditions**.
3. Confirm **repayment schedule**.
4. Mark **ready** for disbursement when complete.

Disbursement track statuses include: Not started → Awaiting conditions → Schedule confirmed → Ready → Disbursed.

### 3.7 Finance Manager

1. Open **Disbursement queue**.
2. Verify readiness and any CBS / ledger checks your site uses.
3. Approve disbursement steps and ensure the loan is marked **Disbursed** when funds are released.

### 3.8 Engineering Head / Engineer

| Role              | Tasks                                                                           |
|-------------------|---------------------------------------------------------------------------------|
| Engineering Head  | Catalog & unit prices oversight, assign engineers, Engineering QA, unlock queue |
| Engineer / Valuer | Field valuation, GPS photos, building/land/other estimates, submit for QA       |

Typical path: loan sent for collateral → assign engineer → field work → submit/lock → **Engineering QA** approve or return.

### 3.9 Risk, Auditor, Management

- Use **Reports**, dashboards, and (where allowed) **Security audit**.
- Review portfolio health via **Credit Intelligence** (Overview, Insights, Officer/Manager, Portfolio, Collateral).

## 4. Core screens (how-to)

### 4.1 Create a loan request

1. Choose **Add loan request** (or HO equivalent).
2. Enter customer / party details (customer number lookup when enabled).
3. Select **loan category**, amount, branch, collateral type as required.
4. Save — note the **Queue ID**.
5. Assign a loan officer if you are a manager.

**Screenshot (H-08):** Create loan request — capture customer number, product, amount, and branch.

**Screenshot (H-07):** Loan requests — open a Queue ID to continue documents, appraisal, or collateral.

### 4.2 Online loan intake

1. Open **Online loan intake** ( [/hub/online\\_loan\\_intake/](/hub/online_loan_intake/) — Settings nav for superuser; others may open the URL or use **Notifications**).
2. Find **submitted** Digital Apply loans and open **drafts** if you need to assist.
3. Search by Queue ID, name, phone, or customer number.
4. Continue the same lifecycle as branch-created loans (cooperative → LO → ...).
5. Confirm officer assignment (auto-assign may already have set an LO).

Customers also get in-portal **Notices** when you accept intake or when credit is decided.

### 4.3 Documents

1. Open the loan → document upload / checklist screen.
2. Upload each required type for the **document pack** (or global fallback).
3. Review automated authentication results; fix or re-upload rejects.

4. Use **Request document** when a missing type must be supplied by BM/uploaders.
5. Keep files readable (scan quality matters for OCR).

#### 4.4 Appraisal

1. Open appraisal for the loan.
2. Complete **steps 1–7** for MSME or corporate mode.
3. Address scorecard / policy gate warnings before committee.
4. Export appraisal pack (Excel/PDF) when preparing committee materials.
5. Sheet 7 / post-approval amortization feeds the customer **Repayment schedule** in Digital Apply after credit approval.

#### 4.5 Collateral

1. Open collateral for the loan.
2. Capture buildings, land, or other items per catalog and **unit prices** for the woreda (market price bands may inform suggestions).
3. Record field visit evidence (GPS / photos) per policy.
4. Submit estimation (locks when configured).
5. If locked in error, request unlock via the unlock workflow; managers / eng head process the **Unlock queue**.

#### 4.6 Committee

1. Eligible role submits the loan to committee.
2. Members vote from the approval worklist (or via **approved delegation**).
3. On **Returned to loan officer**, LO corrects and resubmits (customer status stays “in progress”).
4. On **Approved**, move to post-approval and confirm schedule so the customer can view it online; on **Declined**, close per policy.

#### 4.7 Notifications and reports

- **Notifications** — assignments, returns, queue events, **online intake** submissions.
- **Reports / Dashboard** — scoped to your branch or district.
- **Credit Intelligence** — KPIs and risk views for managers.
- **Delegations** — pending approval count for admins; “Acting by...” for delegates.

---

## 5. Agentic Assist

Floating chat and `/hub/agent/` help staff draft and look up information.

**Can help with:** drafting a loan story, creating a request (when role allows), listing document needs, reading appraisal summaries.

**Cannot:** approve loans, value collateral, or disburse funds. All policy gates remain with human roles.

---

## 6. Security good practice

- Never share passwords or MFA codes — use **Delegations** for cover.
- Lock your workstation; the hub may idle-timeout sessions.
- Use official email for password reset only.
- Report suspicious unlock, vote, or delegation activity to IT / risk.

## 7. Status cheat sheet

| Area                      | Values you will see                                                                                                                   |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| Committee                 | Not submitted, Pending, Approved, Declined, Returned to loan officer                                                                  |
| Disbursement              | Not started, Awaiting conditions, Schedule confirmed, Ready, Disbursed                                                                |
| Delegation                | Pending → Approved / Rejected; Revoked                                                                                                |
| Source channel            | Online (Digital Apply) vs staff/branch entry                                                                                          |
| Customer-visible pipeline | Submitted → Branch intake → Loan processing → Credit decision → Disbursement prep → Disbursed<br>(+ repayment schedule when approved) |

## 8. Troubleshooting

| Problem                     | What to try                                                                             |
|-----------------------------|-----------------------------------------------------------------------------------------|
| Missing menu                | Confirm your <b>role</b> and <b>branch/district</b> with admin                          |
| Cannot edit collateral      | Estimation may be <b>locked</b> — use unlock queue                                      |
| Cannot progress branch loan | Check <b>Cooperative queue</b> approval                                                 |
| Documents incomplete        | Open category <b>document pack</b> ; upload or <b>Request document</b>                  |
| MFA / lockout               | Contact admin; use password reset if email works                                        |
| Online application missing  | Confirm customer <b>submitted</b> (not draft); check Notifications / Online loan intake |
| Cannot act for colleague    | Delegation must be <b>Approved</b> and inside the date window                           |
| Customer has no schedule    | Complete post-approval amortization after committee <b>Approved</b>                     |

## 9. Related manuals

- Admin user manual
- Customer user manual

- [Market partners](#)
- [Screenshots](#)
- [Manual index](#) · [Printable HTML pack](#)

# Customer User Manual — Digital Apply

---

**Audience:** DECSI customers applying for a loan online.

**Entry:** Digital Apply home at / (public portal).

**Brand:** Digital Apply on AI-powered Credit Intelligence.

Staff processing after you submit is described for employees in the Staff manual. You do not need a staff hub account.

## 1. What Digital Apply does

---

You can:

1. Create an applicant account with your **DECSI customer number** and mobile phone.
2. Start a loan application: product, district/branch, amount, purpose, collateral type.
3. Upload the **documents required for that product**.
4. Pay the **processing fee** online (or skip if the fee is waived / zero).
5. Submit and receive a **Queue ID** (for example **HK-000000001** ).
6. Track progress, read **Notices**, and — after credit approval — view your **Repayment schedule**.


If you see “**Digital apply is temporarily closed**”, the portal is offline for maintenance — visit your branch or try again later.

## 2. Create an account

---

1. Open the Digital Apply home page.
2. Choose **Create account**.
3. Enter:
  - **DECSI customer number**
  - Full name
  - Mobile number
  - Password (follow the on-screen rules)
  - Accept terms if shown
1. Submit registration.

**Screenshot (C-01):** Digital Apply landing — Create account or sign in to apply online.



**Screenshot (C-02):** Register — DECSI customer number, name, mobile, and password.

AI

AI-powered Credit Intelligence

Sequila

[Help](#)
[Sign in](#)
[Register](#)

DIGITAL APPLY

Create your account

Start with your **DECSI customer number**. When core banking is connected, we load your official name, mobile, and related details automatically.

Required: At least 10 characters; one uppercase letter; one lowercase letter; one number; one special character (!@#\$%...); not a common password or your phone number

DECSI customer number

Look up

Required. We load your name and phone from DECSI when the core-banking API is available.

Full name

Filled from DECSI when found — edit only if your record is wrong.

Mobile number

Must match your mobile on file with DECSI when core banking is connected.

Password

Required: At least 10 characters; one uppercase letter; one lowercase letter; one number; one special character (!@#\$%...); not a common password or your phone number

C-02 — Create account / register

Some deployments validate your customer number against DECSI records. If validation fails, confirm the number with your branch before retrying.

## Already registered?

Choose **I already have an account** and sign in with:

- **Mobile number** or **customer number**, and
- Your **password**.

## 3. Sign in, password help, and security

| Task                        | How                                                                             |
|-----------------------------|---------------------------------------------------------------------------------|
| Sign in                     | <code>/login/</code> — phone or customer number + password                      |
| Sign out                    | Use logout from the portal menu                                                 |
| Forgot password             | <b>Forgot password</b> → OTP sent to your registered phone → set a new password |
| Change password (signed in) | Account → change password                                                       |

Tips:

- Use a strong unique password.
- Keep your phone available for OTP reset.
- Too many failed logins may temporarily lock the account — wait or contact your branch / support channel.

## 4. Apply for a loan (step by step)

From **My applications** / home, start a new application. The wizard shows four steps:

**1 • Details → 2 • Documents → 3 • Fee → 4 • Submit**

**Screenshot (C-05):** Step 1 • Details — choose product, branch, amount, and purpose.

**Screenshot (C-06):** Step 2 • Documents — upload every required file for the product.

**Screenshot (C-07):** Step 3 • Fee — pay the processing fee (ETB) before submit.

**Screenshot (C-08):** Step 4 • Submit — review and submit to receive a Queue ID.

**Screenshot (C-09):** Status — keep your Queue ID for branch follow-up.

### Step 1 — Details

1. Select **District**, then **Branch** (lists cascade).
2. Select the **loan product** (loan category).
3. Choose **collateral type** (required).
4. Enter **amount**, **purpose**, and customer history (new / existing) if asked.
5. Name, phone, and customer number come from your account (CBS may lock name/phone to the bank record).
6. Save and continue.

You can leave a draft and return later until you submit.

### Step 2 — Documents

1. Upload each document listed for your product.
2. Required items must be complete before you continue.
3. Prefer clear scans or photos (all pages, readable text).

If a file is rejected, replace it with a clearer copy.

### Step 3 — Processing fee

1. Review the fee amount (ETB).
2. If the fee is **0 ETB**, payment is **waived** and you continue without Chapa.
3. Otherwise start payment (live Chapa, or a **demo/mock** checkout when the bank runs Digital Apply in test mode).

4. Complete payment and wait for confirmation (statuses: unpaid → pending → paid / failed / waived).
5. Do not close the browser until the portal confirms success.

If payment fails, retry from the Fee step or contact support with the time of the attempt. Do not submit until the fee is paid when the portal requires it.

### Step 4 — Submit

1. Review your details and documents.
2. Confirm submit.
3. Save your **Queue ID** immediately — you will also get a **Notice** (Loan requested).

After submit, the application enters the DECSI branch queue. Staff will continue documents review, appraisal, collateral, credit decision, and disbursement preparation.

### Withdraw a draft

Unsubmitted drafts can be cancelled/withdrawn from the application actions if shown (optional reason). Submitted applications are handled by the branch — visit the branch for withdrawal or cancellation requests.

## 5. Track your application

Open the application from **My applications** or the status page.

### Notices

On **My applications** you may see a **Notices** list (payment, loan requested + Queue ID, branch intake, credit approved/declined). Use **mark all read** when available.

**Screenshot (C-14):** Notices — in-portal messages about your application.

### While drafting

You may see stages such as:

- Details
- Documents
- Fee
- Submit

Finish remaining steps to obtain a Queue ID.

### After submit

Typical pipeline:

| Stage                    | Meaning                                                                           |
|--------------------------|-----------------------------------------------------------------------------------|
| <b>Submitted</b>         | Received online; waiting in the branch queue ( <b>Loan requested</b> )            |
| <b>Branch intake</b>     | Branch cooperative reviews your application                                       |
| <b>Loan processing</b>   | Officer reviews documents, collateral, and analysis                               |
| <b>Credit decision</b>   | Credit approval process underway                                                  |
| <b>Disbursement prep</b> | Approved loan prepared for payment ( <b>Loan approved</b> milestone when decided) |
| <b>Disbursed</b>         | Funds released per DECSI records                                                  |

Status may show **requested amount** vs **approved amount/date** when credit has decided. If returned to the officer for corrections, the pipeline stays **in progress**.

Other outcomes you may see:

| Outcome                        | What it means                                                 |
|--------------------------------|---------------------------------------------------------------|
| <b>Not approved / Declined</b> | Credit review did not approve — visit your branch for details |
| <b>Closed / Rejected</b>       | Request closed without approval — branch can explain          |
| <b>Cancelled</b>               | Draft cancelled before submit                                 |

Always quote your **Queue ID** when calling or visiting the branch.

Status facts often include: product, branch, amount requested, submitted date, and assigned loan officer (when assigned).

## Repayment schedule

After **credit approval** (or disbursement), open **Repayment schedule** from the status page ( </apply/<id>/schedule/> ).

- Read-only amortization prepared by the branch (Sheet 7 / post-approval).
- If approved but the schedule is empty, the branch is still preparing it — check again later.
- Confirm final figures with your branch at disbursement if anything differs.

**Screenshot (C-13):** Repayment schedule — installment table after credit approval.

## 6. What happens after you submit?

You do **not** complete appraisal or collateral online. DECSI staff:

1. Accept the request into the branch queue.
2. Verify documents and run internal checks.
3. Complete credit appraisal and collateral valuation as required.
4. Send the file through credit committee.

5. Complete post-approval conditions, build the **repayment schedule**, and disburse if approved.

Processing time depends on product, collateral, completeness of documents, and committee schedules. Your status page and **Notices** update as the loan moves forward.

## 7. Tips for a smooth application

- Use the correct **customer number** linked to your DECSI profile.
- Choose the branch that normally serves you.
- Upload **all required** documents before paying the fee.
- Keep payment confirmation and **Queue ID** screenshots.
- Respond quickly if the branch asks for clearer documents or a site visit.
- Do not share your password or OTP with anyone claiming to be DECSI support in unofficial channels.

## 8. Troubleshooting

| Problem               | What to try                                                                                   |
|-----------------------|-----------------------------------------------------------------------------------------------|
| Portal closed         | Wait or visit the branch; Digital Apply may be temporarily disabled                           |
| Cannot register       | Check customer number and phone; ask branch if CBS validation is required                     |
| OTP not received      | Confirm phone number; wait and retry; contact branch if SMS is down                           |
| Payment stuck         | Do not create duplicate applications immediately; retry Fee step or ask branch with timestamp |
| Fee skipped           | Fee may be <b>0 / waived</b> — continue to Submit                                             |
| No Queue ID           | Application is still a draft — complete Fee and Submit                                        |
| Status not moving     | Normal for several days; contact branch with Queue ID if urgently delayed                     |
| No repayment schedule | Wait until after credit approval; branch may still be preparing amortization                  |
| Forgot which product  | Open My applications — product and amount are listed on each card / status                    |

## 9. Privacy and support

- Your application data is processed by DECSI for credit assessment.
- For account or status help, contact your **branch** with full name, customer number, and Queue ID.
- Staff use a separate internal system; they will not ask for your Digital Apply password.

## 10. Related manuals

---

- Staff user manual — how DECSI processes your file after submit
- Admin user manual — for DECSI administrators only
- Screenshots
- Manual index · Printable HTML pack

# Market Partners User Manual — Seqela Market

**Audience:** Dealers, brokers, sales persons, suppliers, cooperatives/SACCOs, and other market actors who report local prices.

**Entry:** `/market-portal/`

**Brand in UI:** Seqela Market

This portal is separate from staff hub login and from Digital Apply. You do **not** use a DECSI staff username here.

## 1. Why this portal exists

DECSI uses local market prices (building materials, land, vehicles, machinery, and related items) to support collateral and credit work. Your quotes help keep **price bands** current for your area (Region → Zone → City/Woreda).

You can:

- Share a price as a **guest** (two steps, no account), or
- **Register** once so your trading area is saved and later quotes are faster.

## 2. Actor types

When you register, choose the type that best matches you:

| Type                | Examples                           |
|---------------------|------------------------------------|
| Dealer / shop       | Retail or wholesale shop           |
| Broker              | Intermediary quoting market rates  |
| Sales person        | Field sales reporting prices       |
| Supplier            | Manufacturer or distributor        |
| Cooperative / SACCO | Member cooperative price reporting |
| Other               | Not listed above                   |

Trust status (managed by DECSI staff) may show as **Pending**, **Trusted**, or **Suspended**. Suspended or disabled accounts cannot use the portal.

### 3. Guest: share a local price (no login)

1. Open `/market-portal/`.
2. You see **Share a local price** — Step **1 • Area** then **2 • Product**.
3. **About you:** enter name and phone.
4. **Where is this price from?** select Region → Zone → City / Woreda.
5. Continue to **Product & price**.
6. Choose product mode and enter the item + price (ETB) as prompted.
7. Submit. You should see confirmation that the quote was saved.

**Screenshot (M-01):** Share a local price — Step 1 Area (who you are + Region/Zone/City).

SEQUELA MARKET

Register Sign in

## Share a local price

Two quick steps. No staff login needed.

1 Area 2 Product

**ABOUT YOU**

Your name / shop Phone (optional)

e.g. Adi Haki Building Materials 09...

**WHERE IS THIS PRICE FROM?**

Region Zone City / Woreda

Continue to product & price

Want a history of your quotes? [Create a free account](#)

[Help · Segela Market](#) - prices from local dealers & brokers

M-01 — Market portal

**Screenshot (M-02):** Step 2 Product — enter item and price (ETB) for that area.

Guest quotes are useful for one-off reporting. For frequent updates, register an account.

## 4. Register a free account

1. From the portal, open **Register** ( </market-portal/register/> ).
2. Fill **About you:** name, phone, actor kind, product focus.
3. Set **Where you trade:** Region → Zone → City / Woreda.
4. Choose a username and password for the portal.
5. Submit **Create free account**.
6. Sign in at </market-portal/login/> .

After registration, your trading area is stored on your profile so you mainly enter product and price next time.

**Branch** tagging is optional. DECSI staff manage trust status (**Pending** / **Trusted** / **Suspended**) and portal enablement in Django Admin.

## 5. Sign in and profile

| Task               | Path                                                          |
|--------------------|---------------------------------------------------------------|
| Sign in            | <a href="/market-portal/login/">/market-portal/login/</a>     |
| Home / start quote | <a href="/market-portal/home/">/market-portal/home/</a>       |
| Profile            | <a href="/market-portal/profile/">/market-portal/profile/</a> |
| Sign out           | Sign out from the top actions                                 |

### Update your trading area

1. Sign in.
2. On Step 1 (area), change Region / Zone / City when offered, or use the location change flow.
3. Save location — later quotes use the saved area automatically.

### Profile

Use **Profile** to review or update contact details and preferences your deployment allows.

## 6. Submit product & price (registered)

1. Sign in → you land on area (Step 1) or go straight to product if location is already set.
2. Open **Product** step ( </market-portal/submit/product/> ).
3. Select the **product mode** shown in the UI (for example building materials from catalog, or free-text for land / vehicle / machinery — follow on-screen options).
4. Enter unit and **price** carefully (ETB).
5. Submit the quote.
6. Check **Your recent quotes** on the home/area screen to confirm it appears.

Submit honest, current local prices. Wrong quotes can distort collateral reference bands.

## 7. Tips for good quotes

- Match the **City / Woreda** to where the price actually applies.
- Prefer catalog items when the building-materials path is available (consistent naming).
- Report the unit the form asks for (piece, m<sup>2</sup>, quintal, etc.).
- Re-submit when prices move — do not leave stale figures for weeks if you trade daily.
- Keep your phone number up to date so DECSI can reach you about trust or data quality.

## 8. Troubleshooting

| Problem                    | What to try                                                                             |
|----------------------------|-----------------------------------------------------------------------------------------|
| Cannot sign in             | Confirm username/password; ask DECSI contact if account is suspended or portal disabled |
| Zone / city list empty     | Select Region first, then Zone, then City                                               |
| Guest vs account confusion | Guest is fine for one quote; register if you submit often                               |
| Quote not listed           | Refresh home; confirm you completed Step 2 submit                                       |
| Wrong area saved           | Use change-location / save location, then submit a new quote                            |

## 9. Privacy and integrity

- Prices you submit may be aggregated into market **price bands** for institutional use.
- Do not share your portal password.
- DECSI may set trust status (Pending / Trusted / Suspended) based on data quality.


## 10. Related manuals

- Customer (Digital Apply) — loan applications (different portal)
- Staff — internal processing (staff hub)
- Admin — platform configuration
- Manual index

## Screenshots

Real UI captures from DECSI Loan Hub used in this manual pack. Files live in `docs/user_manual/screenshots/`.

### Digital Apply (customers)



C-01 — Digital Apply landing



DIGITAL APPLY

## Create your account

Start with your **DECSI customer number**. When core banking is connected, we load your official name, mobile, and related details automatically.

Required: At least 10 characters; one uppercase letter; one lowercase letter; one number; one special character (!@#\$%...); not a common password or your phone number

**DECSI customer number**

[Look up](#)

Required. We load your name and phone from DECSI when the core-banking API is available.

**Full name**

Filled from DECSI when found — edit only if your record is wrong.

**Mobile number**

Must match your mobile on file with DECSI when core banking is connected.

**Password**

Required: At least 10 characters; one uppercase letter; one lowercase letter; one number; one special character (!@#\$%...); not a common password or your phone number

C-02 — Create account / register



DIGITAL APPLY

## Sign in

Enter the mobile number or customer number you registered with. This portal is for customers only — staff use the hub.

Phone or customer number

Mobile number or core-banking customer number.

Password

[Sign in](#)

[Register](#)

[Forgot password?](#) · Need help? [Help centre](#)



© Seqela Technologies. All rights reserved. · [Help centre](#)

Digital Apply - secure online loan intake for customers - not staff login

### C-03 — Customer sign-in



## Help • Digital Apply

How to register, apply online, pay the fee, and track your Queue ID. የአማርኛ መመሪያ - መምርሒት ማርቆ ከዚህ በታች / ኣብ ታሕቲ።

Customers · ደንበኞች





**AI-powered Credit Intelligence**  
Staff hub

**Sign in**

Secure staff login for officers and managers.

**Username**

**Password**

**Login**

[Forgot password?](#)

© Seqela Technologies

H-01 — Staff hub login

## Seqela Market

SEQELA MARKET

RegisterSign in

### Share a local price

Two quick steps. No staff login needed.

1 Area

2 Product

ABOUT YOU

Your name / shop

Phone (optional)

e.g. Adi Haki Building Materials

O9...

WHERE IS THIS PRICE FROM?

Region

Zone

City / Woreda

-----

-----

-----

Continue to product & price

Want a history of your quotes? [Create a free account](#)

[Help](#) · [Seqela Market](#) · prices from local dealers & brokers

M-01 — Market portal (share a local price)

## How to refresh captures

With the app running on port 8000:

```
mkdir -p docs/user_manual/screenshots
cd docs/user_manual/screenshots
google-chrome --headless --disable-gpu --no-sandbox --window-size=1280,900 \
  --screenshot=C-01_landing.png http://127.0.0.1:8000/
# ...repeat for other URLs
docker compose exec web python docs/user_manual/build_pdf.py
```

DECSI Loan Hub · User Manuals · 39

| ID   | URL             | File               |
|------|-----------------|--------------------|
| C-01 | /               | C-01_landing.png   |
| C-02 | /register/      | C-02_register.png  |
| C-03 | /login/         | C-03_login.png     |
| C-11 | /help/          | C-11_help.png      |
| H-01 | /hub/login/     | H-01_hub_login.png |
| M-01 | /market-portal/ | M-01_market.png    |

# DECSI Loan Hub — Installation Manual for IT Staff

**Audience:** DECSI IT / infrastructure staff installing or upgrading the Loan Hub.

**Goal:** Bring up a working stack with the **minimum requirements**, then harden for pilot / production.

End-user operations (admin / staff / customers) are in the user manuals index.

This document covers **install, configure, verify, backup**.

## 1. What you are installing

| Component                   | Role                                                                                                           |
|-----------------------------|----------------------------------------------------------------------------------------------------------------|
| <b>Web app</b> (Django)     | Staff hub ( /hub/ ), Digital Apply ( / ), Market portal ( /market-portal/ ), optional Django Admin ( /admin/ ) |
| <b>PostgreSQL 16</b>        | Primary database                                                                                               |
| <b>Media volume</b>         | Uploaded documents, photos, OCR inputs                                                                         |
| <b>Optional nginx HTTPS</b> | Secure context for field tablets (GPS / camera) on LAN                                                         |

**Recommended path:** Docker Compose (includes Python 3.9, Tesseract eng+amh, poppler, WeasyPrint libs).

## 2. Minimum requirements

### 2.1 Server (pilot / single-site minimum)

| Resource | Minimum                                                                   | Recommended (branch pilot+)             |
|----------|---------------------------------------------------------------------------|-----------------------------------------|
| CPU      | 2 vCPU                                                                    | 4 vCPU                                  |
| RAM      | <b>4 GB</b>                                                               | 8 GB                                    |
| Disk     | <b>40 GB</b> free SSD                                                     | 100 GB+ (media grows with scans/photos) |
| OS       | Linux x86_64 (Ubuntu 22.04 LTS or RHEL 8/9 equivalent)                    | Same                                    |
| Network  | LAN access to staff PCs; outbound HTTPS for updates / Chapa / CBS if used | Static IP or DNS name                   |

These are **application** minimums. Size disk for expected document volume (loan packs + collateral photos).

## 2.2 Client workstations (staff)

| Item    | Minimum                                                   |
|---------|-----------------------------------------------------------|
| Browser | Current Chrome, Edge, or Firefox                          |
| Display | 1280×720 (1920×1080 preferred for appraisal / collateral) |
| Network | Reach server on ports below                               |

Field tablets using GPS/camera need **HTTPS** (see §6).

## 2.3 Software prerequisites (Docker path — preferred)

| Software       | Minimum version                       |
|----------------|---------------------------------------|
| Docker Engine  | 24+                                   |
| Docker Compose | v2 ( <code>docker compose</code> )    |
| Git            | 2.x (to obtain / update the codebase) |

Host does **not** need a separate Python/PostgreSQL install when using Compose.

## 2.4 Software prerequisites (non-Docker / bare metal)

| Software        | Minimum                                                  |
|-----------------|----------------------------------------------------------|
| Python          | <b>3.9</b> (3.9.x)                                       |
| PostgreSQL      | <b>16</b>                                                |
| pip / venv      | Matching Python                                          |
| Tesseract OCR   | With <b>eng</b> + <b>amh</b> language packs              |
| poppler-utils   | For PDF→image                                            |
| WeasyPrint deps | Pango, Cairo, GDK-Pixbuf, shared-mime-info, DejaVu fonts |

## 2.5 Ports

| Port            | Service     | Notes                                                 |
|-----------------|-------------|-------------------------------------------------------|
| <b>8000/tcp</b> | Web (HTTP)  | Default Compose mapping                               |
| <b>5432/tcp</b> | PostgreSQL  | Bind to localhost / Docker network only in production |
| <b>8443/tcp</b> | HTTPS proxy | Only if using <code>docker-compose.https.yml</code>   |

Firewall: allow staff → 8000 (or 8443); do **not** expose PostgreSQL to the internet.

## 2.6 Accounts and secrets you must prepare

| Item                                                | Notes                                                        |
|-----------------------------------------------------|--------------------------------------------------------------|
| <code>SECRET_KEY</code>                             | Long random Django secret (never reuse across environments)  |
| <code>DB_PASSWORD</code>                            | Strong password for PostgreSQL                               |
| Superuser                                           | Created after first migrate ( <code>createsuperuser</code> ) |
| SMTP (optional but needed for staff password reset) | Host, port, user, password                                   |
| Chapa keys (optional)                               | Only if Digital Apply live payments                          |
| CBS / party API (optional)                          | Keep mock flags until DECSI core banking access is ready     |

## 3. Pre-install checklist

- ☐ Server meets §2.1
- ☐ Docker + Compose installed ( `docker --version` , `docker compose version` )
- ☐ Clock/NTP correct (important for MFA TOTP)
- ☐ Hostname / DNS planned ( `SITE_URL` , `ALLOWED_HOSTS` )
- ☐ Backup location identified for DB + `media`
- ☐ Release package or Git access available

## 4. Installation (Docker Compose — recommended)

### 4.1 Obtain the application

```
cd /opt    # or your preferred path
# Example: git clone <DECSI-internal-repo-url> decsi_loan
cd decsi_loan
```

### 4.2 Create environment file

```
cp .env.example .env
```

Edit `.env` — **minimum required for a non-debug deploy:**

```
SECRET_KEY=<generate-a-long-random-value>
DEBUG=False
ALLOWED_HOSTS=localhost,127.0.0.1,<server-ip-or-hostname>
SITE_URL=http://<server-ip-or-hostname>:8000

DB_NAME=decsiloandb
DB_USER=decsiloandbuser
DB_PASSWORD=<strong-password>
DB_HOST=db
DB_PORT=5432
```

Generate `SECRET_KEY` :

```
python3 -c "from django.core.management.utils import get_random_secret_key;
print(get_random_secret_key())"
```

(If Django is not on the host yet, generate any 50+ character random string, or run the same command after the image builds.)

#### Auth hardening (recommended from first install):

```
LOGIN_MAX_FAILED_ATTEMPTS=5
LOGIN_LOCKOUT_MINUTES=15
MFA_REQUIRED=True
MFA_TOTP_ISSUER=DECSI Loan Hub
SESSION_IDLE_TIMEOUT=1800
PASSWORD_MIN_LENGTH=10
```

#### Keep mocks until integrations are ready:

```
DECSI_CUSTOMER_FALLBACK MOCK=True
DECSI_CBS_USE MOCK_LEDGER=True
```

#### Digital Apply payments & SMS (optional):

```
# Live Chapa (leave empty + or set CHAPA_FORCE MOCK=True for demo checkout)
CHAPA_SECRET_KEY=
CHAPA_PUBLIC_KEY=
CHAPA_CURRENCY=ETB
CHAPA_FORCE MOCK=True

# Applicant OTP / status SMS gateway (optional)
APPLICANT_SMS_URL=
APPLICANT_SMS_API_KEY=
```

#### OCR language (Docker image already includes eng+amh):

```
DOCUMENT_OCR_LANG=eng+amh
```

Never commit `.env` to Git.

## 4.3 Build and start

```
docker compose up --build -d
```

Wait until `db` is healthy and `web` is running:

```
docker compose ps
docker compose logs -f web
```

## 4.4 Database migrate and superuser

Compose may already run migrations depending on entrypoint; always verify:

```
docker compose exec web python manage.py migrate
docker compose exec web python manage.py createsuperuser
```

Follow prompts (username, email optional, password).

## 4.5 Open the application

| Surface                | URL                                              |
|------------------------|--------------------------------------------------|
| Digital Apply (public) | <code>http://&lt;host&gt;:8000/</code>           |
| Staff hub login        | <code>http://&lt;host&gt;:8000/hub/login/</code> |
| Django Admin           | <code>http://&lt;host&gt;:8000/admin/</code>     |
| In-app Help (staff)    | <code>http://&lt;host&gt;:8000/hub/help/</code>  |

Sign in with the superuser, then create staff users and configure Settings (see Admin user manual).

## 5. Installation (bare metal — optional)

Use only if Docker is not allowed.

1. Install PostgreSQL 16; create DB/user matching `.env`.
2. Install system packages: Tesseract ( `eng` , `amh` ), poppler, Pango/Cairo stack (see Dockerfile for the package list).
3. Python 3.9 venv:

```
python3.9 -m venv .venv
source .venv/bin/activate
pip install --upgrade pip
pip install -r requirements.txt
```

1. `.env` with `DB_HOST=127.0.0.1` (not `db` ).
2. Migrate, createsuperuser, then either:

```
python manage.py runserver 0.0.0.0:8000          # lab only
# or production-style:
python manage.py collectstatic --noinput
gunicorn decsi_loan.wsgi:application -c gunicorn.conf.py
```

Put nginx/Apache in front for TLS in production.

## 6. HTTPS for field tablets (optional overlay)

Browsers require a **secure context** for camera/GPS on many devices.

```
./scripts/gen_field_https_certs.sh
# optionally pass LAN IP: ./scripts/gen_field_https_certs.sh 192.168.x.x
docker compose -f docker-compose.yml -f docker-compose.https.yml up --build -d
```

- App via proxy: `https://<lan-ip>:8443`
- Accept the self-signed certificate once (or install a bank-signed cert in `deploy/https/certs/` ).
- Set HTTPS-related env vars as documented in `.env.example` / `deploy/https/.env.https` .

## 7. Post-install configuration (minimum go-live)

Complete in hub **Settings** (superuser) or Admin:

1. Districts → Branches → geography (Regions / Zones / Cities)
2. Staff users with correct **roles** and branch/district
3. Loan categories + **document packs**
4. Approval committees
5. Collateral policy / estimation mode
6. Digital Apply: open/closed, processing fee, password/lockout, CBS lookup, terms checkbox
7. SMTP for staff password reset (if not set in `.env` )
8. MFA enrollment for privileged accounts
9. Confirm **Delegations** works (staff request → admin approve)
10. If using Seqela Market, schedule `recompute_market_bands` (see \$9.5)

CSV imports (optional):

```
docker compose exec web python manage.py import_zones <file>
docker compose exec web python manage.py import_branches <file>
docker compose exec web python manage.py import_loan_categories <file>
docker compose exec web python manage.py import_users <file>
```

## 8. Smoke test (IT acceptance)

| #  | Test                            | Expected                                                                                       |
|----|---------------------------------|------------------------------------------------------------------------------------------------|
| 1  | <code>docker compose ps</code>  | <code>web</code> Up, <code>db</code> healthy                                                   |
| 2  | Open <code>/hub/login/</code>   | Login form loads                                                                               |
| 3  | Login as superuser              | Hub home / Settings / <b>Delegations</b> visible                                               |
| 4  | Open <code>/</code>             | Digital Apply landing (or closed page if disabled)                                             |
| 5  | <code>/hub/help/</code>         | User manuals list; <b>Download PDF</b> if built                                                |
| 6  | Create test loan (staff)        | Queue ID issued                                                                                |
| 7  | Upload a PDF/image document     | File stored under media                                                                        |
| 8  | (If MFA on) Setup + verify TOTP | Login succeeds with code                                                                       |
| 9  | Digital Apply fee (mock)        | Mock/waived fee path reaches Submit                                                            |
| 10 | Submit online app               | Appears in Online loan intake + staff Notification                                             |
| 11 | <code>/market-portal/</code>    | Guest price quote saves                                                                        |
| 12 | Restart stack                   | <code>docker compose restart</code> — data persists                                            |
| 13 | Migrations                      | Includes loan delegation ( <code>0064</code> – <code>0066</code> ) and applicant portal latest |

## 9. Day-2 operations

### 9.1 Useful commands

```
docker compose ps
docker compose logs -f web
docker compose logs -f db
docker compose restart web
docker compose down          # stop (keeps volumes)
docker compose up -d --build # start / rebuild after code update
```

### 9.2 Backup (minimum)

| What        | How                                                                                                |
|-------------|----------------------------------------------------------------------------------------------------|
| Database    | <code>docker compose exec -T db pg_dump -U \$DB_USER \$DB_NAME &gt; backup_\$(date +%F).sql</code> |
| Media files | Backup Docker volume <code>media_data</code> or <code>/app/media</code> bind path                  |
| Config      | Keep a secure offline copy of <code>.env</code> (not in Git)                                       |

Restore DB only after stopping writers; test restore on a non-prod host first.

### 9.3 Update / upgrade

```
cd /opt/decsi_loan
git pull # or extract new release
docker compose up -d --build
docker compose exec web python manage.py migrate
docker compose exec web python manage.py collectstatic --noinput # if using gunicorn
entrypoint
```

After upgrades that change manuals:

```
docker compose exec web python docs/user_manual/build_pdf.py
```

### 9.4 Default Gunicorn sizing (production image/entrypoint)

From `gunicorn.conf.py` (override via env):

| Variable                      | Default                   |
|-------------------------------|---------------------------|
| <code>GUNICORN_WORKERS</code> | 3                         |
| <code>GUNICORN_THREADS</code> | 2                         |
| <code>GUNICORN_TIMEOUT</code> | 120                       |
| <code>GUNICORN_BIND</code>    | <code>0.0.0.0:8000</code> |

On a 4 GB host, do not raise workers aggressively without more RAM.

### 9.5 Market price bands (optional)

If Seqela Market is used for local quotes that feed collateral reference prices:

```
docker compose exec web python manage.py recompute_market_bands
```

Schedule this periodically (cron) after go-live. Manage actors / trust in Django Admin.

## 10. Security baseline for DECSI IT

- `DEBUG=False` in every non-lab environment
- Strong unique `SECRET_KEY` and `DB_PASSWORD`
- PostgreSQL not published to public internet
- `ALLOWED_HOSTS` and `SITE_URL` match real hostname
- `MFA_REQUIRED=True` for staff (or phased enrollment)
- HTTPS for any internet-facing or tablet field use
- Restrict `/admin/` to admin roles / VPN

- [ ] Regular DB + media backups with restore drills
- [ ] Keep OS and Docker images patched

See also `docs/INSA_SECURITY_CLEARANCE_CHECKLIST.md` for security control mapping.

## 11. Troubleshooting

| Symptom                                       | Check                                                                              |
|-----------------------------------------------|------------------------------------------------------------------------------------|
| <code>web</code> restarts / cannot connect DB | <code>DB_HOST=db</code> , password match, <code>docker compose logs db</code>      |
| 400 Bad Request / DisallowedHost              | Add host to <code>ALLOWED_HOSTS</code>                                             |
| Static/CSS missing (prod)                     | Run <code>collectstatic</code> ; confirm reverse proxy static config               |
| OCR / PDF features fail                       | Confirm Tesseract eng+amh inside container ( <code>tesseract --list-langs</code> ) |
| Staff password reset email never arrives      | Configure SMTP env vars; check mail logs                                           |
| MFA codes rejected                            | Server time/NTP skew                                                               |
| Out of disk                                   | Media volume growth; archive old uploads                                           |
| Port 8000 in use                              | Set <code>WEB_PORT=8080</code> in <code>.env</code> / Compose                      |

## 12. URL quick reference

| Path                                  | Purpose                                             |
|---------------------------------------|-----------------------------------------------------|
| <code>/</code>                        | Digital Apply                                       |
| <code>/hub/login/</code>              | Staff login                                         |
| <code>/hub/</code>                    | Staff hub                                           |
| <code>/hub/help/</code>               | In-app manuals (staff) + PDF download               |
| <code>/hub/delegations/</code>        | Authority delegation                                |
| <code>/hub/online_loan_intake/</code> | Digital Apply intake list                           |
| <code>/admin/</code>                  | Django Admin                                        |
| <code>/market-portal/</code>          | Market price portal                                 |
| <code>/collateral/</code>             | Collateral module (staff auth)                      |
| <code>/payments/chapa/webhook/</code> | Chapa payment webhook (must be reachable when live) |

### 13. Related documents

| Document                       | Use                                      |
|--------------------------------|------------------------------------------|
| Admin user manual              | Configure products, users, Digital Apply |
| Staff user manual              | Day-to-day lending operations            |
| INSA security checklist        | Security clearance controls              |
| <code>.env.example</code>      | Full environment variable template       |
| Project <code>README.md</code> | Architecture and developer reference     |

### Document control

| Item         | Value                                              |
|--------------|----------------------------------------------------|
| Product      | DECSI Loan Hub / AI-powered Credit Intelligence    |
| Audience     | DECSI IT staff                                     |
| Install path | Docker Compose (preferred)                         |
| Min server   | 2 vCPU · 4 GB RAM · 40 GB SSD · Linux · Docker 24+ |