b
UNIVERSITY
OF BERN

author3hash=19d1c5f909bbd72b20042740109f3be6family=Hlushchuk,
familyi=H., given=Ruslan,
giveni=R.hash=31208204cf1e706905070d03cc964a87family=Haberthür,
familyi=H., given=David,
giveni=D.hash=28c44c7c3e11860ed7bc799a90c1e7c5family=Djonov, familyi=D.,
given=Valentin, giveni=V.
author27hash=93b7b4116d73aaa26ad688c01fbeab1dfamily=Nording,
familyi=N., given=Henry,
giveni=H.hash=eba227d315234fe4e18711583beae200family=Baron, familyi=B.,
given=Lasse,
giveni=L.hash=31208204cf1e706905070d03cc964a87family=Haberthür,
familyi=H., given=David,
giveni=D.hash=92a39af39970ca1956b1cef28bd699c3family=Emschermann,
familyi=E., given=Frederic,
giveni=F.hash=346c02ece37d825cc670a2c057affd04family=Mezger, familyi=M.,
given=Matthias,
giveni=M.hash=5ce5f894a10f314a927ecc0d36ec1cb9family=Sauter, familyi=S.,
given=Manuela,

giveni=M.hash=0f8ef7327d3b63e5fa32ba51563b11c4family=Sauter, familyi=S., given=Reinhard,
giveni=R.hash=33dca73013f3757f7228ff33c0b4e930family=Patzelt, familyi=P., given=Johannes,
giveni=J.hash=7fba8225821f3a397b14e629b2420591family=Knoepp, familyi=K., given=Kai, giveni=K.hash=656ad9851bd699cdd6ed9a9230a4e721family=Nording, familyi=N., given=Anne,
giveni=A.hash=28fc978cad798e004c5660060c3354bdfamily=Meusel, familyi=M., given=Moritz,
giveni=M.hash=5ac617f83857cb8cc4fcb3ba9a3b93a4family=Meyer-Saraei, familyi=M., given=Roza,
giveni=R.hash=19d1c5f909bbd72b20042740109f3be6family=Hlushchuk, familyi=H., given=Ruslan,
giveni=R.hash=6035941324f88fb87db22e94a82c120efamily=Sedding, familyi=S., given=Daniel,
giveni=D.hash=e18bc7697442a7fc727f370e64c8a5e8family=Borst, familyi=B.,

given=Oliver, giveni=O.hash=4fc4e7f532556f3781628f6a5934a4e4family=Eitel, familyi=E., given=Ingo,
giveni=I.hash=65a978f71f5ebe30c2aed6af74bde123family=Karsten, familyi=K., given=Christian M,
giveni=C. M.hash=bb9ad5af6c593612ee1bc08f663f491ffamily=Feil, familyi=F., given=Robert,
giveni=R.hash=0fe8c0f9b2f307d7526a6ab2be4bd9fbfamily=Pichler, familyi=P., given=Bernd,
giveni=B.hash=efd68457c71c5901ae2a0ccdc638cf91family=Erdmann, familyi=E., given=Jeanette,
giveni=J.hash=c16c91a2bf5a1774571c33817b7be595family=Verschoor, familyi=V., given=Admar,
giveni=A.hash=a21783555fc2e29364d4dbcd10bacad5family=Chavakis, familyi=C., given=Emmanouil,
giveni=E.hash=8dd3503ef338ac8118d209a09cb31c52family=Chavakis, familyi=C., given=Triantafyllos,

giveni=T.hash=8a7fbed34065538fa9d79505516a12a7family=von Hundelshausen, familyi=v., given=Philipp, giveni=P.hash=d23a9f489cbd355b569e9ff7d34df8d1family=Köhl, familyi=K., given=Jörg, giveni=J.hash=7cf53c740dc20a0dbf797e193349c44ffamily=Gawaz, familyi=G., given=Meinrad, giveni=M.hash=f94e2680d468402b33b57ecc41b29dfffamily=Langer, familyi=L., given=Harald F., giveni=H. F.
author10hash=19d1c5f909bbd72b20042740109f3be6family=Hlushchuk, familyi=H., given=Ruslan, giveni=R.hash=31208204cf1e706905070d03cc964a87family=Haberthür, familyi=H., given=David, giveni=D.hash=1afe284cff4a9e442cf6c5c5a52e4210family=Soukup, familyi=S., given=Petr, giveni=P.hash=780a71287d23274c1428a4d76cc4ee23family=Barré, familyi=B., given=Sebastien F., giveni=S. F.hash=bebf43f0239ede97718fcc66e3a01528family=Khoma, familyi=K., given=Oleksiy-Zakhar,

giveni=O.-Z.hash=70c3296cb045e943881a6bd0cd177098family=Schittny,
familyi=S., given=Johannes,
giveni=J.hash=25d38a23b8f7d7849e90c53b11605a95family=Haghayegh Jahromi,
familyi=H. J., given=Neda,
giveni=N.hash=ebb1ec0e28d77b13acca4f1075879b2bfamily=Bouchet,
familyi=B., given=Audrey,
giveni=A.hash=0ed70643ae7867c240b6068dc2f92b08family=Engelhardt,
familyi=E., given=Britta,
giveni=B.hash=28c44c7c3e11860ed7bc799a90c1e7c5family=Djonov, familyi=D.,
given=Valentin, giveni=V.
author20hash=a752176af84e824f8f2ad98c3c887100family=Wüthrich,
familyi=W., given=Tsering,
giveni=T.hash=e5b63a9ffe394904aa84c6cda47d3a6efamily=Lese, familyi=L.,
given=Ioana,
giveni=I.hash=31208204cf1e706905070d03cc964a87family=Haberthür,
familyi=H., given=David,

giveni=D.hash=84ea46b5c0794411c4a3a9d7ee67eda1family=Zubler, familyi=Z.,
given=Cédric,
giveni=C.hash=19d1c5f909bbd72b20042740109f3be6family=Hlushchuk,
familyi=H., given=Ruslan,
giveni=R.hash=77fa0db93b4e1977038783d6473e9784family=Hewer, familyi=H.,
given=Ekkehard,
giveni=E.hash=e7bc4ba6a1a7cf0f15520e920d987dd8family=Maistriaux,
familyi=M., given=Louis,
giveni=L.hash=a1f09d9ed8204c0bbc451b50a821c4e5family=Gianello,
familyi=G., given=Pierre,
giveni=P.hash=afc7e02a52475150607ffe9342ced667family=Lengele, familyi=L.,
given=Benoit, giveni=B.hash=f5bf222152f7ca212a2c8cab3d0f1437family=Rieben,
familyi=R., given=Robert,
giveni=R.hash=36bb31387944e39120da2071175c021dfamily=Voegelin,
familyi=V., given=Esther,
giveni=E.hash=67c86fffdc8dd14ce41bde68225a02ebfamily=Olariu, familyi=O.,

given=Radu, giveni=R.hash=b0799160af1883194cb7e6b188b59beffamily=Duisit, familyi=D., given=Jérôme,
giveni=J.hash=b6e0eba240570f7fb4e226886a2f5a7afamily=Taddeo, familyi=T., given=Adriano,
giveni=A.hash=473a1763871e00def405bb9f3f610cbbfamily=Lengelé, familyi=L., given=Benoît, giveni=B.hash=f5bf222152f7ca212a2c8cab3d0f1437family=Rieben, familyi=R., given=Robert,
giveni=R.hash=56f087f755c85b4dbaa53b3b89167ef4family=Vögelin, familyi=V., given=Esther, giveni=E.hash=67c86fffdc8dd14ce41bde68225a02ebfamily=Olariu, familyi=O., given=Radu,
giveni=R.hash=b0799160af1883194cb7e6b188b59beffamily=Duisit, familyi=D., given=Jérôme,
giveni=J.hash=b6e0eba240570f7fb4e226886a2f5a7afamily=Taddeo, familyi=T., given=Adriano, giveni=A.
author6hash=84ea46b5c0794411c4a3a9d7ee67eda1family=Zubler, familyi=Z., given=Cédric,

giveni=C.hash=31208204cf1e706905070d03cc964a87family=Haberthür,
familyi=H., given=David,
giveni=D.hash=19d1c5f909bbd72b20042740109f3be6family=Hlushchuk,
familyi=H., given=Ruslan,
giveni=R.hash=28c44c7c3e11860ed7bc799a90c1e7c5family=Djonov,
familyi=D., given=Valentin,
giveni=V.hash=4aea396db4f6fdc8052dd1a8e7cb0ccbfamily=Constantinescu,
familyi=C., given=Mihai A.,
giveni=M. A.hash=67c86fffdc8dd14ce41bde68225a02ebfamily=Olariu, familyi=O.,
given=Radu, giveni=R.
author10hash=999bbf4601a73a482c2144ebb607f9a0family=Messerli,
familyi=M., given=Matthias,
giveni=M.hash=d9b8997f148f3eab30d6054b88843b19family=Aaldijk, familyi=A.,
given=Dea,
giveni=D.hash=31208204cf1e706905070d03cc964a87family=Haberthür,
familyi=H., given=David,

giveni=D.hash=f5a3439d22f64482841f2a12134a4ad8family=Röss, familyi=R., given=Helena,
giveni=H.hash=e022f8a1ba915a820d7c2fc18dd61c11family=García-Poyatos, familyi=G., given=Carolina,
giveni=C.hash=06ef4f3c16c5a6594a77a10f4bf91e27family=Sande-Melón, familyi=S., given=Marcos,
giveni=M.hash=bebf43f0239ede97718fcc66e3a01528family=Khoma, familyi=K., given=Oleksiy-Zakhar,
giveni=O.-Z.hash=81e6f68175133a5dcac0e91b298eea54family=Wieland, familyi=W., given=Fluri A. M.,
giveni=F. A. M.hash=182568114f7e49c7b682be228c381a70family=Fark, familyi=F., given=Sarya,
giveni=S.hash=28c44c7c3e11860ed7bc799a90c1e7c5family=Djonov, familyi=D., given=Valentin, giveni=V.
author12hash=b1ecf13915cfb7fa73028ecaaca19e95family=Trappetti, familyi=T., given=Verdiana,

giveni=V.hash=fbfd054826ec52385f5b4d42a54090d3family=Fernandez-Palomo, familyi=F., given=Cristian,
giveni=C.hash=7ec3da93a009f8fa69c58326be207f57family=Smyth, familyi=S., given=Lloyd, giveni=L.hash=867e70491e0e801733ed14c73c5cd76dfamily=Klein, familyi=K., given=Mitzi,
giveni=M.hash=31208204cf1e706905070d03cc964a87family=Haberthür, familyi=H., given=David,
giveni=D.hash=73aac7fa97105e8e85c502b2ac6c284afamily=Butler, familyi=B., given=Duncan,
giveni=D.hash=aa59c5d2919f8beb58ca03b3aca4b61efamily=Barnes, familyi=B., given=Micah,
giveni=M.hash=5427fdd37241fa95810616171dc080d3family=Shintani, familyi=S., given=Nahoko, giveni=N.hash=a57275a3d8a9f551f5158649844b7186family=de Veer, familyi=d., given=Michael,
giveni=M.hash=b3db0158ff6279d1e5cee14cac6a52a3family=Laissue, familyi=L., given=Jean A.,

giveni=J. A.hash=2c337aa62f8a6a1b97dd5b17718d0ff0family=Vozenin, familyi=V.,
given=Marie C.,
giveni=M. C.hash=28c44c7c3e11860ed7bc799a90c1e7c5family=Djonov,
familyi=D., given=Valentin, giveni=V.
author4hash=74fb7e2b6c1d6c2c6be184733715cc75family=Bochud, familyi=B.,
given=Estée,
giveni=E.hash=31208204cf1e706905070d03cc964a87family=Haberthür,
familyi=H., given=David,
giveni=D.hash=19d1c5f909bbd72b20042740109f3be6family=Hlushchuk,
familyi=H., given=Ruslan,
giveni=R.hash=7d9e4255d14b8242bca07cd432fb58c5family=Neubert,
familyi=N., given=Eike, giveni=E.
author5hash=2ebdb45c042242e625238a3847f09541family=Halm, familyi=H.,
given=Sebastian,
giveni=S.hash=31208204cf1e706905070d03cc964a87family=Haberthür,
familyi=H., given=David,

giveni=D.hash=1b52dfd3678bcc901b30926a3301a1f1family=Eppler, familyi=E.,
given=Elisabeth,
giveni=E.hash=28c44c7c3e11860ed7bc799a90c1e7c5family=Djonov, familyi=D.,
given=Valentin,
giveni=V.hash=855634979b381a2157cd3b2e127ed7f1family=Arnold, familyi=A.,
given=Andreas, giveni=A.
author3hash=31208204cf1e706905070d03cc964a87family=Haberthür,
familyi=H., given=David,
giveni=D.hash=19d1c5f909bbd72b20042740109f3be6family=Hlushchuk,
familyi=H., given=Ruslan,
giveni=R.hash=fdf6fa40a994c79d1b1f7f654c7601dbfamily=Wolf, familyi=W.,
given=Thomas Gerhard, giveni=T. G.
author6hash=31208204cf1e706905070d03cc964a87family=Haberthür,
familyi=H., given=David,
giveni=D.hash=84ea9fb46ffbf07bc60fc647352ad435family=Law, familyi=L.,
given=Mikki, giveni=M.hash=1912e22c04700e5f32ad165109fd7015family=Ford,

familyi=F., given=Kassandra,
giveni=K.hash=70934deda6bfea69302d6f504ba9f152family=Häsler, familyi=H.,
given=Marcel,
giveni=M.hash=80b1719708477d2cb174bbfbea96ab2efamily=Seehausen,
familyi=S., given=Ole,
giveni=O.hash=19d1c5f909bbd72b20042740109f3be6family=Hlushchuk,
familyi=H., given=Ruslan, giveni=R.
author1hash=ed7cf735165a23ae53379b52a3248bf0family=Cormack, familyi=C.,
given=A. M., giveni=A. M.
author1hash=5b87eb90495f912086684cbb9a03b999family=Hounsfield,
familyi=H., given=Godfrey Newbold, giveni=G. N.
author1hash=04723f860550f84b6efa7cbd0264669afamily=Hsieh, familyi=H.,
given=J, giveni=J.
author1hash=a01d42e39c3e0003eeafdabee986f41ffamily=Hammer, familyi=H.,
given=Mark, giveni=M.
author1hash=b6aea1a416c89509a7df1cbb69249cb6family=Wikipedia

contributors, familyi=W.
author12hash=fbbb974571847006fdd8ef15bd129e7dfamily=Clark, familyi=C.,
given=Kenneth,
giveni=K.hash=35eb06af1a233f93dd4f54bde7025041family=Vendt, familyi=V.,
given=Bruce, giveni=B.hash=a3120d45eb0db75e7e62f245ac9bf11ffamily=Smith,
familyi=S., given=Kirk,
giveni=K.hash=768032703bf13ee65a42f635e6ed63ebfamily=Freymann,
familyi=F., given=John,
giveni=J.hash=93d1bacd02ff5b479a51ed532bec1dc8family=Kirby, familyi=K.,
given=Justin,
giveni=J.hash=38f97a89b35932e1c44923c7c44d3fb1family=Koppel, familyi=K.,
given=Paul, giveni=P.hash=b498bac98a3cc23502501af828a26577family=Moore,
familyi=M., given=Stephen,
giveni=S.hash=a3dcd1cd778a2e3a2331246feb19299efamily=Phillips, familyi=P.,
given=Stanley,
giveni=S.hash=47c9cb9722ec3b1b7aca24972103ba81family=Maffitt, familyi=M.,

given=David,
giveni=D.hash=8320aec28286702f6073b037b9e39fb9family=Pringle, familyi=P.,
given=Michael,
giveni=M.hash=95f19d89fe3faaf38b505568ee46d0a8family=Tarbox, familyi=T.,
given=Lawrence,
giveni=L.hash=c6702fd6761bc177cf5c4641f7a93fbafamily=Prior, familyi=P.,
given=Fred, giveni=F.
author16hash=ac82c7686cb5af1a978185f449f30702family=Schindelin,
familyi=S., given=Johannes,
giveni=J.hash=fb4a9b4f8cb47f8bee748d32779b7d01family=Arganda-Carreras,
familyi=A., given=Ignacio,
giveni=I.hash=0a776e2acaca3da7f09464eed966703afamily=Frise, familyi=F.,
given=Erwin, giveni=E.hash=cf3458a8158dd8bcbccb1d9f3bae1444family=Kaynig,
familyi=K., given=Verena,
giveni=V.hash=f8d350e633e669ecce76f53a255ca7e6family=Longair, familyi=L.,
given=Mark,

giveni=M.hash=74624b572b3fd665ada5f45e837b3fadfamily=Pietzsch,
familyi=P., given=Tobias,
giveni=T.hash=52ebeccf5706d204d6ea2f00afdc0a82family=Preibisch, familyi=P.,
given=Stephan,
giveni=S.hash=1278dc454496030a575c2364261b643efamily=Rueden,
familyi=R., given=Curtis,
giveni=C.hash=e3100f88cc060bd3d2cc5fc5d24ea490family=Saalfeld, familyi=S.,
given=Stephan,
giveni=S.hash=21b481f5dff243098574c2319c707eeffamily=Schmid, familyi=S.,
given=Benjamin,
giveni=B.hash=51fcbf8611c8067bed3b33bf0f587c8efamily=Tinevez, familyi=T.,
given=Jean-Yves,
giveni=J.-Y.hash=2cbf1102bb63abcf1e7de9007399d6cbfamily=White,
familyi=W., given=Daniel James,
giveni=D. J.hash=6469e23f6e55008a8f1d6ad677777332family=Hartenstein,
familyi=H., given=Volker,

giveni=V.hash=ab16022f9fa944777da25790f7620b79family=Eliceiri, familyi=E.,
given=Kevin,
giveni=K.hash=6166a3f540ffe514a2b0a8932f8fca1cfamily=Tomancak,
familyi=T., given=Pavel,
giveni=P.hash=704fa1d6130928d88680f2323fd9ff84family=Cardona, familyi=C.,
given=Albert, giveni=A.
author14hash=282b5d6fe909cc357c8dd473058b8fdcfamily=Kluyver, familyi=K.,
given=Thomas,
giveni=T.hash=bb0499362e4246138a245cb29663ef0efamily=Ragan, familyi=R.,
given=Benjamin,
giveni=B.hash=cdf727c87390cdf7a8ab76f9efc61f93family=Perez, familyi=P.,
given=Fernando,
giveni=F.hash=da7210cb80d97a3a426f16a9d4f40d24family=Granger,
familyi=G., given=Brian,
giveni=B.hash=7f34166865a83ff30f9d4413ef06b9c4family=Bussonnier,
familyi=B., given=Matthias,

giveni=M.hash=0f7d9893defe60d76157e1cadb5400c0family=Frederic, familyi=F., given=Jonathan, giveni=J.hash=deedcc61b45535cf6338ad78ce8f8232family=Kelley, familyi=K., given=Kyle, giveni=K.hash=05461f0d944dc591c3ec713dc214129bfamily=Hamrick, familyi=H., given=Jessica, giveni=J.hash=fd289a69d047befbdbf4cdb8c13e5114family=Grout, familyi=G., given=Jason, giveni=J.hash=983b7e23a76250681fa9f1b243743ee6family=Corlay, familyi=C., given=Sylvain, giveni=S.hash=df5e4f7bc60c539377e4eb9dcfb21183family=Ivanov, familyi=I., given=Paul, giveni=P.hash=2657875abf2d343b08f60de47a3fd224family=Avila, familyi=A., given=Damián, giveni=D.hash=e9ee2512e4cee488a23dc45742e57bcafamily=Abdalla, familyi=A., given=Safia, giveni=S.hash=e154bce99b3c9f96d7d2a6f1b1965fb6family=Willing, familyi=W., given=Carol, giveni=C.

author8hash=fdf6fa40a994c79d1b1f7f654c7601dbfamily=Wolf, familyi=W., given=Thomas Gerhard, giveni=T. G.hash=66c409447e6df454bc7bd4defd7c7cc0family=Anderegg, familyi=A., given=Andrea Lisa, giveni=A. L.hash=31208204cf1e706905070d03cc964a87family=Haberthür, familyi=H., given=David, giveni=D.hash=bebf43f0239ede97718fcc66e3a01528family=Khoma, familyi=K., given=Oleksiy-Zakhar, giveni=O.-Z.hash=a9c0d1c3769020ff0f80e6e7b69b9a26family=Schumann, familyi=S., given=Sven, giveni=S.hash=b3597c7650eb4253a7690899c1f9086efamily=Boemke, familyi=B., given=Nane, giveni=N.hash=b413c7aa5f3eeee1ff00f0eafe819414family=Wierichs, familyi=W., given=Richard Johannes, giveni=R. J.hash=19d1c5f909bbd72b20042740109f3be6family=Hlushchuk, familyi=H., given=Ruslan, giveni=R.

author5hash=7a41b26f38c6ace1e4182a108e47e7b1family=Briseño-Marroquín, familyi=B., given=Benjamín, giveni=B.hash=7aef301479a84587c1fa1fac608150bcfamily=Paqué, familyi=P., given=Frank, giveni=F.hash=9e86a97a6f7cde113196bc98c4c70157family=Maier, familyi=M., given=Karolin, giveni=K.hash=023b0e41ddb46e953e5d493dc3c263bafamily=Willershausen, familyi=W., given=Brita, giveni=B.hash=fdf6fa40a994c79d1b1f7f654c7601dbfamily=Wolf, familyi=W., given=Thomas Gerhard, giveni=T. G.
author1hash=31208204cf1e706905070d03cc964a87family=Haberthür, familyi=H., given=David, giveni=D.
author5hash=fdf6fa40a994c79d1b1f7f654c7601dbfamily=Wolf, familyi=W., given=Thomas Gerhard, giveni=T. G.hash=7aef301479a84587c1fa1fac608150bcfamily=Paqué, familyi=P., given=Frank, giveni=F.hash=1f9fd8925e24d25d3aef11d313378c2afamily=Sven Patyna,

familyi=S. P., given=Michael, giveni=M.hash=023b0e41ddb46e953e5d493dc3c263bafamily=Willershausen, familyi=W., given=Brita, giveni=B.hash=7a41b26f38c6ace1e4182a108e47e7b1family=Briseño-Marroquín, familyi=B., given=Benjamín, giveni=B.

X-ray microtomography

485018-HS2024-0: Advanced Course II Ultraprecision Engineering

David Haberthür
, September 25, 2024

Grüessech mitenang!

- David Haberthür
  - Physicist by trade
  - PhD in high resolution imaging of the lung, Institute of Anatomy, University of Bern, Switzerland
  - Post-Doc I: TOMCAT, Swiss Light Source, Paul Scherrer Institute, Switzerland
  - Post-Doc II: µCT group, Institute of Anatomy, University of Bern, Switzerland.

Grüessech from the µCT-group

David.Haberthuer@unibe.ch Ruslan.Hlushchuk@unibe.ch Oleksiy.Khoma@unibe.ch

µCT-group

- microangioCT **Hlushchuk2018**
  - Angiogenesis: heart, musculature **Nording2021** and bones
  - Vasculature: (mouse) brain **Hlushchuk2020**, (human) nerve scaffolds **Wuthrich2020**, (human) skin flaps **Zubler2021** and tumors
- Zebrafish musculature and gills **MesserliAaldijk2020**
- (Lung) tumor detection and metastasis classification **Trappetti2021**
- Collaborations with museums **Bochud2021** and scientist at UniBe **Halm2021** to scan a wide range of specimens
- Automate *all* the things! **Haberthuer2021**, **Haberthuer2022**



bruker.com/skyscan1272

Contents

- Overview
- Imaging
- Tomography
  - History
  - Interaction of x-rays with matter
  - Tomography today
- A scan, from *getting started* to *nice image*
- Examples
  - A study about teeth
    - Overview
    - Materials & Methods
    - Results
  - Metal foam analysis
  - A study on fish

µCT

- Dense and/or non-transparent samples
- Calibrated & isotropic 3D images at micron resolutions
- Covers a very large range of sample sizes
- Gives information at different length scales
- Nondestructive imaging, thus compatible with routine sample preparation. Enables correlative imaging pipelines, scanning of museum & collection material

Biomedical imaging

- Medical research
- Non-destructive insights into the samples
- (Small) Biological samples



w.wiki/7g4

Biomedical imaging

- Medical research
- Non-destructive
  the samples
- (Small) Biologic ples



Wavelength & Scale



Wavelength & Scale



Stefan Tschanz, with permission

Imaging methods

- Light (sheet) microscopy: see lecture of Nadia Mercader Huber
- X-ray imaging
- Electron microscopy
  - *Analytical electron microscopy* by Dimitri
  - *SEM Grundlagen* by Sabine Kässmeyer and Ivana Jaric
  - *Cryoelectron Microscopy & Serial Block Face SEM* by Ioan

CT-Scanner

youtu.be/2CWpZKuy-NE

CT History

- Long history
  - **Cormack1963**: **Cormack1963** used a collimated ^{60}Co source and a Geiger counter as a detector **Cormack1963**
  - 1976: **Hounsfield1976a** worked on first clinical scanner **Hounsfield1976a**
  - Nice overview by **Hsieh2003 Hsieh2003**



From **Beckmann2006**, Figure 5

CT History

- Long history
  - **Cormack1963**: **Cormack1963** used a collimated ^{60}Co source and a Geiger counter as a detector **Cormack1963**
  - 1976: **Hounsfield1976a** worked on first clinical scanner **Hounsfield1976a**
  - Nice overview by **Hsieh2003 Hsieh2003**
- CT scanner generations: First



From **Hsieh2003**, Figure 1.12

CT History

- Long history
  - **Cormack1963**: **Cormack1963** used a collimated ^{60}Co source and a Geiger counter as a detector **Cormack1963**
  - 1976: **Hounsfield1976a** worked on first clinical scanner **Hounsfield1976a**
  - Nice overview by **Hsieh2003 Hsieh2003**
- CT scanner generations: First, second



From **Hsieh2003**, Figure 1.13

CT History

- Long history
  - **Cormack1963**: **Cormack1963** used a collimated ^{60}Co source and a Geiger counter as a detector **Cormack1963**
  - 1976: **Hounsfield1976a** worked on first clinical scanner **Hounsfield1976a**
  - Nice overview by **Hsieh2003 Hsieh2003**
- CT scanner generations: First, second and third



From **Hsieh2003**, Figure 1.14

µCT History I

- X-ray computed tomography began to replace analog focal plane tomography in the early 1970s **Lin2019**
- µCT was first reported in the 1980s, for scanning gemstones
- Lee Feldkamp **Feldkamp1984** developed one of the early laboratory microCT systems by assembling a micro-focus cone beam x-ray source, specimen holder and stagers, and an image intensifier at Ford Motor Company's Scientific Research Laboratory to nondestructively detect damage in ceramic manufactured automobile parts
- Met with scientists at Henry Ford Hospital and University of Michigan interested in understanding the relationship between the microstructure and biomechanical function of trabecular bone to study osteoporotic fractures **Feldkamp1983**
- CT scanners in medical diagnostics, beginning in the early 1970s

µCT History II

- Non-medical use in the late 1970s, for detection of internal defects in fabricated parts and equipment
- Today: Nondestructive imaging for quantifying the microstructure of organic materials, particularly mineralized bone tissue and the relationships between the mechanical behavior of bone to its structural and compositional properties
- Since the 1990s, µCT includes imaging of soft tissues and vasculature using radio-opaque contrast agents
- $\approx$2500 µCT systems are in use worldwide with over 1000 publications annually

X-ray interaction

- "X-rays interact with tissue in 2 main ways: photoelectric effect and Compton scatter. To a first approximation, the photoelectric effect contributes to contrast while the Compton effect contributes to noise. Both contribute to dose." (**xrayphysics**)
  - Photoelectric absorption (τ) is strongly dependent on the atomic number Z of the absorbing material: $\tau \propto \frac{Z^4}{E^{3.5}}$
  - Compton scattering is one of the principle forms of photon interaction and is directly proportional to the (electron & physical) density of the material. It does *not* depend on the atomic number: $\lambda' - \lambda = \frac{h}{m_e c}(1 - \cos\theta)$
- Lowering x-ray energy increases contrast
- X-ray penetration decreases exponentially with sample thickness **wiki:beer-lambert**: $I(t) = I_0\, e^{-\alpha z}$

Composition of biological tissues

Tissue: content by mass percentage

Element	H	C	N	O	Na	P	S	Cl	K	Ca
Atomic number	1	6	7	8	11	15	16	17	19	20
Fat	11.4	59.8	0.7	27.8	0.1		0.1	0.1		
Water	11.2			88.8						
Blood	10.2	11	3.3	74.5	0.1	0.1	0.2	0.3	0.2	
Liver	10.2	13.9	3	71.6	0.3	0.2	0.3	0.2	0.3	
Brain	10.7	14.5	2.2	71.2	0.2	0.4	0.2	0.3	0.3	
Bone	3.4	15.5	4.2	43.5	0.1	10.3	0.3			22.5

Why µCT?



From **Clark2013**, Subject *C3L-02465*

Why µCT?



From **Clark2013**, Subject *C3L-02465*

Why µCT?



From **Clark2013**, Subject *C3L-02465*



Why µCT?



From **Clark2013**, Subject *C3L-02465*

Why µCT?

From **Clark2013**, Subject *C3L-02465*

Maximum intensity projection

Projections

Reducing the dimensions of a dataset. For example projecting a volume (3D) to a surface by taking the maximum value across planes for each pixel.







Fundamentals of Digital Image Processing (2022) by Guillaume Witz, Slide 23

Machinery

- Hospital CT
  - Voxel size around 0.5 mm
- Lab/Desktop CT
  - Voxel size around 7 µm (*in vivo*) or 0.5 µm (*ex vivo*)
- Synchrotron CT
  - Voxel size down to 160 nm

flic.kr/p/D4rbom

Machinery

- Hospital CT
  - Voxel size around 0.5 mm
- Lab/Desktop CT
  - Voxel size around 7 µm (*in vivo*) or 0.5 µm (*ex vivo*)
- Synchrotron CT
  - Voxel size down to 160 nm

flic.kr/p/fpTrGu

Machinery

- Hospital CT
  - Voxel size around 0.5 mm
- Lab/Desktop CT
  - Voxel size around 7 µm (*in vivo*) or 0.5 µm (*ex vivo*)
- Synchrotron CT
  - Voxel size down to 160 nm



bruker.com/skyscan1272

Machinery

- Hospital CT
  - Voxel size around 0.5 mm
- Lab/Desktop CT
  - Voxel size around 7 µm (*in vivo*) or 0.5 µm (*ex vivo*)
- Synchrotron CT
  - Voxel size down to 160 nm



flic.kr/p/7Xhk2Y

What is happening?

No matter what kind of machine, the basic principle is always the same

- an x-ray source
- a sample
- a detector



w.wiki/7g3

Machinery





Examples



Examples



Examples



From **Bochud2021**, *Diancta phoenīx*

Examples



Examples

Preparation

- Study design
- Sample preparation

Projections



Contrast, Magnification and Resolution—Laws of Physics for Microscopists (1, 2022) by Martin Frenz, Slide 21

Projection acquisition



Projections



Projections

- A (micro-focus) x-ray source illuminates the object
- The x-rays penetrate the sample and are attenuated
- A scintillator converts the x-rays to visible light
- A (planar) x-ray detector collects (magnified) projection images.
- The projections are recorded on disk

Reconstructions



Reconstructions



Reconstructions

Reconstructions

- Based on hundreds of angular views acquired while the object rotates, a computer synthesizes a stack of virtual cross section slices through the object.
- Radon Transformation
- Filtered back projection
- Fan beam reconstruction
- Corrections (beam hardening, etc.)
- Writing to stack

Visualization

Visualization

– Based the on reconstructions, a computer synthesizes a three-dimensional view of the scanned sample

What to use?

- ImageJ/Fiji **Schindelin2012**
- Also see *Fundamentals of Digital Image Processing* by Guillaume Witz
- Reproducible research
  - in Jupyter **Kluyver2016**
  - **git**
  - Script all your things!
  - Data repositories; i. e. sharing is caring!

Quantitative data

- Pretty images are nice, but we need quantitative numbers
- Segmentation
- Characterization

Internal morphology of human teeth

Collaboration with zmk bern – Zahnmedizinische Kliniken

- Numbers instead of just pretty images
- Segm
- (



Internal morphology of human teeth

Collaboration with zmk bern – Zahnmedizinische Kliniken

- Numbers instead of just pretty images
- Segmentation of teeth and root canal
- (Unbiased) Characterization
- Reproducible and automated image analysis (in Jupyter **Kluyver2016**)
- Two publications:
  - **Haberthuer2021**, BMC Oral Health, doi.org/gjpw2d
  - **Wolf2021**, Scientific Reports, doi.org/g7r8

How?

- 104 extracted human permanent mandibular canines
- µCT imaging
- Root canal configuration, according to **Briseno-Marroquin2015 Briseno-Marroquin**
- *Reproducible* analysis **Haberthuer2020a**, e. g. you can click a button to double-check or recalculate the results yourself!

How?

- 104 extracted human permanent mandibular canines
- µCT imaging
- Root canal configuration, according to **Briseno-Marroquin2015 Briseno-Marroquin**
- *Reproducible* analysis **Haberthuer2020a**, e. g. you can click a button to double-check or recalculate the results yourself!



bruker.com/skyscan1272

How?

- 104 extracted human permanent mandibular canines
- µCT imaging
- Root canal configuration, according to **Briseno-Marroquin2015 Briseno-Marroquin2015**
- *Reproducible* analysis **Haberthuer2020a**, e. g. you can click a button to double-check or recalculate the results yourself!

```
Scanner=SkyScan1272
Instrument S/N=15G09089-B
Software Version=1.1.19
Filename Prefix=Tooth045~00
Number Of Files=  482
Number Of Rows= 1092
Number Of Columns= 1632
Source Voltage (kV)=  80
Source Current (uA)= 125
Image Pixel Size (um)=9.999986
Exposure (ms)=950
Rotation Step (deg)=0.400
Frame Averaging=ON (3)
Filter=Al 1mm
Study Date and Time=02 Jul 2020  08h:23m:34s
Scan duration=0h:39m:51s
```

How?

- 104 extracted human permanent mandibular canines
- µCT imaging
- Root canal configuration, according to **Briseno-Marroquin2015 Briseno-Marroquin2015**
- *Reproducible* analysis **Haberthuer2020a**, e. g. you can click a button to double-check or recalculate the results yourself!

Sample changer on the SkyScan 1272
In total:

- 13 days of *continuous* µCT scanning
- 819 GB of raw data
  230 648 TIFF projections
- 326 GB data as input for analysis
  282 062 PNG reconstructions

How?

- 104 extracted human permanent mandibular canines
- µCT imaging
- Root canal configuration, according to **Briseno-Marroquin2015 Briseno-Marr**
- *Reproducible* analysis **Haberthuer2020a**, e. g. you can click a button to double-check or recalculate the results yourself!



From **Briseno-Marroquin2015**, Fig. 2

How?

- 104 extracted human permanent mandibular canines
- µCT imaging
- Root canal configuration, according to **Briseno-Marroquin2015 Briseno-Marr**
- *Reproducible* analysis **Haberthuer2020a**, e. g. you can click a button to double-check or recalculate the results yourself!



From **Wolf2017**, Fig. 1

How?

- 104 extracted human permanent mandibular canines
- µCT imaging
- Root canal configuration, according to **Briseno-Marroquin2015 Briseno-Marr**
- *Reproducible* analysis **Haberthuer2020a**, e. g. you can click a button to double-check or recalculate the results yourself!

gph.is/2nqkple

How?

- 104 extracted human permanent mandibular canines
- µCT imaging
- Root canal configuration, according to **Briseno-Marroquin2015 Briseno-Marroqu**
- *Reproducible* analysis **Haberthuer2020a**, e. g. you can click a button to double-check or recalculate the results yourself!



µCT imaging


Tooth005
Tooth008
Tooth009
Tooth018
Tooth020
Tooth021
Tooth024
Tooth032
Tooth038
Tooth042
Tooth044
Tooth045
Tooth049
Tooth052
Tooth055
Tooth056
Tooth063
Tooth071
Tooth072
Tooth076
Tooth079
Tooth087
Tooth093
Tooth095
2 mm

Dataset cropping

- Full datasets: 326 GB
- Cropped datasets: 115 GB



Dataset cropping

- Full datasets: 326 GB
- Cropped datasets: 115 GB



Tooth morphology



Tooth morphology



From **Briseno-Marroquin2015**, Fig. 2

Tooth morphology



Detection of enamel-dentin border



Detection of enamel-dentin border



Outcome root canal configuration classification

Roots		RCC	#	%
Single (N=98)		1-1-1/1	73	74.5
		1-1-1/2	14	14.3
		1-1-1/3	1	1.0
		1-1-1/4	2	2.1
		1-1-2/1	1	1.0
		1-2-1/1	4	4.1
		1-2-1/2	1	1.0
		1-2-2/2	1	1.0
		2-3-1/1	1	1.0
Double (N=3)	Buccal	1-1-1/1	2	66.6
		1-2-1/1	1	33.3
	Lingual	1-1-1/1	2	66.6
		1-1-1/2	1	33.3

Extraction of root canal space



Results of root canal space extraction



Analysis of the physiological foramen geometry



From **Wolf2017**, Fig. 1

Analysis of the physiological foramen geometry



Conclusion ZMK

- Efficient use of time, e. g. more teeth does not mean more (human) work
- Reproducible analysis with *free and open-source* software, usable by *anyone*
- Objective analysis, e. g. no operator bias

Metal foam



Etienne Berner NanoElectroCatalysis Group

Data wrangling by example: Cichlids

- 372 tomographic scans of 133 different Cichlids, from 6–18 cm**Haberthuer2023Haberthuer2023**
- 9.8 TB of projection images, 1.5 TB of reconstructions
- Reproducible and automated dataset wrangling, checking and image analysis (in Jupyter **Kluyver2016**)



Cichlids



Data wrangling by example: Cichlids





Data wrangling by example: Cichlids







Data wrangling by example: Cichlids







Data wrangling by example: Cichlids







Thanks!

- Thanks for listening to me!
- What questions do you have for me?

Colophon

- This BEAMER presentation was crafted in LaTeX with the (slightly adapted) template from *Corporate Design und Vorlagen* of the University of Bern.
  - Complete source code: git.io/fjpP7
  - The LaTeX code is automatically compiled with a GitHub action[1] to a (handout) PDF which you can access here: git.io/JeQxO
- Did you spot an error?
  - File an issue: git.io/fjpPb
  - Submit a pull request: git.io/fjpPN
  - Send me an email: david.haberthuer@unibe.ch

[1] Details on how this works are specified in a small test repository here: git.io/JeOOj

References I