

microCT imaging of threespine stickleback

This manuscript ([permalink](#)) was automatically generated from habi/sticklebacks-manuscript@1cc5e34 on January 15, 2026.

Authors

- **David Haberthür**

 [0000-0003-3388-9187](https://orcid.org/0000-0003-3388-9187) ·  [habi](https://habitat.habiforall.ch/@habibot) ·  @habi@mastodon.social

microCT research group, Institute of Anatomy, University of Bern, Baltzerstrasse 2, 3012 Bern, Switzerland

- **Ben Sulser**

- **Sheila Christen**

- **Katie Peichel**

- **Ruslan Hlushchuk** 

 [0000-0001-2345-6789](https://orcid.org/0000-0001-2345-6789) ·  [RuslanHlushchuk](https://habitat.habiforall.ch/@RuslanHlushchuk)

microCT research group, Institute of Anatomy, University of Bern, Baltzerstrasse 2, 3012 Bern, Switzerland

 — Correspondence possible via [GitHub Issues](#) or email to Ruslan Hlushchuk
<ruslan.hlushchuk@unibe.ch>.

Abstract

Introduction

- Embedded into [Alaska Stickleback Restoration Project](#), [Genomics axis](#) where Katie Peichel, Ben Sulser and Sheila Christen are affiliated.

Materials & Methods

Sample preparation

microtomographic imaging

- Scanned on a [Bruker SkyScan 2214](#)
- Sample holder generated with [OpenSCAD](#), available online at [GitHub](#) [1]
 - Scanning several fish together to efficiently use machine time
 - Full in Bruker workflow
 - Results in PNG stacks on disk

Data analysis

- [Jupyter notebooks](#) [2]
 - Efficiently loading data from disk with [dask](#) [3]
 - Extract position of single fish (all scanned together), based on the MIP of the scan (see Figure 2).
 - Crop out each fish (with a buffer) and write to cropped dataset (see Figure 4).
 - Cropped datasets are saved to discrete folders for easy handling. In both original gray-scale plus as thresholded dataset, e.g. binarized into bone and “not bone”. These are saved out as [zarr](#) [4] and [nrrd](#) files.



Figure 1: Maximum intensity projections of one acquired dataset along all three cardinal axes.





Figure 2: Automatically detected regions based on maximum intensity projection along the rotation axis of the tomographic scan. The regions are numbered consecutively from the top left to the bottom right. These numbers are mapped to the correct fish ID in the next step.

Bucket H

MIP & Calculated labels



Resorted label:mapped ID




Photo of labbook




Photo of tubes



Figure 3: Mapping lab book notes, photos and detected regions to fish ID.




Figure 4: Doublechecking crop extent and fish ID.

Results

Discussion

Conclusion

Author Contributions

[Contributor Roles Taxonomy \(CRediT\)](#), as defined in [5]:

- [Data curation](#): David Haberthür
- [Formal analysis](#): David Haberthür
- [Investigation](#): David Haberthür
- [Methodology](#): David Haberthür
- [Project administration](#): David Haberthür
- [Software](#): David Haberthür
- [Validation](#): David Haberthür
- [Visualization](#): David Haberthür
- [Writing – original draft](#): David Haberthür
- [Writing – review & editing](#): David Haberthür

Competing Interest

Author	Competing Interests	Last Reviewed
David Haberthür	None	2026-01-14
Ben Sulser		
Sheila Christen		
Katie Peichel		
Ruslan Hlushchuk		

Acknowledgements

We are grateful to the [Microscopy Imaging Center](#) of the University of Bern for their infrastructural support. We also thank the `manubot` project [6] for facilitating collaborative writing of this manuscript.

References

1. **TomoGraphics/Hol3Drs: A release**
David Haberthür
Zenodo (2019-03-08) <https://doi.org/gg9fxh>
DOI: [10.5281/zenodo.2587555](https://doi.org/10.5281/zenodo.2587555)
2. **habi/sticklebacks: Maintenance release**
David Haberthür
Zenodo (2026-01-15) <https://doi.org/hbj4g5>
DOI: [10.5281/zenodo.1825728](https://doi.org/10.5281/zenodo.1825728)
3. **Dask: Library for dynamic task scheduling**
Dask Development Team
(2016) <https://dask.org>
4. **Zarr** <https://www.wikidata.org/wiki/Q130377195>
5. **ANSI/NISO Z39.104-2022, CRediT, Contributor Roles Taxonomy** *NISO* <https://doi.org/gqx265>
DOI: [10.3789/ansi.niso.z39.104-2022](https://doi.org/10.3789/ansi.niso.z39.104-2022)
6. **Open collaborative writing with Manubot**
Daniel S Himmelstein, Vincent Rubinetti, David R Slochower, Dongbo Hu, Venkat S Malladi, Casey S Greene, Anthony Gitter
PLOS Computational Biology (2019-06-24) <https://doi.org/c7np>
DOI: [10.1371/journal.pcbi.1007128](https://doi.org/10.1371/journal.pcbi.1007128) · PMID: [31233491](#) · PMCID: [PMC6611653](#)