

200-710 zend

Number: 200-710
Passing Score: 800
Time Limit: 120 min



<http://www.gratisexam.com/>

Exam A

QUESTION 1

Which of the following items in the \$_SERVER superglobal are important for authenticating the client when using HTTP Basic authentication? (Choose two.)



<http://www.gratisexam.com/>

- A. PHP_AUTH_TYPE
- B. PHP_AUTH_PASSWORD
- C. PHP_AUTH_DIGEST
- D. PHP_AUTH_PW
- E. PHP_AUTH_USER

Correct Answer: DE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 2

What is the length of a string returned by: md5(rand()). TRUE);

- A. Depends on the value returned by rand() function
- B. 32
- C. 24
- D. 16
- E. 64

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 3

Which of these error types may be handled by a user defined error handler function? (Choose two.)

- A. E_ERROR
- B. E_NOTICE
- C. E_PARSE
- D. E_WARNING

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 4

Which methods can be used to overload object properties? (Choose two.)

- A. set(), get()
- B. __set(), __get()
- C. __put(), __receive(), __exist()
- D. set(), get(), isset()
- E. _isset(), __unset()

Correct Answer: BE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 5

What method can be used to find the tag <any> via the DOM extension?

- A. getElementById()
- B. getElementsByTagName()
- C. getElementsByTagNameNS()
- D. getElementByName()

E. findTag()

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 6

In a shared hosting environment, session data can be read by PHP scripts written by any user. How can you prevent this? (Choose two.)



<http://www.gratisexam.com/>

A. Store session data in a different location with `session.save_path`

B. Store session data in a database

C. Enable `safe_mode`

D. Set `session.name` to something unique.

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

QUESTION 7

What is the output of the following code?

```
echo "1" + 2 * "0x02";
```

A. 1

B. 3

C. 5

- D. 20
- E. 7

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 8

SIMULATION

Which PHP function is used to validate where the contents of \$_FILES['name']['tmp_name'] have really been uploaded via HTTP, and also save the contents into another folder?

Correct Answer: is_uploaded_file() -or- is_uploaded_file

Section: (none)

Explanation

Explanation/Reference:

QUESTION 9

After performing the following operations:

```
$a = array('a', 'b', 'c');  
$a = array_keys(array_flip($a));
```

What will be the value of \$a?

- A. array('c', 'b', 'a')
- B. array(2, 1, 0)
- C. array('a', 'b', 'c')
- D. None of the above

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 10

Which of the following functions are used to escape data within the context of HTML? (Choose two.)

- A. htmlentities()
- B. addslashes()
- C. stripslashes()
- D. strip_tags()
- E. htmlspecialchars()

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 11

SIMULATION

What is the output of the following code?

```
$a = [1 => 'Apple', 3 => 'Cactus', 5 => 'Elderflower'] +  
      ['Banana', 'Dragon Fruit', 'Fig'];  
echo count($a);
```

Correct Answer: 1

Section: (none)

Explanation

Explanation/Reference:



QUESTION 12

Which class of HTTP status codes is used for server error conditions?

- A. 2XX
- B. 3XX
- C. 4XX
- D. 5XX

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 13

What is the output of the following code?

```
$string = 'Good luck!';  
$start = 10;  
var_dump(substr($string, $start));
```

- A. string(0) ""
- B. bool(false)
- C. string(1) "!"
- D. string(2) "k!"

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 14

Is the following code vulnerable to SQL Injection where (\$mysqli is an instance of the mysqli class)?

```
$age = $mysqli->real_escape_string($_GET['age']);  
$name = $mysqli->real_escape_string($_GET['name']);  
$query = "SELECT * FROM 'table' WHERE name LIKE '$name' AND age = $age";  
$results = $mysqli->query($query);
```

- A. No, the code is fully protected from SQL Injection.
- B. Yes, because the \$name variable is improperly escaped.
- C. Yes, because the \$name variable and the \$age variable is improperly escaped.
- D. Yes. because the \$age variable is improperly escaped.
- E. Yes, because you cannot prevent SQL Injection when using MySQLi

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 15

An unbuffered database query will (choose two):

- A. return the first data faster
- B. return all data faster
- C. free connection faster for others scripts to use
- D. use less memory

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 16

Consider 3 PHP files that are called asynchronously via XmlHttpRequest:


```
// s1.php
session_start();
sleep(1);

// s2.php
session_start();
sleep(2);

// s3.php
session_start();
sleep(3);
```

Which of the following statements is true? (Choose two.)

- A. The total execution time for all 3 requests will be the maximum of the longest sleep() call
- B. The requests may be processed out of order
- C. The requests are guaranteed to be executed in order
- D. Concurrent requests will be blocked until the session lock is released

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 17

Which of the following expressions will evaluate to a random value from an array below?

```
$array = ["Sue", "Mary", "John", "Anna"];
```

- A. array_rand(\$array);
- B. array_rand(\$array, 1);
- C. shuffle(\$array);
- D. \$array[array_rand(\$array)];
- E. array_value(\$array, ARRAY_RANDOM);

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 18

What is the output of the following code?

```
trait MyTrait {  
    private $abc = 1;  
    public function increment() {  
        $this->abc++;  
    }  
    public function getValue() {  
        return $this->abc;  
    }  
}  
class MyClass {  
    use MyTrait;  
    public function incrementBy2() {  
        $this->increment();  
        $this->abc++;  
    }  
}  
  
$c = new MyClass;  
$c->incrementBy2();  
var_dump($c->getValue());
```



<http://www.gratisexam.com/>

- A. Fatal error: Access to private variable MyTrait: \$abc from context MyClass
- B. Notice: Undefined property MyClass: \$abc
- C. int(2)

- D. int(3)
- E. NULL

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 19

Under what condition may HTTP headers be set from PHP if there is content echoed prior to the header function being used?

- A. headers_sent() returns true
- B. Output buffering is enabled
- C. The client supports local buffering
- D. The webserver uses preemptive mode

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 20

What is the output of the following code?

```
echo '1' . (print '2') + 3;
```

- A. 123
- B. 213
- C. 142
- D. 214
- E. Syntax error

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 21

Which of the following is NOT true about PHP traits? (Choose two.)

- A. Multiple traits can be used by a single class
- B. A trait can implement an interface
- C. A trait can declare a private variable.
- D. Traits are able to be auto-loaded.
- E. Traits automatically resolve conflicts based on definition order.

Correct Answer: BE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 22

What Content-Type HTTP header value is required when sending an HTTP POST request using JavaScript to ensure that PHP can access the data?

- A. application/x-www-form-urlencoded
- B. http/post
- C. text/html
- D. object/multipart-formdata

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 23

An HTML form has two submit buttons. After submitting the form, how can you determine with PHP which button was clicked?

- A. An HTML form may only have one button.
- B. You cannot determine this with PHP only. You must use JavaScript to add a value to the URL depending on which button has been clicked.
- C. Put two buttons in different forms, but make sure they have the same name.
- D. Assign name and value attributes to each button and use \$_GET or \$_POST to find out which button has been clicked.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 24

An HTML form contains this form element:

```
<input type="file" name="myFile" />
```

When this form is submitted, the following PHP code gets executed:

```
move_uploaded_file(
    $_FILES['myFile']['tmp_name'],
    'uploads/' . $_FILES['myFile']['name']
);
```

Which of the following actions must be taken before this code may go into production? (Choose two.)

- A. Check with `is_uploaded_file()` whether the uploaded file `$_FILES['myFile']['tmp_name']` is valid.
- B. Sanitize the file name in `$_FILES['myFile']['name']` because this value is not consistent among web browsers.
- C. Check the charset encoding of the HTTP request to see whether it matches the encoding of the uploaded file.
- D. Sanitize the file name in `$_FILES['myFile']['name']` because this value could be forged.
- E. Use `$HTTP_POST_FILES` instead of `$_FILES` to maintain upwards compatibility.

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 25

Which options do you have in PHP to set the expiry date of a session?



<http://www.gratisexam.com/>

- A. Set the `session.duration` directive in `php.ini`
- B. Set session cookie expiry date locally via `session_set_cookie_params()`
- C. Set session expiry date locally via `session_cache_expire()`
- D. None of the above

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 26

What is the output of the following code?

```
class Test {  
    public $var = 1;  
}  
  
function addMe(Test $t) {  
    $t->var++;  
}  
  
$t = new Test();  
addMe($t);  
echo $t->var;
```

- A. 1

- B. 2
- C. null

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 27

Assuming UTF-8 encoding, what is the value of \$count?

```
$data = '$1a2';  
$count = strlen($data);
```

- A. 4
- B. 5
- C. 7
- D. 0

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 28

What is the output of the following code?

```
$first = "second";  
$second = "fisrt";  
echo $$$first;
```

- A. "first"
- B. "second"

- C. an empty string
- D. an error

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 29

Which of the following statements about Reflection are correct?

- A. Reflection is an extension that can be disabled
- B. Reflection is a new extension present only in PHP 7.0+
- C. Reflection only allows to reflect on built-in classes
- D. Built-in classes can be reflected on command line using `php --rc <classname>`

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 30

Which of the following techniques ensures that a value submitted in a form can only be `yes` or `no`?

- A. Use a select list that only lets the user choose between `yes` and `no`.
- B. Use a hidden input field that has a value of `yes` or `no`.
- C. Enable the `safe_mode` configuration directive.
- D. None of the above.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 31

Which of the following statements about anonymous functions in PHP are NOT true? (Choose two.)

- A. Anonymous functions can be bound to objects
- B. Anonymous functions created within object context are always bound to that object
- C. Assigning closure to a property of an object binds it to that object
- D. Methods bind() and bindTo() of the Closure object provide means to create closures with different binding and scope
- E. Binding defines the value of \$this and the scope for a closure

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 32

What is the output of the following code?

```
for ($i = 0; $i < 1.02; $i += 0.17) {  
    $a[$i] = $i;  
}  
echo count($a);
```

- A. 1
- B. 2
- C. 6
- D. 7

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 33

What will the following function call print?

```
printf('%010.6f', 22);
```

- A. 22
- B. 22.00
- C. 022.000000
- D. 22.000000

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 34

Which of the following can NOT be used to send a cookie from within a PHP application?

- A. header()
- B. \$_COOKIE
- C. setcookie()
- D. setrawcookie()

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 35

SIMULATION



What is the output of the following code?

```
function increment (&$val)
{
    return $val + 1;
}
$a = 1;

echo increment ($a);
echo increment ($a);
```

Correct Answer: 22

Section: (none)

Explanation

Explanation/Reference:

QUESTION 36

Given a DateTime object that is set to the first second of the year 2017, which of the following samples will correctly return a date in the format '2017-01-01 00:00:01'?

- A. \$datetime->format('%Y-%m-%d %h:%i:%s')
- B. \$datetime->format('%Y-%m-%d %h:%i:%s', array('year', 'month', 'day', 'hour', 'minute', 'second'))
- C. \$datetime->format('Y-m-d H:i:s')
- D. \$date = date("Y-m-d H:i:s", \$datetime);

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 37

SIMULATION

Which PHP function sets a cookie and URL encodes its value when sending it to the browser?

Correct Answer: setcookie -or- setcookie()

Section: (none)

Explanation

Explanation/Reference:

QUESTION 38

What function is best suited for extracting data from a formatted string into an array?

- A. fgetcsv
- B. sscanf
- C. sprintf
- D. strtok

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 39

SIMULATION

What is the output of the following code?

```
class Number {
    private $v = 0;
    public function __construct($v) { $this->v = $v; }
    public function mul() {
        return function ($x) { return $this->v * $x; };
    }
}

$one = new Number(1);
$two = new Number(2);
$double = $two->mul()->bindTo($one);
echo $double(5);
```

Correct Answer: 5

Section: (none)

Explanation

Explanation/Reference:

QUESTION 40

One common security risk is exposing error messages directly in the browser. Which PHP configuration directive can be disabled to prevent this?

- A. `html_display`
- B. `error_reporting`
- C. `display_errors`
- D. `error_log`
- E. `ignore_repeated_errors`

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 41

Which of the following are valid code snippets? (Choose three.)

- A. `function 4You(){}`
- B. `function_4You(){}`
- C. `function object(){}`
- D. `$1 = "Hello";`
- E. `$_1 = "Hello World";`

Correct Answer: BCE

Section: (none)

Explanation

Explanation/Reference:

