

Dept-D ping Dept-C

```
C:\>ping 10.0.0.2
```

```
Pinging 10.0.0.2 with 32 bytes of data:
```

```
Reply from 10.0.0.2: bytes=32 time<1ms TTL=127
```

```
Reply from 10.0.0.2: bytes=32 time=1ms TTL=127
```

```
Reply from 10.0.0.2: bytes=32 time<1ms TTL=127
```

```
Reply from 10.0.0.2: bytes=32 time=1ms TTL=127
```

```
Ping statistics for 10.0.0.2:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
```

```
Approximate round trip times in milli-seconds:
```

```
    Minimum = 0ms, Maximum = 1ms, Average = 0ms
```

Dept-B ping Dept-A

^C

C:\>ping 192.168.1.2

Pinging 192.168.1.2 with 32 bytes of data:

Reply from 192.168.1.2: bytes=32 time=7ms TTL=127

Reply from 192.168.1.2: bytes=32 time<1ms TTL=127

Reply from 192.168.1.2: bytes=32 time=1ms TTL=127

Reply from 192.168.1.2: bytes=32 time=2ms TTL=127

Ping statistics for 192.168.1.2:

 Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

 Minimum = 0ms, Maximum = 7ms, Average = 2ms

Dept-A ping Dept-C

```
C:\>ping 10.0.0.2
```

```
Pinging 10.0.0.2 with 32 bytes of data:
```

```
Reply from 10.0.0.2: bytes=32 time=29ms TTL=125
```

```
Reply from 10.0.0.2: bytes=32 time=26ms TTL=125
```

```
Reply from 10.0.0.2: bytes=32 time=34ms TTL=125
```

```
Reply from 10.0.0.2: bytes=32 time=29ms TTL=125
```

```
Ping statistics for 10.0.0.2:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
```

```
Approximate round trip times in milli-seconds:
```

```
    Minimum = 26ms, Maximum = 34ms, Average = 29ms
```

IT-Dept ping HR-Dept

01000 Packets: 12801 to command line 170

C:\>ping 172.16.0.66

Pinging 172.16.0.66 with 32 bytes of data:

Reply from 172.16.0.66: bytes=32 time<1ms TTL=127

Reply from 172.16.0.66: bytes=32 time<1ms TTL=127

Reply from 172.16.0.66: bytes=32 time=1ms TTL=127

Reply from 172.16.0.66: bytes=32 time=1ms TTL=127

Ping statistics for 172.16.0.66:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 0ms, Maximum = 1ms, Average = 0ms

Static NAT

Web Browser

X

< > URL http://200.0.0.1|

Go

Stop

Cisco Packet Tracer

Welcome to Cisco Packet Tracer. Opening doors to new opportunities. Mind Wide Open.

Quick Links:

[A small page](#)

[Copyrights](#)

[Image page](#)

[Image](#)

Web Browser

X

<

>

URL http://172.16.0.130

Go

Stop

Dynamic NAT

Router0

PhysicalConfigCLIAttributes

IOS Command Line Interface

Router>

Router>show ip nat translation

Pro	Inside global	Inside local	Outside local	Outside global
icmp	200.0.0.2:58	172.16.0.66:58	192.168.1.34:58	192.168.1.34:58
icmp	200.0.0.2:59	172.16.0.66:59	192.168.1.34:59	192.168.1.34:59
icmp	200.0.0.2:60	172.16.0.66:60	192.168.1.34:60	192.168.1.34:60
icmp	200.0.0.2:61	172.16.0.66:61	192.168.1.34:61	192.168.1.34:61
icmp	200.0.0.2:62	172.16.0.66:62	192.168.1.34:62	192.168.1.34:62
icmp	200.0.0.2:63	172.16.0.66:63	192.168.1.34:63	192.168.1.34:63
icmp	200.0.0.2:64	172.16.0.66:64	192.168.1.34:64	192.168.1.34:64
icmp	200.0.0.2:65	172.16.0.66:65	192.168.1.34:65	192.168.1.34:65
icmp	200.0.0.2:66	172.16.0.66:66	192.168.1.34:66	192.168.1.34:66
icmp	200.0.0.2:67	172.16.0.66:67	192.168.1.34:67	192.168.1.34:67
icmp	200.0.0.2:68	172.16.0.66:68	192.168.1.34:68	192.168.1.34:68
icmp	200.0.0.2:69	172.16.0.66:69	192.168.1.34:69	192.168.1.34:69
icmp	200.0.0.2:70	172.16.0.66:70	192.168.1.34:70	192.168.1.34:70
icmp	200.0.0.2:71	172.16.0.66:71	192.168.1.34:71	192.168.1.34:71
icmp	200.0.0.2:72	172.16.0.66:72	192.168.1.34:72	192.168.1.34:72
icmp	200.0.0.2:73	172.16.0.66:73	192.168.1.34:73	192.168.1.34:73
icmp	200.0.0.2:74	172.16.0.66:74	192.168.1.34:74	192.168.1.34:74
icmp	200.0.0.2:75	172.16.0.66:75	192.168.1.34:75	192.168.1.34:75
icmp	200.0.0.2:76	172.16.0.66:76	192.168.1.34:76	192.168.1.34:76
icmp	200.0.0.2:77	172.16.0.66:77	192.168.1.34:77	192.168.1.34:77
icmp	200.0.0.2:78	172.16.0.66:78	192.168.1.34:78	192.168.1.34:78
icmp	200.0.0.2:79	172.16.0.66:79	192.168.1.34:79	192.168.1.34:79
icmp	200.0.0.2:80	172.16.0.66:80	192.168.1.34:80	192.168.1.34:80
icmp	200.0.0.2:81	172.16.0.66:81	192.168.1.34:81	192.168.1.34:81
icmp	200.0.0.2:82	172.16.0.66:82	192.168.1.34:82	192.168.1.34:82
icmp	200.0.0.2:83	172.16.0.66:83	192.168.1.34:83	192.168.1.34:83
icmp	200.0.0.2:84	172.16.0.66:84	192.168.1.34:84	192.168.1.34:84
icmp	200.0.0.2:85	172.16.0.66:85	192.168.1.34:85	192.168.1.34:85
icmp	200.0.0.2:86	172.16.0.66:86	192.168.1.34:86	192.168.1.34:86
icmp	200.0.0.2:87	172.16.0.66:87	192.168.1.34:87	192.168.1.34:87
icmp	200.0.0.2:88	172.16.0.66:88	192.168.1.34:88	192.168.1.34:88
icmp	200.0.0.2:89	172.16.0.66:89	192.168.1.34:89	192.168.1.34:89
icmp	200.0.0.2:90	172.16.0.66:90	192.168.1.34:90	192.168.1.34:90
---	200.0.0.1	172.16.0.130	---	---
tcp	200.0.0.1:80	172.16.0.130:80	10.0.0.2:1025	10.0.0.2:1025
tcp	200.0.0.1:80	172.16.0.130:80	10.0.0.2:1026	10.0.0.2:1026

--More--

CopyPaste

☐ Top

PC3

PhysicalConfigDesktopProgrammingAttributes

Command Prompt

C:\>

C:\>

C:\>

C:\>

C:\>ping -t 192.168.1.34

Pinging 192.168.1.34 with 32 bytes of data:

Reply from 192.168.1.34: bytes=32 time=22ms TTL=126

Reply from 192.168.1.34: bytes=32 time=19ms TTL=126

Reply from 192.168.1.34: bytes=32 time=19ms TTL=126

Reply from 192.168.1.34: bytes=32 time=19ms TTL=126

Reply from 192.168.1.34: bytes=32 time=19ms TTL=126

Reply from 192.168.1.34: bytes=32 time=11ms TTL=126

Reply from 192.168.1.34: bytes=32 time=17ms TTL=126

Reply from 192.168.1.34: bytes=32 time=16ms TTL=126

Reply from 192.168.1.34: bytes=32 time=26ms TTL=126

Reply from 192.168.1.34: bytes=32 time=14ms TTL=126

Reply from 192.168.1.34: bytes=32 time=18ms TTL=126

Reply from 192.168.1.34: bytes=32 time=17ms TTL=126

Reply from 192.168.1.34: bytes=32 time=18ms TTL=126

Reply from 192.168.1.34: bytes=32 time=12ms TTL=126

Reply from 192.168.1.34: bytes=32 time=22ms TTL=126

Reply from 192.168.1.34: bytes=32 time=19ms TTL=126

Reply from 192.168.1.34: bytes=32 time=20ms TTL=126

Reply from 192.168.1.34: bytes=32 time=15ms TTL=126

Reply from 192.168.1.34: bytes=32 time=29ms TTL=126

Reply from 192.168.1.34: bytes=32 time=16ms TTL=126

Reply from 192.168.1.34: bytes=32 time=15ms TTL=126

Reply from 192.168.1.34: bytes=32 time=19ms TTL=126

Reply from 192.168.1.34: bytes=32 time=10ms TTL=126

Reply from 192.168.1.34: bytes=32 time=15ms TTL=126

Reply from 192.168.1.34: bytes=32 time=17ms TTL=126

Reply from 192.168.1.34: bytes=32 time=15ms TTL=126

Reply from 192.168.1.34: bytes=32 time=17ms TTL=126

Reply from 192.168.1.34: bytes=32 time=16ms TTL=126

Reply from 192.168.1.34: bytes=32 time=21ms TTL=126

Reply from 192.168.1.34: bytes=32 time=20ms TTL=126

Reply from 192.168.1.34: bytes=32 time=17ms TTL=126

Reply from 192.168.1.34: bytes=32 time=15ms TTL=126

Reply from 192.168.1.34: bytes=32 time=16ms TTL=126

Reply from 192.168.1.34: bytes=32 time=15ms TTL=126

☒ Top