

FRONTEND API CHANGELOG

Admin Appointments

What was added for the Admin → Appointments tab: list every booking, update status, auth rules, and the product flow. No existing client/lawyer APIs were removed.

Document ID NL-FE-ADMIN-APPT-001

Version 1.0 · Date 11 August 2026

Demo `admin@nexuslexis.law` / `admin123`

PRODUCTION BASE

`https://nexus-lexis-backend-ql8w.vercel.app/api/v2`

Contents

1. Changelog — added / updated / deleted
2. Product flow
3. Auth
4. GET /admin/appointments
5. PATCH /admin/appointments/:id
6. Frontend wiring & checklist

3. Auth

```
Authorization: Bearer <accessToken>
X-Client-Role: Admin
```

Token	How
Real JWT	POST {VITE_AUTH_API_URL}/login as admin → accessToken. role must be admin.
Local mock UI	mock-jwt-token-... plus header X-Client-Role: Admin

Not admin → 403. Missing token → 401.

4. GET /admin/appointments

```
GET /api/v2/admin/appointments
GET /api/v2/admin/appointments?status=pending
GET /api/v2/admin/appointments?source=custom_docs
GET /api/v2/admin/appointments?lawyerProfileId=1
```

Optional filters: status, source, lawyerProfileId.

UI column	JSON field
ID	id
Client	clientName + clientEmail
Lawyer	lawyerName professionalName
Source	source
Subject / brief	subject brief.subject notes
When	date + time / timeSlot
Mode	modeLabel mode
Status	status (use statusKey in logic)

5. PATCH /admin/appointments/:id

```
PATCH /api/v2/admin/appointments/3
{ "status": "Accepted" }
```

Button	Send status	Stored statusKey
Accept	Accepted	confirmed
Reject	Rejected	cancelled
Complete	Completed	completed
No-show	no_show	no_show

Also accepted: pending, confirmed, cancelled, rescheduled, plus slot / date / responseNote.

Code	When
200	{ success, status, statusKey, appointment }
400	Invalid status — body includes allowed[]
404	Unknown appointment id
409	Reschedule slot already taken

6. Frontend wiring & checklist

```
const BASE = import.meta.env.VITE_API_BASE_URL;

GET `${BASE}/admin/appointments`
PATCH `${BASE}/admin/appointments/${id}` { status }

Headers:
  Authorization: Bearer <token>
  X-Client-Role: Admin
```

#	Check
1	Admin token or mock + X-Client-Role: Admin
2	Appointments tab lists all bookings
3	Accept / Reject / Complete / No-show → PATCH then refresh
4	Non-admin token → 403
5	VITE_API_BASE_URL = production Main API (cover URL)

DEPLOY Production: <https://nexus-lexis-backend-ql8w.vercel.app/api/v2>. Local Main API: <http://localhost:3000/api/v2>.