

Admin Library — Template Draft APIs

Full contract: headers · params · bodies · responses

NL-FE-LIB-DRAFT-001 · NL-BE-LIB-DRAFT-001 · v1.0 · 30 Aug 2026

Base: <https://nexus-lexis-backend-ql8w.vercel.app/api/v2/admin/library>

0. Headers & errors

Header	Required	Value
Authorization	Yes	Bearer <JWT>
X-Client-Role	Yes	Admin
Content-Type	POST/PUT file	multipart/form-data

```
{ "error": "message" }  
// publish: { "error": "Validation failed", "message": "...", "fields": {} }  
// 400 / 401 / 403 / 404 / 409 / 422
```

1. Why + architecture

Admin can save incomplete publish forms as drafts (replaces localStorage). Drafts are a separate table — never shown in Client Library or Knowledge Bank.
Publish = POST /templates then DELETE /drafts/:id.

2. Endpoint map

Method	Path	Purpose
POST	/drafts	Create draft (partial OK)
PUT	/drafts/:id	Update draft (partial OK)
GET	/drafts/:id	Resume one draft
DELETE	/drafts/:id	Delete draft
GET	/catalog?status=draft	Drafts tab + counts.draft
POST	/templates	Publish live template

3. POST /drafts

multipart/form-data · at least one field or file required

Field	Type	Draft	Notes
name	string	optional*	
code	string	optional*	no uniqueness on draft
accessType	paid public	optional*	
categorySlug	string	optional*	
block	string	optional*	
lang	string	optional*	alias: language
price	number	optional	
version	string	optional*	
lawyer	string	optional*	alias: author
lawyerProfileId	string	optional*	aliases: lawyerId, authorProfileId
description	string	optional*	
file	File	optional	stored server-side

Response 201

```
{
  "id": "draft-550e8400-e29b-41d4-a716-446655440000",
  "status": "draft",
  "name": "Power of Attorney",
  "code": "NL FAM 001",
  "accessType": "paid",
  "categorySlug": "corporate-business",
  "block": "Petitions",
  "lang": "English / Urdu",
  "price": 2500,
  "version": "v1.0",
  "lawyer": "Matti Ullah",
  "lawyerProfileId": "5",
  "description": "...",
  "hasTemplateFile": false,
  "templateFileName": null,
  "isActive": false,
  "createdBy": "1",
  "createdAt": "2026-08-30T12:00:00.000Z",
  "updatedAt": "2026-08-30T12:00:00.000Z"
}
```

4. PUT /drafts/:id

Same fields as POST (partial). Optional clearFile=true. New file replaces previous. Response 200 = same draft shape. Errors: 404 / 400 empty result.

5. GET /drafts/:id

Resume form. Response 200 = draft shape. 404 if missing.

6. DELETE /drafts/:id

```
{ "ok": true, "id": "draft-..." }
```

7. GET /catalog?status=...

Param	Values
status	active paid public inactive draft
search / category / block / lang	optional filters
page / limit	pagination

Response when status=draft

```
{
  "status": "draft",
  "documents": [{ "id": "draft-...", "status": "draft", "isActive": false, ... }],
  "templates": [ /* same */ ],
  "counts": { "paid": 16, "public": 3, "inactive": 0, "draft": 2 },
  "pagination": { "page": 1, "limit": 12, "totalItems": 2, ... }
}
```

Each draft item includes status:"draft" for the Draft badge. counts.draft appears on all admin catalog responses.

8. Publish flow (MVP)

```
1. POST /drafts → { id }
2. PUT /drafts/:id (auto-save)
3. POST /templates (full validated multipart + file)
   optional body field: draftId
4. DELETE /drafts/:id (or skip if draftId sent)
```

Publish required: name, accessType, categorySlug, block, lang, version, description, lawyerProfileId, file; price required if paid. 422 validation · 409 duplicate.

9. Business rules

Rule	Behaviour
Admin-only	Never in /library or /knowledge-bank
Draft ≠ inactive	Inactive = published then deactivated
Uniqueness	Slug/code checked on publish only
Empty save	400 — need ≥1 field or file
createdBy	Stored; all admins can access drafts

10. FE swap

localStorage helper	API
saveLibraryPublishingDraft()	POST or PUT /drafts
loadLibraryPublishingDrafts()	GET /catalog?status=draft
deleteLibraryPublishingDraft()	DELETE /drafts/:id
Publish + clear	POST /templates + DELETE /drafts/:id

11. Delivery

P	Item	Status
P0	POST+PUT+DELETE /drafts	Shipped
P0	catalog?status=draft + counts.draft	Shipped
P1	GET /drafts/:id	Shipped
P2	Atomic /drafts/:id/publish	Deferred