


Generated on Sen, 20 Jul 2026 07:22:49

ZAP Version: 2.17.0

ZAP by [Checkmarx](#)

Most Severe Alert

High




Report Description

- Laporan ini ditulis dan disusun oleh :
- Habib Muzakki (Habib)
- Alumni Kelas 12 Agama (jurusan Agama)
- Alumni MAN 2 KOTA SERANG
- Mahasiswa D4 Vokasi Teknik Informatika (Harkat Negeri Tegal)
- Si pemula Cyber Security dan Bug Hunter (Bug Bounty)

Most Common Bug

Strict-Transport-Security Header Not Set (30)



Insights

Level	Alasan	Site	Deskripsi	Statistic
Lemah	Peringatan		ZAP errors logged - see the zap.log file for details	18
Lemah	Peringatan		ZAP warnings logged - see the zap.log file for details	1.115
Info	Informasi		Percentage of network failures	2 %
Info	Informasi	http://clients2.google.com	Percentage of responses with status code 2xx	100 %
Info	Informasi	http://clients2.google.com	Percentage of endpoints with content type application/json	100 %
Info	Informasi	http://clients2.google.com	Percentage of endpoints with method GET	100 %
Info	Informasi	http://clients2.google.com	Count of total endpoints	1
Info	Informasi	http://clients2.google.com	Percentage of slow responses	33 %
Info	Informasi	https://accounts.google.com	Percentage of responses with status code 2xx	100 %
Info	Informasi	https://accounts.google.com	Percentage of endpoints with content type application/binary	50 %

Info	Informasi	https://accounts.google.com	Percentage of endpoints with content type application/javascript	50 %
Info	Informasi	https://accounts.google.com	Percentage of endpoints with method POST	100 %
Info	Informasi	https://accounts.google.com	Count of total endpoints	2
Info	Informasi	https://accounts.google.com	Percentage of slow responses	28 %
Info	Informasi	https://android.clients.google.com	Percentage of responses with status code 2xx	61 %
Info	Informasi	https://android.clients.google.com	Percentage of responses with status code 3xx	38 %
Info	Informasi	https://android.clients.google.com	Percentage of endpoints with content type application/x-protobuf	33 %
Info	Informasi	https://android.clients.google.com	Percentage of endpoints with content type text/plain	66 %
Info	Informasi	https://android.clients.google.com	Percentage of endpoints with method POST	100 %
Info	Informasi	https://android.clients.google.com	Count of total endpoints	3
Info	Informasi	https://android.clients.google.com	Percentage of slow responses	100 %
Info	Informasi	https://api.github.com	Percentage of responses with status code 2xx	100 %
Info	Informasi	https://api.github.com	Percentage of endpoints with content type text/plain	100 %
Info	Informasi	https://api.github.com	Percentage of endpoints with method POST	100 %
Info	Informasi	https://api.github.com	Count of total endpoints	1
Info	Informasi	https://api.github.com	Percentage of slow responses	100 %
Info	Informasi	https://avatars.githubusercontent.com	Percentage of responses with status code 2xx	100 %
Info	Informasi	https://avatars.githubusercontent.com	Percentage of endpoints with content type image/jpeg	62 %
Info	Informasi	https://avatars.githubusercontent.com	Percentage of endpoints with content type image/png	37 %
Info	Informasi	https://avatars.githubusercontent.com	Percentage of endpoints with method GET	100 %
Info	Informasi	https://avatars.githubusercontent.com	Count of total endpoints	16
Info	Informasi	https://avatars.githubusercontent.com	Percentage of slow responses	41 %
Info	Informasi	https://beacons.gcp.gvt2.com	Percentage of responses with status code 2xx	100 %
Info	Informasi	https://beacons.gcp.gvt2.com	Percentage of endpoints with content type application/javascript	100 %
Info	Informasi	https://beacons.gcp.gvt2.com	Percentage of endpoints with method POST	100 %
Info	Informasi	https://beacons.gcp.gvt2.com	Count of total endpoints	1
Info	Informasi	https://beacons.gcp.gvt2.com	Percentage of slow responses	33 %
Info	Informasi	https://camo.githubusercontent.com	Percentage of responses with status code 2xx	87 %
Info	Informasi	https://camo.githubusercontent.com	Percentage of responses with status code 4xx	12 %
Info	Informasi	https://camo.githubusercontent.com	Percentage of endpoints with content type image/svg+xml	93 %
Info	Informasi	https://camo.githubusercontent.com	Percentage of endpoints with content type text/plain	6 %
Info	Informasi	https://camo.githubusercontent.com	Percentage of endpoints with method GET	100 %
Info	Informasi	https://camo.githubusercontent.com	Count of total endpoints	29
Info	Informasi	https://camo.githubusercontent.com	Percentage of slow responses	83 %
Info	Informasi	https://chromewebstore.googleapis.com	Percentage of responses with status code 2xx	100 %
Info	Informasi	https://chromewebstore.googleapis.com	Percentage of endpoints with content type application/x-protobuf	100 %
Info	Informasi	https://chromewebstore.googleapis.com	Percentage of endpoints with method POST	100 %
Info	Informasi	https://chromewebstore.googleapis.com	Count of total endpoints	1
Info	Informasi	https://chromewebstore.googleapis.com	Percentage of slow responses	100 %
Info	Informasi	https://clientservices.googleapis.com	Percentage of responses with status code 2xx	100 %
Info	Informasi	https://clientservices.googleapis.com	Percentage of endpoints with content type text/plain	100 %
Info	Informasi	https://clientservices.googleapis.com	Percentage of endpoints with method POST	100 %

Info	Informasi	https://clientservices.googleapis.com	Count of total endpoints	6
Info	Informasi	https://clientservices.googleapis.com	Percentage of slow responses	100 %
Info	Informasi	https://collector.github.com	Percentage of responses with status code 2xx	100 %
Info	Informasi	https://collector.github.com	Percentage of endpoints with method POST	100 %
Info	Informasi	https://collector.github.com	Count of total endpoints	2
Info	Informasi	https://collector.github.com	Percentage of slow responses	100 %
Info	Informasi	https://content-autofill.googleapis.com	Percentage of responses with status code 2xx	100 %
Info	Informasi	https://content-autofill.googleapis.com	Percentage of endpoints with content type text/plain	100 %
Info	Informasi	https://content-autofill.googleapis.com	Percentage of endpoints with method GET	100 %
Info	Informasi	https://content-autofill.googleapis.com	Count of total endpoints	6
Info	Informasi	https://content-autofill.googleapis.com	Percentage of slow responses	100 %
Info	Informasi	https://github.com	Percentage of responses with status code 2xx	90 %
Info	Informasi	https://github.com	Percentage of responses with status code 3xx	4 %
Info	Informasi	https://github.com	Percentage of responses with status code 4xx	4 %
Info	Informasi	https://github.com	Percentage of endpoints with content type application/json	33 %
Info	Informasi	https://github.com	Percentage of endpoints with content type application/manifest+json	5 %
Info	Informasi	https://github.com	Percentage of endpoints with content type image/svg+xml	11 %
Info	Informasi	https://github.com	Percentage of endpoints with content type text/html	38 %
Info	Informasi	https://github.com	Percentage of endpoints with content type text/plain	5 %
Info	Informasi	https://github.com	Percentage of endpoints with method GET	100 %
Info	Informasi	https://github.com	Count of total endpoints	18
Info	Informasi	https://github.com	Percentage of slow responses	100 %
Info	Informasi	https://github.githubassets.com	Percentage of responses with status code 2xx	100 %
Info	Informasi	https://github.githubassets.com	Percentage of endpoints with content type application/javascript	81 %
Info	Informasi	https://github.githubassets.com	Percentage of endpoints with content type text/css	17 %
Info	Informasi	https://github.githubassets.com	Percentage of endpoints with method GET	100 %
Info	Informasi	https://github.githubassets.com	Count of total endpoints	139
Info	Informasi	https://github.githubassets.com	Percentage of slow responses	29 %
Info	Informasi	https://optimizationguide-pa.googleapis.com	Percentage of responses with status code 2xx	100 %
Info	Informasi	https://optimizationguide-pa.googleapis.com	Percentage of endpoints with content type application/x-protobuf	50 %
Info	Informasi	https://optimizationguide-pa.googleapis.com	Percentage of endpoints with content type text/html	50 %
Info	Informasi	https://optimizationguide-pa.googleapis.com	Percentage of endpoints with method GET	50 %
Info	Informasi	https://optimizationguide-pa.googleapis.com	Percentage of endpoints with method POST	50 %
Info	Informasi	https://optimizationguide-pa.googleapis.com	Count of total endpoints	2
Info	Informasi	https://optimizationguide-pa.googleapis.com	Percentage of slow responses	95 %
Info	Informasi	https://preview.owasp-juice.shop	Percentage of responses with status code 2xx	90 %
Info	Informasi	https://preview.owasp-juice.shop	Percentage of responses with status code 4xx	6 %
Info	Informasi	https://preview.owasp-juice.shop	Percentage of responses with status code 5xx	2 %
Info	Informasi	https://preview.owasp-juice.shop	Percentage of endpoints with content type application/javascript	3 %
Info	Informasi	https://preview.owasp-juice.shop	Percentage of endpoints with content type application/json	9 %
Info	Informasi	https://preview.owasp-juice.shop	Percentage of endpoints with content type application/octet-stream	4 %

Info	Informasi	https://preview.owasp-juice.shop	Percentage of endpoints with content type font/woff2	1 %
Info	Informasi	https://preview.owasp-juice.shop	Percentage of endpoints with content type image/jpeg	20 %
Info	Informasi	https://preview.owasp-juice.shop	Percentage of endpoints with content type image/png	9 %
Info	Informasi	https://preview.owasp-juice.shop	Percentage of endpoints with content type image/x-icon	1 %
Info	Informasi	https://preview.owasp-juice.shop	Percentage of endpoints with content type text/css	1 %
Info	Informasi	https://preview.owasp-juice.shop	Percentage of endpoints with content type text/html	45 %
Info	Informasi	https://preview.owasp-juice.shop	Percentage of endpoints with content type text/markdown	2 %
Info	Informasi	https://preview.owasp-juice.shop	Percentage of endpoints with content type text/plain	2 %
Info	Informasi	https://preview.owasp-juice.shop	Percentage of endpoints with method GET	98 %
Info	Informasi	https://preview.owasp-juice.shop	Percentage of endpoints with method POST	1 %
Info	Informasi	https://preview.owasp-juice.shop	Count of total endpoints	121
Info	Informasi	https://preview.owasp-juice.shop	Percentage of slow responses	100 %
Info	Informasi	https://raw.githubusercontent.com	Percentage of responses with status code 2xx	100 %
Info	Informasi	https://raw.githubusercontent.com	Percentage of endpoints with content type image/gif	20 %
Info	Informasi	https://raw.githubusercontent.com	Percentage of endpoints with content type image/jpeg	40 %
Info	Informasi	https://raw.githubusercontent.com	Percentage of endpoints with content type image/png	40 %
Info	Informasi	https://raw.githubusercontent.com	Percentage of endpoints with method GET	100 %
Info	Informasi	https://raw.githubusercontent.com	Count of total endpoints	5
Info	Informasi	https://raw.githubusercontent.com	Percentage of slow responses	100 %
Info	Informasi	https://update.googleapis.com	Percentage of responses with status code 2xx	100 %
Info	Informasi	https://update.googleapis.com	Percentage of endpoints with content type application/json	100 %
Info	Informasi	https://update.googleapis.com	Percentage of endpoints with method POST	100 %
Info	Informasi	https://update.googleapis.com	Count of total endpoints	6
Info	Informasi	https://update.googleapis.com	Percentage of slow responses	100 %
Info	Informasi	https://www.google.com	Percentage of responses with status code 2xx	100 %
Info	Informasi	https://www.google.com	Percentage of endpoints with content type application/x-protobuf	100 %
Info	Informasi	https://www.google.com	Percentage of endpoints with method GET	100 %
Info	Informasi	https://www.google.com	Count of total endpoints	1
Info	Informasi	https://www.google.com	Percentage of slow responses	100 %
Info	Informasi	https://www.googleapis.com	Percentage of responses with status code 2xx	100 %
Info	Informasi	https://www.googleapis.com	Percentage of endpoints with content type application/json	100 %
Info	Informasi	https://www.googleapis.com	Percentage of endpoints with method POST	100 %
Info	Informasi	https://www.googleapis.com	Count of total endpoints	1
Info	Informasi	https://www.googleapis.com	Percentage of slow responses	100 %

Vulnerability Impact

#	Name	Impact
Off-site Redirect [1] [2]	Open redirects are one of the OWASP 2010 Top Ten vulnerabilities. This check looks at user-supplied input in query string parameters and POST data to identify where open redirects might be possible. Open redirects	

	occur when an application allows user-supplied input (e.g. https://nottrusted.com) to control an off-site destination. This is generally a pretty accurate way to find where 301 or 302 redirects could be exploited by spammers or phishing attacks.	
CSP: style-src unsafe-inline [1] [2] [3] [4] [5]	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks. Including (but not limited to) Cross Site Scripting (XSS), and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.	
Content Security Policy (CSP) Header Not Set [1] [2] [3] [4] [5] [6] [7]	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.	
Kesalahan konfigurasi lintas domain [1]	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.	
Missing Anti-clickjacking Header [1]	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors'	

	Policy with frame-ancestors directive or X-Frame-Options.	
Session ID in URL Rewrite [1]	URL rewrite is used to track user session ID. The session ID may be disclosed via cross-site referer header. In addition, the session ID might be stored in browser history or server logs.	
Sub Resource Integrity Attribute Missing [1]	The integrity attribute is missing on a script or link tag served by an external server. The integrity tag prevents an attacker who have gained access to this server from injecting a malicious content.	
Cookie No HttpOnly Flag [1]	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.	
Cross-Domain JavaScript Source File Inclusion	The page includes one or more script files from a third-party domain.	
Pengungkapan Timestamp - Unix [1]	A timestamp was disclosed by the application/web server. - Unix	
Private IP Disclosure [1]	A private IP (such as 10.x.x.x, 172.x.x.x, 192.168.x.x) or an Amazon EC2 private hostname (for example, ip-10-0-56-78) has been found in the HTTP response body. This information might be helpful for further attacks targeting internal systems.	
Server Leaks Version Information via "Server" HTTP Response Header Field [1] [2] [3]	The web/application server is leaking version information via the "Server" HTTP response header. Access to such information may facilitate attackers identifying other vulnerabilities your web/application server is subject to.	
Strict-Transport-Security Header Not Set [1] [2] [3] [4] [5]	HTTP Strict Transport Security (HSTS) is a web security policy mechanism whereby a web server declares that complying user agents (such as a web browser) are to interact with it using only secure HTTPS connections (i.e. HTTP layered over TLS/SSL). HSTS	

	is an IETF standards track protocol and is specified in RFC 6797.	
X-Content-Type-Options Header Missing [1] [2]	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.	
Information Disclosure - Information in Browser localStorage	Information was stored in browser localStorage.	
Information Disclosure - Information in Browser sessionStorage	Information was stored in browser sessionStorage.	
Modern Web Application	The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.	
Re-examine Cache-control Directives [1] [2] [3]	The cache-control header has not been set properly or is missing, allowing the browser and proxies to cache content. For static assets like css, js, or image files this might be intended, however, the resources should be reviewed to ensure that no sensitive content will be cached.	
Retrieved from Cache [1] [2] [3]	The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the	

	local network. This configuration is typically found in corporate or educational environments, for instance.	
User Controllable HTML Element Attribute (Potential XSS) [1]	This check looks at user-supplied input in query string parameters and POST data to identify where certain HTML attribute values might be controlled. This provides hot-spot detection for XSS (cross-site scripting) that will require further review by a security analyst to determine exploitability.	

Vulnerability Descriptions