
```
Assignment No:6
Aim:
1. Concepts used in Naïve Bayes classifier
2. Naive Bayes Example
3. Confusion Matrix Evaluation Metrics
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
from sklearn.model selection import train test split
from sklearn.preprocessing import StandardScaler
from sklearn.naive bayes import GaussianNB
from sklearn.metrics import precision_score, recall score,
accuracy score, confusion matrix
url =
"https://archive.ics.uci.edu/ml/machine-learning-databases/iris/iris.d
ata"
columns = ['sepal length', 'sepal width', 'petal length',
'petal width', 'species']
df = pd.read csv(url, header=None, names=columns)
df.head()
   sepal length sepal width petal length petal width
                                                             species
0
            5.1
                         3.5
                                       1.4
                                                    0.2 Iris-setosa
1
            4.9
                         3.0
                                       1.4
                                                    0.2 Iris-setosa
2
            4.7
                         3.2
                                       1.3
                                                    0.2 Iris-setosa
3
                                       1.5
                                                    0.2 Iris-setosa
            4.6
                         3.1
4
            5.0
                         3.6
                                                    0.2 Iris-setosa
                                       1.4
df['species'] = df['species'].astype('category').cat.codes
print(df.isnull().sum())
sepal length
                0
sepal width
petal length
                0
                0
petal_width
                0
species
dtype: int64
X = df.drop('species', axis=1)
y = df['species']
X_train, X_test, y_train, y_test = train_test_split(X, y,
test size=0.3, random state=42)
```

```
scaler = StandardScaler()
X train = scaler.fit transform(X train)
X_test = scaler.transform(X_test)
gaussian = GaussianNB()
gaussian.fit(X train, y train)
GaussianNB()
y pred = gaussian.predict(X test)
accuracy = accuracy_score(y_test, y_pred)
precision = precision_score(y_test, y_pred, average='micro')
recall = recall_score(y_test, y_pred, average='micro')
print(f"Accuracy: {accuracy}")
print(f"Precision: {precision}")
print(f"Recall: {recall}")
Accuracy: 0.977777777777777
cm = confusion_matrix(y_test, y_pred)
print("Confusion Matrix:")
print(cm)
Confusion Matrix:
[[19 0 0]
[ 0 12 1]
[ 0 0 13]]
import seaborn as sns
sns.heatmap(cm, annot=True, fmt="d", cmap="Blues",
xticklabels=np.unique(y), yticklabels=np.unique(y))
plt.title('Confusion Matrix')
plt.ylabel('True Label')
plt.xlabel('Predicted Label')
plt.show()
```



Name : Habibsaeed Mukebil

Roll_NO : 13235 Batch : B2