2/1/24. 10:53 PM TestSearchAPI

# **TestSearchAPI**

No description provided (generated by Swagger Codegen https://github.com/swagger-api/swagger-

codegen)

More information: <a href="https://helloreverb.com">https://helloreverb.com</a> Contact Info: hello@helloreverb.com

Version: v1

All rights reserved

http://apache.org/licenses/LICENSE-2.0.html

## **Access**

1. APIKey KeyParamName: Authorization KeyInQuery: false KeyInHeader: true

## **Methods**

[ Jump to Models ]

#### **Table of Contents**

#### <u>Item</u>

- GET /api/Item/GetSearchHistory
- GET /api/Item/SearchItems

### **Token**

• POST /api/Token

#### User

• GET /api/User/GetUsers

# Item

GET /api/Item/GetSearchHistory

<u>Up</u>

Get user's search history (apiltemGetSearchHistoryGet)

## Responses

200

Success

GET /api/Item/SearchItems



Filter the items record based on the search criteria (apiltemSearchItemsGet)

Query parameters

ItemName (optional)

2/1/24, 10:53 PM TestSearchAPI

Query Parameter –

ItemDescription (optional)

Query Parameter -

Quantity (optional)

Query Parameter — format: int32

Liked (optional)

Query Parameter — format: int32

CreatedOn (optional)

Query Parameter — format: date-time

SortBy (optional) Query Parameter —

SortType (optional)

Query Parameter — format: int32

### Responses

200

Success

## Token

POST /api/Token

<u>Up</u>

Get token against the username and password (apiTokenPost)

### Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json
- text/json
- application/\*+json

### Request body

body <u>TokenDTO</u> (optional) Body Parameter —

### Responses

200

Success

# User

GET /api/User/GetUsers

Get All the Users (apiUserGetUsersGet)

Responses

<u>Up</u>

2/1/24, 10:53 PM TestSearchAPI

200 Success

# Models

[ Jump to Methods ]

## **Table of Contents**

1. TokenDTO

TokenDTO <u>Up</u>

email (optional)
<u>String</u>
password (optional)
<u>String</u>