



Python Tutorial

[Python HOME](#)[Python Intro](#)[Python Get Started](#)[Python Syntax](#)[Python Comments](#)[Python Variables](#)[Python Data Types](#)[Python Numbers](#)[Python Casting](#)[Python Strings](#)[Python Booleans](#)[Python Operators](#)[Python Lists](#)[Python Lists](#)[Access List Items](#)[Change List Items](#)[Add List Items](#)[Remove List Items](#)[Loop Lists](#)[List Comprehension](#)

Python Lists

[< Previous](#)[Next >](#)

```
mylist = ["apple", "banana", "cherry"]
```

List

Lists are used to store multiple items in a single variable.

Lists are one of 4 built-in data types in Python used to store collections of data, the other 3 are Tuple, Set, and Dictionary, all with different qualities and usage.

Lists are created using square brackets:

Example

Create a List:

[Sort Lists](#)[Copy Lists](#)[Join Lists](#)[List Methods](#)

```
thislist = ["apple", "banana", "cherry"]  
print(thislist)
```

[Try it Yourself »](#)

List Items

List items are ordered, changeable, and allow duplicate values.

List items are indexed, the first item has index `[0]`, the second item has index `[1]` etc.

Ordered

When we say that lists are ordered, it means that the items have a defined order, and that order will not change.

If you add new items to a list, the new items will be placed at the end of the list.

Note: There are some [list methods](#) that will change the order, but in general: the order of the items will not change.

Changeable

The list is changeable, meaning that we can change, add, and remove items in a list after it has been created.

COLOR
PICKER



LIKE US



Get certified
by completing
a course today!



Get started

CODE GAME

Allow Duplicates

Since lists are indexed, lists can have items with the same value:

Example

Lists allow duplicate values:

```
thislist = ["apple", "banana", "cherry", "apple", "cherry"]  
print(thislist)
```

[Try it Yourself »](#)

List Length

To determine how many items a list has, use the `len()` function:



Example

Print the number of items in the list:

```
thislist = ["apple", "banana", "cherry"]  
print(len(thislist))
```

[Try it Yourself »](#)

List Items - Data Types

List items can be of any data type:

Example

String, int and boolean data types:

```
list1 = ["apple", "banana", "cherry"]  
list2 = [1, 5, 7, 9, 3]  
list3 = [True, False, False]
```

[Try it Yourself »](#)

A list can contain different data types:

Example

A list with strings, integers and boolean values:

```
list1 = ["abc", 34, True, 40, "male"]
```

[Try it Yourself »](#)

type()

From Python's perspective, lists are defined as objects with the data type 'list':

```
<class 'list'>
```

Example

What is the data type of a list?

```
mylist = ["apple", "banana", "cherry"]  
print(type(mylist))
```

[Try it Yourself »](#)

The list() Constructor

It is also possible to use the `list()` constructor when creating a new list.

Example

Using the `list()` constructor to make a List:

```
thislist = list(("apple", "banana", "cherry")) # note the double round-brackets
print(thislist)
```

[Try it Yourself »](#)

Python Collections (Arrays)

There are four collection data types in the Python programming language:

- **List** is a collection which is ordered and changeable. Allows duplicate members.
- **Tuple** is a collection which is ordered and unchangeable. Allows duplicate members.
- **Set** is a collection which is unordered and unindexed. No duplicate members.
- **Dictionary** is a collection which is ordered* and changeable. No duplicate members.

*As of Python version 3.7, dictionaries are *ordered*. In Python 3.6 and earlier, dictionaries are *unordered*.

When choosing a collection type, it is useful to understand the properties of that type. Choosing the right type for a particular data set could mean retention of meaning, and, it could mean an increase in efficiency or security.

[◀ Previous](#)

[Next ▶](#)

[REPORT ERROR](#)[FORUM](#)[ABOUT](#)[SHOP](#)

Top Tutorials

[HTML Tutorial](#)
[CSS Tutorial](#)
[JavaScript Tutorial](#)
[How To Tutorial](#)
[SQL Tutorial](#)
[Python Tutorial](#)
[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[PHP Tutorial](#)
[Java Tutorial](#)
[C++ Tutorial](#)
[jQuery Tutorial](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[Java Reference](#)
[Angular Reference](#)
[jQuery Reference](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[Java Examples](#)
[XML Examples](#)
[jQuery Examples](#)

Web Courses

[HTML Course](#)
[CSS Course](#)
[JavaScript Course](#)
[Front End Course](#)
[SQL Course](#)
[Python Course](#)
[PHP Course](#)
[jQuery Course](#)
[Java Course](#)
[C++ Course](#)
[C# Course](#)
[XML Course](#)

[Get Certified »](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2021 by Refsnes Data. All Rights Reserved.
W3Schools is Powered by W3.CSS.

