

MaharajJi MaharajJi - Figma Design Documentation

Version 1.0 · For Figma Designers

IMPORTANT:

This document is the single source of truth for all screen designs in the MaharajJi mobile app. Read every section before starting any frame. All measurements are **logical pixels** (iOS/Android dp).

Table of Contents

- 1 App Overview
- 2 Design System
- 3 Navigation Structure
- 4 Complete Screen Inventory
- 5 Auth Flow
- 6 User Flow
- 7 Admin Flow
- 8 Publish Session - Multi-Date Feature (NEW)
- 9 Component Library Reference
- 10 Interaction & Animation Spec
- 11 Edge Cases & Empty States

1. App Overview

MaharajJi is a spiritual session booking app. Devotees (users) can browse and reserve seats for upcoming spiritual gatherings (satsangs, kirtans, discourses). Administrators manage and publish these sessions.

Roles

Role	Entry Point	Description
User / Devotee	Phone OTP	Browse sessions, book seats, manage bookings
Admin	Phone 1212121212 OTP	Create sessions, manage users, view attendees

Platform

- **React Native** (iOS + Android)
- **Safe area aware** - account for status bar and home indicator
- **Portrait only**

2. Design System

2.1 Typography - Plus Jakarta Sans (Exclusive)

Token	Size	Weight	Line Height	Usage
headline_lg_mobile	28sp	700	34	Page titles
headline_lg	24sp	700	30	Section headings
headline_md	20sp	600-700	26	Card titles
body_lg	16sp	400-600	24	Primary body
body_md	14sp	400	20	Secondary body
body_sm	12sp	400	18	Captions, hints
label_caps	10sp	700	14	Tags, badges (UPPERCASE)

2.2 Color Tokens (snake_case - never hardcode hex)

Token	Light Mode	Dark Mode	Usage
primary	Deep saffron/amber	Lighter saffron	Buttons, accents, links,
primary_container	Soft amber	Dark amber	Gradient badges, ends,

on_primary	White	White	Text on primary buttons
on_primary_container	Dark amber	Light amber	Text on badges/chips
surface	White / off-white	Dark gray	Card backgrounds
surface_dim	Light gray	Darker gray	Disabled states
surface_variant	Warm off-white	Charcoal	Input backgrounds, alt cards
on_surface	Near-black	Off-white	Primary text
on_surface_variant	Medium gray	Light gray	Secondary text, icons
outline	Light gray	Dark gray	Borders (only when needed), dividers
error	Red	Light red	Error states, cancellation
background	Off-white	Near-black	Screen background

2.3 Spacing Scale

Token	Value
xs	4dp
sm	8dp

md	16dp
lg	24dp
xl	32dp
xxl	48dp

2.4 Border Radius

Token	Value	Usage
sm	8dp	Chips, tags
md	12dp	Inputs, small cards
lg	16dp	Cards, modals
xl	24dp	Bottom sheets
full	999dp	Circular buttons, pills

2.5 Shadows

"Higher is Lighter" - elevated cards have slightly lighter backgrounds, not heavier drop shadows. Use **tinted ambient shadows** (primary color at 8-12% opacity) instead of grey shadows.

Level	Shadow
0	No shadow

1	Tinted 4dp blur, 0.06 opacity
2	Tinted 8dp blur, 0.10 opacity
3	Tinted 16dp blur, 0.14 opacity

2.6 Gradient - CTA Buttons

Primary action buttons use a **135° linear gradient**: - Start: primary - End: primary_container

2.7 Design Rules

- No **No borders** (borderWidth) - use tonal surface shifts or negative space to separate content.
- No No hardcoded hex colors in any frame notes.
- No No PNG icons - use the icon set consistently (Lucide icons in code).
- Yes All touchable targets **44×44dp**.
- Yes Safe area insets at top (status bar) and bottom (home indicator) on every screen.

3. Navigation Structure

```

App
Auth Stack
Login
OTPVerification

User Stack (after user login)
HomeBookingStatus      Default landing
MyBookings
History
Profile
BookSession             Pushed from session card
BookingSuccessful       Pushed after confirm

Admin Stack (after admin login)
AdminDashboardHome      Default landing
ManageBookings          Session list
ManageUsersAdmin
AddNewCustomerAdmin
AdminSettings
CreateNewSessionAdmin   Create OR Edit session
SessionAttendeesList    Pushed from session card
  
```

Bottom Tab Bar - User

Tab	Icon	Screen
Home	home	HomeBookingStatus

My Bookings	calendar	MyBookings
History	clock	History
Profile	user	Profile

Bottom Tab Bar - Admin

Tab	Icon	Screen
Dashboard	layout-dashboard	AdminDashboardHome
Bookings	calendar	ManageBookings
Customers	users	ManageUsersAdmin
Settings	settings	AdminSettings

4. Complete Screen Inventory

#	Screen Name	Role	Template
1	Login	Both	AuthTemplate
2	OTPVerification	Both	AuthTemplate
3	HomeBookingStatus	User	AppLayoutTemplate

4	BookSession	User	BookSessionTemplate
5	BookingSuccessful	User	BookingSuccessfulTemplate
6	MyBookings	User	AppLayoutTemplate
7	History	User	AppLayoutTemplate
8	Profile	User	AppLayoutTemplate
9	AdminDashboardHome	Admin	AppLayoutTemplate
10	ManageBookings	Admin	AppLayoutTemplate
11	CreateNewSessionAdmin	Admin	CreateNewSessionTemplate
12	ManageUsersAdmin	Admin	AppLayoutTemplate
13	AddNewCustomerAdmin	Admin	AppLayoutTemplate
14	AdminSettings	Admin	AdminSettingsTemplate
15	SessionAttendeesList	Admin	SessionAttendeesListTemplate

5. Auth Flow

Flow Diagram

[App Launch]

[Login Screen] Enter 10-digit phone [Send OTP Button]

[OTPVerification Screen]
Enter 6-digit OTP + Resend

[User Home]
(HomeBookingStatus)

[Admin Dashboard]
(AdminDashboardHome)

Screen 1 - Login

Purpose: Phone number entry. Single point of entry for both users and admins.

Layout: Full screen with soft gradient background (surface surface_variant).

Status Bar (safe area)

MaharajJi [App Logo / Wordmark] centered, top 30% of screen

"Welcome Back" headline_lg
"Sign in to continue" body_lg

+91 Phone Number Input atom, left prefix "+91"

[Error message if invalid] body_sm, error color

Continue Primary gradient button

OR

[Truecaller Login Button] Only shown if Truecaller installed

"Need Help?" body_sm link

Home Indicator (safe area)

States: - **Default** - empty input, button enabled - **Loading** - button shows spinner, input disabled - **Error** - red inline error below input - **Truecaller Available** - shows Truecaller CTA above divider

Screen 2 - OTP Verification

Purpose: Verify 6-digit OTP sent to the phone number.

Back Back arrow (top left, 44dp)

"Verify Your Number" headline
"+91 XXXXXXXXXX" body_lg
(phone number shown)

6 individual OTP boxes

"Resend in 30s" body_sm countdown, then tappable "Resend OTP"

Verify OTP Primary gradient button

States: - **Default** - boxes empty, button disabled - **Filling** - boxes fill left to right, button enabled when all 6 filled - **Loading** - spinner in button - **Error** - "Invalid OTP" inline message, boxes reset - **Countdown Active** - "Resend in 30s" (not tappable) - **Resend Available** - "Resend OTP" (tappable, primary color)

6. User Flow

Flow Diagram

```
[HomeBookingStatus]
Sessions Available? YES
[Live Session Card] tap "Reserve" [BookSession]
[Confirm]
[BookingSuccessful]
[View My Bookings]
[Upcoming Session Card]
(view only, no reserve) [MyBookings]
No Sessions
[Empty State + Notify Me]
```

Screen 3 - HomeBookingStatus (User Home)

Purpose: User's home screen showing live and upcoming sessions.

```
Status Bar
MaharajJi [avatar] Top navigation bar

"Welcome, [Name]!" headline_lg
"Your spiritual journey..." body_sm

Available Sessions
[BOOKING OPEN] chip/badge

[Session Banner Image]
Session Title UserSessionCard molecule
Date: Date Time: Time
Performance 12 slots left
[Reserve ] Primary button inside card

Upcoming Sessions

[Session Card] upcoming type - no reserve button
Session Title
Date: Date

[... View All] Asymmetric grid card (footer)

Bottom Tab Bar
Home Home Date: Bookings Time: History User: Profile
```

States: - **Loading** - full-screen skeleton loader - **Available (Live)** - session cards with "Reserve" button - **Upcoming Only** - session cards without reserve button - **Empty** - empty state illustration + "Notify Me" button

Screen 4 - BookSession

Purpose: User selects how many people (seats) to include in their token.

Back

"Book Your Seat" headline_lg

[Session Banner Image]

Session Title

[Date: DATE badge]

Booking Window:

Time: 9:00 AM - 10:00 AM

Performance 12 slots left

Select Number of People
"Choose up to 4 per token"

body_lg
body_sm, on_surface_variant

[] 3 [+] Counter row with circular buttons

Warning: Disclaimer text DisclaimerBox with body_sm

[Error banner if any]

Confirm Booking Gradient CTA button (sticky footer)

Counter Rules: - Min: 1 person - Max: maxPeoplePerToken (set by admin, e.g., 4) - [] disabled and dimmed when count = 1 - [+] disabled and dimmed when count = max

Screen 5 - BookingSuccessful

Purpose: Confirmation screen after booking is placed. Back navigation is disabled.

O Pulse animation

Y Check circle Animated success hero

"Booking Confirmed!"

headline_lg_mobile

"Your token is reserved" body_sm, on_surface_variant

TOKEN NO. #27 label_caps + headline_md

[Session Banner Image]

Date: DATE Attendees: ATTENDEES 2-column grid

15 Jun 3 People

Location: LOCATION

Main Hall

View All Bookings Outline button

Notes: - Hardware back button and swipe-back gesture are **disabled** on this screen. - Pulse ring animation plays on entry.

Screen 6 - MyBookings

Purpose: User's active bookings and booking history.

MaharajJi Header

Active Session headline_md + count badge

[Banner Image]
TODAY / UPCOMING Gradient overlay tag
Session Title

DATE TOKEN# PEOPLE 2-col grid
Location: Location

[Cancel Booking] Outline button

Past Bookings headline_md

[Icon] Title Date HistoryCard row
[DONE] or [CANCELLED] badge

[Icon] Title Date
[CANCELLED]

Bottom Tab Bar

Cancel Flow: - Tapping "Cancel Booking" opens **ConfirmationModal** - Modal: "Cancel this booking?" with Confirm / Back actions - On confirm: booking removed from active list, success banner appears

Screen 7 - History

Purpose: Full chronological list of all past bookings.

Similar layout to MyBookings Past Bookings section but full-page, paginated.

Screen 8 - Profile (User)

Purpose: User's profile information and logout.

MaharajJi Header

[Avatar Image]
User Name headline_md
+91 XXXXXXXXXX body_sm

NAME label_caps
Full Name body_lg

PHONE
+91 XXXXXXXXXX

Logout Error-colored primary button

Bottom Tab Bar

7. Admin Flow

Flow Diagram

[AdminDashboardHome]
Bottom Tab: Bookings [ManageBookings]
[+ FAB] [CreateNewSessionAdmin] (Create)
[Fill Form + Publish]
[Back to ManageBookings]
Session Card tap [SessionAttendeesList]
Edit icon [CreateNewSessionAdmin] (Edit mode)
Bottom Tab: Customers [ManageUsersAdmin]
[+ FAB] [AddNewCustomerAdmin]
Bottom Tab: Settings [AdminSettings]
[Logout]

Screen 9 - AdminDashboardHome

Purpose: Admin's home overview with a greeting and session status widget.

MaharajJi [Admin]
"Welcome, [AdminName]!" headline_lg
"Manage and oversee..." body_lg, on_surface_variant

BookingStatusHero Organism: shows live session stats
(active session info, tokens filled, etc.)

Devotional Quote DevotionalBanner

Admin Bottom Tab
Home Dashboard Date: Bookings Attendees: Customers Settings Settings

Screen 10 - ManageBookings

Purpose: Full list of all sessions (active and archived) with search and filter.

MaharajJi Header
Manage Bookings headline_lg
"Manage and coordinate..." body_lg

Search Search sessions... Input with left icon

[ACTIVE] [ARCHIVE] Chip filter row (horizontal scroll)

Session Card SessionCard molecule (see below)
Title / Date / Status
[View] [Delete]

Session Card 2

[+ FAB] Floating Action Button
Admin Bottom Tab Bar

Session Card (Admin):

[Status chip: ACTIVE/ARCHIVED]
Session Title headline_md

Date: Session: 15 Jun 2025
Booking: 14 Jun (9-10 AM)
User: Published by: AdminName

[View Attendees] [Delete]

Delete Flow: - Confirmation modal: "Cancel Session? This cannot be undone." - Confirm session removed, list refreshes

Screen 11 - CreateNewSessionAdmin (*Publish Screen*)

Purpose: Admin creates a new spiritual session. Can also be used in edit mode.

IMPORTANT:

See **Section 8** for the full spec of the **Multi-Date feature** added to this screen.

X Cancel Top left close button

"Create Session" headline_lg
"Schedule a new gathering"

Session Details

Title *

e.g. Evening Satsang Text Input

Session Date *

Date: 15 June 2025 Date Picker

Location *

Select location Dropdown

Capacity

Total Tokens *

25 Number Input

Max People per Token *

4 Number Input

Booking Window

Booking Open Date

Date: 14 June 2025 Auto-set to (Session Date - 1)

Booking Open Time

Time: 09:00 AM Time Picker

Booking Close Time

Time: 10:00 AM Auto-set to Open + 1hr

[API Error Banner if any]

Publish Session Gradient primary button

Edit Mode: - All fields pre-populated with existing session data - Button label changes to "Update Session" - Title/subtitle unchanged

Screen 12 - ManageUsersAdmin

Purpose: View and manage all registered devotees.

MaharajJi Header

Manage Users headline_lg

Search Search users...

[Avatar] Name User row item
Phone number
Location

User row 2

[+ FAB]

Admin Bottom Tab Bar

Screen 13 - AddNewCustomerAdmin

Purpose: Admin manually adds a devotee/customer.

Back

"Add New Customer" headline_lg

Full Name *

John Doe

Phone Number *

+91 XXXXXXXXXX

Location *

Select location

Add Customer Primary button

Screen 14 - AdminSettings

Purpose: Admin profile view and logout.

Profile / Settings headline_lg

[Admin Avatar]
Admin Name headline_md
Administrator body_sm, on_surface_variant

NAME	label_caps
Full Name	body_lg
PHONE	
+91 XXXXXXXXXX	
ROLE	
SUPER_ADMIN	primary color
Logout	Error-colored button
Admin Bottom Tab Bar	

Logout Flow: Opens ConfirmationModal "Logout" confirm navigate to Login.

Screen 15 - SessionAttendeesList

Purpose: Admin views all booked attendees for a specific session.

Back	Session Title		
Date:	Date	Location:	Location
Stats Banner			
Filled: 18 / 25 tokens		progress indicator	
Total Bookings: 42 people			
Search	Search attendees...		
Token #1	Attendee card		
[Avatar]	Name		
Phone number			
3 People			
Token #2	...		

8. Publish Session - Multi-Date Feature (NEW)

IMPORTANT:

*This section describes the **new multi-date publishing capability** that replaces the single date picker in the Create Session screen. The admin can now select multiple dates and configure tokens and people-per-token **independently for each date**.*

8.1 Feature Overview

When the admin creates a new session, instead of picking a single date, they can:

1. **Select multiple dates** from a calendar (multi-select mode)
2. **For each selected date**, independently configure:
3. **Total Tokens** - how many token slots are available
4. **Max People per Token** - how many people can book under one token

This enables sessions like weekly satsangs or multi-day events to be published in a single action.

8.2 Updated CreateNewSessionAdmin Screen Layout

X Cancel

"Create Session" headline_lg
"Schedule gatherings"

Session Details

Title *

e.g. Evening Satsang

Location *

Select location

Select Session Dates

NEW SECTION

< June 2025 >
Mo Tu We Th Fr Sa Su
2 3 4 5 6 7 8
9 10 11 12 13 14 15
16 17 18 19 20 21 22
23 24 25 26 27 28 29
30

Month/Year header with nav arrows

Multi-select calendar grid
Selected dates: filled primary circle
Past dates: dimmed, not selectable

Selected Dates

Date: 15 Jun 2025 [X]

DateConfigCard (see below)

Tokens: [] 25 [+]

Max People/Token: [] 4 [+]

Date: 16 Jun 2025 [X]

Tokens: [] 20 [+]

Max People/Token: [] 3 [+]

Booking Window

Booking Open Time

Time: 09:00 AM

Booking Close Time

Time: 10:00 AM

Warning: Note: Booking opens the day
before each session date

[Publish Session]

Creates one session per date

8.3 Calendar Component Spec - Multi-Select

Component Name: MultiDateCalendar (new atom/molecule)

< June 2025 > Navigation arrows, month/year label

Mo Tu We Th Fr Sa Su Day headers, label_caps

1
2 3 4 5 6 7 8
9 10 11 12 13 14 15
16 17 18 19 20 21 22
23 24 25 26 27 28 29
30
= selected (primary filled circle)

Date Cell States:

State	Visual
Default	Plain number, on_surface
Selected	Filled primary circle, white number
Today	Underline or subtle dot below number
Past	Dimmed (on_surface_variant at 40%), not tappable
Disabled	Strikethrough or further dimmed

Interaction: - Tap a date toggles selection (adds if unselected, removes if selected) - At least 1 date must remain selected (cannot deselect the last date) - Calendar navigates month-by-month; cannot go to past months

8.4 DateConfigCard Component Spec

Each selected date gets its own **DateConfigCard**.

Date: Monday, 15 June 2025 [X] Date label + remove button

Total Tokens label_caps
[] 25 [+] Stepper / Number Input

Max People per Token label_caps
[] 4 [+] Stepper / Number Input

Capacity: $25 \times 4 = 100$ people body_sm, auto-calculated

Stepper Rules: | Field | Min | Max | Default | Step | |-----|-----|-----|-----| | Total Tokens | 1 | 999 | 25 | 1 | | Max People / Token | 1 | 50 | 4 | 1 |

Auto-Calculated Capacity: Capacity = Total Tokens × Max People per Token
Shown in real-time below the steppers in body_sm style.

Remove [X] Behavior: - Tapping [X] removes the card AND deselects the date on the calendar. - If only 1 date remains, [X] is hidden (cannot remove the last date).

8.5 Validation Rules (for error states to design)

Scenario	Error Location	Error Message
----------	----------------	---------------

No dates selected	Below calendar	"Select at least one session date"
Title empty	Below title input	"Session title is required"
Location not selected	Below location	"Please select a location"
Tokens < 1 on any date	Inside that DateConfigCard	"Minimum 1 token required"
Max people < 1	Inside that DateConfigCard	"Minimum 1 person required"
Close time Open time + 1hr	Below close time	"Booking window must be at least 1 hour"

8.6 Multi-Date Publish Flow Diagram

[Admin taps + FAB on ManageBookings]

[CreateNewSessionAdmin opens]

Fill Title + Location

[Multi-Select Calendar]

Admin taps dates: 15 Jun, 16 Jun, 20 Jun

[3 DateConfigCards appear below]

15 Jun	16 Jun	20 Jun
Tokens: 25	Tokens: 20	Tokens: 30
Per Token:4	Per Token:3	Per Token:5

Set Booking Window (shared across all dates)
Open: 09:00 AM / Close: 10:00 AM

[Publish Session] Button

API creates 3 separate sessions:

- Session 1: 15 Jun, 25 tokens, 4 per token
- Session 2: 16 Jun, 20 tokens, 3 per token
- Session 3: 20 Jun, 30 tokens, 5 per token

[Success toast] + [Navigate back to ManageBookings]
All 3 sessions appear in the list

8.7 Empty State - No Dates Selected

Selected Dates

Date:	icon
"No dates selected"	headline_md, on_surface_variant
"Tap dates on the calendar above to add sessions"	body_sm

9. Component Library Reference

Atoms

Component	Description
Button	Primary (gradient), Outline, Ghost variants. Full width option. Loading state.
Typography	All text - never use raw Text. Accepts variant + color tokens.
Box	Layout container. Never use raw View.
Input	Text input with label, error, left/right icons.
Chip	Toggle-able filter chips. isActive prop for selected state.
FAB	Floating Action Button. Icon + primary gradient background.
ProgressBar	Horizontal fill bar with progress (0-1) and color tokens.
MultiDateCalendar	NEW - Multi-select calendar atom for date picking.

Molecules

Component	Description
SessionCard (Admin)	Admin session card with title, dates, status chip, View/Delete actions.
UserSessionCard	User-facing session card. type="live" shows Reserve button.
BentoStatCard	Stat tile for dashboard grid.
DateConfigCard	NEW - Card for configuring tokens and people per selected date.
Notification	Toast/snack notification bar. Uses NotificationType enum.

Organisms

Component	Description
BookingStatusHero	Admin dashboard hero showing active session bookings.
ConfirmationModal	Two-button modal for destructive confirmations.
ErrorBoundary	Wraps screen sections, shows ErrorFallback on crash.

10. Interaction & Animation Spec

Entry Animations

Screen/Element	Animation
Screen transition	Fade (150ms ease-out)
BookingSuccessful hero	Pulse ring expands (600ms ease-in-out)
DateConfigCard appear	Slide in from right + fade (250ms)
DateConfigCard remove	Slide out to left + fade (200ms)
Modal	Slide up from bottom (250ms spring)
Toast notification	Slide in from top (200ms) auto-dismiss (3s)

Micro-interactions

Element	Interaction
Stepper [+/-]	Scale pulse on press (0.95 1.0, 100ms)
Calendar date cell	Color fill animation on select (150ms)
Reserve button	Ripple effect
FAB	Scale up on press
Tab bar icons	Scale + color transition (150ms)

Haptics

Trigger	Haptic Type
Primary button press	Impact (Medium)
Booking confirmed	Notification (Success)
Error state	Notification (Error)
Stepper limit reached	Impact (Light)

11. Edge Cases & Empty States

Global Empty States

Screen	Empty Condition	Visual
HomeBookingStatus	No sessions available	Alert icon + "No active sessions" + "Notify Me" button
ManageBookings	No sessions created	Calendar+ icon + "Schedule your first session" message
ManageUsersAdmin	No users registered	Users icon + "No customers yet" message
SessionAttendeesList	No bookings on a session	Inbox icon + "No attendees yet" message
MyBookings (active)	No active bookings	Calendar icon + "No active bookings" + CTA to browse

History	No past bookings	History icon + "Your journey starts here"
---------	------------------	---

Loading States

- **Full-screen load:** Centered `ActivityIndicator` with primary color
- **Inline load (list):** Spinner in footer as list fetches more pages
- **Button load:** Spinner replaces button label; button disabled
- **Skeleton screens:** Use `surface_variant`-colored placeholder blocks for cards

Error States

- **API failure (create/edit):** Red banner above publish button with error message
- **Network error:** Bottom toast: "No internet connection"
- **OTP invalid:** Inline error below OTP boxes, boxes clear
- **Field validation:** Red helper text below each field
- **Session expired / 401:** Auto-redirect to Login screen with toast "Session expired"

Success States

- **Booking confirmed:** Full-screen `BookingSuccessful` screen
- **Session published:** Success toast + back to `ManageBookings`
- **Booking cancelled:** Green banner at top of `MyBookings`: "Booking cancelled successfully"
- **Customer added:** Success toast on `ManageUsersAdmin`
- **OTP resent:** Temporary green label "OTP resent!" replaces countdown

Appendix - Figma Layer Naming Convention

Use this naming convention for all frames and layers:

```
[Role]/[ScreenName]/[State]
Admin/CreateSession/Default
Admin/CreateSession/MultiDate_Selected
User/HomeBookingStatus/Available
User/HomeBookingStatus/Empty
Auth/Login/Error
Auth/OTPVerification/Loading

Components Atoms/[ComponentName]/[Variant]
Components Molecules/[ComponentName]/[Variant]
Components Organisms/[ComponentName]/[Variant]
```

Appendix - Screen Sizes to Design For

Device	Dimensions
iPhone 15 Pro (primary)	393 × 852pt

iPhone SE 3rd gen (small)	375 × 667pt
iPhone 15 Pro Max (large)	430 × 932pt
Pixel 7 (Android primary)	412 × 915dp

Design at **393 × 852** as base; verify critical layouts on SE (375) for clipping.

Last Updated: June 2026 · MaharajJi Engineering Team