




LEVEL CONVERTER - RESET



LEDs




POWER SELECTOR FOR CABLE INTERFACE




ATTENTION: Solder links LK1 and LK2 should not be placed simultaneously.

USB AND TRANSCEIVER



FTDI CABLE INTERFACE



1

2

3

4

A

A

B


B

C

C

D

D



Project:	FTDI Hack
Version:	1.0
Variant:	[No Variations]
PCB Designer:	Luis Goncalves
Date:	2017-03-04
File Name:	ft_usb_uart.PcbDoc

1

2

3

4

1

2

3

4

A

A

B


B

C

C

D

D



Project:	FTDI Hack
Version:	1.0
Variant:	[No Variations]
PCB Designer:	Luis Goncalves
Date:	2017-03-04
File Name:	ft_usb_uartPcbDoc

1

2

3

4

1

2

3

4

A

A

B


B

C

C

D

D





Project:	FTDI Hack
Version:	1.0
Variant:	[No Variations]
PCB Designer:	Luis Goncalves
Date:	2017-03-04
File Name:	ft_usb_uart.PcbDoc

1

2

3

4



Project:	FTDI Hack
Version:	1.0
Variant:	[No Variations]
PCB Designer:	Luis Goncalves
Date:	2017-03-04
File Name:	ft_usb_uartPcbDoc