

# MiniFM ie MiniFileManager

## About

MiniFM is a visual file manager inspired by program such as Ranger, Vifm, NNN, etc; as well as fzf, and fzy in the way they use term codes instead of ncurses to avoid making the program a full screen process.

**WARNING:** this program is in it's early stages use at your own risk, and if it doesn't work for you be sure to let me know, I'd really like to have it running well on other machines.

## Usage

this program is ment to preform small action on files in the current directory, such as changing directory, opening a file, deleting, copying.

As far as I know changing the current directory of your shell has to be done by said shell, and not a child process. In-order to do this I use a shell function like so:

```
function mfm()
{
    mfm_path=`minifm </dev/tty`

    [ -d "$mfm_path" ] && cd $mfm_path
    [ -f "$mfm_path" ] && $EDITOR $mfm_path
}
```

Since Minifm simply outputs the file path of a file, when pressing enter, this can make scripting fairly easy.

All of the other features in mfm are done outside of the current shell, and thus don't need a function.

## Installation

```
sudo make clean install
```

## Screenshots

Home directory:

```
bus      dotfiles  hdd      objects  ser      list
Desktop  down      hooks    pics      tor      music
dev       Downloads  niche    qmk_firmware '2021-08-31 21-14-02.mkv' user.colours.json
~$ touch totallynotfiller
~$ rm totallynotfiller
~$ bat music

File: music
1 Goodkid:
2 Goodkid
3 Goodkid 2
4
5 Lovejoy:
6 are you alright
7
8 ZWEI:
9 anything
10
11 The mechanisms:
12 anything
13

~$ [insert]
10 Downloads
9 branches
8 bus
7 dev
6 docs
5 dotfiles
4 down
3 go
2 hdd
1 hooks
0 niche
1 node_modules
2 objects
3 pics
4 qmk_firmware
5 refs
6 ser
7 tor
8 '2021-08-31 21-14-02.mkv'
9 layout
```

Visual mode:

```
File: music
1 Goodkid:
2 Goodkid
3 Goodkid 2
4
5 Lovejoy:
6 are you alright
7
8 ZWEI:
9 anything
10
11 The mechanisms:
12 anything
13

~$ cp pics/screenshots/last.png ./
~$ mkdir dev/minifw/screenshots
~$ mv last.png dev/minifw/screenshots/home.jpg
~$ cd
cd: no such file or directory: d
~$ cd dev
dev
1 Vieh
2
3 aptool
4 fira
5 dmenu
6
7 dmenublocks
8 express_line.nvim
9 feline.nvim
10 fzf
11 fzf-lua-native
12 fzf
13 gitlab
14 gitlab
15 gits
16 gitaigus.nvim
17 grow.nvim
18 h1st_proj
19 h1stcode
20 launch
21 learning-opengl

[insert]
```

Single selections:

```
File: music
1 Goodkid:
2 Goodkid
3 Goodkid 2
4
5 Lovejoy:
6 are you alright
7
8 ZWEI:
9 anything
10
11 The mechanisms:
12 anything
13

-0 ep pics/screenshots/last.png ./
-0 mkdir dev/minifs/screenshots
-0 mv last.png dev/minifs/screenshots/home.jpg
-0 cd d
cd: no such file or directory: d
-0 cd dev
dev -0 cp /pics/screenshots/last.png ./minifs/screenshots/visual.jpg
dev -0 cd minifs/src
src
1 action.c
2 action.h
3 actionPlumbing.c
4 actionPlumbing.h
5 core.c
6 core.h
7 info.c
8 info.h
9 main.c
10 types.h
```

Figure 1: SELECTION