←

Method of form tag as CRUD operation

1.**get** use as select.

<form>

  <script>

  fetch('https://jsonplaceholder.typicode.com/todos/5')

   .then((resource) => resource.json())

   .then((json) => console.log(json));

  </script>

</form>

```
E.C.P is not enabled, returning                           enable_copy.js:291
allow right click processing http://127.0.0.1:5500/formmethod.html   rightclick.js:25
                                                          formmethod.html:13
  (200) [{…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…},
  {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…},
▼ {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…},
  {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…},
  {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, {…}, …] ⓘ
  ▼ [0 … 99]
    ▶ 0: {userId: 1, id: 1, title: 'delectus aut autem', completed: false}
    ▶ 1: {userId: 1, id: 2, title: 'quis ut nam facilis et officia qui', completed: false}
    ▶ 2: {userId: 1, id: 3, title: 'fugiat veniam minus', completed: false}
    ▶ 3: {userId: 1, id: 4, title: 'et porro tempora', completed: true}
    ▶ 4: {userId: 1, id: 5, title: 'laboriosam mollitia et enim quasi adipisci quia provident illum', compl
    ▶ 5: {userId: 1, id: 6, title: 'qui ullam ratione quibusdam voluptatem quia omnis', completed: false}
    ▶ 6: {userId: 1, id: 7, title: 'illo expedita consequatur quia in', completed: false}
    ▶ 7: {userId: 1, id: 8, title: 'quo adipisci enim quam ut ab', completed: true}
    ▶ 8: {userId: 1, id: 9, title: 'molestiae perspiciatis ipsa', completed: false}
    ▶ 9: {userId: 1, id: 10, title: 'illo est ratione doloremque quia maiores aut', completed: true}
    ▶ 10: {userId: 1, id: 11, title: 'vero rerum temporibus dolor', completed: true}

                                                          formmethod.html:13
   {userId: 1, id: 5, title: 'laboriosam mollitia et enim quasi adipisci quia provident illum', completed: fa
▼ lse} ⓘ
    completed: false
    id: 5
    title: "laboriosam mollitia et enim quasi adipisci quia provident illum"
    userId: 1
  ▶ [[Prototype]]: Object
›
```

2.**Post as insert**

<form>

  <script>

  fetch('https://jsonplaceholder.typicode.com/todos', {

```
    method: 'POST',
    body: JSON.stringify({
     id: 5,
     title: 'form method',
     completed: false,
    }),
    headers: { 'Content-type': 'application/json;charset=utf-8' },
   })
    .then((resource) => resource.json())
    .then((json) => console.log(json));
  </script>
 </form>
```

stringify is used to serialized method in javascript

```
allow right click processing http://127.0.0.1:5500/formmethod.html
  ▼ {userId: 1, id: 201, title: 'form method', completed: false} ⓘ
     completed: false
     id: 201
     title: "form method"
     userId: 1
   ▶ [[Prototype]]: Object
 >
```

```
allow right click processing http://127.0.0.1:5500/formmethod.html
  ▼ {id: 201, title: 'form method', completed: false} ⓘ
     completed: false
     id: 201
     title: "form method"
   ▶ [[Prototype]]: Object
 >
```

3.Put as Update
```
 <form>
  <script>
  fetch('https://jsonplaceholder.typicode.com/todos/5')
```

```
  .then((resource) => resource.json())
  .then((json) => console.log(json));


fetch('https://jsonplaceholder.typicode.com/todos/5', {
 method: 'PUT',
 body: JSON.stringify({
  userId: 1,
  id: 5,
  title: 'put demo',
  completed: true,
 }),
 headers: { 'Content-type': 'application/json;charset=utf-8' },
})
  .then((resource) => resource.json())
  .then((json) => console.log(json));

</form>
```

```
allow right click processing http://127.0.0.1:5500/formmethod.html              rightclick.js:23
                                                                                formmethod.html:13
  ▶ {userId: 1, id: 5, title: 'laboriosam mollitia et enim quasi adipisci quia provident illum', completed: fa
    lse}
  ▶ {userId: 1, id: 5, title: 'put demo', completed: true}                      formmethod.html:26
>
```

```
<form>
 <script>
  fetch('https://jsonplaceholder.typicode.com/todos/5')
   .then((resource) => resource.json())
   .then((json) => console.log(json));


  fetch('https://jsonplaceholder.typicode.com/todos/5', {
   method: 'PUT',
```

```
  body: JSON.stringify({
   title: 'put demo',
  }),
  headers: { 'Content-type': 'application/json;charset=utf-8' },
 })
  .then((resource) => resource.json())
  .then((json) => console.log(json));
 </script>
</form>
```

Override whole value

```
allow right click processing http://127.0.0.1:5500/formmethod.html          rightclick.js:25
                                                                            formmethod.html:13
  ▶ {userId: 1, id: 5, title: 'laboriosam mollitia et enim quasi adipisci quia provident illum', completed: fa
    lse}
  ▶ {title: 'put demo', id: 5}                                             formmethod.ht Ⓖ
>
```

4.Patch work to update but not override everydata

```
<form>
 <script>
  fetch('https://jsonplaceholder.typicode.com/todos/5')
   .then((resource) => resource.json())
   .then((json) => console.log(json));

  fetch('https://jsonplaceholder.typicode.com/todos/5', {
   method: 'PATCH',
   body: JSON.stringify({
    title: 'put demo',
   }),
   headers: { 'Content-type': 'application/json;charset=utf-8' },
  })
   .then((resource) => resource.json())
```

```
      .then((json) => console.log(json));
    </script>
   </form>
```

```
                                                    formmethod.html:13
   ▶ {userId: 1, id: 5, title: 'laboriosam mollitia et enim quasi adipisci quia provident illum', completed: fa
     lse}
   ▶ {userId: 1, id: 5, title: 'put demo', completed: false}          formmethod.html:23
 >
```

It is use for partially updation.

5. **Delete method**

```
   <form>
    <script>
    fetch('https://jsonplaceholder.typicode.com/todos/5')
     .then((resource) => resource.json())
     .then((json) => console.log(json));


    fetch('https://jsonplaceholder.typicode.com/todos/5', {
     method: 'DELETE',
    })
     .then((resource) => resource.json())
     .then((json) => console.log(json));
    </script>
   </form>
```

```
   urlisa http://127.0.0.1:5500/formmethod.html              main.js:15
                                                    formmethod.html:13
   ▶ {userId: 1, id: 5, title: 'laboriosam mollitia et enim quasi adipisci quia provident illum', completed: fa
     lse}
   allow right click processing http://127.0.0.1:5500/formmethod.html    rightclick.js:25
   ▶ {}                                              formmethod.html:19
 >
```

Remove Ads from pdf and websites

Pricing

Now you can use Askify in any websites

See How