



Log in





HTML

CSS







Python RegEx

< Previous

Next >

A RegEx, or Regular Expression, is a sequence of characters that forms a search pattern.

RegEx can be used to check if a string contains the specified search pattern.

RegEx Module

Python has a built-in package called re, which can be used to work with Regular Expressions.

Import the re module:

import re

RegEx in Python

When you have imported the re module, you can start using regular expressions:

Example

Search the string to see if it starts with "The" and ends with "Spain":

```
import re

txt = "The rain in Spain"
x = re.search("^The.*Spain$", txt)

Try it Yourself »
```

RegEx Functions

The re module offers a set of functions that allows us to search a string for a match:

Function	Description
findall	Returns a list containing all matches
<u>search</u>	Returns a Match object if there is a match anywhere in the string
<u>split</u>	Returns a list where the string has been split at each match
<u>sub</u>	Replaces one or many matches with a string

Metacharacters

Metacharacters are characters with a special meaning:

Character	Description	Example	Try it
[]	A set of characters	"[a-m]"	Try it »
\	Signals a special sequence (can also be used to escape special characters)	"\d"	Try it »

•	Any character (except newline character)	"heo"	Try it »
^	Starts with	"^hello"	Try it »
\$	Ends with	"planet\$"	Try it »
*	Zero or more occurrences	"he.*o"	Try it »
+	One or more occurrences	"he.+o"	Try it »
?	Zero or one occurrences	"he.?o"	Try it »
{}	Exactly the specified number of occurrences	"he.{2}o"	Try it »
I	Either or	"falls stays"	Try it »
()	Capture and group		

Special Sequences

A special sequence is a \ followed by one of the characters in the list below, and has a special meaning:

Character	Description	Example	Try it
\A	Returns a match if the specified characters are at the beginning of the string	"\AThe"	Try it »
\b	Returns a match where the specified characters are at the beginning or at the end of a word (the "r" in the beginning is making sure that the string is being treated as a "raw string")	r"\bain" r"ain\b"	Try it » Try it »
\B	Returns a match where the specified characters are present, but NOT at the beginning (or at the end) of a word (the "r" in the beginning is making sure that the string is being treated as a "raw string")	r"\Bain" r"ain\B"	Try it » Try it »
\d	Returns a match where the string contains	"\d"	Try it »

	digits (numbers from 0-9)		
\D	Returns a match where the string DOES NOT contain digits	"\D"	Try it »
\s	Returns a match where the string contains a white space character	"\s"	Try it »
\\$	Returns a match where the string DOES NOT contain a white space character	"\S"	Try it »
\w	Returns a match where the string contains any word characters (characters from a to Z, digits from 0-9, and the underscore _ character)	"\w"	Try it »
\W	Returns a match where the string DOES NOT contain any word characters	"\W"	Try it »
\Z	Returns a match if the specified characters are at the end of the string	"Spain\Z"	Try it »

Sets

A set is a set of characters inside a pair of square brackets [] with a special meaning:

Set	Description	Try it
[arn]	Returns a match where one of the specified characters (${\tt a}$, ${\tt r}$, or ${\tt n}$) are present	Try it »
[a-n]	Returns a match for any lower case character, alphabetically between ${\tt a}$ and ${\tt n}$	Try it »
[^arn]	Returns a match for any character EXCEPT a , r , and n	Try it »
[0123]	Returns a match where any of the specified digits (0 , 1 , 2 , or 3) are present	Try it »
[0-9]	Returns a match for any digit between 0 and 9	Try it »
[0-5][0-9]	Returns a match for any two-digit numbers from 00 and	Try it »

	59	
[a-zA-Z]	Returns a match for any character alphabetically between a and \boldsymbol{z} , lower case OR upper case	Try it »
[+]	In sets, $+$, $*$, \cdot , $ $, (), $$$, $\{$ } has no special meaning, so [+] means: return a match for any $+$ character in the string	Try it »

The findall() Function

The findall() function returns a list containing all matches.

Example

Print a list of all matches:

```
import re

txt = "The rain in Spain"
x = re.findall("ai", txt)
print(x)
```

Try it Yourself »

The list contains the matches in the order they are found.

If no matches are found, an empty list is returned:

Example

Return an empty list if no match was found:

```
import re
txt = "The rain in Spain"
```

```
x = re.findall("Portugal", txt)
print(x)
```

Try it Yourself »

The search() Function

The search() function searches the string for a match, and returns a <u>Match object</u> if there is a match.

If there is more than one match, only the first occurrence of the match will be returned:

Example

Search for the first white-space character in the string:

```
import re

txt = "The rain in Spain"
x = re.search("\s", txt)

print("The first white-space character is located in position:", x.start())
```

Try it Yourself »

If no matches are found, the value None is returned:

Example

Make a search that returns no match:

```
import re
txt = "The rain in Spain"
```

```
x = re.search("Portugal", txt)
print(x)
```

Try it Yourself »

The split() Function

The split() function returns a list where the string has been split at each match:

Example

Split at each white-space character:

```
import re

txt = "The rain in Spain"
x = re.split("\s", txt)
print(x)
```

Try it Yourself »

You can control the number of occurrences by specifying the maxsplit parameter:

Example

Split the string only at the first occurrence:

```
import re

txt = "The rain in Spain"
x = re.split("\s", txt, 1)
print(x)
```

Try it Yourself »

The sub() Function

The sub() function replaces the matches with the text of your choice:

Example

Replace every white-space character with the number 9:

```
import re

txt = "The rain in Spain"
x = re.sub("\s", "9", txt)
print(x)
```

Try it Yourself »

You can control the number of replacements by specifying the count parameter:

Example

Replace the first 2 occurrences:

```
import re

txt = "The rain in Spain"

x = re.sub("\s", "9", txt, 2)
print(x)
```

Try it Yourself »

Match Object

A Match Object is an object containing information about the search and the result.

Note: If there is no match, the value None will be returned, instead of the Match Object.

Example

Do a search that will return a Match Object:

```
import re

txt = "The rain in Spain"
x = re.search("ai", txt)
print(x) #this will print an object
```

Try it Yourself »

The Match object has properties and methods used to retrieve information about the search, and the result:

- .span() returns a tuple containing the start-, and end positions of the match.
- .string returns the string passed into the function
- .group() returns the part of the string where there was a match

Example

Print the position (start- and end-position) of the first match occurrence.

The regular expression looks for any words that starts with an upper case "S":

```
import re

txt = "The rain in Spain"
```

```
x = re.search(r"\bS\w+", txt)
print(x.span())

Try it Yourself »
```

Example

Print the string passed into the function:

```
import re

txt = "The rain in Spain"
x = re.search(r"\bS\w+", txt)
print(x.string)

Try it Yourself »
```

Example

Print the part of the string where there was a match.

The regular expression looks for any words that starts with an upper case "S":

```
import re

txt = "The rain in Spain"
x = re.search(r"\bS\w+", txt)
print(x.group())

Try it Yourself »
```

Note: If there is no match, the value None will be returned, instead of the Match Object.

< Previous</p>

Next >

NEW

We just launched W3Schools videos



Explore now

COLOR PICKER





Get certified by completing a Python course today!