Wire Shark


Prepared By : Niranjan Kumar K

Date : 12 Oct 2026

Summary :

In Cyber Security we can capture the data packet and analysis through wire shark . Its a free tool and best for local servers . Here used my own website for demo .

1.Website Files



2. Index.html

```
┌──(niranjan㉿Hacker)-[~/k/web]
└─$ cat index.html
<!DOCTYPE html>
<html>
        <head>
                <title>NIRANJAN CREATIONS</title>
                <script src="jquery.js" ></script>
        </head>
        <body>
                <h1>Enter userName</h1>
                <input id="user"></input>
                <h1>Enter Password</h1>
                <input id="password"></input>
                <br><br>
                <button onclick="f()">Check</button>
                <p id="resp"></p>
        </body>
        <script>
                function f(){
                        let user = document.getElementById("user").
value;
                        let password = document.getElementById("pas
sword").value;
                $.get("http://localhost:1514/"+user+"/"+password,fu
nction(resp){
                        document.getElementById("resp").innerText=r
esp;
                });
                }
        </script>
</html>
```

3.Server.py

```
┌──(niranjan㉿Hacker)-[~/k/web]
└─$ cat server.py
from flask import Flask,send_file

app = Flask(__name__)

@app.route("/")
def home():
    return send_file("index.html");


@app.route("/jquery.js")

def throw():
    return send_file("jquery.js")


@app.route("/<user>/<password>")
def check(user,password):
    if user == "Hacker" and password == "1514":
        return "True Credites !"
    return "False Credites !"

if __name__ == "__main__":
    app.run(debug=True,port="1514",host="0.0.0.0")
```

4.Server Switched ON




5. Web Interface




hacker@


6. Entering Credentials



7. Wire Shark Captured Packets



hacker@



No.	Time	Source	Destination	Protocol
66	7.130817525	127.0.0.53	127.0.0.1	DNS
67	7.130966559	127.0.0.1	127.0.0.53	DNS
68	7.217698724	127.0.0.53	127.0.0.1	DNS
69	7.415408615	::1	::1	TCP
70	7.415423603	::1	::1	TCP
71	7.415537292	127.0.0.1	127.0.0.1	TCP
72	7.415557224	127.0.0.1	127.0.0.1	TCP
73	7.415576589	127.0.0.1	127.0.0.1	TCP
74	7.415956440	127.0.0.1	127.0.0.1	HTTP
75	7.415973929	127.0.0.1	127.0.0.1	TCP
76	7.417744808	127.0.0.1	127.0.0.1	TCP
77	7.417773746	127.0.0.1	127.0.0.1	TCP
78	7.417808388	127.0.0.1	127.0.0.1	HTTP
79	7.417818309	127.0.0.1	127.0.0.1	TCP
80	7.420013320	127.0.0.1	127.0.0.1	TCP
81	7.420335819	127.0.0.1	127.0.0.1	TCP
82	7.420395575	127.0.0.1	127.0.0.1	TCP
83	8.035568983	::1	::1	TCP
84	8.035591011	::1	::1	TCP
85	8.035741704	127.0.0.1	127.0.0.1	TCP
86	8.035765860	127.0.0.1	127.0.0.1	TCP
87	8.036653377	::1	::1	TCP
88	8.036662596	::1	::1	TCP
89	8.036730435	127.0.0.1	127.0.0.1	TCP

Conclusion :

Successfully Learned how to capture data packet and analyzing of it , using Wire Shark .

hacker@