## screen

Enjoy this cheat sheet at its fullest within Dash, the macOS documentation browser.

# Escape key

All screen commands are prefixed by an escape key, by default C-a (that's Control-a, sometimes written ^a). To send a literal C-a to the programs in screen, use C-a a. This is useful when when working with screen within screen. For example C-a a n will move screen to a new window on the screen within screen.

Getting in		
screen -S <name></name>	Start a new screen session with session name	
screen -ls	List running sessions/screens	
screen -x	Attach to a running session	
screen -r <name></name>	Attach to a running session with name	
screen -dRR	The "ultimate attach"	
	Attaches to a screen session. If the session is attached elsewhere, detaches that other display. If no session exists, creates one. If multiple sessions exist, uses the first one.	

Getting out		
screen -d <name></name>	Detach a running session	
C-a d	Detach	
C-a D D	Detach and logout (quick exit)	
"C-a : quit"	Exit screen or exit all of the programs in screen	
C-a C-\	Force-exit screen (not recommended)	

		Help		
C-a ?	See help			

Lists keybindings. The <u>man page</u> is the complete reference, but it's very long.

	Window Management
С-а с	Create new window
C-a C-a	Change to last-visited active window (commonly used to flip-flop between two windows)
C-a <number></number>	Change to window by number (only for windows 0 to 9)
C-a ' <number or="" title=""></number>	Change to window by number or name
C-a n or C-a <space></space>	Change to next window in list
C-a p or C-a <backspace></backspace>	Change to previous window in list
C-a "	See window list (allows you to select a window to change to)
C-a w	Show window bar (if you don't have window bar)
C-a k	Kill current window (not recommended)
C-a \	Kill all windows (not recommended)
C-a A	Rename current window

Split screen			
C-a S	Split display horizontally		
C-a	Split display vertically or C-a V (for the vanilla vertical screen patch)		
C-a tab	Jump to next display region		
С-а Х	Remove current region		
C-a Q	Remove all regions but the current one		

## Scripting

Send a command to a named session

```
screen -S <name> -X <command>
```

Create a new window and run ping example.com

```
screen -S <name> -X screen ping example.com
```

Stuff characters into the input buffer using bash to expand a newline character (from here)

```
screen -S <name> [-p <page>] -X stuff \gamma'
```

#### A full example

```
# run bash within screen
screen -AmdS bash_shell bash
# run top within that bash session
screen -S bash_shell -p 0 -X stuff $'top\r'
# ... some time later
# stuff 'q' to tell top to quit
screen -S bash_shell -X stuff 'q'
# stuff 'exit\n' to exit bash session
screen -S bash_shell -X stuff $'exit\r'
```

Misc		
C-a C-l	Redraw window	
C-a [	Enter copy mode  or C-a <esc> (also used for viewing scrollback buffer)</esc>	
C-a ]	Paste	
С-а М	Monitor window for activity	
C-a _	Monitor window for silence	
C-a C-v	Enter digraph (for producing non-ascii characters)	

С-а х	Lock (password protect) display	
C-a :	Enter screen command	
С-а Н	Enable logging in the screen session	

#### **Notes**

- Based on the Quick Reference at aperiodic
- Converted by gendalus

You can modify and improve this cheat sheet here