


Database


- The collection of organized interrelated data to any purpose
 - Used to store, organize and extract data.
 - Database can be computerized or non-computerized (manual).
 - A database may have single or multiple tables.
 - The data in database are organized in rows and columns.
- e.g. Telephone directory, marks ledger, attendance register, dictionary etc.



कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Data and Information

- Data can be defined as raw fact.
- Many not have meaning
 - Name: Ram, Roll no: 5
- Processed data is known as information.
- Gives certain meaning
 - Ram is a student. His roll no. is 5.




Data → Information
Processing

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Database Processing / Management tasks

- Data Capture
- Data classification
- Data storage
- Data arranging
- Data retrieval
- Data maintenance
- Data verification
- Data coding
- Data editing
- Data transcription
- Data transmission



कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Database Management System (DBMS)

- A technique that stores data, process them and provides the information in an organized form using database management software.
- allows user to modify, update, organize and retrieve information from the database

E.G.

- MS- Access
- Oracle
- FoxPro
- MS SQL Server
- MySQL
- dBase

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Advantages of DBMS

- Reduce data redundancy (duplication)
- Increase data consistency (constant nature)
- Greater data integrity (completeness: complete data can be retrieved)
- Improved data security
- High storage
- Concurrent data access

Disadvantages of DBMS

- Initial investment cost in hardware, software and training is high
- Cost for maintenance of software
- Complexity of backup and recovery

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Relational DBMS (RDBMS)

- Most widely used software or program that stores database in multiple tables in the basis of a key field.
- Allows a user to view or create or retrieve records from multiple linked tables

E.g.

- MS- Access
- Oracle
- MS SQL Server
- MySQL

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Microsoft Access (MS-Access)

- A relational database management system developed by Microsoft Corporation
- Used to store and manipulate large amount of data in the form of tables.
- Allows the user to create database and store data in multiple tables
- Extension of ms access file: .mdb (2003), .accdb (2007)
- Template extension: .mdn (2003), .accdt (2007)

Objects of MS Access

- Table
- Pages
- Query
- Macro
- Form
- Modules
- Report

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Table

- The primary object of MS-Access.
- Building block of database that stores large volume of data in the form of rows of columns.

Creating table

Different ways to create a table in ms access database are:

- Creating Table in Design View
- Creating Table by Using Wizard
- Creating Table by entering Data

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Primary Key and Foreign Key

- The special fields of table that uniquely identifies each record from database.
- It does not accept duplicate value and can not be left blank.
- Foreign Key is a field in a table that matches the primary key field (column) of another table in relation.

Importance:

- To identify each record uniquely
- To control duplication data entry
- To set relationship between tables

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Elements of Table

Field

- A column of a table which stores a particular type of data.
- Also known as an attribute

Record

- Row of a table that gives complete information of a particular object
- The collection of multiple related fields
- It is also known as tuple.

SN	Fname	Date of birth	Address
SIT01	Kamal	1/11/2048	Kathmandu
SIT02	Rojina	5/9/2052	Lalitpur
SIT03	Mohan	9/13/2045	Kalimati
SIT04	Sujata	9/15/2045	Kirtipur

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Candidate, alternate and composite key

- **Candidate key:**
 - Any column or a combination of columns that can qualify as unique key in database.
 - One Table can have multiple Candidate Keys which can be taken as a primary key
- **Alternate key:**
 - A key (columns) which uniquely identify every row in the table, but which is not the primary key.
- **Composite (Compound) Key:**
 - a combination of two or more columns in a table that can be used to uniquely identify each row in the table.

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Data Type

It is the feature of a field that determines what kinds of data can be entered in the field.

Text

Default data type which stores alphanumeric value.

Default size: 50 characters

Maximum size: 255 characters

Memo

Stores alphanumeric values upto 65535

Number

Stores only number

Default numeric field size: Long Integer

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Data Type

Date/Time


Stores date and time

Size: 8 bytes

Currency

Stores currency value

Storage size: 8 bytes



Auto Number

Generates unique sequential number automatically

Size: 4 bytes

OLE Object

Stores picture, video, sound

Size: 1 GB

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०


Data Type

Yes/No

Stores logical value that can be only one of two possible values:

yes/no, true/false, on/off etc.

Field size: 1 bit



Hyperlink

Stores link of other documents

Size: 2048 characters

Attachment

Attaches any document or file in the table

Lookup Wizard

Displays data from another table in list box or combo box.

Storage size: 4 bytes

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Common field properties

- **Field Size:** Maximum Number of characters
- **Format:** Appearance of value to be displayed
- **Input Mask:** It specifies a pattern and controls value of records for all data to be entered
- **Caption:** alternate name for the field upto 2048 characters
- **Default Value:** specifies the value entered automatically
- **Validation Rule:** Controls and limits the value to be entered
- **Validation Text:** Text messaged to be displayed when data entered is not matched to validation rule
- **Required:** specifies data must be entered or not
- **Indexed:** speeds up sorting and searching data

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Query

An object of database that is used to view, retrieve, change and analyzed records from a table or multiple linked tables.

When a user changes data in the query, the data in the table also get changed.

Different ways to create query are:

- Creating query in design view
- Creating query by using wizard

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Types of Query

- **Select Query:** Retrieves records from table with or without criteria
- **Crosstab Query:** Presents data in a sheet, used to summarize and analyze data
- **Parameter Query:** Retrieves data as parameter given and works in conjunction with other types of queries
- **SQL Query:** Communicates with other types of database, uses SQL commands
- **Action Query:** Performs action (makes changes) on the data retrieved
 - **Update Query:** Updates specified value on the table
 - **Append Query:** Adds or appends data from one table to another
 - **Delete Query:** Deletes records from a table or multiple tables.
 - **Make Table Query:** Makes new database table from the result of the query

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Forms

- A database object that is used to create an interface for entering data in a table or multiple tables
- A form displays a complete record at a time.
- Form can be created from table or query

Different ways to create a form are:

- Creating form using Design View
- Creating form by using wizard

Different Form Layout

- **Columnar:** Default layout
- **Tabular**
- **Datasheet:** Same as excel worksheet
- **Justified**


[Columnar and justified display single record at a time. Tabular and Datasheet display multiple record]

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Forms

Different parts/sections of form

- **Header** : Displayed when the form is viewed in the form view.
- **Detail**: Detail area that contains the entire contents of form design.
- **Footer**: Displayed when the form is viewed in the form view.



Reports

- Database object that presents output in a printed format.
- Used to display result
- Report can be created from table or query

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०


Report

Different ways to create a report are:

- Creating report using Design View
- Creating report by using wizard

Different Report Layout

- Columnar
- Tabular: Default layout
- Justified



Report Layout with grouped field

- Stepped
- Block
- Outline

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Report

Different parts/section of report

- **Report Header:** Appears at the top of the first page and displays the report title.
- **Page Header:** Appears at the top of every page and displays the headings (field labels) for each column.
- **Page Footer:** Appears at the bottom of every page and displays the page number and total number of pages.
- **Detail Section:** Appears between the page header and page footer and displays the records from the table or query.
- **Report Footer:** This section is optional. Appears on the last page of the report and displays summary information such as grand totals.

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Pages

- Pages allow you to view and update the data in your database from within a browser

Macros

- Used to perform most of the task that you perform manually from keyboard, menus and toolbars.

Modules

- Foundation of any application and lets to create libraries of functions that can be used throughout your application

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Basic Database Term

- **Entity:** Entity is the distinguishable objects of real world.
e.g. Student, Customer, Employee
- **Attribute:** Set of properties possessed by an entity.
e.g. Name, Class, Section of a student
- **Tuple:** Each record row in a table
- **Sorting:** Arrangement of all the records in ascending or descending order either alphabetically or numerically

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Basic Database Term

- **Filtering of Data:** Process of retrieving required record of a table based on given criteria
- **Formatting the table:** Changing the appearance of to make it attractive. E.g. changing row height or column width, changing border color and style, changing font and its size

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Basic Database Term

- **Database index:** A data structure that improves the speed of data retrieval operations on a database
- **Design View:** A window that shows the design of database objects: table, query, form, reports etc.
- In this view, we can create new database objects and modify them.
- **Datasheet View:** A window that displays data from a table, query, form in a row and column format. In this view, we can edit fields, add and delete data and search for data.

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Basic Database Term

- **Control:** Graphical objects which performs certain action on form or report
 - Text box, Label, Check box, Buttons, List box, Combo box
- **Toggle Button:** control which acts as on/off button
- **Front End and Back End:** Back-end application contains tables while front end application contains other objects like, queries, forms and reports

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Basic Database Term

- **Wizard:** Step by step process to perform any action
- **Data Normalization:** A process to make the table efficient and compact as possible to eliminate the possibility of inconsistencies, duplicate and error.

Database Administrator (DBA)

- An information specialist who has responsibility for managing the database
- Duties of DBS: four major areas: Database planning, implementation, operation and security

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०


Basic Database Term

- **Data Model:** a representation of reality, 'real world' objects and events
- **Data integrity:** refers to maintaining and assuring the accuracy and consistency of data
- **Confidentiality:** Confidentiality is a set of rules or a promise that limits access or places restrictions on certain types of information
- **Data redundancy:** Repetition of a field that in two or more tables
- **Data consistency:** Data consistency is the accuracy, validity, usability and integrity of associated data
- **Replication :** Process of copying and maintaining database objects in multiple databases that make up a distributed database system

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Relationship


- An association among different related tables so that we can retrieve information from different tables easily.
- Types of Relationship:
 - One to One
 - One to Many
 - Many to Many



कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Relationship


- **One to One Relationship:**
 - Each record in the first table can have only one matching record in the second table and vice versa
 - E.g. Employee: Department, Country: President



कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Relationship

- **One to Many Relationship:**
 - Most common type of relationship
 - Each record in the first table can have more than one matching record in the second table
 - E.g. Customer: Order, Country: City
- **Parent And Child table**
 - Parent Table: Table in one side of one to many relationship
 - Child Table: Table in many side of one to many relationship



कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Relationship

- **Many to Many Relationship:**
 - More Complicated
 - Each record in the first table can have more than one matching record in the second table and vice versa
 - Needs third table called **junction table** to establish relationship
 - E.g. Movie: Actor



कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Database Models

- 1st Gen. {
 - **Hierarchical Data Model:** Data are organized in tree structure (parent-child structure) in different hierarchy (level)
 - **Network Database Model:** In a network data model, record is stored with a link to other records.
}
- 2nd Gen. • **Relational Database Model:** Data are organized in more than one table related to one another.
- 3rd Gen. {
 - **Object Oriented Database Model:** It assumes data as an object.
 - **Object Relational Database Model:** Objects oriented with relational database model.
}

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Database Schema

- Complete picture/structure/blue print of database
 - **Physical Schema**
 - Design at the physical level
 - Describes how data are actually stored in database
 - **Logical Schema**
 - Design at the logical level.
 - Describes what data are stored in database and what relationship exists among them

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Data Integrity/ Integrity Constraint

- Set of rules to be followed in database
 - **Entity integrity**
 - The Primary key cannot have a NULL value.
 - **Domain integrity**
 - Refers to the range of valid entries for a given column
 - Ensures that there are only valid entries in the column.
 - **Referential integrity**
 - Ensures that for every value of a Foreign key, there is a matching value of the Primary key.

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

3 Level Architecture of Database

- **External level:** has the users' views of the database.
- **Conceptual level:** describes the logical structure of the entire database, including descriptions of the data and relationships among the data.
- **Internal level:** gives the details of the physical storage of the database on the computer.

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Steps in database design

- **Step 1:** Define the Purpose of the Database (Requirement Analysis) Gather the requirements and define the objective of your database.
 - **Step 2:** Gather Data, Organize in tables and Specify the Primary Keys.
 - **Step 3:** Create Relationships among Tables.
 - **Step 4:** Refine & Normalize the Design.
- Hierarchy of data**
- Bit >> Byte (Character)>> Field >> Record >> Table (file) >> Database >> Data Bank

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Types of Table

1. Master Table:

- a. It has unique record in a table
- b. It contains relatively permanent records and rarely changed
- c. It is created only once

2. Transaction Table:

- a. May have unique record but generally has duplicate records
- b. It contains relatively temporary records and changeable

3. Linker/Junction Table:

- a. Used to relate two or more tables
- b. It has two common columns (Key fields)


कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

ER Diagram (Entity-relationship diagram)

- A data modeling technique that graphically illustrates an information system's entities and the relationships between those entities.
- A conceptual and representational model of data used to represent the entity framework infrastructure.
- **The elements of an ERD are:** Entities, Relationships, Attributes

DFD (Data Flow Diagram)

- A Data Flow Diagram (DFD) is a traditional way to visualize the information flows within a system.



कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Different Opening options in MS Access:

- **Open:** to open the database for shared access in a multi-user environment so that you and other users can read and write to the database.
- **Open Read-Only:** open the database for read-only access so that you can view but not edit it. Other users can still read and write to the database.
- **Open Exclusive:** When you have a database open with exclusive access, anyone else who tries to open the database receives a "file already in use" message.
- **Open Exclusive Read-Only:** Other users can still open the database, but they are limited to read-only mode.

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Database Languages

DDL

- **Data Definition Language (DDL)** statements are used to define the database structure or schema. Some examples:
 - **CREATE** - to create objects in the database
 - **ALTER** - alters the structure of the database
 - **DROP** - delete objects from the database
 - **TRUNCATE** - remove all records from a table, including all spaces allocated for the records are removed
 - **COMMENT** - add comments to the data dictionary
 - **RENAME** - rename an object

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Database Languages

DML

- **Data Manipulation Language (DML)** statements are used for managing data within schema objects.
 - **SELECT** - retrieve data from the a database
 - **INSERT** - insert data into a table
 - **UPDATE** - updates existing data within a table
 - **DELETE** - deletes all records from a table, the space for the records remain

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Database Languages

DCL

- **Data Control Language (DCL)** statements.
 - **GRANT** - gives user's access privileges to database
 - **REVOKE** - withdraw access privileges given with the GRANT command

TCL

- **Transaction Control (TCL)** statements are used to manage the changes made by DML statements.
 - **COMMIT** - save work done
 - **SAVEPOINT** - identify a point in a transaction to which you can later roll back
 - **ROLLBACK** - restore database to original since the last COMMIT
 - **SET TRANSACTION** - Change transaction options like isolation level and what rollback segment to use

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

Shortcuts and Limitations in MS Access

Shortcuts

- | | |
|---|---------------------------------|
| • Ctrl + F2: Invoke Builder | • Ctrl + "+": Insert new record |
| • F11 or Alt + F1: Bring database window to the front | |
| • F12 or Alt + F2: Save As | • F6: Navigate between panes |

MS Access Limitations

- Database size: 2 GB
- No. of objects in a database: 32768
- Number of characters in an object name: 64
- Number of concurrent users: 255
- Number of characters in a field name: 64
- Number of fields in a table: 255
- Number of fields in an index or primary key: 10
- Number of characters in a label (form/report): 2,048
- Number of actions in a macro: 999

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

SQL Join

- A JOIN clause is used to combine rows from two or more tables, based on a related column between them.

Inner join

- Returns records that have matching values in both tables
- Also known as Equi join.

Self Join

- Sometime we need to join a table to itself. This type of join is called Self join. In this Join, we need to open two copies of a same table in the memory.

Left (Outer) Join:

- Returns all records from the left table, and the matched records from the right table

Right (Outer) Join:

- Returns all records from the right table, and the matched records from the left table

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०


SQL Join

Full (Outer) Join:

- Returns all records when there is a match in either left or right table

Cross Join

- Combines all the rows from the left table with every row from the right table.
- Returns Cartesian product of rows from tables in the join



कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

SQL Operators

- **ALL:** The ALL operator is used to compare a value to all values in another value set.
- **AND:** The AND operator allows the existence of multiple conditions in an SQL statement's WHERE clause.
- **ANY:** The ANY operator is used to compare a value to any applicable value in the list as per the condition.
- **BETWEEN:** The BETWEEN operator is used to search for values that are within a set of values, given the minimum value and the maximum value.
- **EXISTS:** The EXISTS operator is used to search for the presence of a row in a specified table that meets a certain criterion.

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०

SQL Operators

- **IN:** The IN operator is used to compare a value to a list of literal values that have been specified.
- **LIKE:** The LIKE operator is used to compare a value to similar values using wildcard operators.
- **NOT:** The NOT operator reverses the meaning of the logical operator with which it is used. Eg: NOT EXISTS, NOT BETWEEN, NOT IN, etc. This is a negate operator.
- **OR:** The OR operator is used to combine multiple conditions in an SQL statement's WHERE clause.
- **IS NULL:** The NULL operator is used to compare a value with a NULL value.
- **UNIQUE:** The UNIQUE operator searches every row of a specified table for uniqueness (no duplicates).

कम्प्युटर अपरेटर तयारी कक्षा २०७७, स्मार्ट इन्फोटेक, सम्पर्क: ९८४१६४९९९३, ९८४३५२१६४०