



Couldn't *stitch* that one.

The Navigator owns its failures. A warn-stripe callout names what broke, offers two recoveries as suggestion chips, and keeps the chat input open so the rider can rewrite the ask themselves. 7 variants: 4 primary (broken segment · offline · impossible constraint · dark safety-gate) + 3 edge states.

Lucia *broken* — inland or Big Sur

Default error state. Warn-stripe callout with compass + "THE NAVIGATOR" label + opinion-serif body + muted detail line + two primary suggestion chips + tertiary "Rewrite the ask". Map shows attempted polyline with a red broken-mark at the failed gap.







— S02 • Default • Dark

Storm blocks the *region*

Dark-mode safety-gate variant. Top stripe and compass chip adopt storm-purple instead of warning-copper. Suggestions shift to temporal recoveries. Every token re-resolves on warm-dark ink substrate.







— S03 • Extended • Light

The ask *breaks physics*

When the rider's constraints cannot be satisfied, the Navigator states the contradiction directly. Suggestions are constraint relaxations ordered by minimum impact. Longer detail copy with 3+ chips.







— S04 • Recovered • Light

Chip primed the *input*

Tapping "Try inland" primed the chat field with an adjusted prompt and swapped the trailing slot to the copper send button. The callout fades to 55% as the screen prepares to transition back to PlanningScreen.







— V01 • Offline

Connection *lost*

Watermark wifi-off glyph makes network state legible. Suggestions include a retry CTA and two cached recent sessions the rider can open without network. Chat input dims to indicate unavailability.





— V02 • Generic Failure

Honest copy, no *chips*

When the system cannot generate recovery suggestions, the callout says so plainly. No suggestion chips appear. The chat input is the only recovery path; the rider is trusted to rephrase.

