

Scan Report

February 23, 2026

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone “Coordinated Universal Time”, which is abbreviated “UTC”. The task was “699bb7d3cd893d03b39ecc54-699bb7d5cd893d03b39ecc4-64230465”. The scan started at Mon Feb 23 02:13:55 2026 UTC and ended at Mon Feb 23 03:19:31 2026 UTC. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1	Result Overview	2
2	Results per Host	2
2.1	64.29.17.3	2
2.1.1	Low general/tcp	2
2.1.2	Log 443/tcp	3
2.1.3	Log general/CPE-T	18
2.1.4	Log 80/tcp	18
2.1.5	Log general/tcp	23
2.2	216.198.79.3	26
2.2.1	Log 22/tcp	27
2.2.2	Log 443/tcp	28
2.2.3	Log general/CPE-T	43
2.2.4	Log general/tcp	43
2.2.5	Log 21/tcp	47
2.2.6	Log 80/tcp	47
2.2.7	Log 3389/tcp	52

1 Result Overview

Host	High	Medium	Low	Log	False Positive
64.29.17.3 listenzenify.vercel.app	0	0	1	29	0
216.198.79.3 listenzenify.vercel.app	0	0	0	33	0
Total: 2	0	0	1	62	0

Vendor security updates are not trusted.

Overrides are off. Even when a result has an override, this report uses the actual threat of the result.

Information on overrides is included in the report.

Notes are included in the report.

This report might not show details of all issues that were found.

Only results with a minimum QoD of 70 are shown.

This report contains all 63 results selected by the filtering described above. Before filtering there were 65 results.

2 Results per Host

2.1 64.29.17.3

Host scan start Mon Feb 23 02:14:33 2026 UTC

Host scan end Mon Feb 23 03:03:52 2026 UTC

Service (Port)	Threat Level
general/tcp	Low
443/tcp	Log
general/CPE-T	Log
80/tcp	Log
general/tcp	Log

2.1.1 Low general/tcp

Low (CVSS: 2.6) NVT: TCP Timestamps Information Disclosure
Summary The remote host implements TCP timestamps and therefore allows to compute the uptime.
Quality of Detection (QoD): 80% ... continues on next page ...

...continued from previous page...
Vulnerability Detection Result It was detected that the host implements RFC1323/RFC7323. The following timestamps were retrieved with a delay of 1 seconds in-between: Packet 1: 1998820688 Packet 2: 2015452722
Impact A side effect of this feature is that the uptime of the remote host can sometimes be computed.
Solution: Solution type: Mitigation To disable TCP timestamps on linux add the line 'net.ipv4.tcp_timestamps = 0' to /etc/sysctl.conf. Execute 'sysctl -p' to apply the settings at runtime. To disable TCP timestamps on Windows execute 'netsh int tcp set global timestamps=disabled' Starting with Windows Server 2008 and Vista, the timestamp can not be completely disabled. The default behavior of the TCP/IP stack on this Systems is to not use the Timestamp options when initiating TCP connections, but use them if the TCP peer that is initiating communication includes them in their synchronize (SYN) segment. See the references for more information.
Affected Software/OS TCP implementations that implement RFC1323/RFC7323.
Vulnerability Insight The remote host implements TCP timestamps, as defined by RFC1323/RFC7323.
Vulnerability Detection Method Special IP packets are forged and sent with a little delay in between to the target IP. The responses are searched for a timestamps. If found, the timestamps are reported. Details: TCP Timestamps Information Disclosure OID:1.3.6.1.4.1.25623.1.0.80091 Version used: 2023-12-15T16:10:08Z
References url: https://datatracker.ietf.org/doc/html/rfc1323 url: https://datatracker.ietf.org/doc/html/rfc7323 url: https://web.archive.org/web/20151213072445/http://www.microsoft.com/en-us/download/details.aspx?id=9152 url: https://www.fortiguard.com/psirt/FG-IR-16-090

[[return to 64.29.17.3](#)]

2.1.2 Log 443/tcp

Log (CVSS: 0.0)

NVT: HTTP Security Headers Detection

Summary

All known security headers are being checked on the remote web server.

On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Header Name | Header Value

Cross-Origin-Opener-Policy | same-origin-allow-popups

Referrer-Policy | no-referrer-when-downgrade

Strict-Transport-Security | max-age=63072000; includeSubDomains; preload

Missing Headers | More Information

↔-----

↔-----

↔-----

Content-Security-Policy | https://owasp.org/www-project-secure-headers

↔/#content-security-policy

Cross-Origin-Embedder-Policy | https://scotthelme.co.uk/coop-and-coep/, Not

↔e: This is an upcoming header

Cross-Origin-Resource-Policy | https://scotthelme.co.uk/coop-and-coep/, Not

↔e: This is an upcoming header

Document-Policy | https://w3c.github.io/webappsec-feature-poli

↔cy/document-policy#document-policy-http-header

Expect-CT | https://owasp.org/www-project-secure-headers

↔/#expect-ct, Note: This is an upcoming header

Feature-Policy | https://owasp.org/www-project-secure-headers

↔/#feature-policy, Note: The Feature Policy header has been renamed to Permissi

↔ons Policy

Permissions-Policy | https://w3c.github.io/webappsec-feature-poli

↔cy/#permissions-policy-http-header-field

Public-Key-Pins | Please check the output of the VTs including

↔ 'SSL/TLS:' and 'HPKP' in their name for more information and configuration he

↔lp. Note: Most major browsers have dropped / deprecated support for this heade

↔r in 2020.

Sec-Fetch-Dest | https://developer.mozilla.org/en-US/docs/Web

↔/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo

↔rted only in newer browsers like e.g. Firefox 90

Sec-Fetch-Mode | https://developer.mozilla.org/en-US/docs/Web

↔/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo

↔rted only in newer browsers like e.g. Firefox 90

Sec-Fetch-Site | https://developer.mozilla.org/en-US/docs/Web

↔/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo

... continues on next page ...

...continued from previous page ...
↳rted only in newer browsers like e.g. Firefox 90 Sec-Fetch-User https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header supported only in newer browsers like e.g. Firefox 90 X-Content-Type-Options https://owasp.org/www-project-secure-headers/#x-content-type-options X-Frame-Options https://owasp.org/www-project-secure-headers/#x-frame-options X-Permitted-Cross-Domain-Policies https://owasp.org/www-project-secure-headers/#x-permitted-cross-domain-policies X-XSS-Protection https://owasp.org/www-project-secure-headers/#x-xss-protection, Note: Most major browsers have dropped / deprecated support for this header in 2020.
Solution:
Log Method Details: HTTP Security Headers Detection OID:1.3.6.1.4.1.25623.1.0.112081 Version used: 2025-03-21T15:40:43Z
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/#div-headers url: https://securityheaders.com/

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration
Summary This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).
Quality of Detection (QoD): 80%
Vulnerability Detection Result It was possible to enumerate the following HTTP server banner(s): Server banner Enumeration technique ----- Server: Vercel Valid HTTP 1.0 GET request to '/index.htm'
Solution:
Log Method
... continues on next page ...

...continued from previous page ...

Details: HTTP Server Banner Enumeration
OID:1.3.6.1.4.1.25623.1.0.108708
Version used: 2025-01-31T15:39:24Z

Log (CVSS: 0.0)
NVT: HTTP Server type and version

Summary

This script detects and reports the HTTP Server's banner which might provide the type and version of it.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The remote HTTP Server banner is:
Server: Vercel

Solution:**Log Method**

Details: HTTP Server type and version
OID:1.3.6.1.4.1.25623.1.0.10107
Version used: 2023-08-01T13:29:10Z

Log (CVSS: 0.0)
NVT: Services

Summary

This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

A web server is running on this port through SSL

Solution:**Vulnerability Insight**

This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method

... continues on next page ...

...continued from previous page ...

Details: **Services**
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: 2025-03-05T05:38:53Z

Log (CVSS: 0.0)
NVT: **Services**

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
A TLScustom server answered on this port

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: **Services**
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: 2025-03-05T05:38:53Z

Log (CVSS: 0.0)
NVT: **SSL/TLS: Certificate Will Soon Expire**

Product detection result
cpe:/a:ietf:transport_layer_security
Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25623.1.0.103692)

Summary
The remote server's SSL/TLS certificate will soon expire.

Quality of Detection (QoD): 99%

Vulnerability Detection Result
The certificate of the remote service will expire within the next 60 days on 2026-03-26 17:44:00.

...continues on next page ...

...continued from previous page...	
Certificate details:	
fingerprint (SHA-1)	F013B97148C8B9A232B53A664B5254A32FFBD49A
fingerprint (SHA-256)	D87921647721A94C0B30505C3233693C1D4AEE9C4C4D9A
↪34EB3D4C8686B80508	
issued by	CN=WR1,0=Google Trust Services,C=US
public key algorithm	RSA
public key size (bits)	2048
serial	00F2C7E4489D4167F60D26A3972F74A621
signature algorithm	sha256WithRSAEncryption
subject	CN=*.vercel.app
subject alternative names (SAN)	*.vercel.app, vercel.app
valid from	2025-12-26 17:44:01 UTC
valid until	2026-03-26 17:44:00 UTC
Solution:	
Solution type: Mitigation	
Prepare to replace the SSL/TLS certificate by a new one.	
Vulnerability Insight	
This script checks expiry dates of certificates associated with SSL/TLS-enabled services on the target and reports whether any will expire during then next 28 days for the Let's Encrypt Certificate Authority or 60 days for any other Certificate Authority.	
Log Method	
Details: SSL/TLS: Certificate Will Soon Expire	
OID:1.3.6.1.4.1.25623.1.0.103957	
Version used: 2024-06-14T05:05:48Z	
Product Detection Result	
Product: cpe:/a:ietf:transport_layer_security	
Method: SSL/TLS: Collect and Report Certificate Details	
OID: 1.3.6.1.4.1.25623.1.0.103692)	
References	
url: https://letsencrypt.org/2015/11/09/why-90-days.html	
Log (CVSS: 0.0)	
NVT: SSL/TLS: Collect and Report Certificate Details	
Summary	
This script collects and reports the details of all SSL/TLS certificates.	
This data will be used by other tests to verify server certificates.	
Quality of Detection (QoD): 98%	
... continues on next page ...	

...continued from previous page ...

Vulnerability Detection Result

The following certificate details of the remote service were collected.

Certificate details:

fingerprint (SHA-1)	F013B97148C8B9A232B53A664B5254A32FFBD49A
fingerprint (SHA-256)	D87921647721A94C0B30505C3233693C1D4AEE9C4C4D9A
↪34EB3D4C8686B80508	
issued by	CN=WR1,0=Google Trust Services,C=US
public key algorithm	RSA
public key size (bits)	2048
serial	00F2C7E4489D4167F60D26A3972F74A621
signature algorithm	sha256WithRSAEncryption
subject	CN=*.vercel.app
subject alternative names (SAN)	*.vercel.app, vercel.app
valid from	2025-12-26 17:44:01 UTC
valid until	2026-03-26 17:44:00 UTC

Solution:**Log Method**

Details: SSL/TLS: Collect and Report Certificate Details

OID:1.3.6.1.4.1.25623.1.0.103692

Version used: 2024-09-27T05:05:23Z

Log (CVSS: 0.0)

NVT: SSL/TLS: HTTP Public Key Pinning (HPKP) Missing

Summary

The remote web server is not enforcing HTTP Public Key Pinning (HPKP).

Note: Most major browsers have dropped / deprecated support for this header in 2020.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The remote web server is not enforcing HPKP.

HTTP-Banner:

HTTP/1.1 200 OK

Accept-Ranges: bytes

Access-Control-Allow-Origin: *

Age: 27129

Cache-Control: public, max-age=0, must-revalidate

Content-Disposition: inline

Content-Length: ***replaced***

Content-Type: text/html; charset=utf-8

Cross-Origin-Opener-Policy: same-origin-allow-popups

Date: ***replaced***

... continues on next page ...

...continued from previous page ...
<pre>Etag: "***replaced***" Referrer-Policy: no-referrer-when-downgrade Server: Vercel Strict-Transport-Security: max-age=63072000; includeSubDomains; preload Vary: rsc, next-router-state-tree, next-router-prefetch, next-router-segment-pre ↪fetch X-Matched-Path: / X-Nextjs-Prerender: 1 X-Nextjs-Stale-Time: 300 X-Vercel-Cache: HIT X-Vercel-Id: iad1::lz65q-1771812890340-d4cdd72a5339 Connection: close</pre>
Solution: Solution type: Workaround Enable HPKP or add / configure the required directives correctly following the guides linked in the references. Note: Some web servers are not sending headers on specific status codes by default. Please review your web server or application configuration to always send these headers on every response independently from the status code. - Apache: Use 'Header always set' instead of 'Header set'. - nginx: Append the 'always' keyword to each 'add_header' directive. For different applications or web servers please refer to the related documentation for a similar configuration possibility.
Log Method Details: SSL/TLS: HTTP Public Key Pinning (HPKP) Missing OID:1.3.6.1.4.1.25623.1.0.108247 Version used: 2025-03-21T15:40:43Z
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/#public-key-pinning-extension-↪for-http-hpkp url: https://tools.ietf.org/html/rfc7469 url: https://securityheaders.io/ url: https://httpd.apache.org/docs/current/mod/mod_headers.html#header url: https://nginx.org/en/docs/http/nginx_http_headers_module.html#add_header
Log (CVSS: 0.0) NVT: SSL/TLS: HTTP Strict Transport Security (HSTS) Detection
Summary Checks if the remote web server has HTTP Strict Transport Security (HSTS) enabled.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote web server is sending the "HTTP Strict-Transport-Security" header. HSTS-Header: Strict-Transport-Security: max-age=63072000; includeSubDomains; preload
Solution:
Log Method Details: SSL/TLS: HTTP Strict Transport Security (HSTS) Detection OID:1.3.6.1.4.1.25623.1.0.105876 Version used: 2024-09-27T05:05:23Z
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/cheatsheets/HTTP_Strict_Transport_Security_Cheat_Sheet.html url: https://owasp.org/www-project-secure-headers/#http-strict-transport-security-hsts url: https://tools.ietf.org/html/rfc6797 url: https://securityheaders.io/

Log (CVSS: 0.0) NVT: SSL/TLS: NPN / ALPN Extension and Protocol Support Detection
Summary This routine identifies services supporting the following extensions to TLS: - Application-Layer Protocol Negotiation (ALPN) - Next Protocol Negotiation (NPN). Based on the availability of this extensions the supported Network Protocols by this service are gathered and reported.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote service advertises support for the following Network Protocol(s) via the ALPN extension: SSL/TLS Protocol:Network Protocol TLSv1.2:HTTP/1.1 TLSv1.2:HTTP/2
Solution:
... continues on next page ...

...continued from previous page ...
Log Method Details: SSL/TLS: NPN / ALPN Extension and Protocol Support Detection OID:1.3.6.1.4.1.25623.1.0.108099 Version used: 2024-09-27T05:05:23Z
References url: https://tools.ietf.org/html/rfc7301 url: https://tools.ietf.org/html/draft-agl-tls-nextprotoneg-04

Log (CVSS: 0.0) NVT: SSL/TLS: Report Medium Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↪802067)
Summary This routine reports all Medium SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Medium' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 'Medium' cipher suites accepted by this service via the TLSv1.3 protocol: TLS_AES_128_GCM_SHA256
Solution:
Vulnerability Insight Any cipher suite considered to be secure for only the next 10 years is considered as medium.
Log Method Details: SSL/TLS: Report Medium Cipher Suites OID:1.3.6.1.4.1.25623.1.0.902816 Version used: 2024-09-27T05:05:23Z
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0) NVT: SSL/TLS: Report Non Weak Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↪802067)
Summary This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Non Weak' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256 'Non Weak' cipher suites accepted by this service via the TLSv1.3 protocol: TLS_AES_128_GCM_SHA256 TLS_AES_256_GCM_SHA384 TLS_CHACHA20_POLY1305_SHA256
Solution:
Log Method Details: SSL/TLS: Report Non Weak Cipher Suites OID:1.3.6.1.4.1.25623.1.0.103441 Version used: 2024-09-27T05:05:23Z
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0) NVT: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↪802067)
... continues on next page ...

...continued from previous page ...	
Summary	This routine reports all SSL/TLS cipher suites accepted by a service which are supporting Perfect Forward Secrecy (PFS).
Quality of Detection (QoD): 98%	
Vulnerability Detection Result	Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256 Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this service via the TLSv1.3 protocol: TLS_AES_128_GCM_SHA256 TLS_AES_256_GCM_SHA384 TLS_CHACHA20_POLY1305_SHA256
Solution:	
Log Method	Details: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites OID:1.3.6.1.4.1.25623.1.0.105018 Version used: 2024-09-30T08:38:05Z
Product Detection Result	Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)

NVT: SSL/TLS: Report Supported Cipher Suites

Summary

This routine reports all SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%**Vulnerability Detection Result**

'Strong' cipher suites accepted by this service via the TLSv1.2 protocol:

TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256

'Medium' cipher suites accepted by this service via the TLSv1.2 protocol:

TLS_DHE_RSA_WITH_AES_256_GCM_SHA384

TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256

... continues on next page ...

...continued from previous page ...
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 No 'Weak' cipher suites accepted by this service via the TLSv1.2 protocol. No 'Null' cipher suites accepted by this service via the TLSv1.2 protocol. No 'Anonymous' cipher suites accepted by this service via the TLSv1.2 protocol. 'Strong' cipher suites accepted by this service via the TLSv1.3 protocol: TLS_AES_256_GCM_SHA384 TLS_CHACHA20_POLY1305_SHA256 'Medium' cipher suites accepted by this service via the TLSv1.3 protocol: TLS_AES_128_GCM_SHA256 No 'Weak' cipher suites accepted by this service via the TLSv1.3 protocol. No 'Null' cipher suites accepted by this service via the TLSv1.3 protocol. No 'Anonymous' cipher suites accepted by this service via the TLSv1.3 protocol.
Solution:
Vulnerability Insight Notes: - As the VT 'SSL/TLS: Check Supported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.900234) might run into a timeout the actual reporting of all accepted cipher suites takes place in this VT instead. - SSLv2 ciphers are not getting reported as the protocol itself is deprecated, needs to be considered as weak and is reported separately as deprecated.
Log Method Details: SSL/TLS: Report Supported Cipher Suites OID:1.3.6.1.4.1.25623.1.0.802067 Version used: 2024-09-27T05:05:23Z

Log (CVSS: 0.0) NVT: SSL/TLS: Safe/Secure Renegotiation Support Status
Summary Checks and reports if a remote SSL/TLS service supports safe/secure renegotiation.
Quality of Detection (QoD): 98%
Vulnerability Detection Result Protocol Version Safe/Secure Renegotiation Support Status ----- ↔----- ↔----- SSLv3 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version). TLSv1.0 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version).
... continues on next page ...

...continued from previous page...	
↪pting this SSL/TLS protocol version).	
TLSv1.1	Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version).
TLSv1.2	Enabled, Note: While the remote service announces the support ↪ of safe/secure renegotiation it still might not support / accept renegotiation at all.
TLSv1.3	Disabled (The TLSv1.3 protocol generally doesn't support renegotiation so this is always reported as 'Disabled')
Solution:	
Log Method Details: SSL/TLS: Safe/Secure Renegotiation Support Status OID:1.3.6.1.4.1.25623.1.0.117757 Version used: 2024-09-27T05:05:23Z	
References url: https://www.gnutls.org/manual/html_node/Safe-renegotiation.html url: https://wiki.openssl.org/index.php/TLS1.3#Renegotiation url: https://datatracker.ietf.org/doc/html/rfc5746	

Log (CVSS: 0.0) NVT: SSL/TLS: Version Detection	
Summary Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result The remote SSL/TLS service supports the following SSL/TLS protocol version(s): TLSv1.2 TLSv1.3	
Solution:	
Log Method Sends multiple connection requests to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the replies. Note: The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers. Details: SSL/TLS: Version Detection OID:1.3.6.1.4.1.25623.1.0.105782 Version used: 2024-09-27T05:05:23Z	

Log (CVSS: 0.0)

NVT: Web Application Scanning Consolidation / Info Reporting

Summary

The script consolidates and reports various information for web application (formerly called 'CGI') scanning.

This information is based on the following scripts / settings:

- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use

If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The Hostname/IP "listenzenify.vercel.app" was used to access the remote host. Generic web application scanning is disabled for this host via the "Enable generic web application scanning" option within the "Global variable settings" of the scan config in use.

Requests to this service are done via HTTP/1.1.

This service seems to be able to host PHP scripts.

This service seems to be able to host ASP scripts.

The User-Agent "Mozilla/5.0 [en] (X11; U; OpenVAS-VT <version replaced>)" was used to access the remote host.

Historic /scripts and /cgi-bin are not added to the directories used for web application scanning. You can enable this again with the "Add historic /scripts and /cgi-bin to directories for CGI scanning" option within the "Global variable settings" of the scan config in use.

The following directories were used for web application scanning:

https://listenzenify.vercel.app/

While this is not, in and of itself, a bug, you should manually inspect these directories to ensure that they are in compliance with company security standards

Solution:**Log Method**

Details: Web Application Scanning Consolidation / Info Reporting

OID:1.3.6.1.4.1.25623.1.0.111038

Version used: 2026-01-13T05:47:36Z

References

... continues on next page ...

...continued from previous page ...

url: <https://forum.greenbone.net/c/vulnerability-tests/7>[\[return to 64.29.17.3 \]](#)

2.1.3 Log general/CPE-T

Log (CVSS: 0.0)

NVT: CPE Inventory

Summary

This routine uses information collected by other routines about CPE identities of operating systems, services and applications detected during the scan.

Note: Some CPEs for specific products might show up twice or more in the output. Background: After a product got renamed or a specific vendor was acquired by another one it might happen that a product gets a new CPE within the NVD CPE Dictionary but older entries are kept with the older CPE.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

64.29.17.3|cpe:/a:ietf:transport_layer_security:1.2

64.29.17.3|cpe:/a:ietf:transport_layer_security:1.3

Solution:**Log Method**

Details: CPE Inventory

OID:1.3.6.1.4.1.25623.1.0.810002

Version used: 2022-07-27T10:11:28Z

Referencesurl: <https://nvd.nist.gov/products/cpe>[\[return to 64.29.17.3 \]](#)

2.1.4 Log 80/tcp

Log (CVSS: 0.0)

NVT: HTTP Security Headers Detection

Summary

All known security headers are being checked on the remote web server.

On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.

... continues on next page ...

...continued from previous page ...	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result	
Missing Headers	More Information

↩-----	
↩-----	
Content-Security-Policy	https://owasp.org/www-project-secure-headers
↩/#content-security-policy	
Cross-Origin-Embedder-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↩e: This is an upcoming header	
Cross-Origin-Opener-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↩e: This is an upcoming header	
Cross-Origin-Resource-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↩e: This is an upcoming header	
Document-Policy	https://w3c.github.io/webappsec-feature-policy/document-policy#document-policy-http-header
↩cy/document-policy#document-policy-http-header	
Feature-Policy	https://owasp.org/www-project-secure-headers
↩/#feature-policy, Note: The Feature Policy header has been renamed to Permissions Policy	
↩ons Policy	
Permissions-Policy	https://w3c.github.io/webappsec-feature-policy/#permissions-policy-http-header-field
↩cy/#permissions-policy-http-header-field	
Referrer-Policy	https://owasp.org/www-project-secure-headers
↩/#referrer-policy	
Sec-Fetch-Dest	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers#fetch_metadata_request_headers , Note: This is a new header supported only in newer browsers like e.g. Firefox 90
↩/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header supported only in newer browsers like e.g. Firefox 90	
Sec-Fetch-Mode	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers#fetch_metadata_request_headers , Note: This is a new header supported only in newer browsers like e.g. Firefox 90
↩/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header supported only in newer browsers like e.g. Firefox 90	
Sec-Fetch-Site	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers#fetch_metadata_request_headers , Note: This is a new header supported only in newer browsers like e.g. Firefox 90
↩/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header supported only in newer browsers like e.g. Firefox 90	
Sec-Fetch-User	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers#fetch_metadata_request_headers , Note: This is a new header supported only in newer browsers like e.g. Firefox 90
↩/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header supported only in newer browsers like e.g. Firefox 90	
X-Content-Type-Options	https://owasp.org/www-project-secure-headers
↩/#x-content-type-options	
X-Frame-Options	https://owasp.org/www-project-secure-headers
↩/#x-frame-options	
X-Permitted-Cross-Domain-Policies	https://owasp.org/www-project-secure-headers
↩/#x-permitted-cross-domain-policies	
X-XSS-Protection	https://owasp.org/www-project-secure-headers
↩/#x-xss-protection, Note: Most major browsers have dropped / deprecated support for this header in 2020.	
...continues on next page ...	

...continued from previous page ...
Solution:
Log Method Details: HTTP Security Headers Detection OID:1.3.6.1.4.1.25623.1.0.112081 Version used: 2025-03-21T15:40:43Z
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/#div-headers url: https://securityheaders.com/

Log (CVSS: 0.0) NVT: HTTP Server Banner Enumeration
Summary This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).
Quality of Detection (QoD): 80%
Vulnerability Detection Result It was possible to enumerate the following HTTP server banner(s): Server banner Enumeration technique ----- server: Vercel Valid HTTP 0.9 GET request to '/index.html'
Solution:
Log Method Details: HTTP Server Banner Enumeration OID:1.3.6.1.4.1.25623.1.0.108708 Version used: 2025-01-31T15:39:24Z

Log (CVSS: 0.0) NVT: HTTP Server type and version
Summary This script detects and reports the HTTP Server's banner which might provide the type and version of it.
Quality of Detection (QoD): 80%
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Result The remote HTTP Server banner is: server: Vercel
Solution:
Log Method Details: HTTP Server type and version OID:1.3.6.1.4.1.25623.1.0.10107 Version used: 2023-08-01T13:29:10Z

Log (CVSS: 0.0) NVT: Response Time / No 404 Error Code Check
Summary This VT tests if the remote web server does not reply with a 404 error code and checks if it is replying to the scanners requests in a reasonable amount of time.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The host returns a 30x (e.g. 301) error code when a non-existent file is request ↵ed. Some HTTP-related checks have been disabled.
Solution:
Vulnerability Insight This web server might show the following issues: - it is [mis]configured in that it does not return '404 Not Found' error codes when a non-existent file is requested, perhaps returning a site map, search page, authentication page or redirect instead. The Scanner might enabled some counter measures for that, however they might be insufficient. If a great number of security issues are reported for this port, they might not all be accurate. - it doesn't response in a reasonable amount of time to various HTTP requests sent by this VT. In order to keep the scan total time to a reasonable amount, the remote web server might not be tested. If the remote server should be tested it has to be fixed to have it reply to the scanners requests in a reasonable amount of time. Alternatively the 'Maximum response time (in seconds)' preference could be raised to a higher value if longer scan times are accepted.
Log Method Details: Response Time / No 404 Error Code Check OID:1.3.6.1.4.1.25623.1.0.10386 Version used: 2025-04-11T15:45:04Z

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T05:38:53Z

Log (CVSS: 0.0) NVT: Web Application Scanning Consolidation / Info Reporting
Summary The script consolidates and reports various information for web application (formerly called 'CGI') scanning. This information is based on the following scripts / settings: - HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034) - No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386) - Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662) - Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032) - The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use - The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use If you think any of this information is wrong please report it to the referenced community forum.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The Hostname/IP "listenzenify.vercel.app" was used to access the remote host. Generic web application scanning is disabled for this host via the "Enable gener ↳ic web application scanning" option within the "Global variable settings" of t ... continues on next page ...

...continued from previous page ...
↪he scan config in use. Requests to this service are done via HTTP/1.0. This service seems to be able to host PHP scripts. This service seems to be able to host ASP scripts. The User-Agent "Mozilla/5.0 [en] (X11, U; OpenVAS-VT <version replaced>)" was used to access the remote host. Historic /scripts and /cgi-bin are not added to the directories used for web application scanning. You can enable this again with the "Add historic /scripts and /cgi-bin to directories for CGI scanning" option within the "Global variable settings" of the scan config in use. The following directories were used for web application scanning: <code>http://listenzenify.vercel.app/</code> While this is not, in and of itself, a bug, you should manually inspect these directories to ensure that they are in compliance with company security standards
Solution:
Log Method Details: Web Application Scanning Consolidation / Info Reporting OID:1.3.6.1.4.1.25623.1.0.111038 Version used: 2026-01-13T05:47:36Z
References url: https://forum.greenbone.net/c/vulnerability-tests/7

[\[return to 64.29.17.3 \]](#)

2.1.5 Log general/tcp

Log (CVSS: 0.0) NVT: Hostname Determination Reporting
Summary The script reports information on how the hostname of the target was determined.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Hostname determination for IP 64.29.17.3: Hostname Source listenzenify.vercel.app Forward-DNS
Solution:
... continues on next page ...

...continued from previous page ...

Log Method

Details: Hostname Determination Reporting

OID:1.3.6.1.4.1.25623.1.0.108449

Version used: 2022-07-27T10:11:28Z

Log (CVSS: 0.0)

NVT: OS Detection Consolidation and Reporting

Summary

This script consolidates the OS information detected by several VTs and tries to find the best matching OS.

Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection.

If any of this information is wrong or could be improved please consider to report these to the referenced community forum.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

No Best matching OS identified. Please see the VT 'Unknown OS and Service Banner ↪ Reporting' (OID: 1.3.6.1.4.1.25623.1.0.108441) for possible ways to identify ↪this OS.

Solution:**Log Method**

Details: OS Detection Consolidation and Reporting

OID:1.3.6.1.4.1.25623.1.0.105937

Version used: 2026-02-19T05:56:52Z

Referencesurl: <https://forum.greenbone.net/c/vulnerability-tests/7>

Log (CVSS: 0.0)

NVT: SSL/TLS: Hostname discovery from server certificate

Summary

It was possible to discover an additional hostname of this server from its certificate Common or Subject Alt Name.

Quality of Detection (QoD): 98%**Vulnerability Detection Result**

... continues on next page ...

...continued from previous page ...
The following additional and resolvable hostnames pointing to a different host i ↔p were detected: vercel.app
Solution:
Log Method Details: SSL/TLS: Hostname discovery from server certificate OID:1.3.6.1.4.1.25623.1.0.111010 Version used: 2021-11-22T15:32:39Z

Log (CVSS: 0.0) NVT: Traceroute
Summary Collect information about the network route and network distance between the scanner host and the target host.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Network route from scanner (172.18.0.5) to target (64.29.17.3): 172.18.0.5 10.206.9.200 10.206.35.113 10.206.32.2 173.255.239.102 23.203.154.42 23.203.154.40 23.32.63.2 23.203.156.41 64.29.17.3 Network distance between scanner and target: 10
Solution:
Vulnerability Insight For internal networks, the distances are usually small, often less than 4 hosts between scanner and target. For public targets the distance is greater and might be 10 hosts or more.
Log Method A combination of the protocols ICMP and TCP is used to determine the route. This method is applicable for IPv4 only and it is also known as 'traceroute'. Details: Traceroute
... continues on next page ...

...continued from previous page...

OID:1.3.6.1.4.1.25623.1.0.51662
Version used: 2022-10-17T11:13:19Z

Log (CVSS: 0.0)
NVT: Unknown OS and Service Banner Reporting

Summary

This VT consolidates and reports the information collected by the following VTs:

- Collect banner of unknown services (OID: 1.3.6.1.4.1.25623.1.0.11154)
- Service Detection (unknown) with nmap (OID: 1.3.6.1.4.1.25623.1.0.66286)
- Service Detection (wrapped) with nmap (OID: 1.3.6.1.4.1.25623.1.0.108525)
- OS Detection Consolidation and Reporting (OID: 1.3.6.1.4.1.25623.1.0.105937)

If you know any of the information reported here, please send the full output to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Unknown banners have been collected which might help to identify the OS running
↪ on this host. If these banners containing information about the host OS please
↪ report the following information to <https://forum.greenbone.net/c/vulnerability-tests/7>:

Banner: Server: Vercel

Identified from: HTTP Server banner on port 443/tcp

Banner: server: Vercel

Identified from: HTTP Server banner on port 80/tcp

Solution:**Log Method**

Details: Unknown OS and Service Banner Reporting

OID:1.3.6.1.4.1.25623.1.0.108441

Version used: 2023-06-22T10:34:15Z

References

url: <https://forum.greenbone.net/c/vulnerability-tests/7>

[\[return to 64.29.17.3 \]](#)

2.2 216.198.79.3

Host scan start Mon Feb 23 02:14:33 2026 UTC

Host scan end Mon Feb 23 03:19:20 2026 UTC

Service (Port)	Threat Level
22/tcp	Log
443/tcp	Log
general/CPE-T	Log
general/tcp	Log
21/tcp	Log
80/tcp	Log
3389/tcp	Log

2.2.1 Log 22/tcp

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result An unknown service is running on this port. It is usually reserved for SSH
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T05:38:53Z

Log (CVSS: 0.0) NVT: Unknown OS and Service Banner Reporting
Summary This VT consolidates and reports the information collected by the following VTs: - Collect banner of unknown services (OID: 1.3.6.1.4.1.25623.1.0.11154) - Service Detection (unknown) with nmap (OID: 1.3.6.1.4.1.25623.1.0.66286) - Service Detection (wrapped) with nmap (OID: 1.3.6.1.4.1.25623.1.0.108525) - OS Detection Consolidation and Reporting (OID: 1.3.6.1.4.1.25623.1.0.105937) ... continues on next page ...

...continued from previous page ...
If you know any of the information reported here, please send the full output to the referenced community forum.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Nmap service detection (unknown) result for this port: tcpwrapped
Solution:
Log Method Details: Unknown OS and Service Banner Reporting OID:1.3.6.1.4.1.25623.1.0.108441 Version used: 2023-06-22T10:34:15Z
References url: https://forum.greenbone.net/c/vulnerability-tests/7

[\[return to 216.198.79.3 \]](#)

2.2.2 Log 443/tcp

Log (CVSS: 0.0) NVT: HTTP Security Headers Detection																									
Summary All known security headers are being checked on the remote web server. On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.																									
Quality of Detection (QoD): 80%																									
Vulnerability Detection Result <table> <tr> <th>Missing Headers</th><th>More Information</th></tr> <tr> <td>-----</td><td>-----</td></tr> <tr> <td>↪-----</td><td>-----</td></tr> <tr> <td>↪-----</td><td>-----</td></tr> <tr> <td>↪-----</td><td>-----</td></tr> <tr> <td>Content-Security-Policy</td><td> https://owasp.org/www-project-secure-headers</td></tr> <tr> <td>↪/#content-security-policy</td><td></td></tr> <tr> <td>Cross-Origin-Embedder-Policy</td><td> https://scotthelme.co.uk/coop-and-coep/, Not</td></tr> <tr> <td>↪e: This is an upcoming header</td><td></td></tr> <tr> <td>Cross-Origin-Opener-Policy</td><td> https://scotthelme.co.uk/coop-and-coep/, Not</td></tr> <tr> <td>↪e: This is an upcoming header</td><td></td></tr> <tr> <td>Cross-Origin-Resource-Policy</td><td> https://scotthelme.co.uk/coop-and-coep/, Not</td></tr> </table>		Missing Headers	More Information	-----	-----	↪-----	-----	↪-----	-----	↪-----	-----	Content-Security-Policy	https://owasp.org/www-project-secure-headers	↪/#content-security-policy		Cross-Origin-Embedder-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not	↪e: This is an upcoming header		Cross-Origin-Opener-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not	↪e: This is an upcoming header		Cross-Origin-Resource-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
Missing Headers	More Information																								
-----	-----																								
↪-----	-----																								
↪-----	-----																								
↪-----	-----																								
Content-Security-Policy	https://owasp.org/www-project-secure-headers																								
↪/#content-security-policy																									
Cross-Origin-Embedder-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not																								
↪e: This is an upcoming header																									
Cross-Origin-Opener-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not																								
↪e: This is an upcoming header																									
Cross-Origin-Resource-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not																								
... continues on next page ...																									

...continued from previous page ...

↳e: This is an upcoming header
 Document-Policy | <https://w3c.github.io/webappsec-feature-policy/document-policy-http-header>
 ↳cy/document-policy#document-policy-http-header
 Expect-CT | [https://owasp.org/www-project-secure-headers](https://owasp.org/www-project-secure-headers/#expect-ct)
 ↳/#expect-ct, Note: This is an upcoming header
 Feature-Policy | [https://owasp.org/www-project-secure-headers](https://owasp.org/www-project-secure-headers/#feature-policy)
 ↳/#feature-policy, Note: The Feature Policy header has been renamed to Permissions Policy
 Permissions-Policy | <https://w3c.github.io/webappsec-feature-policy/permissions-policy-http-header-field>
 ↳cy/#permissions-policy-http-header-field
 Public-Key-Pins | Please check the output of the VTs including
 ↳ 'SSL/TLS:' and 'HPKP' in their name for more information and configuration help.
 ↳lp. Note: Most major browsers have dropped / deprecated support for this header in 2020.
 Referrer-Policy | [https://owasp.org/www-project-secure-headers](https://owasp.org/www-project-secure-headers/#referrer-policy)
 ↳/#referrer-policy
 Sec-Fetch-Dest | [https://developer.mozilla.org/en-US/docs/Web](https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers#fetch_metadata_request_headers)
 ↳/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header supported only in newer browsers like e.g. Firefox 90
 Sec-Fetch-Mode | [https://developer.mozilla.org/en-US/docs/Web](https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers#fetch_metadata_request_headers)
 ↳/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header supported only in newer browsers like e.g. Firefox 90
 Sec-Fetch-Site | [https://developer.mozilla.org/en-US/docs/Web](https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers#fetch_metadata_request_headers)
 ↳/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header supported only in newer browsers like e.g. Firefox 90
 Sec-Fetch-User | [https://developer.mozilla.org/en-US/docs/Web](https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers#fetch_metadata_request_headers)
 ↳/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header supported only in newer browsers like e.g. Firefox 90
 Strict-Transport-Security | Please check the output of the VTs including
 ↳ 'SSL/TLS:' and 'HSTS' in their name for more information and configuration help.
 ↳lp.
 X-Content-Type-Options | [https://owasp.org/www-project-secure-headers](https://owasp.org/www-project-secure-headers/#x-content-type-options)
 ↳/#x-content-type-options
 X-Frame-Options | [https://owasp.org/www-project-secure-headers](https://owasp.org/www-project-secure-headers/#x-frame-options)
 ↳/#x-frame-options
 X-Permitted-Cross-Domain-Policies | [https://owasp.org/www-project-secure-headers](https://owasp.org/www-project-secure-headers/#x-permitted-cross-domain-policies)
 ↳/#x-permitted-cross-domain-policies
 X-XSS-Protection | [https://owasp.org/www-project-secure-headers](https://owasp.org/www-project-secure-headers/#x-xss-protection)
 ↳/#x-xss-protection, Note: Most major browsers have dropped / deprecated support for this header in 2020.

Solution:**Log Method**

Details: HTTP Security Headers Detection

OID:1.3.6.1.4.1.25623.1.0.112081

...continues on next page ...

...continued from previous page ...
Version used: 2025-03-21T15:40:43Z
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/#div-headers url: https://securityheaders.com/

Log (CVSS: 0.0) NVT: HTTP Server Banner Enumeration
Summary This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).
Quality of Detection (QoD): 80%
Vulnerability Detection Result It was possible to enumerate the following HTTP server banner(s): Server banner Enumeration technique ----- Server: Vercel Valid HTTP 1.0 GET request to '/index.htm'
Solution:
Log Method Details: HTTP Server Banner Enumeration OID:1.3.6.1.4.1.25623.1.0.108708 Version used: 2025-01-31T15:39:24Z

Log (CVSS: 0.0) NVT: HTTP Server type and version
Summary This script detects and reports the HTTP Server's banner which might provide the type and version of it.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote HTTP Server banner is: Server: Vercel
Solution:
... continues on next page ...

...continued from previous page ...

Log Method

Details: HTTP Server type and version

OID:1.3.6.1.4.1.25623.1.0.10107

Version used: 2023-08-01T13:29:10Z

Log (CVSS: 0.0)

NVT: Services

Summary

This plugin performs service detection.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

A TLScustom server answered on this port

Solution:**Vulnerability Insight**

This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method

Details: Services

OID:1.3.6.1.4.1.25623.1.0.10330

Version used: 2025-03-05T05:38:53Z

Log (CVSS: 0.0)

NVT: Services

Summary

This plugin performs service detection.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

A web server is running on this port through SSL

Solution:**Vulnerability Insight**

... continues on next page ...

...continued from previous page ...
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T05:38:53Z

Log (CVSS: 0.0) NVT: SSL/TLS: Certificate Will Soon Expire
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25623.1.0.103692)
Summary The remote server's SSL/TLS certificate will soon expire.
Quality of Detection (QoD): 99%
Vulnerability Detection Result The certificate of the remote service will expire within the next 60 days on 2026-03-26 17:44:00. Certificate details: fingerprint (SHA-1) F013B97148C8B9A232B53A664B5254A32FFBD49A fingerprint (SHA-256) D87921647721A94C0B30505C3233693C1D4AEE9C4C4D9A ↪34EB3D4C8686B80508 issued by CN=WR1,0=Google Trust Services,C=US public key algorithm RSA public key size (bits) 2048 serial 00F2C7E4489D4167F60D26A3972F74A621 signature algorithm sha256WithRSAEncryption subject CN=*.vercel.app subject alternative names (SAN) *.vercel.app, vercel.app valid from 2025-12-26 17:44:01 UTC valid until 2026-03-26 17:44:00 UTC
Solution: Solution type: Mitigation Prepare to replace the SSL/TLS certificate by a new one.
Vulnerability Insight ... continues on next page ...

...continued from previous page ...
This script checks expiry dates of certificates associated with SSL/TLS-enabled services on the target and reports whether any will expire during then next 28 days for the Let's Encrypt Certificate Authority or 60 days for any other Certificate Authority.
Log Method Details: SSL/TLS: Certificate Will Soon Expire OID:1.3.6.1.4.1.25623.1.0.103957 Version used: 2024-06-14T05:05:48Z
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)
References url: https://letsencrypt.org/2015/11/09/why-90-days.html

Log (CVSS: 0.0) NVT: SSL/TLS: Collect and Report Certificate Details
Summary This script collects and reports the details of all SSL/TLS certificates. This data will be used by other tests to verify server certificates.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The following certificate details of the remote service were collected. Certificate details: fingerprint (SHA-1) F013B97148C8B9A232B53A664B5254A32FFBD49A fingerprint (SHA-256) D87921647721A94C0B30505C3233693C1D4AEE9C4C4D9A ↪34EB3D4C8686B80508 issued by CN=WR1,O=Google Trust Services,C=US public key algorithm RSA public key size (bits) 2048 serial 00F2C7E4489D4167F60D26A3972F74A621 signature algorithm sha256WithRSAEncryption subject CN=*.vercel.app subject alternative names (SAN) *.vercel.app, vercel.app valid from 2025-12-26 17:44:01 UTC valid until 2026-03-26 17:44:00 UTC
Solution:
Log Method
... continues on next page ...

...continued from previous page...
Details: SSL/TLS: Collect and Report Certificate Details OID:1.3.6.1.4.1.25623.1.0.103692 Version used: 2024-09-27T05:05:23Z
Log (CVSS: 0.0) NVT: SSL/TLS: HTTP Public Key Pinning (HPKP) Missing
Summary The remote web server is not enforcing HTTP Public Key Pinning (HPKP). Note: Most major browsers have dropped / deprecated support for this header in 2020.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote web server is not enforcing HPKP. HTTP-Banner: HTTP/1.1 403 Forbidden Cache-Control: private, no-store, max-age=0 Content-Type: text/html; charset=utf-8 Server: Vercel X-Vercel-Challenge-Token: 2.1771813430.60.MzBiMTM3NjJjZjE1ODgyZmRjOWUxZDc5MTBmMm ↪M10TI7MmY2NmVlNTU7N2ViYTNjZGFjNjY3MGUwNTUwNGI5ODZiOWM4NzU2ZDA1NzUwZWUxZTs01MX ↪wd+Q8mCl0T53+k1yovBjGfoEK7IatwJ/nJ0vaSE79Ngr/H1TcQKB1RyDy0YglYzkce19ThsRBw==.3 ↪795f2d02e3c42791154a08c65bb823b X-Vercel-Id: iad1::1771813430-cuL5DGutkhuJ6oIluvvGkJhFMBSRIEmE X-Vercel-Mitigated: challenge Date: ***replaced*** Connection: close Transfer-Encoding: chunked
Solution: Solution type: Workaround Enable HPKP or add / configure the required directives correctly following the guides linked in the references. Note: Some web servers are not sending headers on specific status codes by default. Please review your web server or application configuration to always send these headers on every response independently from the status code. - Apache: Use 'Header always set' instead of 'Header set'. - nginx: Append the 'always' keyword to each 'add_header' directive. For different applications or web servers please refer to the related documentation for a similar configuration possibility.
Log Method Details: SSL/TLS: HTTP Public Key Pinning (HPKP) Missing OID:1.3.6.1.4.1.25623.1.0.108247 ... continues on next page ...

...continued from previous page ...
Version used: 2025-03-21T15:40:43Z
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/#public-key-pinning-extension-for-http-hpkp url: https://tools.ietf.org/html/rfc7469 url: https://securityheaders.io/ url: https://httpd.apache.org/docs/current/mod/mod_headers.html#header url: https://nginx.org/en/docs/http/ngx_http_headers_module.html#add_header

Log (CVSS: 0.0) NVT: SSL/TLS: HTTP Strict Transport Security (HSTS) Missing
Summary The remote web server is not enforcing HTTP Strict Transport Security (HSTS).
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote web server is not enforcing HSTS. HTTP-Banner: HTTP/1.1 403 Forbidden Cache-Control: private, no-store, max-age=0 Content-Type: text/html; charset=utf-8 Server: Vercel X-Vercel-Challenge-Token: 2.1771813430.60.MzBiMTM3NjJjZjE1ODgyZmRjOWUxZDc5MTBmMmM1OTI7MmY2NmVlNTU7N2ViYTNjZGFjNjY3MGUwNTUwNGI5ODZiOWM4NzU2ZDA1NzUwZWUxZTszO1MXwd+Q8mCl0T53+k1yovBjGfoEK7IatwJ/nJ0vaSE79Ngr/H1TcQKB1RyDy0YglYzkce19ThsRBw==.3795f2d02e3c42791154a08c65bb823b X-Vercel-Id: iad1::1771813430-cuL5DGutkhuJ6oIluvvGkJhFMBsRIEmE X-Vercel-Mitigated: challenge Date: ***replaced*** Connection: close Transfer-Encoding: chunked
Solution: Solution type: Workaround Enable HSTS or add / configure the required directives correctly following the guides linked in the references. Note: Some web servers are not sending headers on specific status codes by default. Please review your web server or application configuration to always send these headers on every response independently from the status code. - Apache: Use 'Header always set' instead of 'Header set'. - nginx: Append the 'always' keyword to each 'add_header' directive. For different applications or web servers please refer to the related documentation for a similar configuration possibility.
... continues on next page ...

...continued from previous page ...

Log Method

Details: SSL/TLS: HTTP Strict Transport Security (HSTS) Missing

OID:1.3.6.1.4.1.25623.1.0.105879

Version used: 2025-03-21T15:40:43Z

Referencesurl: <https://owasp.org/www-project-secure-headers/>url: https://owasp.org/www-project-secure-headers/cheatsheets/HTTP_Strict_Transport_Security_Cheat_Sheet.htmlurl: <https://owasp.org/www-project-secure-headers/#http-strict-transport-security-hsts>url: <https://tools.ietf.org/html/rfc6797>url: <https://securityheaders.io/>url: https://httpd.apache.org/docs/current/mod/mod_headers.html#headerurl: https://nginx.org/en/docs/http/ngx_http_headers_module.html#add_header

Log (CVSS: 0.0)

NVT: SSL/TLS: NPN / ALPN Extension and Protocol Support Detection

Summary

This routine identifies services supporting the following extensions to TLS:

- Application-Layer Protocol Negotiation (ALPN)
- Next Protocol Negotiation (NPN).

Based on the availability of these extensions the supported Network Protocols by this service are gathered and reported.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The remote service advertises support for the following Network Protocol(s) via the ALPN extension:

SSL/TLS Protocol: Network Protocol

TLSv1.2: HTTP/1.1

TLSv1.2: HTTP/2

Solution:**Log Method**

Details: SSL/TLS: NPN / ALPN Extension and Protocol Support Detection

OID:1.3.6.1.4.1.25623.1.0.108099

Version used: 2024-09-27T05:05:23Z

References

... continues on next page ...

...continued from previous page ...
url: https://tools.ietf.org/html/rfc7301
url: https://tools.ietf.org/html/draft-agl-tls-nextprotoneg-04

Log (CVSS: 0.0) NVT: SSL/TLS: Report Medium Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↪802067)
Summary This routine reports all Medium SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Medium' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 'Medium' cipher suites accepted by this service via the TLSv1.3 protocol: TLS_AES_128_GCM_SHA256
Solution:
Vulnerability Insight Any cipher suite considered to be secure for only the next 10 years is considered as medium.
Log Method Details: SSL/TLS: Report Medium Cipher Suites OID:1.3.6.1.4.1.25623.1.0.902816 Version used: 2024-09-27T05:05:23Z
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0) NVT: SSL/TLS: Report Non Weak Cipher Suites
Product detection result ... continues on next page ...

...continued from previous page ...
<code>cpe:/a:ietf:transport_layer_security</code> Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↪802067)
Summary This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Non Weak' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256 'Non Weak' cipher suites accepted by this service via the TLSv1.3 protocol: TLS_AES_128_GCM_SHA256 TLS_AES_256_GCM_SHA384 TLS_CHACHA20_POLY1305_SHA256
Solution:
Log Method Details: SSL/TLS: Report Non Weak Cipher Suites OID:1.3.6.1.4.1.25623.1.0.103441 Version used: 2024-09-27T05:05:23Z
Product Detection Result Product: <code>cpe:/a:ietf:transport_layer_security</code> Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0) NVT: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites
Product detection result <code>cpe:/a:ietf:transport_layer_security</code> Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↪802067)
Summary This routine reports all SSL/TLS cipher suites accepted by a service which are supporting Perfect Forward Secrecy (PFS). ... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 98%
Vulnerability Detection Result Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256 Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this service via the TLSv1.3 protocol: TLS_AES_128_GCM_SHA256 TLS_AES_256_GCM_SHA384 TLS_CHACHA20_POLY1305_SHA256
Solution:
Log Method Details: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites OID:1.3.6.1.4.1.25623.1.0.105018 Version used: 2024-09-30T08:38:05Z
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0) NVT: SSL/TLS: Report Supported Cipher Suites
Summary This routine reports all SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Strong' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256 'Medium' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 No 'Weak' cipher suites accepted by this service via the TLSv1.2 protocol. No 'Null' cipher suites accepted by this service via the TLSv1.2 protocol. No 'Anonymous' cipher suites accepted by this service via the TLSv1.2 protocol. ... continues on next page ...

...continued from previous page ...
'Strong' cipher suites accepted by this service via the TLSv1.3 protocol: TLS_AES_256_GCM_SHA384 TLS_CHACHA20_POLY1305_SHA256 'Medium' cipher suites accepted by this service via the TLSv1.3 protocol: TLS_AES_128_GCM_SHA256 No 'Weak' cipher suites accepted by this service via the TLSv1.3 protocol. No 'Null' cipher suites accepted by this service via the TLSv1.3 protocol. No 'Anonymous' cipher suites accepted by this service via the TLSv1.3 protocol.
Solution:
Vulnerability Insight Notes: - As the VT 'SSL/TLS: Check Supported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.900234) might run into a timeout the actual reporting of all accepted cipher suites takes place in this VT instead. - SSLv2 ciphers are not getting reported as the protocol itself is deprecated, needs to be considered as weak and is reported separately as deprecated.
Log Method Details: SSL/TLS: Report Supported Cipher Suites OID:1.3.6.1.4.1.25623.1.0.802067 Version used: 2024-09-27T05:05:23Z

Log (CVSS: 0.0) NVT: SSL/TLS: Safe/Secure Renegotiation Support Status
Summary Checks and reports if a remote SSL/TLS service supports safe/secure renegotiation.
Quality of Detection (QoD): 98%
Vulnerability Detection Result Protocol Version Safe/Secure Renegotiation Support Status ----- ↩----- ↩----- SSLv3 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version). TLSv1.0 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version). TLSv1.1 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version). ... continues on next page ...

...continued from previous page...	
TLSv1.2	Enabled, Note: While the remote service announces the support ↪ of safe/secure renegotiation it still might not support / accept renegotiation ↪ at all.
TLSv1.3	Disabled (The TLSv1.3 protocol generally doesn't support renegotiation so this is always reported as 'Disabled')
Solution:	
Log Method Details: SSL/TLS: Safe/Secure Renegotiation Support Status OID:1.3.6.1.4.1.25623.1.0.117757 Version used: 2024-09-27T05:05:23Z	
References url: https://www.gnutls.org/manual/html_node/Safe-renegotiation.html url: https://wiki.openssl.org/index.php/TLS1.3#Renegotiation url: https://datatracker.ietf.org/doc/html/rfc5746	

Log (CVSS: 0.0) NVT: SSL/TLS: Version Detection
Summary Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSL/TLS service supports the following SSL/TLS protocol version(s): TLSv1.2 TLSv1.3
Solution:
Log Method Sends multiple connection requests to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the replies. Note: The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers. Details: SSL/TLS: Version Detection OID:1.3.6.1.4.1.25623.1.0.105782 Version used: 2024-09-27T05:05:23Z

Log (CVSS: 0.0)

NVT: Web Application Scanning Consolidation / Info Reporting

Summary

The script consolidates and reports various information for web application (formerly called 'CGI') scanning.

This information is based on the following scripts / settings:

- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use

If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The Hostname/IP "listenzenify.vercel.app" was used to access the remote host. Generic web application scanning is disabled for this host via the "Enable generic web application scanning" option within the "Global variable settings" of the scan config in use.

Requests to this service are done via HTTP/1.1.

This service seems to be able to host PHP scripts.

This service seems to be able to host ASP scripts.

The User-Agent "Mozilla/5.0 [en] (X11; U; OpenVAS-VT <version replaced>)" was used to access the remote host.

Historic /scripts and /cgi-bin are not added to the directories used for web application scanning. You can enable this again with the "Add historic /scripts and /cgi-bin to directories for CGI scanning" option within the "Global variable settings" of the scan config in use.

The following directories were used for web application scanning:

https://listenzenify.vercel.app/

While this is not, in and of itself, a bug, you should manually inspect these directories to ensure that they are in compliance with company security standards

Solution:**Log Method**

Details: Web Application Scanning Consolidation / Info Reporting

OID:1.3.6.1.4.1.25623.1.0.111038

Version used: 2026-01-13T05:47:36Z

References

... continues on next page ...

...continued from previous page ...

url: <https://forum.greenbone.net/c/vulnerability-tests/7>[\[return to 216.198.79.3 \]](#)

2.2.3 Log general/CPE-T

Log (CVSS: 0.0)

NVT: CPE Inventory

Summary

This routine uses information collected by other routines about CPE identities of operating systems, services and applications detected during the scan.

Note: Some CPEs for specific products might show up twice or more in the output. Background: After a product got renamed or a specific vendor was acquired by another one it might happen that a product gets a new CPE within the NVD CPE Dictionary but older entries are kept with the older CPE.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

216.198.79.3|cpe:/a:ietf:transport_layer_security:1.2

216.198.79.3|cpe:/a:ietf:transport_layer_security:1.3

Solution:**Log Method**

Details: CPE Inventory

OID:1.3.6.1.4.1.25623.1.0.810002

Version used: 2022-07-27T10:11:28Z

Referencesurl: <https://nvd.nist.gov/products/cpe>[\[return to 216.198.79.3 \]](#)

2.2.4 Log general/tcp

Log (CVSS: 0.0)

NVT: Hostname Determination Reporting

Summary

The script reports information on how the hostname of the target was determined.

... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Hostname determination for IP 216.198.79.3: Hostname Source listenzenify.vercel.app Forward-DNS
Solution:
Log Method Details: Hostname Determination Reporting OID:1.3.6.1.4.1.25623.1.0.108449 Version used: 2022-07-27T10:11:28Z

Log (CVSS: 0.0) NVT: OS Detection Consolidation and Reporting
Summary This script consolidates the OS information detected by several VTs and tries to find the best matching OS. Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection. If any of this information is wrong or could be improved please consider to report these to the referenced community forum.
Quality of Detection (QoD): 80%
Vulnerability Detection Result No Best matching OS identified. Please see the VT 'Unknown OS and Service Banner ↳ Reporting' (OID: 1.3.6.1.4.1.25623.1.0.108441) for possible ways to identify ↳ this OS.
Solution:
Log Method Details: OS Detection Consolidation and Reporting OID:1.3.6.1.4.1.25623.1.0.105937 Version used: 2026-02-19T05:56:52Z
References url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0) NVT: SSL/TLS: Hostname discovery from server certificate
Summary It was possible to discover an additional hostname of this server from its certificate Common or Subject Alt Name.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The following additional and resolvable hostnames pointing to a different host i ↪p were detected: vercel.app
Solution:
Log Method Details: SSL/TLS: Hostname discovery from server certificate OID:1.3.6.1.4.1.25623.1.0.111010 Version used: 2021-11-22T15:32:39Z

Log (CVSS: 0.0) NVT: Traceroute
Summary Collect information about the network route and network distance between the scanner host and the target host.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Network route from scanner (172.18.0.5) to target (216.198.79.3): 172.18.0.5 10.206.9.200 10.206.35.113 10.206.32.2 173.255.239.102 23.203.156.16 23.32.63.2 216.198.79.3 Network distance between scanner and target: 8
Solution:
Vulnerability Insight ... continues on next page ...

...continued from previous page ...
For internal networks, the distances are usually small, often less than 4 hosts between scanner and target. For public targets the distance is greater and might be 10 hosts or more.
Log Method A combination of the protocols ICMP and TCP is used to determine the route. This method is applicable for IPv4 only and it is also known as 'traceroute'. Details: Traceroute OID:1.3.6.1.4.1.25623.1.0.51662 Version used: 2022-10-17T11:13:19Z

Log (CVSS: 0.0) NVT: Unknown OS and Service Banner Reporting
Summary This VT consolidates and reports the information collected by the following VTs: - Collect banner of unknown services (OID: 1.3.6.1.4.1.25623.1.0.11154) - Service Detection (unknown) with nmap (OID: 1.3.6.1.4.1.25623.1.0.66286) - Service Detection (wrapped) with nmap (OID: 1.3.6.1.4.1.25623.1.0.108525) - OS Detection Consolidation and Reporting (OID: 1.3.6.1.4.1.25623.1.0.105937) If you know any of the information reported here, please send the full output to the referenced community forum.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Unknown banners have been collected which might help to identify the OS running ↪ on this host. If these banners containing information about the host OS please ↪ report the following information to https://forum.greenbone.net/c/vulnerability-tests/7 : Banner: Server: Vercel Identified from: HTTP Server banner on port 443/tcp Banner: server: Vercel Identified from: HTTP Server banner on port 80/tcp
Solution:
Log Method Details: Unknown OS and Service Banner Reporting OID:1.3.6.1.4.1.25623.1.0.108441 Version used: 2023-06-22T10:34:15Z
References url: https://forum.greenbone.net/c/vulnerability-tests/7

[[return to 216.198.79.3](#)]

2.2.5 Log 21/tcp

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result An unknown service is running on this port. It is usually reserved for FTP
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T05:38:53Z

[\[return to 216.198.79.3 \]](#)

2.2.6 Log 80/tcp

Log (CVSS: 0.0) NVT: HTTP Security Headers Detection
Summary All known security headers are being checked on the remote web server. On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Missing Headers More Information ----- ↔----- ↔----- ... continues on next page ...

...continued from previous page ...	
Content-Security-Policy ↪/#content-security-policy	https://owasp.org/www-project-secure-headers
Cross-Origin-Embedder-Policy ↪e: This is an upcoming header	https://scotthelme.co.uk/coop-and-coep/ , Not
Cross-Origin-Opener-Policy ↪e: This is an upcoming header	https://scotthelme.co.uk/coop-and-coep/ , Not
Cross-Origin-Resource-Policy ↪e: This is an upcoming header	https://scotthelme.co.uk/coop-and-coep/ , Not
Document-Policy ↪cy/document-policy#document-policy-http-header	https://w3c.github.io/webappsec-feature-poli
Feature-Policy ↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi ↪ons Policy	https://owasp.org/www-project-secure-headers
Permissions-Policy ↪cy/#permissions-policy-http-header-field	https://w3c.github.io/webappsec-feature-poli
Referrer-Policy ↪/#referrer-policy	https://owasp.org/www-project-secure-headers
Sec-Fetch-Dest ↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo ↪rted only in newer browsers like e.g. Firefox 90	https://developer.mozilla.org/en-US/docs/Web
Sec-Fetch-Mode ↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo ↪rted only in newer browsers like e.g. Firefox 90	https://developer.mozilla.org/en-US/docs/Web
Sec-Fetch-Site ↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo ↪rted only in newer browsers like e.g. Firefox 90	https://developer.mozilla.org/en-US/docs/Web
Sec-Fetch-User ↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo ↪rted only in newer browsers like e.g. Firefox 90	https://developer.mozilla.org/en-US/docs/Web
X-Content-Type-Options ↪/#x-content-type-options	https://owasp.org/www-project-secure-headers
X-Frame-Options ↪/#x-frame-options	https://owasp.org/www-project-secure-headers
X-Permitted-Cross-Domain-Policies ↪/#x-permitted-cross-domain-policies	https://owasp.org/www-project-secure-headers
X-XSS-Protection ↪/#x-xss-protection, Note: Most major browsers have dropped / deprecated suppor ↪t for this header in 2020.	https://owasp.org/www-project-secure-headers
Solution:	
Log Method Details: HTTP Security Headers Detection OID:1.3.6.1.4.1.25623.1.0.112081 Version used: 2025-03-21T15:40:43Z	
...continues on next page ...	

...continued from previous page ...

References

url: <https://owasp.org/www-project-secure-headers/>
url: <https://owasp.org/www-project-secure-headers/#div-headers>
url: <https://securityheaders.com/>

Log (CVSS: 0.0)

NVT: HTTP Server Banner Enumeration

Summary

This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

It was possible to enumerate the following HTTP server banner(s):

Server banner | Enumeration technique

server: Vercel | Valid HTTP 0.9 GET request to '/index.html'

Solution:**Log Method**

Details: HTTP Server Banner Enumeration

OID:1.3.6.1.4.1.25623.1.0.108708

Version used: 2025-01-31T15:39:24Z

Log (CVSS: 0.0)

NVT: HTTP Server type and version

Summary

This script detects and reports the HTTP Server's banner which might provide the type and version of it.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The remote HTTP Server banner is:

server: Vercel

Solution:**Log Method**

... continues on next page ...

...continued from previous page ...

Details: HTTP Server type and version
OID:1.3.6.1.4.1.25623.1.0.10107
Version used: 2023-08-01T13:29:10Z

Log (CVSS: 0.0)
NVT: Response Time / No 404 Error Code Check

Summary

This VT tests if the remote web server does not reply with a 404 error code and checks if it is replying to the scanners requests in a reasonable amount of time.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The host returns a 30x (e.g. 301) error code when a non-existent file is request ↵ed. Some HTTP-related checks have been disabled.

Solution:**Vulnerability Insight**

This web server might show the following issues:

- it is [mis]configured in that it does not return '404 Not Found' error codes when a non-existent file is requested, perhaps returning a site map, search page, authentication page or redirect instead.

The Scanner might enabled some counter measures for that, however they might be insufficient. If a great number of security issues are reported for this port, they might not all be accurate.

- it doesn't response in a reasonable amount of time to various HTTP requests sent by this VT. In order to keep the scan total time to a reasonable amount, the remote web server might not be tested. If the remote server should be tested it has to be fixed to have it reply to the scanners requests in a reasonable amount of time.

Alternatively the 'Maximum response time (in seconds)' preference could be raised to a higher value if longer scan times are accepted.

Log Method

Details: Response Time / No 404 Error Code Check
OID:1.3.6.1.4.1.25623.1.0.10386
Version used: 2025-04-11T15:45:04Z

Log (CVSS: 0.0)
NVT: Services

Summary

This plugin performs service detection.

... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID: 1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T05:38:53Z

Log (CVSS: 0.0) NVT: Web Application Scanning Consolidation / Info Reporting
Summary The script consolidates and reports various information for web application (formerly called 'CGI') scanning. This information is based on the following scripts / settings: - HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034) - No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386) - Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662) - Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032) - The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use - The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use If you think any of this information is wrong please report it to the referenced community forum.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The Hostname/IP "listenzenify.vercel.app" was used to access the remote host. Generic web application scanning is disabled for this host via the "Enable generic web application scanning" option within the "Global variable settings" of the scan config in use. Requests to this service are done via HTTP/1.0. This service seems to be able to host PHP scripts. This service seems to be able to host ASP scripts. The User-Agent "Mozilla/5.0 [en] (X11; U; OpenVAS-VT <version replaced>)" was used to access the remote host.
...continues on next page ...

...continued from previous page ... Historic /scripts and /cgi-bin are not added to the directories used for web application scanning. You can enable this again with the "Add historic /scripts and /cgi-bin to directories for CGI scanning" option within the "Global variable settings" of the scan config in use. The following directories were used for web application scanning: http://listenzenify.vercel.app/ While this is not, in and of itself, a bug, you should manually inspect these directories to ensure that they are in compliance with company security standards
Solution:
Log Method Details: Web Application Scanning Consolidation / Info Reporting OID:1.3.6.1.4.1.25623.1.0.111038 Version used: 2026-01-13T05:47:36Z
References url: https://forum.greenbone.net/c/vulnerability-tests/7

[\[return to 216.198.79.3 \]](#)

2.2.7 Log 3389/tcp

Log (CVSS: 0.0) NVT: Unknown OS and Service Banner Reporting
Summary This VT consolidates and reports the information collected by the following VTs: - Collect banner of unknown services (OID: 1.3.6.1.4.1.25623.1.0.11154) - Service Detection (unknown) with nmap (OID: 1.3.6.1.4.1.25623.1.0.66286) - Service Detection (wrapped) with nmap (OID: 1.3.6.1.4.1.25623.1.0.108525) - OS Detection Consolidation and Reporting (OID: 1.3.6.1.4.1.25623.1.0.105937) If you know any of the information reported here, please send the full output to the referenced community forum.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Nmap service detection (unknown) result for this port: tcpwrapped
Solution:
Log Method ... continues on next page ...

...continued from previous page ...
Details: Unknown OS and Service Banner Reporting OID:1.3.6.1.4.1.25623.1.0.108441 Version used: 2023-06-22T10:34:15Z
References url: https://forum.greenbone.net/c/vulnerability-tests/7

[\[return to 216.198.79.3 \]](#)

This file was automatically generated.