

1

```
firdo@Firdouse MINGW64 ~/OneDrive/Desktop/gittag (master)
$ notepad

firdo@Firdouse MINGW64 ~/OneDrive/Desktop/gittag (master)
$ git add 1.txt

firdo@Firdouse MINGW64 ~/OneDrive/Desktop/gittag (master)
$ git commit -m "saved 1.txt"
[master (root-commit) 25430c1] saved 1.txt
1 file changed, 1 insertion(+)
create mode 100644 1.txt

firdo@Firdouse MINGW64 ~/OneDrive/Desktop/gittag (master)
$ notepad

firdo@Firdouse MINGW64 ~/OneDrive/Desktop/gittag (master)
$ git add 2.txt

firdo@Firdouse MINGW64 ~/OneDrive/Desktop/gittag (master)
$ git commit -m "saved 2.txt"
[master f635ba9] saved 2.txt
1 file changed, 1 insertion(+)
create mode 100644 2.txt
```

2

```
firdo@Firdouse MINGW64 ~/OneDrive/Desktop/gittag (master)
$ notepad

firdo@Firdouse MINGW64 ~/OneDrive/Desktop/gittag (master)
$ git add 3.txt

firdo@Firdouse MINGW64 ~/OneDrive/Desktop/gittag (master)
$ git commit -m "saved 3.txt"
[master 7ca529d] saved 3.txt
1 file changed, 1 insertion(+)
create mode 100644 3.txt

firdo@Firdouse MINGW64 ~/OneDrive/Desktop/gittag (master)
$ notepad

firdo@Firdouse MINGW64 ~/OneDrive/Desktop/gittag (master)
$ git add 4.txt

firdo@Firdouse MINGW64 ~/OneDrive/Desktop/gittag (master)
$ git commit -m "saved 4.txt"
[master 7277b8c] saved 4.txt
1 file changed, 1 insertion(+)
create mode 100644 4.txt
```

3

```
firdo@Firdouse MINGW64 ~/OneDrive/Desktop/gittag (master)
$ git log
commit 7277b8cb658c7a3a7086bd291c7c6f01999d1000 (HEAD -> master)
Author: Ahamadi <ahamadifirdouse647@gmail.com>
Date: Sun Nov 3 17:46:04 2024 +0530

    saved 4.txt

commit 7ca529da4afbd49c368e0109c3521c29769fc59f
Author: Ahamadi <ahamadifirdouse647@gmail.com>
Date: Sun Nov 3 17:45:37 2024 +0530

    saved 3.txt

commit f635ba9aeac27150507a86e9e540ec0d21581084
Author: Ahamadi <ahamadifirdouse647@gmail.com>
Date: Sun Nov 3 17:45:10 2024 +0530

    saved 2.txt

commit 25430c10932f208475290d41239a2c099b8b17e6
Author: Ahamadi <ahamadifirdouse647@gmail.com>
Date: Sun Nov 3 17:44:40 2024 +0530

    saved 1.txt
```

4

```
firdo@Firdouse MINGW64 ~/OneDrive/Desktop/gittag (master)
$ git tag v1.0 7277b

firdo@Firdouse MINGW64 ~/OneDrive/Desktop/gittag (master)
$ git tag v1.0 7ca52
fatal: tag 'v1.0' already exists

firdo@Firdouse MINGW64 ~/OneDrive/Desktop/gittag (master)
$ git tag v2.0 7ca52

firdo@Firdouse MINGW64 ~/OneDrive/Desktop/gittag (master)
$ git tag v3.0 f635b

firdo@Firdouse MINGW64 ~/OneDrive/Desktop/gittag (master)
$ git tag v4.0 25430
```

5

```
firdo@Firdouse MINGW64 ~/OneDrive/Desktop/gittag (master)
$ git show v1.0
commit 7277b8cb658c7a3a7086bd291c7c6f01999d1000 (HEAD -> master, tag: v1.0)
Author: Ahamadi <ahamadifirdouse647@gmail.com>
Date:   Sun Nov 3 17:46:04 2024 +0530

    saved 4.txt

diff --git a/4.txt b/4.txt
new file mode 100644
index 0000000..bf0d87a
--- /dev/null
+++ b/4.txt
@@ -0,0 +1 @@
+4
\ No newline at end of file
```