



DATE	10-Jun-23
QUOTE #	090/Q/VI/2023
VALID UNTIL	11-Jul-23
Currency	IDR
REV.	#00



CUSTOMER

Kepada Yth.
Bapak Yang Yang
PT. SARI DUMAI OLEO | APICAL GROUP

Prepared by:

Putri Fadillah Sari
putri.f.s@dgscientific.com
088263244837/081112014888

No	Description	Unit Price	Qty	Amount
1	Top Loading Balance Model : Phoenix BTA-4202  <p>Specification:</p> <ol style="list-style-type: none"> 1. Accuracy: 0,01 g 2. Capacity: 4200 g 3. Pan size: 170 x 180 mm 4. Calibration: Internal 5. Measuring time: 3 sec 	44,100,000	1	44,100,000
2	Top Loading Balance Model : Phoenix BTA-8201  <p>Specification:</p> <ol style="list-style-type: none"> 1. Accuracy: 0,1 g 2. Capacity: 8200 g 3. Pan size: 170 x 180 mm 4. Calibration: Internal 5. Measuring time: 3 sec 5. UPS 3 kVa (integrated stabilizer) 	39,375,000	1	39,375,000
3	Overhead Stirrer Model : Wiggins WOHS-10 Pro			

		42,933,450	1	42,933,450
	Specification :			
	1. Speed range (rpm): 4-2000			
	2. Setting accuracy speed (rpm): 1			
	3. Deviation of speed measurement n>300 rpm: $\pm 3\%$			
	4. Speed display/setting: TFT Display/Touch key and turning knob			
	5. Time setting range: 0-99hr99min			
	6. Temperature measuring range: -10~350			
	7. Temperature measurement resolution: 0.1			
	8. Motor principle: Brushless DC motor			
	Includes:			
	> WF12 Support stand			
	>Screw Propeller, 4 Bladed (PTFE Coated)			
4	ANALYTICAL BALANCE			
	Model: PEAK Instrument TA2204C			
		33,943,200	1	33,943,200
	> Aluminium alloy body and stainless steel platform with clear glass wind shield.			
	> USB interface for PC connection and data export.			
	> Electromagnetic sensor technology.			
	> Multiple function like weighing, parts counting, percent weighing, check weighing, animal weighing, density determination (kit optional) and multi weighing units.			
	Specification:			
	1. Capacity: 220g			
	2. Readability: 0.1mg			
	3. Calibration: Internal			
	4. Weight Units: gram, carat, ounce, pound, troy ounce, Newton			
	5. Stabilization Time: ≤ 4 seconds			
	6. Display: 4.3 inch capacitive touch screen			
	7. Pan size: 85mm			
	8. Assembled Dimensions/Net weight: 360x220x320mm/6 Kg			

TERMS AND CONDITIONS

1. Price is include Tax (PPN). FRANCO JABODETABEK

Subtotal	160,351,650
PPN (11%)	17,638,682
TOTAL	177,990,332

2. Payment : DP 50%, full payment before delivery
3. Delivery : Indent 4 - 12 weeks after PO received
4. Warranty : - 1 year for main unit and part except consumable part
 - Including Installation and training
 - Available Additional Contract Services 1 year after

If you have any questions about this price quote, please don't hesitate to contact us

Thank You For Your Business!

GBC Scientific Equipment Authorized Distributor



Manufacturer of world class scientific equipment and accessories; AAS, HPLC, ICP-OES, ICP- α TOFMS, Rheometry, UV-Vis and XRD - since 1978.

