

Mobile jQuery Practical

- **Step-by-Step Setup**

1. Include jQuery Mobile CDN in your HTML:

```
<!-- jQuery and jQuery Mobile -->  
<link rel="stylesheet" href="https://code.jquery.com/mobile/1.4.5/jquery.mobile-1.4.5.min.css" />  
<script src="https://code.jquery.com/jquery-1.11.3.min.js"></script>  
<script src="https://code.jquery.com/mobile/1.4.5/jquery.mobile-1.4.5.min.js"></script>
```

- **How to Execute These Practicals:**

1. Copy each code into a file named practicalX.html (e.g., mobile1.html).
2. Open the file in **Chrome** or **any mobile browser**.
3. Try resizing the screen or opening in mobile view (F12 → Toggle Device).

Practical 1: Basic Mobile Page with Header and Footer

Code:

```
<!DOCTYPE html>
```

```
<html>
<head>
  <title>Mobile Page</title>
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet" href="https://code.jquery.com/mobile/1.4.5/jquery.mobile-
1.4.5.min.css" />
  <script src="https://code.jquery.com/jquery-1.11.3.min.js"></script>
  <script src="https://code.jquery.com/mobile/1.4.5/jquery.mobile-1.4.5.min.js"></script>
</head>
<body>

<div data-role="page" id="home">

  <div data-role="header">
    <h1>My First Mobile Page</h1>
  </div>

  <div data-role="content">
    <p>Welcome to jQuery Mobile!</p>
    <a href="#second" class="ui-btn ui-btn-b">Go to Second Page</a>
  </div>

  <div data-role="footer">
    <h4>Footer Content</h4>
  </div>

</div>

<div data-role="page" id="second">

  <div data-role="header">
    <h1>Second Page</h1>
  </div>

  <div data-role="content">
    <p>This is another page!</p>
    <a href="#home" class="ui-btn ui-btn-a">Back to Home</a>
  </div>

  <div data-role="footer">
    <h4>Page Footer</h4>
  </div>

</div>

</body>
</html>
```

Output:

A responsive mobile UI with two pages and navigation buttons.

Practical 2: Form in jQuery Mobile

Code:

```
<!DOCTYPE html>
<html>
<head>
  <title>Mobile Form</title>
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet" href="https://code.jquery.com/mobile/1.4.5/jquery.mobile-1.4.5.min.css" />
  <script src="https://code.jquery.com/jquery-1.11.3.min.js"></script>
  <script src="https://code.jquery.com/mobile/1.4.5/jquery.mobile-1.4.5.min.js"></script>
</head>
<body>

<div data-role="page">

  <div data-role="header">
    <h1>Login Form</h1>
  </div>

  <div data-role="content">
    <form>
      <label for="username">Username:</label>
      <input type="text" name="username" id="username">

      <label for="password">Password:</label>
      <input type="password" name="password" id="password">

      <button class="ui-btn ui-btn-b" type="submit">Login</button>
    </form>
  </div>
</div>

</body>
</html>
```

Output:

A clean mobile-style form with input fields and a styled button.

Practical 3: Dialog Box using jQuery Mobile

Code:

```
<!DOCTYPE html>
<html>
<head>
  <title>Dialog Example</title>
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet" href="https://code.jquery.com/mobile/1.4.5/jquery.mobile-1.4.5.min.css" />
  <script src="https://code.jquery.com/jquery-1.11.3.min.js"></script>
  <script src="https://code.jquery.com/mobile/1.4.5/jquery.mobile-1.4.5.min.js"></script>
</head>
<body>

<div data-role="page" id="main">
  <div data-role="header">
    <h1>Main Page</h1>
  </div>
  <div data-role="content">
    <a href="#dialog" data-rel="dialog" class="ui-btn ui-btn-b">Open Dialog</a>
  </div>
</div>

<div data-role="page" id="dialog">
  <div data-role="header">
    <h1>Dialog</h1>
  </div>
  <div data-role="content">
    <p>This is a dialog box!</p>
    <a href="#main" class="ui-btn ui-btn-a">Close</a>
  </div>
</div>

</body>
</html>
```

Output:

Clicking the button opens a popup-style dialog box.