

XSS Attacks

XSS and encoding



ZDResearch

www.zdresearch.com

ZDResearch Advanced Web Hacking

XSS and Encoding

- Encoding techniques are useful in XSS. Research code encoding methods that are usable in XSS evasion
- How can you change XSS payload appearance?

Exdemy.com
Personal property of Keith Samborski
I_my69@yahoo.com



XSS and Encoding - Solution

- We can easily change our payload appearance but the browser must understand it for execution
- We may encode our script in base64 (which bypasses most blacklistings) and place it in a tag (for example META).
- Here is a simple example:
 - `<META HTTP-EQUIV="refresh"`
 - `CONTENT="0;url=data:text/html;base64,PHNjcmlwdD5hbGVydCgndGVzdDMnKTwwc2NyaXB0Pg">`
- Also URL schemes can be use to manipulate browser understanding of something. So URL schemes can be dangerous
 - Read more at:

<https://security.stackexchange.com/questions/148428/which-url-schemes-are-dangerous-xss-exploitable>

XSS and Encoding - Solution - Contd.

- Some useful links about javascript obfuscation (to bypass Blacklists):
 - <https://www.danstools.com/javascript-obfuscate/>
 - <http://www.jsfuck.com/>

Exdemy.com
Personal property of Keith Samborski
l_my69@yahoo.com





Exdemy.com
Personal property of Keith Samborski
L_my69@yahoo.com

ZDRResearch Advanced Web Hacking

ZDRResearch

www.zdresearch.com

Copyright © Exdemy.com