APP SCORES

Security Score 53/100

Trackers Detection 1/432

FILE INFORMATION

File Name
5809066a109718683fa1ffe3abcd0e6c9bd5f613279e081e31bc17e628d9bfba.apk

Size 11.78MB

MD5 dd28810e5eb0aa85c71fd5e1211b7a2a

SHA1 b493cc7f024461f771be2b5fc8e24befaf3fa0ac

SHA256 5809066a109718683fa1ffe3abcd0e6c9bd5f613279e081e31bc17e628d9bfba

APP INFORMATION

App Name Google service

Package Name com.my.spy.app

Main Activity
com.my.spy.app.ui.activities.login.LoginActivity

Target SDK 33 Min SDK 21 Max SDK

Android Version Name 12.0 Android Version Code 12

3 / 25
EXPORTED ACTIVITIES
View All

3 / 9
EXPORTED SERVICES
View All

3 / 5
EXPORTED RECEIVERS
View All

0 / 4
EXPORTED PROVIDERS
View All

SCAN OPTIONS

DECOMPILED CODE

SIGNER CERTIFICATE

```
Binary is signed
v1 signature: True
v2 signature: True
v3 signature: True
v4 signature: False
X.509 Subject: C=US, ST=California, L=Mountain View, O=Android, OU=Android, CN=Android, E=android@android.com
Signature Algorithm: rsassa_pkcs1v15
Valid From: 2008-02-29 01:33:46+00:00
Valid To: 2035-07-17 01:33:46+00:00
Issuer: C=US, ST=California, L=Mountain View, O=Android, OU=Android, CN=Android, E=android@android.com
Serial Number: 0x936eacbe07f201df
Hash Algorithm: sha1
md5: e89b158e4bcf988ebd09eb83f5378e87
sha1: 61ed377e85d386a8dfee6b864bd85b0bfaa5af81
sha256: a40da80a59d170caa950cf15c18c454d47a39b26989d8b640ecd745ba71bf5dc
sha512:
5216ccb62004c4534f35c780ad7c582f4ee528371e27d4151f0553325de9ccbe6b34ec4233f5f640703581053abfea303977272d17958704d89b7711292a4569
PublicKey Algorithm: rsa
Bit Size: 2048
Fingerprint: f9f32662753449dc550fd88f1ed90e94b81adef9389ba16b89a6f3579c112e75
Found 1 unique certificates
```

APPLICATION PERMISSIONS

Search:

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.ACCESS_BACKGROUND_LOCATION	dangerous	access location in background	Allows an app to access location in the background.	

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.ACCESS_FINE_LOCATION	dangerous	fine (GPS) location	Access fine location sources, such as the Global Positioning System on the phone, where available. Malicious applications can use this to determine where you are and may consume additional battery power.	
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.	
android.permission.CALL_PHONE	dangerous	directly call phone numbers	Allows the application to call phone numbers without your intervention. Malicious applications may cause unexpected calls on your phone bill. Note that this does not allow the application to call emergency numbers.	
android.permission.CAMERA	dangerous	take pictures and videos	Allows application to take pictures and videos with the camera. This allows the application to collect images that the camera is seeing at any time.	
android.permission.CAPTURE_AUDIO_OUTPUT	SignatureOrSystem	allows capturing of audio output.	Allows an application to capture audio output.	
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.	

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.KILL_BACKGROUND_PROCESSES	normal	kill background processes	Allows an application to kill background processes of other applications, even if memory is not low.	
android.permission.PACKAGE_USAGE_STATS	signature	update component usage statistics	Allows the modification of collected component usage statistics. Not for use by common applications.	
android.permission.PROCESS_OUTGOING_CALLS	dangerous	intercept outgoing calls	Allows application to process outgoing calls and change the number to be dialled. Malicious applications may monitor, redirect or prevent outgoing calls.	

Showing 1 to 10 of 27 entries

Previous 1 2 3 Next

ANDROID API

Search:

API	FILES
Android Notifications	
Base64 Decode	
Certificate Handling	

API	FILES
Content Provider	
Crypto	
Dynamic Class and Dexloading	
Execute OS Command	
Get System Service	
GPS Location	
HTTP Connection	

Showing 1 to 10 of 21 entries

Previous 1 2 3 Next

BROWSABLE ACTIVITIES

Search:

ACTIVITY	INTENT
com.facebook.CustomTabActivity	**Schemes**: @string/facebook_login_protocol_scheme://,
com.google.firebase.auth.internal.GenericIdpActivity	**Schemes**: genericidp://, **Hosts:** firebase.auth, **Paths:** /,
com.google.firebase.auth.internal.RecaptchaActivity	**Schemes**: recaptcha://, **Hosts:** firebase.auth, **Paths:** /,

Showing 1 to 3 of 3 entries

Previous 1 Next

NETWORK SECURITY

Search:

NO	SCOPE	SEVERITY	DESCRIPTION
No data available in table			

Showing 0 to 0 of 0 entries

Previous Next

CERTIFICATE ANALYSIS

HIGH	WARNING	INFO
0	2	1

Search:

TITLE	SEVERITY	DESCRIPTION
Application vulnerable to Janus Vulnerability	warning	Application is signed with v1 signature scheme, making it vulnerable to Janus vulnerability on Android 5.0-8.0, if signed only with v1 signature scheme. Applications running on Android 5.0-7.0 signed with v1, and v2/v3 scheme is also vulnerable.
Certificate algorithm might be vulnerable to hash collision	warning	Application is signed with SHA1withRSA. SHA1 hash algorithm is known to have collision issues. The manifest file indicates SHA256withRSA is in use.
Signed Application	info	Application is signed with a code signing certificate

Showing 1 to 3 of 3 entries

Previous 1 Next

MANIFEST ANALYSIS

HIGH	WARNING	INFO	SUPPRESSED
1	12	0	0

Search:

NO	ISSUE	SEVERITY	DESCRIPTION	OPTIONS
1	App can be installed on a vulnerable upatched Android version Android 5.0-5.0.2, [minSdk=21]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.	
2	Application Data can be Backed up [android:allowBackup=true]	warning	This flag allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.	
3	TaskAffinity is set for activity (com.my.spy.app.ui.activities.socialphishing.SocialActivityM)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.	

NO	ISSUE	SEVERITY	DESCRIPTION	OPTIONS
4	**Service** (com.my.spy.app.services.accessibilityData.AccessibilityDataService) is Protected by a permission, but the protection level of the permission should be checked. **Permission:** android.permission.BIND_ACCESSIBILITY_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.	
5	**Service** (com.my.spy.app.services.notificationService.NotificationService) is Protected by a permission, but the protection level of the permission should be checked. **Permission:** android.permission.BIND_NOTIFICATION_LISTENER_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.	

NO	ISSUE	SEVERITY	DESCRIPTION	OPTIONS
6	**Broadcast Receiver** (com.my.spy.app.receiver.SmsReceiver) is Protected by a permission, but the protection level of the permission should be checked. **Permission:** android.permission.BROADCAST_SMS [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.	
7	**Broadcast Receiver** (com.my.spy.app.receiver.CallsReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.	
8	**Activity** (com.facebook.CustomTabActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.	
9	**Activity** (com.google.firebase.auth.internal.GenericIdpActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.	
10	**Activity** (com.google.firebase.auth.internal.RecaptchaActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.	

Showing 1 to 10 of 13 entries

Previous 1 2 Next

CODE ANALYSIS

HIGH	WARNING	INFO	SECURE	SUPPRESSED
0	4	2	1	0

Search:

NO	ISSUE	SEVERITY	STANDARDS	FILES	OPTIONS
1	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	**CWE:** CWE-312: Cleartext Storage of Sensitive Information **OWASP Top 10:** M9: Reverse Engineering **OWASP MASVS:** MSTG-STORAGE-14		
2	The App logs information. Sensitive information should never be logged.	info	**CWE:** CWE-532: Insertion of Sensitive Information into Log File **OWASP MASVS:** MSTG-STORAGE-3		
3	This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel.	secure	**OWASP MASVS:** MSTG-NETWORK-4	io/grpc/okhttp/OkHttpChannelBuilder.java io/grpc/okhttp/OkHttpServerBuilder.java io/grpc/util/AdvancedTlsX509TrustManager.java	
4	The App uses an insecure Random Number Generator.	warning	**CWE:** CWE-330: Use of Insufficiently Random Values **OWASP Top 10:** M5: Insufficient Cryptography **OWASP MASVS:** MSTG-CRYPTO-6		

NO	ISSUE	SEVERITY	STANDARDS	FILES	OPTIONS
5	App can read/write to External Storage. Any App can read data written to External Storage.	warning	**CWE:** CWE-276: Incorrect Default Permissions **OWASP Top 10:** M2: Insecure Data Storage **OWASP MASVS:** MSTG-STORAGE-2	com/pawegio/kandroid/KEnvironmentKt.java	
6	IP Address disclosure	warning	**CWE:** CWE-200: Information Exposure **OWASP MASVS:** MSTG-CODE-2	io/grpc/okhttp/OkHttpClientTransport.java io/grpc/okhttp/OkHttpServerTransport.java	
7	App can write to App Directory. Sensitive Information should be encrypted.	info	**CWE:** CWE-276: Incorrect Default Permissions **OWASP MASVS:** MSTG-STORAGE-14	com/my/spy/app/data/preference/DataSharePreference.java	

Showing 1 to 7 of 7 entries

Previous 1 Next

SHARED LIBRARY BINARY ANALYSIS

No Shared Objects found.

Search:

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
No data available in table									

Showing 0 to 0 of 0 entries

Previous Next

NIAP ANALYSIS v1.3

Search:

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
No data available in table				

Showing 0 to 0 of 0 entries

Previous Next

FILE ANALYSIS

Search:

NO	ISSUE	FILES
No data available in table		

Showing 0 to 0 of 0 entries

Previous Next

FIREBASE DATABASE ANALYSIS

Search:

TITLE	SEVERITY	DESCRIPTION
App talks to a Firebase database	info	The app talks to Firebase database at https://my-spy-a9c92.firebaseio.com
Firebase Remote Config disabled	secure	Firebase Remote Config is disabled for https://firebaseremoteconfig.googleapis.com/v1/projects/1050903830580/namespaces/firebase:fetch?key=AIzaSyDQaFP4U8TzQToxPbVHg-h8cCOsZKwsdBA. This is indicated by the response: {'state': 'NO_TEMPLATE'}

Showing 1 to 2 of 2 entries

Previous 1 Next

MALWARE LOOKUP

VirusTotal Report | Triage Report | MetaDefender Report | Hybrid Analysis Report

APKiD ANALYSIS

Search:

DEX	DETECTIONS
classes.dex	Search: **FINDINGS** / **DETAILS** Anti-VM Code: Build.FINGERPRINT check Build.MANUFACTURER check Build.TAGS check Compiler: r8 without marker (suspicious) Showing 1 to 2 of 2 entries Previous 1 Next
classes2.dex	Search: **FINDINGS** / **DETAILS** Anti-VM Code: Build.MANUFACTURER check Build.TAGS check Compiler: r8 without marker (suspicious) Showing 1 to 2 of 2 entries Previous 1 Next

DEX	DETECTIONS
classes3.dex	Search: **FINDINGS** / **DETAILS** Anti-VM Code: Build.MANUFACTURER check Build.TAGS check Compiler: r8 without marker (suspicious) Showing 1 to 2 of 2 entries Previous 1 Next
classes4.dex	Search: **FINDINGS** / **DETAILS** Compiler: r8 without marker (suspicious) Showing 1 to 1 of 1 entries Previous 1 Next

Showing 1 to 4 of 4 entries

Previous 1 Next

BEHAVIOUR ANALYSIS

Search:

RULE ID	BEHAVIOUR	LABEL	FILES
00002	Open the camera and take picture	camera	com/my/spy/app/utils/hiddenCameraServiceUtils/CameraPreview.java
00013	Read file and put it into a stream	file	
00022	Open a file from given absolute path of the file	file	
00030	Connect to the remote server through the given URL	network	com/bumptech/glide/load/data/HttpUrlFetcher.java
00031	Check the list of currently running applications	reflection collection	com/my/spy/app/utils/checkForegroundApp/CheckForegroundApp.java
00036	Get resource file from res/raw directory	reflection	com/my/spy/app/utils/ConstFun.java com/my/spy/app/utils/hiddenCameraServiceUtils/HiddenCameraUtils.java
00051	Implicit intent(view a web page, make a phone call, etc.) via setData	control	com/my/spy/app/utils/ConstFun.java
00063	Implicit intent(view a web page, make a phone call, etc.)	control	
00065	Get the country code of the SIM card provider	collection	com/firebase/ui/auth/util/data/PhoneNumberUtils.java
00077	Read sensitive data(SMS, CALLLOG, etc)	collection sms calllog calendar	com/bumptech/glide/load/data/mediastore/ThumbFetcher.java com/my/spy/app/services/sms/SmsObserver.java

Showing 1 to 10 of 20 entries

Previous 1 2 Next

ABUSED PERMISSIONS

Top Malware Permissions 16/25

android.permission.ACCESS_FINE_LOCATION,
android.permission.WRITE_EXTERNAL_STORAGE,

Other Common Permissions 8/44

android.permission.ACCESS_BACKGROUND_LOCATION,
android.permission.PROCESS_OUTGOING_CALLS,

android.permission.READ_EXTERNAL_STORAGE,
android.permission.READ_PHONE_STATE,
android.permission.RECORD_AUDIO,
android.permission.READ_CONTACTS,
android.permission.RECEIVE_SMS,
android.permission.READ_SMS, android.permission.SEND_SMS,
android.permission.CAMERA,
android.permission.SYSTEM_ALERT_WINDOW,
android.permission.ACCESS_NETWORK_STATE,
android.permission.INTERNET,
android.permission.RECEIVE_BOOT_COMPLETED,
android.permission.VIBRATE, android.permission.WAKE_LOCK
android.permission.CALL_PHONE, android.permission.WRITE_SMS,
android.permission.REQUEST_IGNORE_BATTERY_OPTIMIZATIONS,
android.permission.PACKAGE_USAGE_STATS,
com.google.android.gms.permission.AD_ID,
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE

Malware Permissions are the top permissions that are widely abused by known malware.
Other Common Permissions are permissions that are commonly abused by known malware.

SERVER LOCATIONS

This app may communicate with the following OFAC sanctioned list of countries.

Search:

DOMAIN	COUNTRY/REGION
No data available in table	

Showing 0 to 0 of 0 entries

Previous Next

DOMAIN MALWARE CHECK

Search:

DOMAIN	STATUS	GEOLOCATION
github.com	ok	**IP:** 140.82.121.4 **Country:** United States of America **Region:** California **City:** San Francisco **Latitude:** 37.775700 **Longitude:** -122.395203 **View:** Google Map
my-spy-a9c92.firebaseio.com	ok	**IP:** 34.120.206.254 **Country:** United States of America **Region:** Missouri **City:** Kansas City **Latitude:** 39.099731 **Longitude:** -94.578568 **View:** Google Map
phone.firebase	ok	No Geolocation information available.

Showing 1 to 3 of 3 entries

Previous 1 Next

URLS

Search:

URL	FILE
data:image	com/bumptech/glide/load/model/DataUrlLoader.java
file:///android_asset/	com/bumptech/glide/load/model/AssetUriLoader.java

URL	FILE
https://github.com/firebase/firebaseui-android/releases/tag/6.2.0 https://github.com/firebase/firebaseui-android/blob/master/auth/readme.md#facebook	com/firebase/ui/auth/AuthUI.java
https://github.com/grpc/grpc-java/issues/1704	io/grpc/Decompressor.java
https://github.com/grpc/grpc-java/issues/1704	io/grpc/DecompressorRegistry.java
https://github.com/grpc/grpc-java/issues/1704	io/grpc/CompressorRegistry.java
https://github.com/grpc/grpc-java/issues/1704	io/grpc/Codec.java
https://github.com/grpc/grpc-java/issues/1704	io/grpc/Compressor.java
https://github.com/grpc/grpc-java/issues/1704 https://github.com/grpc/grpc-java/issues/1779 https://github.com/grpc/grpc-java/issues/1703	io/grpc/ForwardingServerCall.java
https://github.com/grpc/grpc-java/issues/1704 https://github.com/grpc/grpc-java/issues/1779 https://github.com/grpc/grpc-java/issues/1703	io/grpc/PartialForwardingServerCall.java

Showing 1 to 10 of 92 entries

Previous 1 2 3 4 5 … 10 Next

EMAILS

TRACKERS

Search:

TRACKER NAME	CATEGORIES	URL
Google Firebase Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/49

Showing 1 to 1 of 1 entries

Previous 1 Next

POSSIBLE HARDCODED SECRETS

▼ Showing all **24** secrets

"APY_KEY_MAPS" : "AIzaSyDQaFP4U8TzQToxPbVHg-h8cCOsZKwsdBA"
"firebase_database_url" : "https://my-spy-a9c92.firebaseio.com"
"firebase_web_host" : "CHANGE-ME"
"google_api_key" : "AIzaSyDQaFP4U8TzQToxPbVHg-h8cCOsZKwsdBA"
"google_crash_reporting_api_key" : "AIzaSyDQaFP4U8TzQToxPbVHg-h8cCOsZKwsdBA"
"password" : "Password:"
5ac635d8aa3a93e7b3ebbd55769886bc651d06b0cc53b0f63bce3c3e27d2604b
394020061963944792122790401001436138050797392704654466679482934042457217714968703290472660882589380018616069731123 19
aa87ca22be8b05378eb1c71ef320ad746e1d3b628ba79b9859f741e082542a385502f25dbf55296c3a545e3872760ab7
11839296a789a3bc0045c8a5fb42c7d1bd998f54449579b446817afbd17273e662c97ee72995ef42640c550b9013fad0761353c7086a272c24088be94769fd16650
394020061963944792122790401001436138050797392704654466679469052796276593991132635693989563081522949135544336539426 43
16a09e667f3bcc908b2fb1366ea957d3e3adec17512775099da2f590b0667322a
115792089210356248762697446949407573529996955224135760342422259061068512044369
115792089210356248762697446949407573530086143415290314195533631308867097853951
ChNjb20uYW5kcm9pZC52ZW5kaW5nCiBjb20uZ29vZ2xlLmFuZHJvaWQuYXBwcy5tZWV0aW5ncwohY29tLmdvb2dsZS5hbmRyb2lkLmFwcHMubWVzc2FnaW5n
051953eb9618e1c9a1f929a21a0b68540eea2da725b99b315f3b8b489918ef109e156193951ec7e937b1652c0bd3bb1bf073573df883d2c34f1ef451fd46b503f00
258EAFA5-E914-47DA-95CA-C5AB0DC85B11
b3312fa7e23ee7e4988e056be3f82d19181d9c6efe8141120314088f5013875ac656398d8a2ed19d2a85c8edd3ec2aef
686479766013060971498190079908139321726943530014330540939446345918554318339765605212255964066145455497729631139148085803712198799971664381257402 8
291115057151
6b17d1f2e12c4247f8bce6e563a440f277037d812deb33a0f4a13945d898c296
686479766013060971498190079908139321726943530014330540939446345918554318339765539424505774633321719753296399637136332111386476861244038034037280 8
892707005449
c6858e06b70404e9cd9e3ecb662395b4429c648139053fb521f828af606b4d3dbaa14b5e77efe75928fe1dc127a2ffa8de3348b3c1856a429bf97e7e31c2e5bd66

4fe342e2fe1a7f9b8ee7eb4a7c0f9e162bce33576b315ececbb6406837bf51f5
3617de4a96262c6f5d9e98bf9292dc29f8f41dbd289a147ce9da3113b5f0b8c00a60b1ce1d7e819d7a431d7c90ea0e5f

A STRINGS

From APK Resource

▶ Show all **12163** strings

From Code

▶ Show all **27198** strings

From Shared Objects

ACTIVITIES

▼ Showing all **25** activities

com.my.spy.app.ui.activities.login.LoginActivity
com.my.spy.app.ui.activities.register.RegisterActivity
com.my.spy.app.ui.activities.mainparent.MainParentActivity
com.my.spy.app.ui.activities.mainchild.MainChildActivity
com.my.spy.app.ui.activities.lock.LockActivity
com.my.spy.app.ui.activities.gallery.ViewPhoto
com.my.spy.app.ui.activities.socialphishing.SocialActivityM
com.firebase.ui.auth.KickoffActivity
com.firebase.ui.auth.ui.idp.SingleSignInActivity
com.firebase.ui.auth.ui.credentials.CredentialSaveActivity
com.firebase.ui.auth.ui.email.RecoverPasswordActivity
com.firebase.ui.auth.ui.email.EmailActivity
com.firebase.ui.auth.ui.phone.PhoneActivity
com.firebase.ui.auth.ui.idp.WelcomeBackIdpPrompt
com.firebase.ui.auth.ui.email.WelcomeBackPasswordPrompt
com.firebase.ui.auth.ui.email.WelcomeBackEmailLinkPrompt
com.firebase.ui.auth.ui.email.EmailLinkCatcherActivity
com.firebase.ui.auth.ui.email.EmailLinkErrorRecoveryActivity

com.firebase.ui.auth.ui.idp.AuthMethodPickerActivity
com.facebook.FacebookActivity
com.facebook.CustomTabActivity
com.google.firebase.auth.internal.GenericIdpActivity
com.google.firebase.auth.internal.RecaptchaActivity
com.google.android.gms.auth.api.signin.internal.SignInHubActivity
com.google.android.gms.common.api.GoogleApiActivity

SERVICES

▼ Showing all **9** services
com.my.spy.app.services.calls.CallsService
com.my.spy.app.services.sms.SmsService
com.my.spy.app.services.social.MonitorService
com.my.spy.app.services.accessibilityData.AccessibilityDataService
com.my.spy.app.services.notificationService.NotificationService
com.google.firebase.components.ComponentDiscoveryService
com.google.android.gms.auth.api.signin.RevocationBoundService
com.google.android.gms.measurement.AppMeasurementService
com.google.android.gms.measurement.AppMeasurementJobService

RECEIVERS

▼ Showing all **5** receivers
com.my.spy.app.receiver.SmsReceiver
com.my.spy.app.receiver.CallsReceiver
com.my.spy.app.receiver.MonitorReceiver
com.google.android.gms.measurement.AppMeasurementReceiver
androidx.profileinstaller.ProfileInstallReceiver

PROVIDERS

▼ Showing all **4** providers

com.firebase.ui.auth.data.client.AuthUiInitProvider
androidx.startup.InitializationProvider
com.google.firebase.provider.FirebaseInitProvider
com.squareup.picasso.PicassoProvider

LIBRARIES

▼ Showing all **1** libraries

org.apache.http.legacy

SBOM

▼ Showing all **62** Versioned Packages

androidx.activity:activity@1.6.0
androidx.annotation:annotation-experimental@1.3.0
androidx.appcompat:appcompat-resources@1.6.1
androidx.appcompat:appcompat@1.6.1
androidx.arch.core:core-runtime@dynamic
androidx.asynclayoutinflater:asynclayoutinflater@1.0.0
androidx.browser:browser@1.4.0
androidx.cardview:cardview@1.0.0
androidx.coordinatorlayout:coordinatorlayout@1.1.0
androidx.core:core-ktx@1.10.0
androidx.core:core@1.10.0
androidx.cursoradapter:cursoradapter@1.0.0
androidx.customview:customview@1.1.0
androidx.databinding:viewbinding@8.0.1
androidx.documentfile:documentfile@1.0.0
androidx.drawerlayout:drawerlayout@1.1.1
androidx.dynamicanimation:dynamicanimation@1.0.0
androidx.emoji2:emoji2-views-helper@1.2.0
androidx.emoji2:emoji2@1.2.0
androidx.exifinterface:exifinterface@1.3.3
androidx.fragment:fragment@1.3.6

androidx.interpolator:interpolator@1.0.0
androidx.legacy:legacy-support-core-ui@1.0.0
androidx.legacy:legacy-support-core-utils@1.0.0
androidx.legacy:legacy-support-v4@1.0.0
androidx.lifecycle:lifecycle-extensions@2.2.0
androidx.lifecycle:lifecycle-livedata-core-ktx@dynamic
androidx.lifecycle:lifecycle-livedata-core@dynamic
androidx.lifecycle:lifecycle-livedata-ktx@dynamic
androidx.lifecycle:lifecycle-livedata@dynamic
androidx.lifecycle:lifecycle-process@dynamic
androidx.lifecycle:lifecycle-runtime@dynamic
androidx.lifecycle:lifecycle-service@dynamic
androidx.lifecycle:lifecycle-viewmodel-ktx@dynamic
androidx.lifecycle:lifecycle-viewmodel-savedstate@dynamic
androidx.lifecycle:lifecycle-viewmodel@dynamic
androidx.loader:loader@1.0.0
androidx.localbroadcastmanager:localbroadcastmanager@1.0.0
androidx.media:media@1.0.0
androidx.paging:paging-rxjava3@3.0.0
androidx.print:print@1.0.0
androidx.profileinstaller:profileinstaller@1.3.0
androidx.recyclerview:recyclerview@1.2.1
androidx.savedstate:savedstate@1.2.1
androidx.security:security-crypto@1.1.0-alpha06
androidx.slidingpanelayout:slidingpanelayout@1.0.0
androidx.startup:startup-runtime@1.1.1
androidx.swiperefreshlayout:swiperefreshlayout@1.0.0
androidx.tracing:tracing@1.0.0
androidx.transition:transition@1.2.0
androidx.vectordrawable:vectordrawable-animated@1.1.0
androidx.vectordrawable:vectordrawable@1.1.0
androidx.versionedparcelable:versionedparcelable@1.1.1
androidx.viewpager2:viewpager2@1.0.0
androidx.viewpager:viewpager@1.0.0
com.google.android.material:material@1.8.0
com.google.dagger:dagger@2.46
org.jetbrains.kotlinx:kotlinx-coroutines-android@1.6.4
org.jetbrains.kotlinx:kotlinx-coroutines-core@1.6.4

org.jetbrains.kotlinx:kotlinx-coroutines-play-services@1.6.4
org.jetbrains.kotlinx:kotlinx-coroutines-reactive@1.6.4
org.jetbrains.kotlinx:kotlinx-coroutines-rx3@1.6.4

▼ Showing all **66** Packages

a
android.annotation
at.grabner.circleprogress
b
c
cn.pedant.SweetAlert
com.bumptech.glide
com.chrisplus.rootmanager
com.chrisplus.rootmanagerlibrary
com.daimajia.androidanimations.library
com.firebase.ui
com.github.clans.fab
com.github.ybq.android.spinkit
com.jakewharton.rxbinding2
com.jaredrummler.android.device
com.jaredrummler.materialspinner
com.my.spy.app
com.pawegio.kandroid
com.pnikosis.materialishprogress
com.romancha.playpause
com.tbruyelle.rxpermissions
com.tbruyelle.rxpermissions2
dagger
de.hdodenhof.circleimageview
firebase.com.protolitewrapper
g
io.grpc
io.perfmark
io.reactivex
javax.annotation
javax.inject
kotterknife
okio
org.checkerframework.checker.builder.qual

org.checkerframework.checker.calledmethods.qual
org.checkerframework.checker.compilermsgs.qual
org.checkerframework.checker.fenum.qual
org.checkerframework.checker.formatter.qual
org.checkerframework.checker.guieffect.qual
org.checkerframework.checker.i18n.qual
org.checkerframework.checker.i18nformatter.qual
org.checkerframework.checker.index.qual
org.checkerframework.checker.initialization.qual
org.checkerframework.checker.interning.qual
org.checkerframework.checker.lock.qual
org.checkerframework.checker.nullness.qual
org.checkerframework.checker.optional.qual
org.checkerframework.checker.propkey.qual
org.checkerframework.checker.regex.qual
org.checkerframework.checker.signature.qual
org.checkerframework.checker.signedness.qual
org.checkerframework.checker.tainting.qual
org.checkerframework.checker.units.qual
org.checkerframework.common.aliasing.qual
org.checkerframework.common.initializedfields.qual
org.checkerframework.common.reflection.qual
org.checkerframework.common.returnsreceiver.qual
org.checkerframework.common.subtyping.qual
org.checkerframework.common.util.report.qual
org.checkerframework.common.value.qual
org.checkerframework.dataflow.qual
org.checkerframework.framework.qual
org.codehaus.mojo.animal_sniffer
org.intellij.lang.annotations
org.jetbrains.annotations
org.reactivestreams

FILES

▶ Show all **1282** files

© 2025 Mobile Security Framework - MobSF | Ajin Abraham | OpenSecurity. Version v4.3.1