C++ Beginner's Mistakes

There are many pitfalls the C++ developer can encounter, especially as this is a more complex and often unforgiving language to master. Beginners need to take C++ a step at a time and digest what they've learned before moving on.

VOID(C++, MISTAKES)

Admittedly it's not just C++ beginners that make the kinds of errors we outline on these pages, even hardened coders are prone to the odd mishap here and there. Here are some common issues to try and avoid.

UNDECLARED IDENTIFIERS

A common C++ mistake, and to be honest a common mistake with most programming languages, is when you try and output a variable that doesn't exist. Displaying the value of x on-screen is fine but not if you haven't told the compiler what the value of x is to begin with.



STD NAMESPACE

Referencing the Standard Library is common for beginners throughout their code, but if you miss the std:: element of a statement, your code errors out when compiling. You can combat this by adding:

```
using namespace std;
```

Under the #include part and simply using cout, cin and so on from then on.

```
#include <iostream>
using namespace std;

int main()
{
    int a, b, c, d;
    a=10;
    b=20;
    c=30;
    d=40;

    cout << a, b, c, d;

}
```

SEMICOLONS

Remember that each line of a C++ program must end with a semicolon. If it doesn't then the compiler treats the line with the missing semicolon as the same line with the next semicolon on. This creates all manner of problems when trying to compile, so don't forget those semicolons.

```
#include <iostream>


int main()
{
    int a, b, c, d;
    a=10;
    b=20;
    c=30
    d=40;

    std::cout << a, b, c, d;

}
```

GCC OR G++

If you're compiling in Linux then you will no doubt come across gcc and g++. In short, gcc is the Gnu Compiler Collection (or Gnu C Compiler as it used to be called) and g++ is the Gnu ++ (the C++ version) of the compiler. If you're compiling C++ then you need to use g++, as the incorrect compiler drivers will be used.



COMMENTS (AGAIN)

Indeed the mistake of never making any comments on code is back once more. As we've previously bemoaned, the lack of readable identifiers throughout the code makes it very difficult to look back at how it worked, for both you and someone else. Use more comments.

```
#include <iostream>
#include <vector>
#include <algorithm>
using namespace std;

int main()
{
    vector<double> v;

    double d;
    while(cin>>d) v.push_back(d);   // read elements
    if (!cin.eof()) {           // check if input failed
        cerr << "format error\n";
        return 1;                   // error return
    }

    cout << "read " << v.size() << " elements\n";

    reverse(v.begin(),v.end());
    cout << "elements in reverse order:\n";
    for (int i = 0; i<v.size(); ++i) cout << v[i] << '\n';

    return 0;                       // success return
}
```

QUOTES

Missing quotes is a common mistake to make, for every level of user. Remember that quotes need to encase strings and anything that's going to be outputted to the screen or into a file, for example. Most compilers errors are due to missing quotes in the code.



EXTRA SEMICOLONS

While it's necessary to have a semicolon at the end of every C++ line, there are some exceptions to the rule. Semicolons need to be at the end of every complete statement but some lines of code aren't complete statements. Such as:

`#include`
`if lines`
`switch lines`

If it sounds confusing don't worry, the compiler lets you know where you went wrong.

```
// Program to print positive number entered by the user
// If user enters negative number, it is skipped

#include <iostream>
using namespace std;

int main()
{
      int number;
      cout << "Enter an integer: ";
      cin >> number;

      // checks if the number is positive
      if ( number > 0)
      {
            cout << "You entered a positive integer: " << number << endl;
      }

      cout << "This statement is always executed.";
      return 0;

}
```

TOO MANY BRACES

The braces, or curly brackets, are beginning and ending markers around blocks of code. So for every { you must have a }. Often it's easy to include or miss out one or the other facing brace when writing code; usually when writing in a text editor, as an IDE adds them for you.

```
#include <iostream>
using namespace std;

int main()
{
    int x;
    string mystring = "This is a string!\n";
    cout << "What's the value of x? ";
    cin >> x;
    cout << x;
    {
    cout << "\n\n";
    cout << mystring;

}
```

INITIALISE VARIABLES

In C++ variables aren't initialised to zero by default. This means if you create a variable called x then, potentially, it is given a random number from 0 to 18,446,744,073,709,551,616, which can be difficult to include in an equation. When creating a variable, give it the value of zero to begin with: `x=0`.

```
#include <iostream>
using namespace std;

int main()
{
    int x;
    x=0;

    cout << x;


}
```

A.OUT

A common mistake when compiling in Linux is forgetting to name your C++ code post compiling. When you compile from the Terminal, you enter:

`g++ code.cpp`

This compiles the code in the file code.cpp and create an a.out file that can be executed with ./a.out. However, if you already have code in a.out then it's overwritten. Use:

`g++ code.cpp -o nameofprogram`

```
david@mint-mate ~/Documents
File Edit View Search Terminal Help
david@mint-mate ~/Documents $ g++ test1.cpp
david@mint-mate ~/Documents $ ./a.out
0
david@mint-mate ~/Documents $ g++ test1.cpp -o printzero
david@mint-mate ~/Documents $ ./printzero
0
david@mint-mate ~/Documents $
```

Where Next?

Coding, like most subjects, is a continual learning experience. You may not class yourself as a beginner any more but you still need to test your code, learn new tricks and hacks to make it more efficient and even branch out and learn another programming language.

#INCLUDE<KEEP ON LEARNING>

What can you do to further your skills, learn new coding practises, experiment and present your code and even begin to help others using what you've experienced so far?

TWITTER

Twitter isn't all trolls and antagonists, among the well-publicised vitriol are some genuine people who are more than willing to spread their coding knowledge. We recommend you find a few who you can relate to and follow them. Often they post great tips, hacks and fixes for common coding problems.



OPEN PROJECTS

Look for open source projects that you like the sound of and offer to contribute to the code to keep it alive and up to date. There are millions of projects to choose from, so contact a few and see where they need help. It may only be a minor code update but it's a noble occupation for coders to get into.



KEEP CODING

If you've mastered Python fairly well, then turn your attention to C++ or even C#. Still keep your Python skills going but learning a new coding language keeps the old brain ticking over nicely and gives you a view into another community, and how they do things differently.



```
#pragma once

#define EXPAND_ME __FILE__ " : " __LINE__

constexpr auto pi = 314LLu;
thread_local decltype(pi) rage = 0b10;

[[deprecated("abc")]] char16_t *f() noexcept { return nullptr; }

template <typename T> struct Foo {
  static_assert(std::is_floating_point<T>::value,
                "Foo<T>: T must be floating point");
};

struct A final : Foo {
  A() = default;
  [[noreturn]] virtual void foo() override;
};

template <typename T> concept bool EqualityComparable = requires(T a
  { a == b } -> bool;
```

SHARE SKILLS

Become more active on coding and development knowledge sites, such as StackExchange. If you have the skills to start and help others out, not only will you feel really good for doing so but you can also learn a lot yourself by interacting with other members.



GOING MOBILE

The mobile market is a great place to test your coding skills and present any games or apps you've created. If your app is good, then who knows, it could be the next great thing to appear on the app stores. It's a good learning experience nevertheless, and something worth considering.



PORTFOLIOS

If you've learned how to code with an eye for a developer job in the future, then it's worth starting to build up an online portfolio of code. Look at job postings and see what skills they require, then learn and code something with those skills and add it to the portfolio. When it comes to applying, include a link to the portfolio.



ONLINE LEARNING

Online courses are good examples of where to take your coding skills next, even if you start from the beginner level again. Often, an online course follows a strict coding convention, so if you're self-taught then it might be worth seeing how other developers lay out their code, and what's considered acceptable.



TEACH CODE

Can you teach? If your coding skills are spot on, consider approaching a college or university to see if they have need for a programming language teacher, perhaps a part-time or evening course. If not teaching, then consider creating your own YouTube how to code channel.



SHARE CODE

Get sharing, even if you think your code isn't very good. The criticism, advice and comments you receive back help you iron out any issues with your code, and you add them all to your checklist. Alternatively your code might be utterly amazing but you won't know unless you share it.



HARDWARE PROJECTS

Contributing to hardware projects is a great resource for proving your code with others and learning from other contributors. Many of the developer boards have postings for coders to apply to for hardware projects, using unique code to get the most from the hardware that's being designed.

BDM's Manual Series
5th Edition
ISSN 2056-6662
Published by: .....Black Dog Media Limited (BDM)
Editor: .....James Gale
Art Director & Production: ..Mark Ayshford
Production Manager: .....Karl Linstead
Design: .....Robin Drew, Martin Smith, Lena Whitaker
Editorial: .....Russ Ware, David Hayward
Sub Editor: .....Alison Drew

Printed and bound in Great Britain by: Acorn Web Offset Ltd

Newsstand distribution by: Seymour Distribution Limited
2, East Poultry Avenue London EC1A 9PT

International distribution by:
Pineapple Media Limited www.pineapple-media.com

Digital distribution: Readly AB, Pocketmags, Zinio, Cafeyn, Magzter

For all advertising and promotional opportunities contact:
enquiries@bdmpublications.com

INTERNATIONAL LICENSING
Black Dog Media has many great publications and all are available for licensing worldwide. For more information go to: www.brucesawfordlicensing.com; email: bruce@brucesawfordlicensing.com telephone: 0044 7831 567372

Discover more of our guides today...