

API DOCUMENTATION (EXAMPLE)

HackStream – Backend API Documentation

Base URL

`http://localhost:5000`

Authentication

Authentication is handled using session-based login.
All protected routes require `withCredentials: true`.

1 Team APIs

Add Team Member

Endpoint

`POST /team/add`

Description

Adds a team member name to the logged-in team.

Request Body

```
{  
  "name": "Member Name"  
}
```

Response

```
{  
  "team_members": ["Member1", "Member2"]  
}
```

2 Dashboard APIs

Get Dashboard Data

Endpoint

`GET /dashboard/<teamid>`

Description

Fetches team info, leader, status, and member count.

Response

```
{
  "team": {
    "teamid": "HS123",
    "team_name": "CodeStorm",
    "leader_name": "Aarav",
    "status": "submitted"
  },
  "members": 3
}
```

3 Submission APIs

Submit Project

Endpoint

POST /submission

Request Body

```
{
  "teamid": "HS123",
  "title": "Smart Traffic System",
  "description": "AI based traffic control",
  "problem_statement": "Traffic congestion",
  "tech_stack": "React, Flask, MySQL",
  "github_link": "https://github.com/example",
  "demo_link": "https://demo.com",
  "video_link": "https://youtube.com/demo"
}
```

Response

```
{  
  "status": "submitted"  
}
```

Check Submission Status

Endpoint

GET /submission/status/<teamid>

Response

```
{  
  "submitted": true  
}
```

Settings APIs

Get Team Settings

Endpoint

GET /settings/<teamid>

Response

```
{  
  "team_members": ["Aarav", "Riya"],  
  "submitted": false  
}
```

Error Handling

- 400 – Bad Request
- 401 – Unauthorized
- 500 – Server Error Notes
- All APIs return JSON
- Use proper headers
- Maintain clean request format

