

Esercizio 2 – Diagnosi

ITALIAN VERSION:

Utilizzando il banco messo a disposizione in academy, rispondere alle seguenti domande:

1. Analizzando il database, estrarre le seguenti informazioni:

- Lista di tutti gli RDI;
- Lista di tutti i DTC con annessa DTC table;
- Lista di tutti gli I/O;
- Lista di tutte le routine;

2. Quali sono i principali servizi diagnostici associati al punto 1?

3. Facendo fede alla lista degli RDI al punto 1:

- Richiedere un RDI ed interpretarne la risposta esadecimale;
- Porsi nelle condizioni veicolari tali da modificare il contenuto dell'RDI scelto; ●

Simulare una velocità di 60 km/h, richiere l'RDI associato ed interpretarne la risposta; ripetere questo passaggio simulando 150 km/h, 250 km/h e 600 km/h. 4. Scrivere il contenuto di 3 RDI utilizzando l'apposito servizio diagnostico e verificarne la corretta scrittura interrogando la centralina.

5. Consultando la lista dei DTC:

- creare una condizione di fault
- interrogare la centralina per valutarne la status byte
- Effettuare e descrivere le manovre necessarie a portare a 0 i bit 0, 1 e 2.
- Pulire la memoria errori;
- Identificare la snapshot associato all'errore;
- Richiedere lo/gli snapshot;

ENGLISH VERSION

Analyzing the database, extract the following information:

List of all RDIs (Diagnostic Trouble Codes)

List of all DTCs with their associated DTC tables

List of all I/O (Input/Output) components

List of all routines

What are the main diagnostic services associated with point 1?

Referring to the list of RDIs from point 1:

Request an RDI and interpret its hexadecimal response

Place yourself in driving conditions that would modify the content of the chosen RDI

Simulate a speed of 60 km/h, request the associated RDI, interpret the response, and repeat this step simulating 150 km/h, 250 km/h, and 600 km/h speeds.

Write the content of 3 RDIs using the specific diagnostic service and verify their correct writing by querying the control unit.

Consulting the list of DTCs:

Create a fault condition

Query the control unit to assess its status byte

Perform and describe the maneuvers required to set bits 0, 1, and 2 to 0

Clear the error memory

Identify the snapshot associated with the error
Request the snapshot(s).