

1. INTRODUCTION:

“Laptop and Desktop Management System” is a web-based application which is developed in PHP and MySQL server. It helps customer to book laptop or desktop online. “Laptop and Desktop Management System” contain data of products related to laptop and desktop. The main purpose of “Laptop and Desktop Management System” is to systematically record, store and update recorded data.

1.1. Project Description:

We aim to become a pioneer in the laptop and desktop rental industry by completely focusing on customers, our employees, growth, innovation, and efficiency. All these elements will drive us towards success and show us as one company that can perform and give value for money. When it comes to laptop and desktop rental services, Cool Service is the most trusted and reliable name in the laptop and desktop business. The most advanced offering laptop and desktop rental services making full use of IT to improve the level of our efficiency. Moreover, this project has a fleet of laptop and desktop ranging from luxury to laptop and desktop. While it offers online laptop and desktop for corporate houses and individual. And this project claim to offer the best of rates, which are tailor-made depending upon the facilities, availed and offer both intercity and intra-city laptop and desktop facilities

1.2. Problem Statement:

Laptop and desktop Rental Management System is an innovative thought to simplify the rental problems of laptop and desktop of an organization. In the present System, Organization do maintain a person for the allocating and proper functioning of laptop and desktop.

1.3. Existing System:

In the Previous System, Details are Stored Manually in papers, to share the details between employees was a financial drawback. Updates in the details is a tedious task. Laptop and desktop Rental Management System is an innovative thought to simplify the rental problems of laptop and desktop of an organization.

1.4. Limitations of existing system

- To produce a web-based application that allow customers to register and reserve laptop and desktop online and for the corporate and individual to manage their rental services.
- Maintenance is a huge problem.
- Updating changes in detail is a tedious task.
- Performance is not achieved up to the requirements.
- To ease customer's task whenever they need to rent laptop and desktop.

1.5. Proposed System:

Through this proposed system, we aim to become a pioneer in the laptop and desktop rental industry by completely focusing on customers, our employees, growth, innovation, and efficiency. All these elements will drive us towards success and show us as one company that can perform and give value for money. This Service will make a manager to think of whether the rental service is expensive and maintaining quality or not.

1.6. Objectives:

- To manage the details of the stock.
 - User-friendly (for the admin which reduces the burden)
 - To increase efficiency.
 - Simplifies calculation
 - Makes it easier to record all the purchase and sale activities.
 - Customer satisfaction
 - Customer knows the details of the product they have received
 - User friendly.
 - Easily accessible to both user and admin
-

1.7 Benefits of Proposed System:

- Large volumes of data can be stored with ease.
- Stored data can be easily edited.
- Easy report generation.
- Less manpower required.
- Customer can get bill and other details of the product
- Customer can easily get their products at their doorstep.

2. SYSTEM REQUIREMENTS:

1. Hardware Specification:

Processor: AMD RYZEN 5

Processor speed: 2.00 GHz and 2.4GHz

RAM: 8.0 GB

Monitor: HP H4SB3AJT

2. Software Specification:

OS- Windows 11

Front end: PHP

Back end: MySQL

Documentation: Microsoft Word

3. TOOLS:

3.1. FRONT END:

HTML:

To publish information for global distribution, one needs a universally understood language, a kind of publishing mother tongue that all computers may potentially understand. The publishing language used by the World Wide Web is HTML (from Hypertext Markup Language). HTML gives authors the means to

1. Publish online documents with headings, text, tables, lists, photos, etc.
2. Retrieve online information via hypertext links, at the click of a button
3. Design forms for conducting transactions with remote services, for use in searching for information, making reservations, ordering products Etc.
4. Include spread - sheets, video clips, sound clips, and other applications directly in their documents.

CSS:

Cascading Style Sheets, fondly referred to as CSS, is a simple design language intended to simplify the process of making web pages presentable.

CSS handles the look and feel part of a web page. Using CSS, you can control the color of the text, the style of fonts, the spacing between paragraphs, how columns are sized and laid out, what background images or colors are used, layout design and variation in display for different devices and screen sizes as well as a variety of other effects.

CSS is easy to learn and understand but it provides powerful control over the presentation of an HTML document. Most commonly, CSS is combined with the markup languages HTML or XHTML.

Advantages of CSS:

- **CSS saves time** – we can write CSS once and then reuse same sheet in multiple HTML pages. You can define a style for each HTML element and apply it to as many Web pages as you want.
- **Pages load faster** – If you are using CSS, you do not need to write HTML tag attributes every time. Just write one CSS rule of a tag and apply it to all the occurrences of that tag. So, less code means faster download times.
- **Easy maintenance** – To make a global change, simply change the style, and all elements in all the web pages will be updated automatically.
- **Superior styles to HTML** – CSS have a much wider array of attributes than HTML, so you can give a far better look to your HTML page in comparison to HTML attributes.
- **Multiple Device Compatibility** – Style sheets allow content to be optimized for more than one type of device. By using the same HTML document, different versions of a website can be presented for handheld devices such as PDAs and cell phones or for printing.
- **Global web standards** – Now HTML attributes are being deprecated and it is being recommended to use CSS. So, it is a good idea to start using CSS in all the HTML pages to make them compatible to future browsers.

JavaScript:

JavaScript is a dynamic computer programming language. It is lightweight and most commonly used as a part of web pages, whose implementations allow client-side script to interact with the user and make dynamic pages. It is an interpreted programming language with object-oriented capabilities.

JavaScript was first known as Live Script, but Netscape changed its name to JavaScript, possibly because of the excitement being generated by Java. JavaScript made its first appearance in Netscape 2.0 in 1995 with the name Live Script. The general-purpose core of the language has been embedded in Netscape, Internet Explorer, and other web browsers.

The ECMA-262 Specification defined a standard version of the core JavaScript language.

- JavaScript is a lightweight, interpreted programming language.
- Designed for creating network-centric applications.
- Complementary to and integrated with Java.
- Complementary to and integrated with HTML.
- Open and cross-platform.

Client-side JavaScript:

Client-side JavaScript is the most common form of the language. The script should be included in or referenced by an HTML document for the code to be interpreted by the browser.

It means that a web page need not be a static HTML, but can include programs that interact with the user, control the browser, and dynamically create HTML content.

The JavaScript client-side mechanism provides many advantages over traditional CGI server-side scripts. For example, you might use JavaScript to check if the user has entered a valid e-mail address in a form field.

The JavaScript code is executed when the user submits the form, and only if all the entries are valid, they would be submitted to the Web Server.

JavaScript can be used to trap user-initiated events such as button clicks, link navigation, and other actions that the user initiates explicitly or implicitly.

Advantages of JavaScript:

The merits of using JavaScript are:

- **Less server interaction** – you can validate user input before sending the page off to the server. This saves server traffic, which means less load on your server.
 - **Immediate feedback to the visitors** – they don't have to wait for a page reload to see if they have forgotten to enter something.
 - **Increased interactivity** – you can create interfaces that react when the user hovers over them with a mouse or activates them via the keyboard.
 - **Richer interfaces** – you can use JavaScript to include such items as drag-and-drop components and sliders to give a Rich Interface to your site visitors.
-

J QUERY

If you've spent any time at all trying to add dynamic functionality to your pages (as well as figure out browser differences), you've found that you're constantly following a pattern of selecting an element or group of elements and operating upon those elements in some fashion. You could be hiding or revealing the elements, adding a CSS class to them, animating them, or modifying their attributes. Using raw JavaScript can result in dozens of lines of code for each of these tasks. The creators of jQuery specifically created the library to make common tasks trivial. jQuery is one of the most popular JavaScript libraries around and was created by John Resin during his college days at the Rochester Institute of Technology.

The core features of jQuery:

- Gives developers a common set of functions for all browsers.
- Uses selectors which is an expression for identifying target elements on a page that allows us to easily identify and grab the elements.
- Gives access to page elements without having to wait for all images to load in place of using the browsers onload event, which delays anything you do until the page is full.
- Contains enhancements to basic JavaScript constructs such as iteration and array manipulation.

PHP:

PHP is an acronym for “PHP: Hypertext Preprocessor” is a widely used to open-source scripting language, scripts are executed on the server, is free to download and use.

What is a PHP file?

PHP file can contain text, HTML, CSS, JavaScript and PHP code. PHP codes are executed on the server and the result is returned to the browser as plain HTML. PHP files have extension “php”.

What Can PHP Do?

- PHP can generate dynamic page content
- PHP can create, open, read, write, delete, and close files on the server can collect form data
- PHP can send and receive cookies
- PHP can add, delete, modify data in your database
- PHP can be used to control user- access

3.2 Back End:

MySQL

MySQL is an Oracle-backed open-source relational database management system (RDBMS) based on Structured Query Language (SQL). MySQL runs on virtually all platforms, including Linux, UNIX and Windows. Although it can be used in a wide range of applications, MySQL is most often associated with web applications and online publishing.

MySQL is an important component of an open-source enterprise stack called LAMP. LAMP is a web development platform that uses Linux as the operating system, Apache as the web server, MySQL as the relational database management system and PHP as the object-oriented scripting language. (Sometimes Perl or Python is used instead of PHP.) Originally conceived by the Swedish company MySQL AB, MySQL was acquired by Sun Microsystems in 2008 and then by Oracle when it bought Sun in 2010. Developers can use MySQL under the GNU General Public License (GPL), but enterprises must obtain a commercial license from Oracle. Today, MySQL is the RDBMS behind many of the top websites in the world and countless corporate and consumer-facing web-based applications, including Facebook, Twitter and YouTube.

Compatibility with other services:

MySQL was designed to be compatible with other systems. It supports deployment in virtualized environments, such as Amazon RDS for MySQL, Amazon RDS for MariaDB and Amazon Aurora for MySQL. Users can transfer their data to a SQL Server database by using database migration tools like AWS Schema Conversion Tool and the AWS Database migrations.

4. SYSTEM DESIGN

4.1 Modules:

The system after careful analysis has been identified to be presented with the following modules:

It has two modules admin and user.

Admin

1. **Dashboard:** In this section, admin can view the brief details of total products which is available for rent and view booking details in briefs.
2. **Brand:** In this section, admin can manage brands (Add/Update/Delete).
3. **Products:** In this section, admin can manage laptop and desktop (Add/Update/Delete).
4. **Pages:** In this section, the admin can manage about us and contact us pages.
5. **Reg Users:** In this section, admin can view detail of registered users.
6. **Booking For Rent:** In this section, admin can view total new booking, total approved booking, total unapproved booking and all booking. Admin has also right to approve and un approved the booking.
7. **Report:** In this section, admin can views how many booking has been received, counts of booking and sales of booking in particular period.
8. **Search:** In this section, admin can search laptop and desktop booking by users name and Booking Number.

Admin can also update his profile, change the password and recover the password. Admin with help of icon bell see the notification of new booking.

Users

- a. Guest Users
- b. Registered Users

Guest Users:

1. **Home Page:** Users can see the listed laptop and desktops on the home page.
2. **About Us:** Users can view about us page.
3. **Laptop:** User can view total laptop available for rent.
4. **Desktop:** User can view total desktop available for rent.
5. **Contact us:** Users can view the contact us page.
6. **Login/Register:** In this guest user can register himself/herself.

Registered Users

1. **Home Page:** Users can see the listed laptop and desktops on the home page.
2. **About Us:** Users can view about us page.
3. **Laptop:** User can view total laptop available for rent.
4. **Desktop:** User can view total desktop available for rent.
5. **Contact us:** Users can view the contact us page.
6. **My Booking:** In this user can view the detail of booking like status of booking, how much cost will be taken and also take a print of invoice.
7. **My Account:** User can update his/her profile, change the password and recover the password.

4.2 Data Dictionary:

A data dictionary is a file or a set of files that contains a database's metadata. The data dictionary contains records about other objects in the database, such as data ownership, data relationships to other objects and other data.

The datadictionary is a crucial component of any relational database. Ironically, because of its importance, it is invisible to most database users. Typically, only database administrators interact with the data dictionary.

table:1. **tbladmin** : This table use to store admin login details.

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	ID 	int(10)			No	None		AUTO_INCREMENT
2	AdminName	varchar(120)	latin1_swedish_ci		Yes	NULL		
3	UserName	varchar(120)	latin1_swedish_ci		Yes	NULL		
4	MobileNumber	bigint(10)			Yes	NULL		
5	Email	varchar(120)	latin1_swedish_ci		Yes	NULL		
6	Password	varchar(120)	latin1_swedish_ci		Yes	NULL		
7	AdminRegdate	timestamp			Yes	CURRENT_TIMESTAMP		

table:2. **tblbrand** : This table use to store brand details.

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	ID 	int(10)			No	None		AUTO_INCREMENT
2	BrandName	varchar(200)	latin1_swedish_ci		Yes	NULL		
3	BrandLogo	varchar(200)	latin1_swedish_ci		Yes	NULL		
4	CreationDate	timestamp			Yes	current_timestamp()		

table:3. **tbluser**: This table use to store user details.

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	ID 	int(10)			No	None		AUTO_INCREMENT
2	FirstName	varchar(120)	latin1_swedish_ci		Yes	NULL		
3	LastName	varchar(120)	latin1_swedish_ci		Yes	NULL		
4	Email	varchar(120)	latin1_swedish_ci		Yes	NULL		
5	MobileNumber	bigint(20)			Yes	NULL		
6	Password	varchar(120)	latin1_swedish_ci		Yes	NULL		
7	RegDate	timestamp			Yes	current_timestamp()		

table:4. **tblproduct**: This table use to store laptop and desktops details.

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	ID 	int(5)			No	None		AUTO_INCREMENT
2	Type	varchar(50)	latin1_swedish_ci		Yes	NULL		
3	BrandID	int(5)			Yes	NULL		
4	ProductName	varchar(250)	latin1_swedish_ci		Yes	NULL		
5	Processor	varchar(250)	latin1_swedish_ci		Yes	NULL		
6	Screen	varchar(200)	latin1_swedish_ci		Yes	NULL		
7	RAM	varchar(100)	latin1_swedish_ci		Yes	NULL		
8	Storage	varchar(250)	latin1_swedish_ci		Yes	NULL		
9	Charges	varchar(250)	latin1_swedish_ci		Yes	NULL		
10	RentalPrice	decimal(10,0)			Yes	NULL		
11	ProductModel	varchar(250)	latin1_swedish_ci		Yes	NULL		
12	ProductDescription	mediumtext	latin1_swedish_ci		Yes	NULL		
13	Image	varchar(250)	latin1_swedish_ci		Yes	NULL		
14	Image1	varchar(250)	latin1_swedish_ci		Yes	NULL		
15	Image2	varchar(250)	latin1_swedish_ci		Yes	NULL		
16	Image3	varchar(250)	latin1_swedish_ci		Yes	NULL		
17	Image4	varchar(250)	latin1_swedish_ci		Yes	NULL		
18	Image5	varchar(250)	latin1_swedish_ci		Yes	NULL		
19	CreationDate	timestamp			Yes	current_timestamp()		

table:5. tblbooking: This table use to store laptop and desktops booking details.

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	ID 	int(10)			No	None		AUTO_INCREMENT
2	BookingNumber	int(10)			Yes	NULL		
3	UserID	int(10)			Yes	NULL		
4	ProductID	int(10)			Yes	NULL		
5	FromDate	date			Yes	NULL		
6	ToDate	date			Yes	NULL		
7	UsedFor	varchar(250)	latin1_swedish_ci		Yes	NULL		
8	Quantity	int(10)			Yes	NULL		
9	DeliveryAddress	mediumtext	latin1_swedish_ci		Yes	NULL		
10	AddressProof	varchar(250)	latin1_swedish_ci		Yes	NULL		
11	DateofBooking	timestamp			Yes	current_timestamp()		
12	TotalCost	decimal(10,0)			Yes	NULL		
13	Remark	varchar(250)	latin1_swedish_ci		Yes	NULL		
14	Status	varchar(250)	latin1_swedish_ci		Yes	NULL		
15	RemarkDate	timestamp			Yes	NULL		ON UPDATE CURRENT_TIMESTAMP()

table:6. tblpage: This table use to store pages info details.


#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	ID 	int(10)			No	None		AUTO_INCREMENT
2	PageType	varchar(200)	latin1_swedish_ci		Yes	NULL		
3	PageTitle	mediumtext	latin1_swedish_ci		Yes	NULL		
4	PageDescription	mediumtext	latin1_swedish_ci		Yes	NULL		
5	Email	varchar(200)	latin1_swedish_ci		Yes	NULL		
6	MobileNumber	bigrnt(10)			Yes	NULL		
7	UpdationDate	timestamp			No	current_timestamp()		ON UPDATE CURRENT_TIMESTAMP()


5. ENTITY RELATIONSHIP DIAGRAM:

A graphical representation of the entities and the relationships between them. Entity relationship diagrams are a useful medium to achieve a common understanding of data among users and application developers.

In data modelling, an entity-relationship model (ERM) is a representation of structured data; entity-relationship modelling is the process of generating these models. The end-product of the modelling process is an entity-relationship diagram (ERD), a type of Conceptual Data Model or Semantic Data Model.

Components of ER Diagram

SYMBOL	NAME	DESCRIPTION
	Attribute	An attribute describes the property of an entity. An attribute is represented as Oval in an ER diagram.
	Derived Attribute	A derived attribute is one whose value is dynamic and derived from another attribute. It is represented by dashed oval in an ER Diagram.
	Entity	An entity relationship diagram (ERD) shows the relationships of entity sets stored in a database.
	Multivalued Attribute	An attribute that can hold multiple values is known as multivalued attribute. It is represented with double ovals in an ER Diagram.
	Relationship	A relationship is represented by diamond shape in ER diagram, it shows the relationship among entities.





6. DATA FLOW DIAGRAM:

The data flow diagrams are pictorial or graphical representation of the outline of the system study. The data flow diagram covers all the processes and data storage area which takes place during any transaction in the system. The data flow diagrams are functionally divided into context level, zero level and First level data flow diagrams.

Symbols used in data flow diagrams

SYMBOL	NAME	DESCRIPTION
	Process	A process shows a transformation or manipulation of data flows within the system.
	External Entity	An external entity is a source or destination of a data flow which is outside the area of study. Only those entities which originate or receive data are represented on a business process diagram.
	Data Store	A data store is a holding place for information within the system. It is represented by an open-ended narrow rectangle.
	Data Flow	A data flow shows the flow of information from its source to its destination. A data flow is represented by line, with arrowheads showing direction of flow.

LEVEL ZERO DFD**LEVEL ONE DFD**

7. CODING

USER LOGIN

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');

if(isset($_POST['login']))
{
$emailcon=$_POST['emailcont'];
$password=md5($_POST['password']);
$query=mysqli_query($con,"select ID from tbluser where (Email='$emailcon' ||
MobileNumber='$emailcon') && Password='$password' ");
$ret=mysqli_fetch_array($query);
if($ret>0){
$_SESSION['ldrmsuid']=$ret['ID'];
header('location:index.php');
}
else{
echo '<script>alert("Invalid Details.")</script>';
}
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
<title>Laptop and Desktop Rental Management System || Login Page</title>
<!-- Google Fonts -->
<link href='http://fonts.googleapis.com/css?family=Titillium+Web:400,200,300,700,600'
rel='stylesheet' type='text/css'>
<link href='http://fonts.googleapis.com/css?family=Roboto+Condensed:400,700,300'
rel='stylesheet' type='text/css'>
```

```

<link href='http://fonts.googleapis.com/css?family=Raleway:400,100' rel='stylesheet'
      type='text/css'>

<!-- Bootstrap -->

<link href="http://maxcdn.bootstrapcdn.com/bootstrap/3.2.0/css/bootstrap.min.css" rel="stylesheet">

<!-- Font Awesome -->

<link rel="stylesheet" href="http://maxcdn.bootstrapcdn.com/font-awesome/4.3.0/css/font-awesome.min.css">

<!-- Custom CSS -->

<link rel="stylesheet" href="css/owl.carousel.css">
<link rel="stylesheet" href="style.css">
<link rel="stylesheet" href="css/responsive.css">

</head>

<body>

<?php include_once('includes/header.php');?>

<div class="product-big-title-area">
<div class="container">
<div class="row">
<div class="col-md-12">
<div class="product-bit-title text-center">
<h2>Login</h2>
</div>
</div>
</div>
</div>
</div>

<div class="single-product-area">
<div class="zigzag-bottom"></div>
<div class="container">
<div class="row">
<div class="col-md-4">
<div class="single-sidebar">

```

```

<h2 class="sidebar-title">Search Products</h2>
<form action="search-result.php" method="post">
<input type="text" name="searchtext" required placeholder="Search products...">
<input type="submit" value="Search">
</form>
</div>

<div class="single-sidebar">
<h2 class="sidebar-title">Recent Posts</h2>
<ul>
<?php
$query=mysqli_query($con,"select distinct * from tblproduct order by ID desc limit 6");
while ($row=mysqli_fetch_array($query)) {
?>
<li><a href="single-product-details.php?viewid=<?php echo $row['ID'];?>"><?php echo $row['ProductName'];?></a></li>
<?php } ?>
</ul>
</div>
</div>

<div class="col-md-8">
<div class="product-content-right">
<div class="woocommerce">

<form enctype="multipart/form-data" action="#" class="checkout" method="post" >
<div id="customer_details" class="col2-set">
<div class="col-1">
<div class="woocommerce-billing-fields">
<h3>Signin</h3>

<p id="billing_first_name_field" class="form-row form-row-first validate-required">
<label class="">Email or Mobile Number <abbr title="required" class="required">*</abbr>
</label>

```

```
<input type="text" placeholder="Email or Mobile Number" name="emailcont" required="true" class="input-text">
</p>
```

```
<p id="billing_last_name_field" class="form-row form-row-last validate-required">
<label class="">Password <abbr title="required" class="required">*</abbr>
</label>
<input type="password" placeholder="Password" name="password" required="true" class="form-control">
<a href="forgot-password.php">Forgot Password</a>
</p>
</div>
</div>
</div>
<div class="form-row place-order">
<button type="submit" name="login"><i class="fa fa-check-square"></i> Login</button>
</div>
</form>
```

```
<?php include_once('includes/footer.php');?>
```

```
<!-- Latest jQuery form server -->
<script src="https://code.jquery.com/jquery.min.js"></script>
```

```
<!-- Bootstrap JS form CDN -->
<script src="http://maxcdn.bootstrapcdn.com/bootstrap/3.2.0/js/bootstrap.min.js"></script>
```

```
<!-- jQuery sticky menu -->
<script src="js/owl.carousel.min.js"></script>
<script src="js/jquery.sticky.js"></script>
```

```
<!-- jQuery easing -->
<script src="js/jquery.easing.1.3.min.js"></script>

<!-- Main Script -->
<script src="js/main.js"></script>
</body>
</html>
```

USER REGISTRATION

```
<?php

session_start();

error_reporting(0);

include('includes/dbconnection.php');

if(isset($_POST['submit']))

{

$fname=$_POST['fname'];

$lname=$_POST['lname'];

$email=$_POST['email'];

$mobno=$_POST['mobilenum'];

$password=md5($_POST['password']);

}


```

?>

<!DOCTYPE html>

<html lang="en">

<head>

<title>Laptop and Desktop Rental Management System || Registration</title>

<!-- Google Fonts -->

<link href='http://fonts.googleapis.com/css?family=Titillium+Web:400,200,300,700,600' rel='stylesheet' type='text/css'>

<link href='http://fonts.googleapis.com/css?family=Roboto+Condensed:400,700,300' rel='stylesheet' type='text/css'>

<link href='http://fonts.googleapis.com/css?family=Raleway:400,100' rel='stylesheet' type='text/css'>

<!-- Bootstrap -->

<link rel="stylesheet" href="http://maxcdn.bootstrapcdn.com/bootstrap/3.2.0/css/bootstrap.min.css">

<!-- Font Awesome -->

<link rel="stylesheet" href="http://maxcdn.bootstrapcdn.com/font-awesome/4.3.0/css/font-awesome.min.css">

<!-- Custom CSS -->

<link rel="stylesheet" href="css/owl.carousel.css">

<link rel="stylesheet" href="style.css">

<link rel="stylesheet" href="css/responsive.css">

```
<!-- HTML5 shim and Respond.js for IE8 support of HTML5 elements and media queries -->

<!-- WARNING: Respond.js doesn't work if you view the page via file:// -->

<!--[if lt IE 9]>

<script src="https://oss.maxcdn.com/html5shiv/3.7.2/html5shiv.min.js"></script>

<script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>

<![endif]-->

</head>

<body>

<?php include_once('includes/header.php');?>

<div class="product-big-title-area">

<div class="container">

<div class="row">

<div class="col-md-12">

<div class="product-bit-title text-center">

<h2>Sign Up</h2>

</div>

</div>
```

</div>

</div>

</div>

<div class="single-product-area">

<div class="zigzag-bottom"></div>

<div class="container">

<div class="row">

<div class="col-md-4">

<div class="single-sidebar">

<h2 class="sidebar-title">Search Products</h2>

<form action="search-result.php" method="post">

<input type="text" name="searchtext" required placeholder="Search products...">

<input type="submit" value="Search">

</form>

</div>

<div class="single-sidebar">

<h2 class="sidebar-title">Recent Posts</h2>

```
<ul>

<?php

$query=mysqli_query($con,"select distinct * from tblproduct order by ID desc limit 6");

while ($row=mysqli_fetch_array($query)) {

?>

<li><a href="single-product-details.php?viewid=<?php echo $row['ID'];?>"><?php echo $row['ProductName'];?></a></li>

<?php } ?>

</ul>

</div>

</div>

<div class="col-md-8">

<div class="product-content-right">

<div class="woocommerce">

<form enctype="multipart/form-data" action="#" class="checkout" method="post" >

<div id="customer_details" class="col2-set">

<div class="col-1">

<div class="woocommerce-billing-fields">

<h3>Registration Details</h3>
```

```
<p id="billing_first_name_field" class="form-row form-row-first validate-required">

<label class="">First Name <abbr title="required" class="required">*</abbr>

</label>

<input type="text" value="" placeholder="" id="fname" name="fname" class="input-text"
required='true'>

</p>

<p id="billing_last_name_field" class="form-row form-row-last validate-required">

<label class="">Last Name <abbr title="required" class="required">*</abbr>

</label>

<input type="text" value="" placeholder="" id="lname" name="lname" class="input-text"
required='true'>

</p>

<div class="clear"></div>

<p id="billing_company_field" class="form-row form-row-wide">

<label class="">Email <abbr title="required" class="required">*</abbr></label>

<input type="email" value="" placeholder="" id="email" name="email" class="form-control"
required='true'>

</p>

<p id="billing_company_field" class="form-row form-row-wide">

<label class="">Mobile Number <abbr title="required" class="required">*</abbr></label>
```

USER INDEX

```
<?php

session_start();

error_reporting(0);

include('includes/dbconnection.php');

$pageName = "home";

?>

<!DOCTYPE html>

<html lang="en">

<head>

<title>Laptop and Desktop Rental Management System || Home Page</title>

<!-- Google Fonts -->

<link href='http://fonts.googleapis.com/css?family=Titillium+Web:400,200,300,700,600' rel='stylesheet' type='text/css'>

<link href='http://fonts.googleapis.com/css?family=Roboto+Condensed:400,700,300' rel='stylesheet' type='text/css'>

<link href='http://fonts.googleapis.com/css?family=Raleway:400,100' rel='stylesheet' type='text/css'>

<!-- Bootstrap -->

<link href="http://maxcdn.bootstrapcdn.com/bootstrap/3.2.0/css/bootstrap.min.css" rel="stylesheet"
```

```
<!-- Font Awesome -->

<link rel="stylesheet" href="http://maxcdn.bootstrapcdn.com/font-awesome/4.3.0/css/font-awesome.min.css">

<!-- Custom CSS -->

<link rel="stylesheet" href="css/owl.carousel.css">

<link rel="stylesheet" href="style.css">

<link rel="stylesheet" href="css/responsive.css">

<!-- HTML5 shim and Respond.js for IE8 support of HTML5 elements and media queries -->

<!-- WARNING: Respond.js doesn't work if you view the page via file:// -->

<!--[if lt IE 9]>

<script src="https://oss.maxcdn.com/html5shiv/3.7.2/html5shiv.min.js"></script>

<script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>

<![endif]-->

</head>

<body>

<?php include_once('includes/header.php');?>

<div class="slider-area">

<div class="zigzag-bottom"></div>

<div id="slide-list" class="carousel carousel-fade slide" data-ride="carousel">
```

```
<div class="slide-bulletz">  
  
<div class="container">  
  
<div class="row">  
  
<div class="col-md-12">  
  
<ol class="carousel-indicators slide-indicators">  
  
<li data-target="#slide-list" data-slide-to="0" class="active"></li>  
  
<li data-target="#slide-list" data-slide-to="1"></li>  
  
<!--      <li data-target="#slide-list" data-slide-to="2"></li> -->  
  
</ol>  
  
</div>  
  
</div>  
  
</div>  
  
</div>  
  
<div class="carousel-inner" role="listbox">  
  
<div class="item active">  
  
<div class="single-slide">  
  
</div>
```

</div>

</div> <!-- End slider area -->

<div class="promo-area">

<div class="zigzag-bottom"></div>

<div class="container">

<div class="row">

<div class="col-md-3 col-sm-6">

<div class="single-promo">

<i class="fa fa-refresh"></i>

<p>30 Days return</p>

</div>

</div>

<div class="col-md-3 col-sm-6">

<div class="single-promo">

<i class="fa fa-truck"></i>

<p>Free shipping</p>

</div>

</div>

<div class="col-md-3 col-sm-6">

```
<div class="single-promo">

<h2 class="section-title">Latest Products</h2>

<div class="product-carousel">

<?php

//Getting default page number

if (isset($_GET['pageno'])) {

$pageno = $_GET['pageno'];

} else {

$pageno = 1;

}

// Formula for pagination

$no_of_records_per_page = 6;

$offset = ($pageno-1) * $no_of_records_per_page;

$total_pages_sql = "SELECT COUNT(*) FROM tblproduct";

$ret1=mysqli_query($con,"select COUNT(*) from  tblproduct");

$total_rows = mysqli_fetch_array($ret1)[0];

$total_pages = ceil($total_rows / $no_of_records_per_page);

$query=mysqli_query($con,"select      *      from      tblproduct      LIMIT      $offset,
$no_of_records_per_page");

while ($row=mysqli_fetch_array($query)) {
```

?>

<div class="single-product">

<div class="product-f-image">

<div class="product-hover">

<a href="single-product-details.php?viewid=<?php echo \$row['ID'];?>" class="view-details-link"><i class="fa fa-link"></i> See details

</div>

</div>

<h2><a href="single-product-details.php?viewid=<?php echo \$row['ID'];?>"><?php echo \$row['ProductName'];?></h2>

<div class="product-carousel-price">

<ins>\$<?php echo \$row['RentalPrice'];?>/day

</div>

</div><?php } ?>

</div>

</div>

</div>

</div>

</div> <!-- End main content area -->

<div class="brands-area">

<div class="zigzag-bottom"></div>

<div class="container">

<div class="row">

<div class="col-md-12">

<div class="brand-wrapper">

<h2 class="section-title">Brands</h2>

<div class="brand-list">

<?php

\$query=mysqli_query(\$con,"select * from tblbrand");

while (\$row=mysqli_fetch_array(\$query)) {

?>

```
<?php }?>
```

```
</div>
```

```
</div> <!-- End brands area -->
```

```
<?php $pageName = "home"; include_once('includes/footer.php');?>
```

```
<!-- Latest jQuery form server -->
```

```
<script src="https://code.jquery.com/jquery.min.js"></script>
```

```
<!-- Bootstrap JS form CDN -->
```

```
<script src="http://maxcdn.bootstrapcdn.com/bootstrap/3.2.0/js/bootstrap.min.js"></script>
```

```
<!-- jQuery sticky menu -->
```

```
<script src="js/owl.carousel.min.js"></script>

<script src="js/jquery.sticky.js"></script>

<!-- jQuery easing -->

<script src="js/jquery.easing.1.3.min.js"></script>

<!-- Main Script -->

<script src="js/main.js"></script>

</body>

</html>
```

USER SHOP

```
<?php

session_start();

error_reporting(0);

include('includes/dbconnection.php');

$pageName = "shop";

?>

<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<
```

```
<title>Laptop and Desktop Rental Management System || Shop</title>
```

```
<!-- Google Fonts -->
```

```
<link href='http://fonts.googleapis.com/css?family=Titillium+Web:400,200,300,700,600' rel='stylesheet' type='text/css'>
```

```
<link href='http://fonts.googleapis.com/css?family=Roboto+Condensed:400,700,300' rel='stylesheet' type='text/css'>
```

```
<link href='http://fonts.googleapis.com/css?family=Raleway:400,100' rel='stylesheet' type='text/css'>
```

```
<!-- Bootstrap -->
```

```
<link rel="stylesheet" href="http://maxcdn.bootstrapcdn.com/bootstrap/3.2.0/css/bootstrap.min.css">
```

```
<!-- Font Awesome -->
```

```
<link rel="stylesheet" href="http://maxcdn.bootstrapcdn.com/font-awesome/4.3.0/css/font-awesome.min.css">
```

```
<!-- Custom CSS -->
```

```
<link rel="stylesheet" href="css/owl.carousel.css">
```

```
<link rel="stylesheet" href="style.css">

<link rel="stylesheet" href="css/responsive.css">

<!-- HTML5 shim and Respond.js for IE8 support of HTML5 elements and media queries -->

<!-- WARNING: Respond.js doesn't work if you view the page via file:// -->

<!--[if lt IE 9]>

<script src="https://oss.maxcdn.com/html5shiv/3.7.2/html5shiv.min.js"></script>

<script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>

<![endif]-->

</head>

<body>

<?php include_once('includes/header.php');?>

<div class="product-big-title-area">

<div class="container">

<div class="row">

<div class="col-md-12">

<div class="product-bit-title text-center">

<h2>Shop</h2>
```

</div>

```
$total_pages_sql = "SELECT COUNT(*) FROM tblproduct";  
  
$ret1=mysqli_query($con,"select COUNT(*) from  tblproduct");  
  
$total_rows = mysqli_fetch_array($ret1)[0];  
  
$total_pages = ceil($total_rows / $no_of_records_per_page);  
  
$query=mysqli_query($con,"select      *      from      tblproduct      LIMIT      $offset,  
$no_of_records_per_page");  
  
while ($row=mysqli_fetch_array($query)) {  
  
?>  
  
<div class="col-md-3 col-sm-6">  
  
<div class="single-shop-product">  
  
<div class="product-upper">  
  
  
  
</div>  
  
<h2><a  href="single-product-details.php?viewid=<?php  echo  $row['ID'];?>"><?php  echo  
$row['ProductName'];?></a></h2>  
  
<div class="product-carousel-price">  
  
<ins><?php echo $row['RentalPrice'];?>/day</del>  
  
</div>
```

```
<div class="product-option-shop">

<a class="add_to_cart_button" data-quantity="1" data-product_sku="" data-product_id="70"
rel="nofollow" href="single-product-details.php?viewid=<?php echo $row['ID'];?>">More
Details</a>

</div>

</div><?php } ?>

</div>

<div class="page-pagi">

<nav aria-label="Page navigation example">

<ul class="pagination" >

<li class="page-item" ><a href="?pageno=1"><strong>First</strong></a></li>

<li class="page-item" ><a class="page-link" href="<?php if($pageno <= 1){ echo '#'; } else { echo "?pageno=".($pageno - 1); } ?>"><strong style="padding-left: 10px">Prev</strong></a>

</li>

<li class="page-item" ><a class="page-link" href="<?php if($pageno >= $total_pages){ echo '#'; } else { echo "?pageno=".($pageno + 1); } ?>"><strong style="padding-left: 10px">Next</strong></a>

</li>

</ul>
</nav>
</div>
```

```
<li class="page-item"><a class="page-link" href="?pageno=<?php echo $total_pages; ?>"><strong style="padding-left: 10px">Last</strong></a></li>

</ul>

</nav>

</div>

</div>

</div>

<?php $pageName = "shop"; include_once('includes/footer.php');?>

<!-- Latest jQuery form server --&gt;

&lt;script src="https://code.jquery.com/jquery.min.js"&gt;&lt;/script&gt;

<!-- Bootstrap JS form CDN --&gt;

&lt;script src="http://maxcdn.bootstrapcdn.com/bootstrap/3.2.0/js/bootstrap.min.js"&gt;&lt;/script&gt;

<!-- jQuery sticky menu --&gt;

&lt;script src="js/owl.carousel.min.js"&gt;&lt;/script&gt;

&lt;script src="js/jquery.sticky.js"&gt;&lt;/script&gt;</pre>

---


```

```
<!-- jQuery easing -->

<script src="js/jquery.easing.1.3.min.js"></script>

<!-- Main Script -->

<script src="js/main.js"></script>

</body>

</html>
```

USER LAPTOP

```
<?php

session_start();

error_reporting(0);

include('includes/dbconnection.php');

$pageName = "laptop";

?>

<!DOCTYPE html>

<html lang="en">

<head>

<

<title>Laptop and Desktop Rental Management System || Shop Laptop</title>
```

<!-- Google Fonts -->

```
<link href='http://fonts.googleapis.com/css?family=Titillium+Web:400,200,300,700,600'  
rel='stylesheet' type='text/css'>
```

```
<link href='http://fonts.googleapis.com/css?family=Roboto+Condensed:400,700,300'  
rel='stylesheet' type='text/css'>
```

```
<link href='http://fonts.googleapis.com/css?family=Raleway:400,100' rel='stylesheet'  
type='text/css'>
```

<!-- Bootstrap -->

```
<link href="http://maxcdn.bootstrapcdn.com/bootstrap/3.2.0/css/bootstrap.min.css"  
rel="stylesheet" type="text/css" />
```

<!-- Font Awesome -->

```
<link rel="stylesheet" href="http://maxcdn.bootstrapcdn.com/font-awesome/4.3.0/css/font-  
awesome.min.css" />
```

<!-- Custom CSS -->

```
<link rel="stylesheet" href="css/owl.carousel.css" />
```

```
<link rel="stylesheet" href="style.css" />
```

```
<link rel="stylesheet" href="css/responsive.css" />
```

```
<!-- HTML5 shim and Respond.js for IE8 support of HTML5 elements and media queries -->
```

```
<div class="single-product-area">
```

```
<div class="zigzag-bottom"></div>
```

```
<div class="container">
```

```
<div class="row">
```

```
<?php
```

```
//Getting default page number
```

```
if (isset($_GET['pageno'])) {
```

```
$pageno = $_GET['pageno'];
```

```
} else {
```

```
$pageno = 1;
```

```
}
```

```
// Formula for pagination
```

```
$no_of_records_per_page = 8;
```

```
$offset = ($pageno-1) * $no_of_records_per_page;
```

```
$total_pages_sql = "SELECT COUNT(*) FROM tblproduct";
```

```
$ret1=mysqli_query($con,"select COUNT(*) from tblproduct where Type='Laptop'");
```

```
$total_rows = mysqli_fetch_array($ret1)[0];
```

```
$total_pages = ceil($total_rows / $no_of_records_per_page);

$query=mysqli_query($con,"select * from tblproduct where Type='Laptop' LIMIT $offset,
 $no_of_records_per_page");

while ($row=mysqli_fetch_array($query)) {

?>

<div class="col-md-3 col-sm-6">

<div class="single-shop-product">

<div class="product-upper">



</div>

<h2><a href="single-product-details.php?viewid=<?php echo $row['ID'];?>"><?php echo
 $row['ProductName'];?></a></h2>

<div class="product-carousel-price">

<ins><?php echo $row['RentalPrice'];?>/day</del>

</div>

<div class="product-option-shop">

<a class="add_to_cart_button" data-quantity="1" data-product_sku="" data-product_id="70"
 rel="nofollow" href="single-product-details.php?viewid=<?php echo $row['ID'];?>">More
 Details</a>

</div>
```

```
</div>
```

```
</div><?php } ?>
```

```
</div>
```

```
<div class="page-pagi">
```

```
<nav aria-label="Page navigation example">
```

```
<ul class="pagination" >
```

```
<li class="page-item" ><a href="?pageno=1"><strong>First</strong></a></li>
```

```
<li class=" <?php if($pageno <= 1){ echo 'disabled'; } ?>">
```

```
<a class="page-link" href="<?php if($pageno <= 1){ echo '#'; } else { echo "?pageno=".($pageno - 1); } ?>"><strong style="padding-left: 10px">Prev</strong></a>
```

```
</li>
```

```
<li class=" <?php if($pageno >= $total_pages){ echo 'disabled'; } ?>">
```

```
<a class="page-link" href="<?php if($pageno >= $total_pages){ echo '#'; } else { echo "?pageno=".($pageno + 1); } ?>"><strong style="padding-left: 10px">Next</strong></a>
```

```
</li>
```

```
<li class="page-item" ><a class="page-link" href="?pageno=<?php echo $total_pages; ?>"><strong style="padding-left: 10px">Last</strong></a></li>
```

<!-- Main Script -->

<script src="js/main.js"></script>

</body>

</html>

USER DESKTOP

<?php

session_start();

error_reporting(0);

include('includes/dbconnection.php');

\$pageName = "desktop";

?>

<!DOCTYPE html>

<html lang="en">

<head>

<

<title>Laptop and Desktop Rental Management System || Shop Laptop</title>

<!-- Google Fonts -->

```
<link href='http://fonts.googleapis.com/css?family=Titillium+Web:400,200,300,700,600'  
rel='stylesheet' type='text/css'>
```

```
<link href='http://fonts.googleapis.com/css?family=Roboto+Condensed:400,700,300'  
rel='stylesheet' type='text/css'>
```

```
<link href='http://fonts.googleapis.com/css?family=Raleway:400,100' rel='stylesheet'  
type='text/css'>
```

<!-- Bootstrap -->

```
<link rel="stylesheet"  
href="http://maxcdn.bootstrapcdn.com/bootstrap/3.2.0/css/bootstrap.min.css">
```

<!-- Font Awesome -->

```
<link rel="stylesheet" href="http://maxcdn.bootstrapcdn.com/font-awesome/4.3.0/css/font-  
awesome.min.css">
```

<!-- Custom CSS -->

```
<link rel="stylesheet" href="css/owl.carousel.css">
```

```
<link rel="stylesheet" href="style.css">
```

```
<link rel="stylesheet" href="css/responsive.css">
```

<!-- HTML5 shim and Respond.js for IE8 support of HTML5 elements and media queries -->

<!-- WARNING: Respond.js doesn't work if you view the page via file:// -->

<!--[if lt IE 9]>

<script src="https://oss.maxcdn.com/html5shiv/3.7.2/html5shiv.min.js"></script>

<script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>

<![endif]-->

</head>

<body>

<?php include_once('includes/header.php');?>

<div class="product-big-title-area">

<div class="container">

<div class="row">

<div class="col-md-12">

<div class="product-bit-title text-center">

<h2>Desktop Page</h2>

</div>

</div>

</div>

</div>

<div class="single-product-area">

<div class="zigzag-bottom"></div>

<div class="container">

<div class="row">

<?php

//Getting default page number

if (isset(\$_GET['pageno'])) {

\$pageno = \$_GET['pageno'];

} else {

\$pageno = 1;

}

// Formula for pagination

\$no_of_records_per_page = 6;

\$offset = (\$pageno-1) * \$no_of_records_per_page;

\$total_pages_sql = "SELECT COUNT(*) FROM tblproduct";

\$ret1=mysqli_query(\$con,"select COUNT(*) from tblproduct where Type='Desktop'");

\$total_rows = mysqli_fetch_array(\$ret1)[0];

```
$total_pages = ceil($total_rows / $no_of_records_per_page);

$query=mysqli_query($con,"select * from tblproduct where Type='Desktop' LIMIT $offset,
 $no_of_records_per_page");

while ($row=mysqli_fetch_array($query)) {

?>

<div class="col-md-3 col-sm-6">

<div class="single-shop-product">

<div class="product-upper">



</div>

<h2><a href="single-product-details.php?viewid=<?php echo $row['ID'];?>"><?php echo
 $row['ProductName'];?></a></h2>

<div class="product-carousel-price">

<ins><?php echo $row['RentalPrice'];?>/day</del>

</div>

<div class="product-option-shop">

<a class="add_to_cart_button" data-quantity="1" data-product_sku="" data-product_id="70"
 rel="nofollow" href="single-product-details.php?viewid=<?php echo $row['ID'];?>">More
 Details</a>

</div>
```

```
</div>
```

```
</div><?php } ?>
```

```
</div>
```

```
<div class="page-pagi">
```

```
<nav aria-label="Page navigation example">
```

```
<ul class="pagination" >
```

```
<li class="page-item" ><a href="?pageno=1"><strong>First</strong></a></li>
```

```
<li class="<?php if($pageno <= 1){ echo 'disabled'; } ?>">
```

```
<a class="page-link" href="<?php if($pageno <= 1){ echo '#'; } else { echo "?pageno=".($pageno - 1); } ?>"><strong style="padding-left: 10px">Prev</strong></a>
```

```
</li>
```

```
<li class="<?php if($pageno >= $total_pages){ echo 'disabled'; } ?>">
```

```
<a class="page-link" href="<?php if($pageno >= $total_pages){ echo '#'; } else { echo "?pageno=".($pageno + 1); } ?>"><strong style="padding-left: 10px">Next</strong></a>
```

```
</li>
```

```
<li class="page-item" ><a class="page-link" href="?pageno=<?php echo $total_pages; ?>"><strong style="padding-left: 10px">Last</strong></a></li>
```

</nav>

</div>

</div>

</div>

<?php \$pageName = "desktop"; include_once('includes/footer.php');?>

<!-- Latest jQuery form server -->

<script src="https://code.jquery.com/jquery.min.js"></script>

<!-- Bootstrap JS form CDN -->

<script src="http://maxcdn.bootstrapcdn.com/bootstrap/3.2.0/js/bootstrap.min.js"></script>

<!-- jQuery sticky menu -->

<script src="js/owl.carousel.min.js"></script>

<script src="js/jquery.sticky.js"></script>

<!-- jQuery easing -->

```
<script src="js/jquery.easing.1.3.min.js"></script>
```

```
<!-- Main Script -->
```

```
<script src="js/main.js"></script>
```

```
</body>
```

```
</html>
```

ADMIN DASHBORD

```
<?php
```

```
session_start();
```

```
error_reporting(0);
```

```
include('includes/dbconnection.php');
```

```
error_reporting(0);
```

```
if (strlen($_SESSION['vrmsaid'])==0) {
```

```
header('location:logout.php');
```

```
} else{ ?>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

<head>

<title>Laptop and Desktop Rental Management Sysytem | Dashboard</title>

<!-- Style-sheets -->

<!-- Bootstrap Css -->

<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />

<!-- Bootstrap Css -->

<!-- Bars Css -->

<link rel="stylesheet" href="css/bar.css">

<!--// Bars Css -->

<!-- Calender Css -->

<link rel="stylesheet" type="text/css" href="css/pignose.calender.css" />

<!--// Calender Css -->

<!-- Common Css -->

<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />

<!--// Common Css -->

<!-- Nav Css -->

<link rel="stylesheet" href="css/style4.css">

<!--// Nav Css -->

<!-- Fontawesome Css -->

<link href="css/fontawesome-all.css" rel="stylesheet">

<!--// Fontawesome Css -->

<!--// Style-sheets -->

<!--web-fonts-->

<link href="//fonts.googleapis.com/css?family=Poiret+One" rel="stylesheet">

<link href="//fonts.googleapis.com/css?family=Open+Sans:300,400,600,700" rel="stylesheet">

<!--/web-fonts-->

</head>

<body>

<div class="se-pre-con"></div>

<div class="wrapper">

<!-- Sidebar Holder -->

<?php include_once('includes/sidebar.php');?>

<!-- Page Content Holder -->

<div id="content">

<!-- top-bar -->

<?php include_once('includes/header.php');?>

<!--// top-bar -->

<div class="container-fluid">

<div class="row">

<!-- Stats -->

<div class="outer-w3-agile col-xl">

<h5 style="padding-bottom: 10px">Dashboard</h5>

<div class="stat-grid p-3 d-flex

align-items-center justify-content-between bg-primary">

<?php \$query1=mysqli_query(\$con,"Select * from tblproduct");

\$totalpro=mysqli_num_rows(\$query1);

?>

<div class="s-l">

<h5>Total Product</h5>

<h6 style="color: black; padding-top: 10px">View</h6>

</div>

<div class="s-r">

```
<h6><?php echo $totalpro;?>

<i class="far fa-edit"></i>

</h6>

</div>

</div>

<div class="stat-grid p-3 mt-3 d-flex align-items-left justify-content-between bg-success">

<?php $query2=mysqli_query($con,"Select * from tblbooking where Status is null");

$newbooking=mysqli_num_rows($query2);

?>

<div class="s-l">

<h5>New Booking</h5>

<a class="text-muted text-uppercase m-b-20" href="new-booking.php" style="font-size: 20px"><h6 style="color: black;padding-top: 10px">View</h6></a>

</div>

<div class="s-r">

<h6><?php echo $newbooking;?>

<i class="far fa-smile"></i>

</h6>

</div>

</div>
```

```
<div class="stat-grid p-3 mt-3 d-flex align-items-center justify-content-between bg-danger">

<?php $query3=mysqli_query($con,"Select * from tblbooking where Status='Approved'");

$apprbooking=mysqli_num_rows($query3);

?>

<div class="s-l">

<h5>Approved Booking</h5>

<a class="text-muted text-uppercase m-b-20" href="approved-booking.php" style="font-size: 20px"><h6 style="color: black; padding-top: 10px">View</h6></a>

</div>

<div class="s-r">

<h6><?php echo $apprbooking;?>

<i class="fas fa-tasks"></i>

</h6>

</div>

</div>

<div class="stat-grid p-3 mt-3 d-flex align-items-center justify-content-between bg-warning">

<?php $query4=mysqli_query($con,"Select * from tblbooking where Status='Unapproved'");

$unapprbooking=mysqli_num_rows($query4);

?>
```

```
<div class="s-l">
```

```
<h5>Unapproved Booking</h5>
```

```
<a class="text-muted text-uppercase m-b-20" href="unapproved-booking.php" style="font-size: 20px"><h6 style="color: black; padding-top: 10px">View</h6></a>
```

```
</div>
```

```
<div class="s-r">
```

```
<h6><?php echo $unapprbooking;?>
```

```
<i class="fas fa-users"></i>
```

```
</h6>
```

```
</div>
```

```
</div>
```

```
<div class="stat-grid p-3 mt-3 d-flex align-items-center justify-content-between bg-primary">
```

```
<?php $query5=mysqli_query($con,"Select * from tblbooking");
```

```
$totalbooking=mysqli_num_rows($query5);
```

```
?>
```

```
<div class="s-l">
```

```
<h5>Total Booking</h5>
```

```
<a class="text-muted text-uppercase m-b-20" href="all-booking.php" style="font-size: 20px"><h6 style="color: black; padding-top: 10px">View</h6></a>
```

```
</div>
```

```
<div class="s-r">

<h6><?php echo $totalbooking;?>

<i class="far fa-edit"></i>

</h6>

</div>

</div>

<div class="stat-grid p-3 mt-3 d-flex align-items-left justify-content-between bg-success">

<?php $query2=mysqli_query($con,"Select * from tblbrand");

$totbrand=mysqli_num_rows($query2);

?>

<div class="s-l">

<h5>Total Brand</h5>

<a class="text-muted text-uppercase m-b-20" href="manage-brand.php" style="font-size: 20px"><h6 style="color: black;padding-top: 10px">View</h6></a>

</div>

<div class="s-r">

<h6><?php echo $totbrand;?>

<i class="far fa-smile"></i>

</h6>

// Animate loader off screen
```

```
$( ".se-pre-con" ).fadeOut("slow");;
```

```
});
```

```
</script>
```

```
<!--// loading-gif Js -->
```

```
<!-- Sidebar-nav Js -->
```

```
<script>
```

```
$(document).ready(function () {
```

```
    $('#sidebarCollapse').on('click', function () {
```

```
        $('#sidebar').toggleClass('active');
```

```
    });
```

```
});
```

```
</script>
```

```
<!--// Sidebar-nav Js -->
```

```
<!-- Graph -->
```

```
<script src="js/SimpleChart.js"></script>
```

```
<!--// Graph -->
```

<!-- Bar-chart -->

```
<script src="js/rumcaJS.js"></script>
```

```
<script src="js/example.js"></script>
```

<!--// Bar-chart -->

<!-- Calender -->

```
<script src="js/moment.min.js"></script>
```

```
<script src="js/pignose.calender.js"></script>
```

```
<script>
```

```
//<![CDATA[
```

```
$(function () {
```

```
    $('.calender').pignoseCalender({
```

```
        select: function (date, obj) {
```

```
            obj.calender.parent().next().show().text('You selected ' +
```

```
(date[0] === null ? 'null' : date[0].format('YYYY-MM-DD')) +
```

```
'.');
```

```
}
```

```
});
```

```
$('.multi-select-calender').pignoseCalender({
```

multiple: true,

```
select: function (date, obj) {  
  
    obj.calender.parent().next().show().text('You selected ' +  
  
    (date[0] === null ? 'null' : date[0].format('YYYY-MM-DD')) +  
  
    '~' +  
  
    (date[1] === null ? 'null' : date[1].format('YYYY-MM-DD')) +  
  
    '.');  
  
}  
  
});  
  
});  
  
//]]>  
  
</script>
```

<!--// Calender -->

```
<!-- profile-widget-dropdown js-->  
  
<script src="js/script.js"></script>  
  
<!--// profile-widget-dropdown js-->
```

<!-- Count-down -->

```
<script src="js/simplyCountdown.js"></script>

<link href="css/simplyCountdown.css" rel='stylesheet' type='text/css' />

<script>

var d = new Date();

simplyCountdown('simply-countdown-custom', {

year: d.getFullYear(),

month: d.getMonth() + 2,

day: 25

});

</script>

<!--// Count-down -->

<!-- pie-chart -->

<script src='js/amcharts.js'></script>

<script>

var chart;

var legend;

    },


</script>
```

```
{  
    country: "Latvia",  
  
    value: 10  
  
}  
  
];
```

```
AmCharts.ready(function () {  
  
    // PIE CHART  
  
    chart = new AmCharts.AmPieChart();  
  
    chart.dataProvider = chartData;  
  
    chart.titleField = "country";  
  
    chart.valueField = "value";  
  
    chart.outlineColor = "";  
  
    chart.outlineAlpha = 0.8;  
  
    chart.outlineThickness = 2;  
  
    // this makes the chart 3D  
  
    chart.depth3D = 20;  
  
    chart.angle = 30;  
  
    // WRITE
```

```
chart.write("chartdiv");

});

</script>

<!--// pie-chart -->

<!-- dropdown nav -->

<script>

$(document).ready(function () {

    $(".dropdown").hover(

        function () {

            $('.dropdown-menu', this).stop(true, true).slideDown("fast");

            $(this).toggleClass('open');

        },

        function () {

            $('.dropdown-menu', this).stop(true, true).slideUp("fast");

            $(this).toggleClass('open');

        }

    );

});

</script>
```

```
<!-- //dropdown nav -->

<!-- Js for bootstrap working-->

<script src="js/bootstrap.min.js"></script>

<!-- //Js for bootstrap working -->

</body>

</html>

<?php } ?>
```

ADMIN ADD BRAND

```
<?php

session_start();

error_reporting(0);

include('includes/dbconnection.php');

if (strlen($_SESSION['vrmsaid']==0)) {

header('location:logout.php');

}

else{

if(isset($_POST['submit']))
```

```
{  
  
$aid=$_SESSION['vrmsaid'];  
  
$bname=$_POST['brandname'];  
  
  
  
$logo=$_FILES["images"]["name"];  
  
$extension = substr($logo,strlen($logo)-4,strlen($logo));  
  
// allowed extensions  
  
$allowed_extensions = array(".jpg","jpeg",".png",".gif");  
  
// Validation for allowed extensions .in_array() function searches an array for a specific value.  
  
if(!in_array($extension,$allowed_extensions))  
  
{  
  
echo "<script>alert('Invalid format. Only jpg / jpeg/ png /gif format allowed');</script>";  
  
}  
  
else  
  
{  
  
$brandlogo=md5($logo).$extension;  
  
move_uploaded_file($_FILES["images"]["tmp_name"],"images/".$brandlogo);  
  
$query=mysqli_query($con, "insert into tblbrand(BrandName,BrandLogo)  
value('$bname','$brandlogo')");  
  
if ($query) {  


---


```

```
echo "<script>alert('Brand details has been submitted.');//</script>";  
  
echo "<script>window.location.href ='add-brand.php'</script>";  
  
}  
  
else  
  
{  
  
echo "<script>alert('Something Went Wrong. Please try again');//</script>";  
  
}  
  
}  
  
?  
  
<!DOCTYPE html>  
  
<html lang="en">  
  
<head>  
  
<title>Laptop and Desktop Rental Management Sysytem | Brands</title>  
  
<!-- Style-sheets -->  
  
<!-- Bootstrap Css -->  
  
<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />  
  
<!-- Bootstrap Css -->  
  
<!-- Common Css -->
```

```
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
```

```
<!--// Common Css -->
```

```
<!-- Nav Css -->
```

```
<link rel="stylesheet" href="css/style4.css">
```

```
<!--// Nav Css -->
```

```
<!-- Fontawesome Css -->
```

```
<link href="css/fontawesome-all.css" rel="stylesheet">
```

```
<!--// Fontawesome Css -->
```

```
<!--// Style-sheets -->
```

```
<!--web-fonts-->
```

```
<link href="//fonts.googleapis.com/css?family=Poiret+One" rel="stylesheet">
```

```
<link href="//fonts.googleapis.com/css?family=Open+Sans:300,400,600,700" rel="stylesheet">
```

```
<!--//web-fonts-->
```

```
</head>
```

```
<body>
```

```
<div class="wrapper">
```

```
<!-- Sidebar Holder -->
```

```
<?php include_once('includes/sidebar.php');?>
```

<!-- Page Content Holder -->

<div id="content">

<!-- top-bar -->

<?php include_once('includes/header.php');?>

<!--// top-bar -->

<!-- main-heading -->

<h2 class="main-title-w3layouts mb-2 text-center">Brands</h2>

<!--// main-heading -->

<!-- Forms content -->

<section class="forms-section">

<!-- Forms-3 -->

<div class="outer-w3-agile mt-3">

<h4 class="tittle-w3-agileits mb-4">Brands</h4>

<form action="#" method="post" enctype="multipart/form-data">

<div class="form-row">

<div class="form-group col-md-6">

<label for="inputEmail4">Brand Name</label>

```
<input class="form-control" id="brandname" name="brandname"
type="text" value="" required="true">

</div>

</div>

<div class="form-row">

<div class="form-group col-md-6">

<label for="inputEmail4">Brand Logo</label>

<input type="file" class="form-control" name="images" id="images"
value="" required="true">

</div>

</div>

<button type="submit" class="btn btn-primary" name="submit">Add</button>

</form>

</div>

<!-- Validation Script -->

<script>

// Example starter JavaScript for disabling form submissions if there are invalid fields

```

```
(function () {  
  
    'use strict';  
  
    window.addEventListener('load', function () {  
  
        // Fetch all the forms we want to apply custom Bootstrap validation styles to  
  
        var forms = document.getElementsByClassName('needs-validation');  
  
        // Loop over them and prevent submission  
  
        var validation = Array.prototype.filter.call(forms, function (form) {  
  
            form.addEventListener('submit', function (event) {  
  
                if (form.checkValidity() === false) {  
  
                    event.preventDefault();  
  
                    event.stopPropagation();  
  
                }  
  
                form.classList.add('was-validated');  
  
            }, false);  
  
        });  
  
    }, false);  
  
})();  
  
</script>
```

```
<!--// Validation Script -->
```

```
<!-- dropdown nav -->
```

```
<script>
```

```
$(document).ready(function () {  
  
    $(".dropdown").hover(  
  
        function () {  
  
            $('.dropdown-menu', this).stop(true, true).slideDown("fast");  
  
            $(this).toggleClass('open');  
  
        },  
  
        function () {  
  
            $('.dropdown-menu', this).stop(true, true).slideUp("fast");  
  
            $(this).toggleClass('open');  
  
        }  
    );  
  
});
```

```
</script>
```

```
<!-- //dropdown nav -->
```

```
<!-- Js for bootstrap working-->
```

```
<script src="js/bootstrap.min.js"></script>
```

<!-- //Js for bootstrap working -->

</body>

</html>

<?php } ?>

ADMIN MANAGE BRAND

<?php

session_start();

error_reporting(0);

include('includes/dbconnection.php');

if (strlen(\$_SESSION['vrmsaid'])==0)) {

header('location:logout.php');

} else{

if(isset(\$_GET['delid']))

{

\$rid=intval(\$_GET['delid']);

\$query=mysqli_query(\$con,"delete from tblbrand where ID='\$delid'");

if(\$query){

```
echo "<script>alert('Brand details deleted successfully.');//</script>";  
  
echo "<script type='text/javascript'> document.location = 'manage-brand.php'; </script>";  
  
} else {  
  
echo "<script>alert('Something went wrong. Please try again.');//</script>";  
  
}  
  
}  
  
?  
  
<!DOCTYPE html>  
  
<html lang="en">  
  
<head>  
  
<title>Laptop and Desktop Rental Management Sysytem | Manage Brand</title>  
  
<!-- Style-sheets -->  
  
<!-- Bootstrap Css -->  
  
<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />  
  
<!-- Bootstrap Css -->  
  
<!-- Common Css -->  
  
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />  
  
<!--// Common Css -->
```

<!-- Nav Css -->

<link rel="stylesheet" href="css/style4.css">

<!!--// Nav Css -->

<!-- Fontawesome Css -->

<link href="css/fontawesome-all.css" rel="stylesheet">

<!!--// Fontawesome Css -->

<!!--// Style-sheets -->

<!--web-fonts-->

<link href="//fonts.googleapis.com/css?family=Poiret+One" rel="stylesheet">

<link href="//fonts.googleapis.com/css?family=Open+Sans:300,400,600,700" rel="stylesheet">

<!!--/web-fonts-->

</head>

<body>

<div class="wrapper">

<!-- Sidebar Holder -->

<?php include_once('includes/sidebar.php');?>

<!-- Page Content Holder -->

<div id="content">

<!-- top-bar -->

<?php include_once('includes/header.php');?>

<!-- main-heading -->

<h2 class="main-title-w3layouts mb-2 text-center">Manage Brand</h2>

<!--// main-heading -->

<!-- Tables content -->

<section class="tables-section">

<!-- table6 -->

<div class="outer-w3-agile mt-3">

<h4 class="tittle-w3-agileits mb-4">Manage Brand</h4>

<div class="container-fluid">

<div class="row">

<table class="table table-bordered">

<thead>

<tr>

<th scope="col">S.NO</th>

<th scope="col">Brand Name</th>

<th>Creation Date</th>

<th scope="col">Action</th>

```
</tr>

</thead>

<?php

$ret=mysqli_query($con,"select * from tblbrand");

$cnt=1;

while ($row=mysqli_fetch_array($ret)) {

?>

<tbody>

<tr data-expanded="true">

<td><?php echo $cnt;?></td>

<td><?php echo $row['BrandName'];?></td>

<td><?php echo $row['CreationDate'];?></td>

<td><a class="btn btn-sm btn-primary" href="edit-brand.php?editid=<?php echo
$row['ID'];?>">Edit</a>

<a class="btn btn-sm btn-primary" href="manage-brand.php?delid=<?php echo
$row['ID'];?>" onclick="return confirm('Do you really want to Delete ?');">Delete</a>

<!-- Sidebar-nav Js -->

<script>
```

```
$(document).ready(function () {  
  
    $('#sidebarCollapse').on('click', function () {  
  
        $('#sidebar').toggleClass('active');  
  
    });  
  
});  
  
</script>
```

```
<!--// Sidebar-nav Js -->
```

```
<!-- dropdown nav -->
```

```
<script>  
  
$(document).ready(function () {  
  
    $(".dropdown").hover(  
  
        function () {  
  
            $('.dropdown-menu', this).stop(true, true).slideDown("fast");  
  
            $(this).toggleClass('open');  
  
        },  
  
        function () {  
  
            $('.dropdown-menu', this).stop(true, true).slideUp("fast");  
  
            $(this).toggleClass('open');  
  
        }  
    );  
});  
  
</script>
```

```
 );  
  
});  
  
</script>  
  
<!-- //dropdown nav -->  
  
<!-- Js for bootstrap working-->  
  
<script src="js/bootstrap.min.js"></script>  
  
<!-- //Js for bootstrap working -->  
  
</body>  
  
</html>  
  
<?php } ?>
```

ADMIN ADD PRODUCT

```
<?php  
  
session_start();  
  
error_reporting(0);  
  
include('includes/dbconnection.php');  
  
if (strlen($_SESSION['vrmsaid'])==0)) {  
  
header('location:logout.php');  
  
} else{  
  
}
```

```
if(isset($_POST['submit']))  
  
{  
  
$type=$_POST['type'];  
  
$brandid=$_POST['brand'];  
  
$proname=$_POST['proname'];  
  
$screen=$_POST['screen'];  
  
$ram=$_POST['ram'];  
  
$storage=$_POST['storage'];  
  
$charges=$_POST['charges'];  
  
$processor=$_POST['processor'];  
  
$renprice=$_POST['renprice'];  
  
$modyrs=$_POST['modyrs'];  
  
$prodesc=$_POST['prodesc'];  
  
//featured Image  
  
$pic=$_FILES["image"]["name"];  
  
$extension = substr($pic,strlen($pic)-4,strlen($pic));  
  
//Product Image 1  
  
$pic1=$_FILES["image1"]["name"];  
  
$extension1 = substr($pic1,strlen($pic1)-4,strlen($pic1));
```

//Product Image 2

```
$pic2=$_FILES["image2"]["name"];
```

```
$extension2 = substr($pic2,strlen($pic2)-4,strlen($pic2));
```

//Product Image 3

```
$pic3=$_FILES["image3"]["name"];
```

```
$extension3 = substr($pic3,strlen($pic3)-4,strlen($pic3));
```

//Product Image 4

```
$pic4=$_FILES["image4"]["name"];
```

```
$extension4 = substr($pic4,strlen($pic4)-4,strlen($pic4));
```

//Product Image

```
$pic5=$_FILES["image5"]["name"];
```

```
$extension5 = substr($pic5,strlen($pic5)-4,strlen($pic5));
```

// allowed extensions

```
$allowed_extensions = array(".jpg","jpeg",".png",".gif");
```

// Validation for allowed extensions .in_array() function searches an array for a specific value.

```
if(!in_array($extension,$allowed_extensions))
```

```
{
```

```
echo "<script>alert('Featured image has Invalid format. Only jpg / jpeg/ png /gif format  
allowed');</script>";
```

```
}
```

```
if(!in_array($extension1,$allowed_extensions))

{

echo "<script>alert('Product image 1 has Invalid format. Only jpg / jpeg/ png /gif format
allowed');</script>";

}

if(!in_array($extension2,$allowed_extensions))

{

echo "<script>alert('Product image 2 has Invalid format. Only jpg / jpeg/ png /gif format
allowed');</script>";

}

if(!in_array($extension3,$allowed_extensions))

{

echo "<script>alert('Product image 3 has Invalid format. Only jpg / jpeg/ png /gif format
allowed');</script>";

}

if(!in_array($extension4,$allowed_extensions))

{

echo "<script>alert('Product image 4 has Invalid format. Only jpg / jpeg/ png /gif format
allowed');</script>";

}

if(!in_array($extension5,$allowed_extensions))
```

{

```
echo "<script>alert('Product image 5 has Invalid format. Only jpg / jpeg/ png /gif format allowed');</script>";
```

}

else

{

//rename product images

\$propic=md5(\$pic).time().\$extension;

\$propic1=md5(\$pic1).time().\$extension1;

\$propic2=md5(\$pic2).time().\$extension2;

\$propic3=md5(\$pic3).time().\$extension3;

\$propic4=md5(\$pic4).time().\$extension4;

\$propic5=md5(\$pic5).time().\$extension5;

```
move_uploaded_file($_FILES["image"]["tmp_name"],"images/".$propic);
```

```
move_uploaded_file($_FILES["image1"]["tmp_name"],"images/".$propic1);
```

```
move_uploaded_file($_FILES["image2"]["tmp_name"],"images/".$propic2);
```

```
move_uploaded_file($_FILES["image3"]["tmp_name"],"images/".$propic3);
```

```
move_uploaded_file($_FILES["image4"]["tmp_name"],"images/".$propic4);
```

```
move_uploaded_file($_FILES["image5"]["tmp_name"],"images/".$propic5);
```

```
$query=mysqli_query($con,"insert into
tblproduct(Type,BrandID,ProductName,Processor,Screen,RAM,Storage,Charges,RentalPrice
,ProductModel,ProductDescription,Image,Image1,Image2,Image3,Image4,Image5)
value('$type','$brandid','$proname','$processor','$screen','$ram','$storage','$charges','$renprice
','$modyrs','$prodesc','$propic','$propic1','$propic2','$propic3','$propic4','$propic5')");

if ($query) {
    echo '<script>alert("Product details has been added.")</script>';
    echo "<script>window.location.href ='add-products.php'</script>";
}

else
{
    echo '<script>alert("Something Went Wrong. Please try again")</script>';
}

?>

<!DOCTYPE html>

<html lang="en">

<head>

<title>Laptop and Desktop Rental Management Sysytem | Add Product Details</title>

<!-- Style-sheets -->
```

<!-- Bootstrap Css -->

```
<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />
```

<!-- Bootstrap Css -->

<!-- Common Css -->

```
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
```

<!--// Common Css -->

<!-- Nav Css -->

```
<link rel="stylesheet" href="css/style4.css">
```

<!--// Nav Css -->

<!-- Fontawesome Css -->

```
<link href="css/fontawesome-all.css" rel="stylesheet">
```

<!--// Fontawesome Css -->

<!--// Style-sheets -->

<!--web-fonts-->

```
<link href="//fonts.googleapis.com/css?family=Poiret+One" rel="stylesheet">
```

```
<link href="//fonts.googleapis.com/css?family=Open+Sans:300,400,600,700" rel="stylesheet">
```

<!--//web-fonts-->

</head>

<body>

```
<div class="wrapper">

    <!-- Sidebar Holder -->

    <?php include_once('includes/sidebar.php');?>

    <!-- Page Content Holder -->

    <div id="content">

        <!-- top-bar -->

        <?php include_once('includes/header.php');?>

        <!--// top-bar -->

        <!-- main-heading -->

        <h2 class="main-title-w3layouts mb-2 text-center"> Add Product Details</h2>

        <!--// main-heading -->

        <!-- Forms content -->

        <section class="forms-section">

            <div class="outer-w3-agile mt-3">
```

```
<h4 class="tittle-w3-agileits mb-4">Add Product Details</h4>

<form action="#" method="post" enctype="multipart/form-data">

<div class="form-row">

<div class="form-group col-md-6">

<label for="inputEmail4">Type</label>

<select class="form-control" name="type" id="type" required="true">

<option value=""> Choose Type</option>

<option value="Laptop"> Laptop</option>

<option value="Desktop"> Desktop</option>

</select>

</div>

<div class="form-group col-md-6">

<label for="inputPassword4">Brand</label>

<select class="form-control" id="brand" name="brand" required="true">

<option value="">Choose Brand</option>

<?php $query=mysqli_query($con,"select * from tblbrand");

while($row=mysqli_fetch_array($query))

{




```

```
?>

<option      value=<?php      echo      $row['ID'];?>><?php      echo
$row['BrandName'];?></option>

<?php } ?>

</select>

</div>

</div>

<div class="form-row">

<div class="form-group col-md-6">

<label for="inputEmail4">Product Name</label>

<input type="text" class="form-control" id="proname" name="proname"
required="true">

</div>

<div class="form-group col-md-6">

<label for="inputPassword4">Processor</label>

<input type="text" class="form-control" id="processor" name="processor"
required="true">

</div>

</div>

<div class="form-row">

<div class="form-group col-md-6">
```

```
<label for="inputEmail4">Screen</label>

<input type="text" class="form-control" id="screen" name="screen"
required="true">

</div>

<div class="form-group col-md-6">

<label for="inputPassword4">Ram</label>

<input type="text" class="form-control" id="ram" name="ram"
required="true">

</div>

</div>

<div class="form-row">

<div class="form-group col-md-6">

<label for="inputEmail4">Storage</label>

<input type="text" class="form-control" id="storage" name="storage"
required="true">

</div>

<div class="form-group col-md-6">

<label for="inputPassword4">Charges</label>

<input type="text" class="form-control" id="charges" name="charges"
required="true">

</div>
```

```
</div>

<div class="form-row">

    <div class="form-group col-md-6">

        <label for="inputAddress">Rental Price/Day</label>

        <input type="text" class="form-control" id="renprice" name="renprice"
required="true">

    </div>

    <div class="form-group col-md-6">

        <label for="inputPassword4">Product Model</label>

        <input type="text" class="form-control" id="modyrs" name="modyrs"
required="true">

    </div>

    </div>

<div class="form-group">

    <label for="exampleFormControlTextareal1">Product
Description</label>

    <textarea class="form-control" id="prodesc" name="prodesc"
rows="3" required="true"></textarea>

</div>

<div class="form-row">
```

```
<div class="form-group col-md-4">

    <label for="inputCity">Image</label>

    <input type="file" class="form-control" id="image" name="image"
required="true">

</div>

<div class="form-group col-md-4">

    <label for="inputState">Image1</label>

    <input type="file" class="form-control" id="image1" name="image1"
required="true">

</div>

<div class="form-group col-md-4">

    <label for="inputZip">Image2</label>

    <input type="file" class="form-control" id="image2" name="image2"
required="true">

</div>

</div>

<div class="form-row">

    <div class="form-group col-md-4">

        <label for="inputCity">Image3</label>

        <input type="file" class="form-control" id="image3" name="image3"
required="true">

    </div>

```

```
</div>

<div class="form-group col-md-4">

    <label for="inputState">Image4</label>

    <input type="file" class="form-control" id="image4" name="image4"
required="true">

</div>

<div class="form-group col-md-4">

    <label for="inputZip">Image5</label>

    <input type="file" class="form-control" id="image5" name="image5"
required="true">

</div>

</div>

<p style="text-align: center;"><button type="submit" class="btn btn-primary"
name="submit">Submit</button></p>

</form>

</div>

<!--// Forms-3 -->

<!-- Forms-4 -->

</section>

<!--// Forms content -->
```

```
<?php include_once('includes/footer.php');?>
```

```
</div>
```

```
</div>
```

```
<!-- Required common Js -->
```

```
<script src='js/jquery-2.2.3.min.js'></script>
```

```
<!-- //Required common Js -->
```

```
<!-- Sidebar-nav Js -->
```

```
<script>
```

```
$(document).ready(function () {
```

```
    $('#sidebarCollapse').on('click', function () {
```

```
        $('#sidebar').toggleClass('active');
```

```
    });
```

```
});
```

```
</script>
```

```
<!--// Sidebar-nav Js -->
```

```
<!-- Validation Script -->
```

```
<script>

// Example starter JavaScript for disabling form submissions if there are invalid fields

(function () {

    'use strict';

    window.addEventListener('load', function () {

        // Fetch all the forms we want to apply custom Bootstrap validation styles to

        var forms = document.getElementsByClassName('needs-validation');

        // Loop over them and prevent submission

        var validation = Array.prototype.filter.call(forms, function (form) {

            form.addEventListener('submit', function (event) {

                if (form.checkValidity() === false) {

                    event.preventDefault();

                    event.stopPropagation();

                }

                form.classList.add('was-validated');

            }, false);

        });

        }, false);

});
```

```
}());  
  
</script>  
  
<!--// Validation Script -->  
  
<!-- dropdown nav -->  
  
<script>  
  
$(document).ready(function () {  
  
    $(".dropdown").hover(  
  
        function () {  
  
            $('.dropdown-menu', this).stop(true, true).slideDown("fast");  
  
            $(this).toggleClass('open');  
  
        },  
  
        function () {  
  
            $('.dropdown-menu', this).stop(true, true).slideUp("fast");  
  
            $(this).toggleClass('open');  
  
        }  
    );  
  
});  
  
</script>
```

```
<!-- //dropdown nav -->
```

```
<!-- Js for bootstrap working-->
```

```
<script src="js/bootstrap.min.js"></script>
```

```
<!-- //Js for bootstrap working -->
```

```
</body>
```

```
</html>
```

```
<?php } ?>
```

ADMIN MANAGE PRODUCT

```
<?php
```

```
session_start();
```

```
error_reporting(0);
```

```
include('includes/dbconnection.php');
```

```
if (strlen($_SESSION['vrmsaid']==0)) {
```

```
header('location:logout.php');
```

```
} else{
```

```
if(isset($_GET['delid']))
```

```
{
```

```
$rid=intval($_GET['delid']);

$query=mysqli_query($con,"delete from tblproduct where ID='$delid'");

if($query){

echo "<script>alert('Brand details deleted successfully.');//</script>";

echo "<script type='text/javascript'> document.location = 'manage-products.php'; </script>";

} else {

echo "<script>alert('Something went wrong. Please try again.');//</script>";

}

?>

<!DOCTYPE html>

<html lang="en">

<head>

<title>Laptop and Desktop Rental Management System | Manage Products </title>

<!-- Style-sheets -->

<!-- Bootstrap Css -->

<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />
```

```
<!-- Bootstrap Css -->
```

```
<!-- Common Css -->
```

```
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
```

```
<!--// Common Css -->
```

```
<!-- Nav Css -->
```

```
<link rel="stylesheet" href="css/style4.css">
```

```
<!--// Nav Css -->
```

```
<!-- Fontawesome Css -->
```

```
<link href="css/fontawesome-all.css" rel="stylesheet">
```

```
<!--// Fontawesome Css -->
```

```
<!--// Style-sheets -->
```

```
<!--web-fonts-->
```

```
<link href="//fonts.googleapis.com/css?family=Poiret+One" rel="stylesheet">
```

```
<link href="//fonts.googleapis.com/css?family=Open+Sans:300,400,600,700" rel="stylesheet">
```

```
<!--//web-fonts-->
```

```
</head>
```

```
<body>
```

```
<div class="wrapper">
```

<!-- Sidebar Holder -->

<?php include_once('includes/sidebar.php');?>

<!-- Page Content Holder -->

<div id="content">

<!-- top-bar -->

<?php include_once('includes/header.php');?>

<!-- main-heading -->

<h2 class="main-title-w3layouts mb-2 text-center">Manage Products</h2>

<!--// main-heading -->

<!-- Tables content -->

<section class="tables-section">

<!-- table6 -->

<div class="outer-w3-agile mt-3">

<h4 class="tittle-w3-agileits mb-4">Manage Products </h4>

<div class="container-fluid">

<div class="row">

```
<table class="table table-bordered">

<thead>

<tr>

<th scope="col">S.NO</th>

<th scope="col">Brand Name</th>

<th scope="col">Product Name</th>

<th scope="col">Product Type</th>

<th scope="col">Creation Date</th>

<th scope="col">Action</th>

</tr>

</thead>

<?php

$ret=mysqli_query($con,"selecttblproduct.IDaspid,tblproduct.BrandID,tblproduct
.Type,tblproduct.ProductName,tblproduct.CreationDate,tblbrand.ID,tblbrand.BrandName
from tblproduct join tblbrand on tblbrand.ID=tblproduct.BrandID");

$cnt=1;

while ($row=mysqli_fetch_array($ret)) {

?>

<tbody>

<tr data-expanded="true">
```

```
<td><?php echo $cnt;?></td>

<td><?php echo $row['BrandName'];?></td>

<td><?php echo $row['ProductName'];?></td>

<td><?php echo $row['Type'];?></td>

<td><?php echo $row['CreationDate'];?></td>

<td><a class="btn btn-sm btn-primary" href="edit-product.php?editid=<?php echo $row['pid'];?>">Edit</a> <a class="btn btn-sm btn-primary" href="manage-products.php?delid=<?php echo $row['pid'];?>" onclick="return confirm('Do you really want to Delete ?');">Delete</a>

</tr>

<?php

$cnt=$cnt+1;

?>

</tbody>

</table>

</div>

</div>

</div>

<!--// table6 -->
```

```
</section>
```

```
<!--// Tables content -->
```

```
<?php include_once('includes/footer.php');?>
```

```
</div>
```

```
</div>
```

```
<!-- Required common Js -->
```

```
<script src='js/jquery-2.2.3.min.js'></script>
```

```
<!-- //Required common Js -->
```

```
<!-- Sidebar-nav Js -->
```

```
<script>
```

```
$(document).ready(function () {
```

```
    $('#sidebarCollapse').on('click', function () {
```

```
        $('#sidebar').toggleClass('active');
```

```
    });
```

```
});
```

```
</script>
```

```
<!--// Sidebar-nav Js -->
```

```
<!-- dropdown nav -->
```

```
<script>
```

```
$(document).ready(function () {  
  
    $(".dropdown").hover(  
  
        function () {  
  
            $('.dropdown-menu', this).stop(true, true).slideDown("fast");  
  
            $(this).toggleClass('open');  
  
        },  
  
        function () {  
  
            $('.dropdown-menu', this).stop(true, true).slideUp("fast");  
  
            $(this).toggleClass('open');  
  
        }  
    );  
  
});
```

```
</script>
```

```
<!-- //dropdown nav -->
```

```
<!-- Js for bootstrap working-->
```

```
<script src="js/bootstrap.min.js"></script>
```

<!-- //Js for bootstrap working -->

</body>

</html>

<?php } ?>

ADMIN REGISTER USER

<?php

session_start();

error_reporting(0);

include('includes/dbconnection.php');

if (strlen(\$_SESSION['vrmsaid'])==0)) {

header('location:logout.php');

} else{

?>

<!DOCTYPE html>

<html lang="en">

<head>

<title>Vehicle Rental Management Sysytem | View Register Users</title>

<!-- Style-sheets -->

<!-- Bootstrap Css -->

<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />

<!-- Bootstrap Css -->

<!-- Common Css -->

<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />

<!!-- Common Css -->

<!-- Nav Css -->

<link rel="stylesheet" href="css/style4.css">

<!!-- Nav Css -->

<!-- Fontawesome Css -->

<link href="css/fontawesome-all.css" rel="stylesheet">

<!!-- Fontawesome Css -->

<!!-- Style-sheets -->

<!--web-fonts-->

<link href="//fonts.googleapis.com/css?family=Poiret+One" rel="stylesheet">

<link href="//fonts.googleapis.com/css?family=Open+Sans:300,400,600,700" rel="stylesheet">

<!!--web-fonts-->

</head>

<body>

<div class="wrapper">

<!-- Sidebar Holder -->

<?php include_once('includes/sidebar.php');?>

<!-- Page Content Holder -->

<div id="content">

<!-- top-bar -->

<?php include_once('includes/header.php');?>

<!-- main-heading -->

<h2 class="main-title-w3layouts mb-2 text-center">View Register Users</h2>

<!--// main-heading -->

<!-- Tables content -->

<section class="tables-section">

<!-- table6 -->

```
<div class="outer-w3-agile mt-3">

    <h4 class="tittle-w3-agileits mb-4">View Register Users</h4>

    <div class="container-fluid">

        <div class="row">

            <table class="table table-bordered">

                <thead>

                    <tr>

                        <th scope="col">S.NO</th>

                        <th scope="col">Full Name</th>

                        <th scope="col">MobileNumber</th>

                        <th scope="col">Email Address</th>

                        <th scope="col">Reg Date</th>

                </thead>

                <tbody>

                    <tr>

                        <td>1</td>

                        <td>Vignesh Pillai</td>

                        <td>9876543210</td>

                        <td>vignesh.pillai@outlook.com</td>

                        <td>2023-10-01</td>

                    </tr>

                </tbody>

            </table>

        </div>

    </div>

<?php

$ret=mysqli_query($con,"select * from tbluser");

$cnt=1;

while ($row=mysqli_fetch_array($ret)) {
```

?>

```
<tbody>

<tr data-expanded="true">

<td><?php echo $cnt;?></td>

<td><?php echo $row['FirstName'];?> <?php echo $row['LastName'];?></td>

<td><?php echo $row['MobileNumber'];?></td>

<td><?php echo $row['Email'];?></td>

<td><?php echo $row['RegDate'];?></td>

</tr>

<?php

$cnt=$cnt+1;

?>

</tbody>

</table>

</div>

</div>

</div>

<!--// table6 -->

</section>
```

<!--// Tables content -->

<?php include_once('includes/footer.php');?>

</div>

</div>

<!-- Required common Js -->

<script src='js/jquery-2.2.3.min.js'></script>

<!-- //Required common Js -->

<!-- Sidebar-nav Js -->

<script>

\$(document).ready(function () {

\$('#sidebarCollapse').on('click', function () {

\$('#sidebar').toggleClass('active');

});

});

</script>

<!--// Sidebar-nav Js -->

<!-- dropdown nav -->

<script>

\$(document).ready(function () {

```
$( ".dropdown" ).hover(
```

```
    function () {
```

```
        $('.dropdown-menu', this).stop(true, true).slideDown("fast");
```

```
        $(this).toggleClass('open');
```

```
    },
```

```
    function () {
```

```
        $('.dropdown-menu', this).stop(true, true).slideUp("fast");
```

```
        $(this).toggleClass('open');
```

```
    }
```

```
);
```

```
});
```

```
</script>
```

```
<!-- //dropdown nav -->
```

```
<!-- Js for bootstrap working-->
```

```
<script src="js/bootstrap.min.js"></script>
```

```
<!-- //Js for bootstrap working -->
```

```
</body>
```

```
</html>
```

<?php } ?>

ADMIN NEW BOOKING

<?php

session_start();

error_reporting(0);

include('includes/dbconnection.php');

if (strlen(\$_SESSION['vrmsaid'])==0)) {

header('location:logout.php');

} else{

?>

<!DOCTYPE html>

<html lang="en">

<head>

<title>Laptop & Desktop Rental Management Sysytem | New Booking For Rent</title>

<!-- Style-sheets -->

<!-- Bootstrap Css -->

<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />

<!-- Bootstrap Css -->

```
<!-- Common Css -->
```

```
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
```

```
<!--// Common Css -->
```

```
<!-- Nav Css -->
```

```
<link rel="stylesheet" href="css/style4.css">
```

```
<!--// Nav Css -->
```

```
<!-- Fontawesome Css -->
```

```
<link href="css/fontawesome-all.css" rel="stylesheet">
```

```
<!--// Fontawesome Css -->
```

```
<!--// Style-sheets -->
```

```
<!--web-fonts-->
```

```
<link href="//fonts.googleapis.com/css?family=Poiret+One" rel="stylesheet">
```

```
<link href="//fonts.googleapis.com/css?family=Open+Sans:300,400,600,700" rel="stylesheet">
```

```
<!--//web-fonts-->
```

```
</head>
```

```
<body>
```

```
<div class="wrapper">
```

```
<!-- Sidebar Holder -->
```

```
<?php include_once('includes/sidebar.php');?>
```

<!-- Page Content Holder -->

<div id="content">

<!-- top-bar -->

<?php include_once('includes/header.php');?>

<!-- main-heading -->

<h2 class="main-title-w3layouts mb-2 text-center">New Booking For Rent</h2>

<!--// main-heading -->

<!-- Tables content -->

<section class="tables-section">

<!-- table6 -->

<div class="outer-w3-agile mt-3">

<h4 class="tittle-w3-agileits mb-4">New Booking For Rent</h4>

<div class="container-fluid">

<div class="row">

<table class="table table-bordered">

<thead>

<tr>

<th scope="col">S.NO</th>

<th scope="col">Full Name</th>

```

<th scope="col">Booking ID</th>

<th scope="col">Product Name</th>

<th scope="col">Booking Date</th>

<th scope="col">Status</th>

<th scope="col">Action</th>

</tr>

</thead>

<?php

$ret=mysqli_query($con,"selecttblbooking.IDasbid,tblbooking.UserID,tblbooking.ProductID,
tblbooking.BookingNumber,tblbooking.FromDate,tblbooking.ToDate,tblbooking.UsedFor,tbl
booking.Quantity,tblbooking.DeliveryAddress,tblbooking.AddressProof,tblbooking.DateofB
ooking,tblbooking.Status,tbluser.FirstName,tbluser.LastName,tbluser.Email,tbluser.MobileN
umber,tblproduct.ProductNamefromtblbooking join  tbluser on tbluser.ID=tblbooking.UserID
join tblproduct on tblproduct.ID=tblbooking.ProductID where tblbooking.Status is null");

$cnt=1;

while ($row=mysqli_fetch_array($ret)) {

?>

<tbody>

<tr data-expanded="true">

<td><?php echo $cnt;?></td>

<td><?php echo $row['FirstName'];?><?php echo $row['LastName'];?></td>

```

```
<td><?php echo $row['BookingNumber'];?></td>

<td><?php echo $row['ProductName'];?></td>

<td><?php echo $row['DateofBooking'];?></td>

<?php if($row['Status']==""){ ?>
<td><?php echo "Not Updated Yet"; ?></td>

<?php } else { ?>           <td><?php echo htmlentities($row['Status']);?>
</td>

<?php } ?>

<td><a class="btn btn-sm btn-primary" href="view-booking.php?viewid=<?php
echo $row['bid'];?>">View</a>

</tr>

<?php
$cnt=$cnt+1;

}?>

</tbody>

</table>

</div>

</div>
```

```
</div>

<!--// table6 -->

</section>

<!--// Tables content -->

<?php include_once('includes/footer.php');?>

</div>

</div>

<!-- Required common Js -->

<script src='js/jquery-2.2.3.min.js'></script>

<!-- //Required common Js -->

<!-- Sidebar-nav Js -->

<script>

$(document).ready(function () {

    $('#sidebarCollapse').on('click', function () {

        $('#sidebar').toggleClass('active');

    });

});

</script>

<!--// Sidebar-nav Js -->
```

<!-- dropdown nav -->

<script>

```
$(document).ready(function () {  
  
    $(".dropdown").hover(  
  
        function () {  
  
            $('.dropdown-menu', this).stop(true, true).slideDown("fast");  
  
            $(this).toggleClass('open');  
  
        },  
  
        function () {  
  
            $('.dropdown-menu', this).stop(true, true).slideUp("fast");  
  
            $(this).toggleClass('open');  
  
        }  
    );  
  
});
```

</script>

<!-- //dropdown nav -->

<!-- Js for bootstrap working-->

<script src="js/bootstrap.min.js"></script>

<!-- //Js for bootstrap working -->

</body>

</html>

<?php } ?>

ADMIN APPROVED BOOKING

<?php

session_start();

error_reporting(0);

include('includes/dbconnection.php');

if (strlen(\$_SESSION['vrmsaid'])==0) {

header('location:logout.php');

} else{

?>

<!DOCTYPE html>

<html lang="en">

<head>

<title>Laptop & Desktop Rental Management Sysytem | Approved Booking For Rent</title>

<!-- Style-sheets -->

<!-- Bootstrap Css -->

<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />

<!-- Bootstrap Css -->

<!-- Common Css -->

<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />

<!--// Common Css -->

<!-- Nav Css -->

<link rel="stylesheet" href="css/style4.css">

<!--// Nav Css -->

<!-- Fontawesome Css -->

<link href="css/fontawesome-all.css" rel="stylesheet">

<!--// Fontawesome Css -->

<!--// Style-sheets -->

<!--web-fonts-->

<link href="//fonts.googleapis.com/css?family=Poiret+One" rel="stylesheet">

<link href="//fonts.googleapis.com/css?family=Open+Sans:300,400,600,700" rel="stylesheet">

<!--//web-fonts-->

</head>

<body>

<div class="wrapper">

<!-- Sidebar Holder -->

<?php include_once('includes/sidebar.php');?>

<!-- Page Content Holder -->

<div id="content">

<!-- top-bar -->

<?php include_once('includes/header.php');?>

<!-- main-heading -->

<h2 class="main-title-w3layouts mb-2 text-center">Approved Booking For Rent</h2>

<!--// main-heading -->

<!-- Tables content -->

<section class="tables-section">

<!-- table6 -->

<div class="outer-w3-agile mt-3">

<h4 class="tittle-w3-agileits mb-4">Approved Booking For Rent</h4>

```

<div class="container-fluid">

    <div class="row">

        <table class="table table-bordered">

            <thead>

                <tr>

                    <th scope="col">S.NO</th>

                    <th scope="col">Full Name</th>

                    <th scope="col">Booking ID</th>

                    <th scope="col">Product Name</th>

                    <th scope="col">Booking Date</th>

                    <th scope="col">Status</th>

                    <th scope="col">Action</th>

                </tr>

            </thead>

            <?php

                $ret=mysqli_query($con,"selecttblbooking.IDas
bid,tblbooking.UserID,tblbooking.ProductID,tblbooking.BookingNumber,tblbooking.FromD
ate,tblbooking.ToDate,tblbooking.UsedFor,tblbooking.Quantity,tblbooking.DeliveryAddress,
tblbooking.AddressProof,tblbooking.DateofBooking,tblbooking.Status,tbluser.FirstName,tblu
ser.LastName,tbluser.Email,tbluser.MobileNumber,tblproduct.ProductName from tblbooking
join      tbluser      on      tbluser.ID=tblbooking.UserID      join      tblproduct      on
tblproduct.ID=tblbooking.ProductID where tblbooking.Status='Approved'");


```

```
$cnt=1;
```

```
while ($row=mysqli_fetch_array($ret)) {
```

```
?>
```

```
<tbody>
```

```
<tr data-expanded="true">
```

```
<td><?php echo $cnt;?></td>
```

```
<td><?php echo $row['FirstName'];?> <?php echo $row['LastName'];?></td>
```

```
<td><?php echo $row['BookingNumber'];?></td>
```

```
<td><?php echo $row['ProductName'];?></td>
```

```
<td><?php echo $row['DateofBooking'];?></td>
```

```
<?php if($row['Status']==""){ ?>
```

```
<td><?php echo "Not Updated Yet"; ?></td>
```

```
<?php } else { ?>           <td><?php echo htmlentities($row['Status']);?>
```

```
</td>
```

```
<?php } ?>
```

```
<td><a class="btn btn-sm btn-primary" href="view-booking.php?viewid=<?php  
echo $row['bid'];?>">View</a>
```

```
<!-- Required common Js -->
```

```
<script src='js/jquery-2.2.3.min.js'></script>
```

```
<!-- //Required common Js -->
```

```
<!-- Sidebar-nav Js -->
```

```
<script>
```

```
$(document).ready(function () {
```

```
    $('#sidebarCollapse').on('click', function () {
```

```
        $('#sidebar').toggleClass('active');
```

```
    });
```

```
});
```

```
</script>
```

```
<!--// Sidebar-nav Js -->
```

```
<!-- dropdown nav -->
```

```
<script>
```

```
$(document).ready(function () {
```

```
    $(".dropdown").hover(
```

```
        function () {
```

```
$('.dropdown-menu', this).stop(true, true).slideDown("fast");

$(this).toggleClass('open');

},

function () {

$('.dropdown-menu', this).stop(true, true).slideUp("fast");

$(this).toggleClass('open');

}

);

});

</script>

<!-- //dropdown nav -->

<!-- Js for bootstrap working-->

<script src="js/bootstrap.min.js"></script>

<!-- //Js for bootstrap working -->

</body>

</html>

<?php } ?>
```

ADMIN UNAPPROVED BOOKING

```
<?php  
  
session_start();  
  
error_reporting(0);  
  
include('includes/dbconnection.php');  
  
if (strlen($_SESSION['vrmsaid'])==0)) {  
  
    header('location:logout.php');  
  
} else{  
  
?>  
  
<!DOCTYPE html>  
  
<html lang="en">  
  
<head>  
  
<title>Laptop & Desktop Rental Management Sysytem | Unapproved Booking For  
Rent</title>  
  
<!-- Style-sheets -->  
  
<!-- Bootstrap Css -->  
  
<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />
```

```
<!-- Bootstrap Css -->
```

```
<!-- Common Css -->
```

```
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
```

```
<!--// Common Css -->
```

```
<!-- Nav Css -->
```

```
<link rel="stylesheet" href="css/style4.css">
```

```
<!--// Nav Css -->
```

```
<!-- Fontawesome Css -->
```

```
<link href="css/fontawesome-all.css" rel="stylesheet">
```

```
<!--// Fontawesome Css -->
```

```
<!--// Style-sheets -->
```

```
<!--web-fonts-->
```

```
<link href="//fonts.googleapis.com/css?family=Poiret+One" rel="stylesheet">
```

```
<link href="//fonts.googleapis.com/css?family=Open+Sans:300,400,600,700" rel="stylesheet">
```

```
<!--//web-fonts-->
```

```
</head>
```

```
<body>
```

```
<div class="wrapper">
```

<!-- Sidebar Holder -->

<?php include_once('includes/sidebar.php');?>

<!-- Page Content Holder -->

<div id="content">

<!-- top-bar -->

<?php include_once('includes/header.php');?>

<!-- main-heading -->

Unapproved Booking For Rent

<!--// main-heading -->

<!-- Tables content -->

<section class="tables-section">

<!-- table6 -->

<div class="outer-w3-agile mt-3">

Unapproved Booking For Rent

<div class="container-fluid">

<div class="row">

<table class="table table-bordered">

<thead>

<tr>

<th scope="col">S.NO</th>

<th scope="col">Full Name</th>

<th scope="col">Booking ID</th>

<th scope="col">Product Name</th>

<th scope="col">Booking Date</th>

<th scope="col">Status</th>

<th scope="col">Action</th>

</tr>

</thead>

<?php

```
$ret=mysqli_query($con,"selecttblbooking.IDasbid,tblbooking.UserID,tblbooking.ProductID,
tblbooking.BookingNumber,tblbooking.FromDate,tblbooking.ToDate,tblbooking.UsedFor,tbl
booking.Quantity,tblbooking.DeliveryAddress,tblbooking.AddressProof,tblbooking.DateofB
ooking,tblbooking.Status,tbluser.FirstName,tbluser.LastName,tbluser.Email,tbluser.MobileN
umber,tblproduct.ProductName      from      tblbooking      join      tbluser      on
tbluser.ID=tblbooking.UserID join tblproduct on tblproduct.ID=tblbooking.ProductID where
tblbooking.Status='Unapproved'");
```

```
$cnt=1;
```

```
while ($row=mysqli_fetch_array($ret)) {
```

?>

```
<tbody>

<tr data-expanded="true">

<td><?php echo $cnt;?></td>

<td><?php echo $row['FirstName'];?> <?php echo $row['LastName'];?></td>

<td><?php echo $row['BookingNumber'];?></td>

<td><?php echo $row['ProductName'];?></td>

<td><?php echo $row['DateofBooking'];?></td>

<?php if($row['Status']==""){ ?>

<td><?php echo "Not Updated Yet"; ?></td>

<?php } else { ?>           <td><?php echo htmlentities($row['Status']);?>

</td>

<?php } ?>

<td><a class="btn btn-sm btn-primary" href="view-booking.php?viewid=<?php
echo $row['bid'];?>">View</a>

</tr>

<?php

$cnt=$cnt+1;

}?>
```

```
$(#sidebarCollapse).on('click', function () {  
    $('#sidebar').toggleClass('active');  
});  
});  
</script>  
  
<!--// Sidebar-nav Js -->  
  
<!-- dropdown nav -->  
  
<script>  
$(document).ready(function () {  
  
    $(".dropdown").hover(  
  
        function () {  
  
            $('.dropdown-menu', this).stop(true, true).slideDown("fast");  
  
            $(this).toggleClass('open');  
  
        },  
  
        function () {  
  
            $('.dropdown-menu', this).stop(true, true).slideUp("fast");  
  
            $(this).toggleClass('open');  
  
        }  
    );  
});  
</script>
```

```
 );  
  
});  
  
</script>  
  
<!-- //dropdown nav -->  
  
<!-- Js for bootstrap working-->  
  
<script src="js/bootstrap.min.js"></script>  
  
<!-- //Js for bootstrap working -->  
  
</body>  
  
</html>  
  
<?php } ?>
```

ADMIN ALL BOOKING PHP

```
<?php  
  
session_start();  
  
error_reporting(0);  
  
include('includes/dbconnection.php');  
  
if (strlen($_SESSION['vrmsaid'])==0)) {  
  
header('location:logout.php');
```

} else{

?>

<!DOCTYPE html>

<html lang="en">

<head>

<title>Laptop & Desktop Rental Management Sysytem | New Booking For Rent</title>

<!-- Style-sheets -->

<!-- Bootstrap Css -->

<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />

<!-- Bootstrap Css -->

<!-- Common Css -->

<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />

<!!--// Common Css -->

<!-- Nav Css -->

<link rel="stylesheet" href="css/style4.css">

<!!--// Nav Css -->

<!-- Fontawesome Css -->

<link href="css/fontawesome-all.css" rel="stylesheet">

```
<!--// Fontawesome Css -->

<!--// Style-sheets -->

<link href="//fonts.googleapis.com/css?family=Poiret+One" rel="stylesheet">

<link href="//fonts.googleapis.com/css?family=Open+Sans:300,400,600,700" rel="stylesheet">

<!--//web-fonts-->

</head>

<body>

<div class="wrapper">

    <!-- Sidebar Holder -->

    <?php include_once('includes/sidebar.php');?>

    <!-- Page Content Holder -->

    <div id="content">

        <!-- top-bar -->

        <?php include_once('includes/header.php');?>

        <!-- main-heading -->

        <h2 class="main-title-w3layouts mb-2 text-center">New Booking For Rent</h2>

        <!--// main-heading -->

        <!-- Tables content -->


```

```
<section class="tables-section">
```

```
<!-- table6 -->
```

```
<div class="outer-w3-agile mt-3">
```

```
<h4 class="tittle-w3-agileits mb-4">New Booking For Rent</h4>
```

```
<div class="container-fluid">
```

```
<div class="row">
```

```
<table class="table table-bordered">
```

```
<thead>
```

```
<tr>
```

```
<th scope="col">S.NO</th>
```

```
<th scope="col">Full Name</th>
```

```
<th scope="col">Booking ID</th>
```

```
<th scope="col">Product Name</th>
```

```
<th scope="col">Booking Date</th>
```

```
<th scope="col">Status</th>
```

```
<th scope="col">Action</th>
```

```
</tr>
```

```
</thead>
```

```

<?php

$ret=mysqli_query($con,"select          tblbooking.ID      as
                                bid,tblbooking.UserID,tblbooking.ProductID,tblbooking.BookingNumber,tblbooking.FromD
                                ate,tblbooking.ToDate,tblbooking.UsedFor,tblbooking.Quantity,tblbooking.DeliveryAddress,
                                tblbooking.AddressProof,tblbooking.DateofBooking,tblbooking.Status,tbluser.FirstName,tblu
                                ser.LastName,tbluser.Email,tbluser.MobileNumber,tblproduct.ProductName from  tblbooking
                                join      tbluser      on      tbluser.ID=tblbooking.UserID      join      tblproduct      on
                                tblproduct.ID=tblbooking.ProductID");

$cnt=1;

while ($row=mysqli_fetch_array($ret)) {

?>

<tbody>

<tr data-expanded="true">

<td><?php echo $cnt;?></td>

<td><?php echo $row['FirstName'];?> <?php echo $row['LastName'];?></td>

<td><?php echo $row['BookingNumber'];?></td>

<td><?php echo $row['ProductName'];?></td>

<td><?php echo $row['DateofBooking'];?></td>

<?php if($row['Status']==""){ ?>

<td><?php echo "Not Updated Yet"; ?></td>

<?php } else { ?>          <td><?php echo htmlentities($row['Status']);?>

```

```
</td>

<?php } ?>

<!-- Sidebar-nav Js -->

<script>

$(document).ready(function () {

    $('#sidebarCollapse').on('click', function () {

        $('#sidebar').toggleClass('active');

    });

});

</script>

<!--// Sidebar-nav Js -->

<!-- dropdown nav -->

<script>

$(document).ready(function () {

    $(".dropdown").hover(

        function () {

            $('.dropdown-menu', this).stop(true, true).slideDown("fast");

            $(this).toggleClass('open');

        },

        function () {

            $('.dropdown-menu', this).stop(true, true).slideUp("fast");

            $(this).toggleClass('open');

        }

    );

});

</script>
```

```
function () {  
  
    $('.dropdown-menu', this).stop(true, true).slideUp("fast");  
  
    $(this).toggleClass('open');  
  
}  
  
);  
  
});  
  
</script>  
  
<!-- //dropdown nav -->  
  
<!-- Js for bootstrap working-->  
  
<script src="js/bootstrap.min.js"></script>  
  
<!-- //Js for bootstrap working -->  
  
</body>  
  
</html>  
  
<?php } ?>
```

ADMIN BW DATES REPORT

```
<?php  
  
session_start();
```

```
error_reporting(0);

include('includes/dbconnection.php');

if (strlen($_SESSION['vrmsaid']==0)) {

header('location:logout.php');

} else{

?>

<!DOCTYPE html>

<html lang="en">

<head>

<title>Laptop & Desktop Rental Management Sysytem | B/w dates Report</title>

<!-- Style-sheets -->

<!-- Bootstrap Css -->

<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />

<!-- Bootstrap Css -->

<!-- Common Css -->

<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />

<!--// Common Css -->

<!-- Nav Css -->

<link rel="stylesheet" href="css/style4.css">
```

<!--// Nav Css -->

<!-- Fontawesome Css -->

<link href="css/fontawesome-all.css" rel="stylesheet">

<!--// Fontawesome Css -->

<!--// Style-sheets -->

<!--web-fonts-->

<link href="//fonts.googleapis.com/css?family=Poiret+One" rel="stylesheet">

<link href="//fonts.googleapis.com/css?family=Open+Sans:300,400,600,700" rel="stylesheet">

<!--/web-fonts-->

</head>

<body>

<div class="wrapper">

<!-- Sidebar Holder -->

<?php include_once('includes/sidebar.php');?>

<!-- Page Content Holder -->

<div id="content">

<!-- top-bar -->

```
<?php include_once('includes/header.php');?>
```

```
<!-- main-heading -->
```

```
<h2 class="main-title-w3layouts mb-2 text-center">Between Dates Report</h2>
```

```
<!--// main-heading -->
```

```
<section class="tables-section">
```

```
<div class="outer-w3-agile mt-3">
```

```
<h4 class="tittle-w3-agileits mb-4">Between Dates Report</h4>
```

```
<div class="container-fluid">
```

```
<div class="row">
```

```
<form class="form-horizontal" method="post" name="bwdatesreport" action="bwdates-reports-details.php" enctype="multipart/form-data">
```

```
<div class="col-12">
```

```
<div class="card-box">
```

```
<h4 class="m-t-0 header-title">Between Dates Reports</h4>
```

```
<div class="form-group row" style="padding-top: 20px">
```

```
<label class="col-6 col-form-label" for="example-email">From Date: </label>
```

```
<div class="col-12">
```

```
<input type="date" class="form-control" name="fromdate" id="fromdate" value="" required='true'>
```

```
</div>

</div>

<div class="form-group row"

<!-- Required common Js -->

<script src='js/jquery-2.2.3.min.js'></script>

<!-- //Required common Js -->

<!-- Sidebar-nav Js -->

<script>

$(document).ready(function () {

$('#sidebarCollapse').on('click', function () {

$('#sidebar').toggleClass('active');

});

});

});

</script>

<!--// Sidebar-nav Js -->
```

<!-- dropdown nav -->

<script>

```
$(document).ready(function () {  
  
    $(".dropdown").hover(  
  
        function () {  
  
            $('.dropdown-menu', this).stop(true, true).slideDown("fast");  
  
            $(this).toggleClass('open');  
  
        },  
  
        function () {  
  
            $('.dropdown-menu', this).stop(true, true).slideUp("fast");  
  
            $(this).toggleClass('open');  
  
        }  
    );  
  
});  
  
</script>  
  
<!-- //dropdown nav -->
```

```
<!-- Js for bootstrap working-->
```

```
<script src="js/bootstrap.min.js"></script>
```

```
<!-- //Js for bootstrap working -->
```

```
</body>
```

</html>

<?php } ?>

ADMIN SALES REPORT

<?php

session_start();

error_reporting(0);

include('includes/dbconnection.php');

if (strlen(\$_SESSION['vrmsaid'])==0)) {

header('location:logout.php');

} else{

?>

<!DOCTYPE html>

<html lang="en">

<head>

<title>Laptop & Desktop Rental Management Sysytem | Sales Report</title>

<!-- Style-sheets -->

<!-- Bootstrap Css -->

```
<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />
```

```
<!-- Bootstrap Css -->
```

```
<!-- Common Css -->
```

```
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
```

```
<!--// Common Css -->
```

```
<!-- Nav Css -->
```

```
<link rel="stylesheet" href="css/style4.css">
```

```
<!--// Nav Css -->
```

```
<!-- Fontawesome Css -->
```

```
<link href="css/fontawesome-all.css" rel="stylesheet">
```

```
<!--// Fontawesome Css -->
```

```
<!--// Style-sheets -->
```

```
<!--web-fonts-->
```

```
<link href="//fonts.googleapis.com/css?family=Poiret+One" rel="stylesheet">
```

```
<link href="//fonts.googleapis.com/css?family=Open+Sans:300,400,600,700" rel="stylesheet">
```

```
<!--/web-fonts-->
```

```
</head>
```

```
<body>
```

```
<div class="wrapper">
```

<!-- Sidebar Holder -->

<?php include_once('includes/sidebar.php');?>

<!-- Page Content Holder -->

<div id="content">

<!-- top-bar -->

<?php include_once('includes/header.php');?>

<!-- main-heading -->

<h2 class="main-title-w3layouts mb-2 text-center">Sales Report</h2>

<!--// main-heading -->

<section class="tables-section">

<div class="outer-w3-agile mt-3">

<h4 class="tittle-w3-agileits mb-4">Sales Report</h4>

<div class="container-fluid">

<div class="row">

<form class="form-horizontal" method="post" name="bwdatesreport" action="sales-reports-details.php" enctype="multipart/form-data">

<div class="col-12">

<div class="card-box">

<h4 class="m-t-0 header-title">Request Count Reports</h4>

<div class="form-group row" style="padding-top: 20px">

```
<label class="col-6 col-form-label" for="example-email">From Date: </label>

<div class="col-12">

<input type="date" class="form-control" name="fromdate" id="fromdate" value="" required='true'>

</div>

</div>

<div class="form-group row">

<label class="col-4 col-form-label" for="example-email">To Date: </label>

<div class="col-12">

<input type="date" class="form-control" name="todate" id="todate" value="" required='true'>

</div>

</div>

<div class="form-group row">

<label class="col-4 col-form-label" for="example-email">Request Type: </label>

<div class="col-12">

<input type="radio" name="requesttype" value="mtwise" checked="true">Month wise

<input type="radio" name="requesttype" value="yrwise">Year wise

</div>

</div>

<div class="col-10">
```

```
<button class="btn-primary btn" type="submit" name="submit">Submit</button>
```

```
});
```

```
});
```

```
</script>
```

```
<!--// Sidebar-nav Js -->
```

```
<!-- dropdown nav -->
```

```
<script>
```

```
$(document).ready(function () {
```

```
    $(".dropdown").hover(
```

```
        function () {
```

```
            $('.dropdown-menu', this).stop(true, true).slideDown("fast");
```

```
            $(this).toggleClass('open');
```

```
        },
```

```
        function () {
```

```
            $('.dropdown-menu', this).stop(true, true).slideUp("fast");
```

```
            $(this).toggleClass('open');
```

```
    }
```

```
);
```

```
});
```

```
</script>
```

```
<!-- //dropdown nav -->
```

```
<!-- Js for bootstrap working-->
```

```
<script src="js/bootstrap.min.js"></script>
```

```
<!-- //Js for bootstrap working -->
```

```
</body>
```

```
</html>
```

```
<?php } ?>
```

ADMIN SEARCH

```
<?php
```

```
session_start();
```

```
error_reporting(0);
```

```
include('includes/dbconnection.php');
```

```
if (strlen($_SESSION['vrmsaid']==0)) {  
  
header('location:logout.php');  
  
}  
else{  
  
?>  
  
<!DOCTYPE html>  
  
<html lang="en">  
  
<head>  
  
<title>Vehicle Rental Management Sysytem | Search </title>  
  
<!-- Style-sheets -->  
  
<!-- Bootstrap Css -->  
  
<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />  
  
<!-- Bootstrap Css -->  
  
<!-- Common Css -->  
  
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />  
  
<!--// Common Css -->  
  
<!-- Nav Css -->  
  
<link rel="stylesheet" href="css/style4.css">  
  
<!--// Nav Css -->  
  
<!-- Fontawesome Css -->
```

```
<link href="css/fontawesome-all.css" rel="stylesheet">

<!--// Fontawesome Css -->

<!--// Style-sheets -->

<!-- table6 -->

<div class="outer-w3-agile mt-3">

<form name="search" method="post" >

<div class="row">

<div class="col-12">

<div class="card-box">

<h4 class="m-t-0 header-title">Search Booking</h4>

<div class="form-group row">

<label class="col-4 col-form-label" for="example-email">Booking Number/Name/ Mobile  
Number/ Email Id </label>

<div class="col-6">

<input id="searchdata" type="text" name="searchdata" required="true" class="form-control">

</div>

</div>

<div class="form-group row">

<div class="col-10">

<button class="btn-primary btn" type="submit" name="search">Search</button>
```

</div>

</div>

</form>

<?php

if(isset(\$_POST['search']))

{

\$sdata=\$_POST['searchdata'];

?>

<h4 align="center">Result against "<?php echo \$sdata;?>" keyword </h4>

<div class="container-fluid">

<div class="row">

<table class="table table-bordered">

<thead>

<tr>

<th scope="col">S.NO</th>

<th scope="col">Full Name</th>

<th scope="col">Booking ID</th>

```
<th scope="col">Product Name</th>

<th scope="col">Booking Date</th>

<th scope="col">Status</th>

<th scope="col">Action</th>

</tr>

</thead>

<?php

$num=mysqli_num_rows($ret);

if($num>0){

$cnt=1;

while ($row=mysqli_fetch_array($ret)) {

?>

<tbody>

<tr data-expanded="true">

<td><?php echo $cnt;?></td>

<td><?php echo $row['FirstName'];?> <?php echo $row['LastName'];?></td>

<td><?php echo $row['BookingNumber'];?></td>

<td><?php echo $row['ProductName'];?></td>
```

```
<td><?php echo $row['DateofBooking'];?></td>

<?php if($row['Status']==""){ ?>

<td><?php echo "Not Updated Yet"; ?></td>

<?php } else { ?>           <td><?php echo htmlentities($row['Status']);?>

</td>

<?php } ?>

<td><a class="btn btn-sm btn-primary" href="view-booking.php?viewid=<?php echo
$row['bid'];?>">View</a>

</tr>

<?php

$cnt=$cnt+1;

} } else { ?>

<tr>

<td colspan="8"> No record found against this search</td>

</tr>

<?php } }?>

</tbody>

</table>
```

</div>

</div>

</div>

<!--// table6 -->

</section>

<!--// Tables content -->

<?php include_once('includes/footer.php');?>

</div>

</div>

<!-- Required common Js -->

<script src='js/jquery-2.2.3.min.js'></script>

<!-- //Required common Js -->

<!-- Sidebar-nav Js -->

<script>

\$(document).ready(function () {

\$('#sidebarCollapse').on('click', function () {

\$('#sidebar').toggleClass('active');

});

});

</script>

<!--// Sidebar-nav Js -->

<!-- dropdown nav -->

<script>

\$(document).ready(function () {

\$(".dropdown").hover(

function () {

\$('.dropdown-menu', this).stop(true, true).slideDown("fast");

\$(this).toggleClass('open');

},

function () {

\$('.dropdown-menu', this).stop(true, true).slideUp("fast");

\$(this).toggleClass('open');

}

);

});

</script>

<!-- //dropdown nav -->

```
<!-- Js for bootstrap working-->

<script src="js/bootstrap.min.js"></script>

<!-- //Js for bootstrap working -->

</body>

</html>

<?php } ?>
```

ADMIN EDIT PRODUCT

```
<?php

session_start();

error_reporting(0);

include('includes/dbconnection.php');

if (strlen($_SESSION['vrmsaid']==0)) {

header('location:logout.php');

} else{

if(isset($_POST['submit']))



{
```

```
$type=$_POST['type'];

$brandid=$_POST['brand'];

$proname=$_POST['proname'];

$screen=$_POST['screen'];

$ram=$_POST['ram'];

$storage=$_POST['storage'];

$charges=$_POST['charges'];

$processor=$_POST['processor'];

$renprice=$_POST['renprice'];

$modyrs=$_POST['modyrs'];

$prodesc=$_POST['prodesc'];

$vid=$_GET['editid'];

$query=mysqli_query($con,"update tblproduct set
Type='".$type',BrandID='".$brandid',ProductName='".$proname',Processor='".$processor',Screen='".$screen',RAM='".$ram',Storage='".$storage',Charges='".$charges',RentalPrice='".$renprice',Product
Model='".$modyrs',ProductDescription='".$prodesc' where ID='".$vid"'");

if ($query) {

echo '<script>alert("Product details has been updated.")</script>';

}

else
```

{

echo '<script>alert("Something Went Wrong. Please try again")</script>';

}

}

?>

<!DOCTYPE html>

<html lang="en">

<head>

<title>Laptop and Desktop Rental Management Sysytem | Update Products Details</title>

<!-- Style-sheets -->

<!-- Bootstrap Css -->

<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />

<!-- Bootstrap Css -->

<!-- Common Css -->

<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />

<!--// Common Css -->

<!-- Nav Css -->

```
<link rel="stylesheet" href="css/style4.css">
```

```
<!--// Nav Css -->
```

```
<!-- Fontawesome Css -->
```

```
<link href="css/fontawesome-all.css" rel="stylesheet">
```

```
<!--// Fontawesome Css -->
```

```
<!--// Style-sheets -->
```

```
<!--web-fonts-->
```

```
<link href="//fonts.googleapis.com/css?family=Poiret+One" rel="stylesheet">
```

```
<link href="//fonts.googleapis.com/css?family=Open+Sans:300,400,600,700" rel="stylesheet">
```

```
<!--//web-fonts-->
```

```
</head>
```

```
<body>
```

```
<div class="wrapper">
```

```
<!-- Sidebar Holder -->
```

```
<?php include_once('includes/sidebar.php');?>
```

```
<?php
```

```
$vid=$_GET['editid'];
```

```
$ret=mysqli_query($con,"select    tblproduct.* ,    tblbrand.ID,tblbrand.BrandName   from
tblproduct join tblbrand on tblbrand.ID=tblproduct.BrandID where tblproduct.ID='\$vid'");

$cnt=1;

while ($row=mysqli_fetch_array($ret)) {

?>

<div class="form-row">

<div class="form-group col-md-6">

<label for="inputEmail4">Type</label>

<select class="form-control" name="type" id="type" required="true">

<option value="<?php echo $row['Type'];?>"><?php echo $row['Type'];?></option>

<option value="Laptop"> Laptop</option>

<option value="Desktop"> Desktop</option>

</select>

</div>

<div class="form-group col-md-6">

<label for="inputPassword4">Brand</label>

<select class="form-control" id="brand" name="brand" required="true">

<option      value="<?php      echo      $row['BrandID'];?>"><?php      echo
$row['BrandName'];?></option>
```

```
<?php $query1=mysqli_query($con,"select * from tblbrand");

while($row1=mysqli_fetch_array($query1))

{

?>

<option value="<?php echo $row1['ID'];?>"><?php echo $row1['BrandName'];?></option>

<?php } ?>

</select>

</div>

</div>

<div class="form-row">

<div class="form-group col-md-6">

<label for="inputEmail4">Product Name</label>

<input type="text" class="form-control" id="proname" name="proname" required="true"
value="<?php echo $row['ProductName'];?>">

</div>

<div class="form-group col-md-6">

<label for="inputPassword4">Processor</label>

<input type="text" class="form-control" id="processor" name="processor" required="true"
value="<?php echo $row['Processor'];?>">

</div>
```

</div>

<div class="form-row">

<div class="form-group col-md-6">

<label for="inputEmail4">Screen</label>

<input type="text" class="form-control" id="screen" name="screen" required="true" value="<?php echo \$row['Screen'];?>">

</div>

<div class="form-group col-md-6">

<label for="inputPassword4">Ram</label>

<input type="text" class="form-control" id="ram" name="ram" required="true" value="<?php echo \$row['RAM'];?>">

</div>

</div>

<div class="form-row">

<div class="form-group col-md-6">

<label for="inputEmail4">Storage</label>

<input type="text" class="form-control" id="storage" name="storage" required="true" value="<?php echo \$row['Storage'];?>">

</div>

<div class="form-group col-md-6">

```
<textarea      class="form-control"      id="prodesc"      name="prodesc"      rows="3"
required="true"><?php echo $row['ProductDescription'];?></textarea>

</div>

<div class="form-row">

<div class="form-group col-md-4">

<label for="inputCity">Image</label>

"><a href="changeimage.php?editid=<?php echo $row['ID'];?>">
 Edit</a>

</div>

<div class="form-group col-md-4">

<label for="inputState">Image1</label>

"><a href="changeimage1.php?editid=<?php echo $row['ID'];?>">
 Edit</a>

</div>

<div class="form-group col-md-4">

<label for="inputZip">Image2</label>

"><a href="changeimage2.php?editid=<?php echo $row['ID'];?>">
 Edit</a>

</div>
```

```
<p style="text-align: center;"><button type="submit" class="btn btn-primary" name="submit">Update</button></p>

</form>

</div>

<!--// Forms-3 -->

<!-- Forms-4 -->

</section>

<!--// Forms content -->

<?php include_once('includes/footer.php');?>

</div>

</div>

<!-- Required common Js -->

<script src='js/jquery-2.2.3.min.js'></script>

<!-- //Required common Js -->

<!-- Sidebar-nav Js -->

<script>

$(document).ready(function () {

    $('#sidebarCollapse').on('click', function () {

        $('#sidebar').toggleClass('active');

    });

});
```

```
});
```

```
</script>
```

```
<!--// Sidebar-nav Js -->
```

```
<!-- Validation Script -->
```

```
<script>
```

```
// Example starter JavaScript for disabling form submissions if there are invalid fields
```

```
(function () {
```

```
'use strict';
```

```
window.addEventListener('load', function () {
```

```
// Fetch all the forms we want to apply custom Bootstrap validation styles to
```

```
var forms = document.getElementsByClassName('needs-validation');
```

```
// Loop over them and prevent submission
```

```
var validation = Array.prototype.filter.call(forms, function (form) {
```

```
form.addEventListener('submit', function (event) {
```

```
if (form.checkValidity() === false) {
```

```
event.preventDefault();
```

```
event.stopPropagation();
```

```
}
```

```
form.classList.add('was-validated');
```

```
}, false);
```

```
});
```

```
}, false);
```

```
)());
```

```
</script>
```

```
<!--// Validation Script -->
```

```
<!-- dropdown nav -->
```

```
<script>
```

```
$(document).ready(function () {
```

```
    $(".dropdown").hover(
```

```
        function () {
```

```
            $('.dropdown-menu', this).stop(true, true).slideDown("fast");
```

```
            $(this).toggleClass('open');
```

```
        },
```

```
        function () {
```

```
            $('.dropdown-menu', this).stop(true, true).slideUp("fast");
```

```
            $(this).toggleClass('open');
```

}

);

});

</script>

<!-- //dropdown nav -->

<!-- Js for bootstrap working-->

<script src="js/bootstrap.min.js"></script>

<!-- //Js for bootstrap working -->

</body>

</html>

<?php } ?>

ADMIN EDIT BRAND

<?php

session_start();

error_reporting(0);

include('includes/dbconnection.php');

if (strlen(\$_SESSION['vrmsaid'])==0)) {

header('location:logout.php');

?>

<!DOCTYPE html>

<html lang="en">

<head>

<title>Laptop and Desktop Rental Management System | Update Brand</title>

<!-- Style-sheets -->

<!-- Bootstrap Css -->

<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />

<!-- Bootstrap Css -->

<!-- Common Css -->

<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />

<!--// Common Css -->

<!-- Nav Css -->

<link rel="stylesheet" href="css/style4.css">

<!--// Nav Css -->

<!-- Fontawesome Css -->

<link href="css/fontawesome-all.css" rel="stylesheet">

<!--/ Fontawesome Css -->

<!--/ Style-sheets -->

<!--web-fonts-->

<link href="//fonts.googleapis.com/css?family=Poiret+One" rel="stylesheet">

<link href="//fonts.googleapis.com/css?family=Open+Sans:300,400,600,700" rel="stylesheet">

<!--/web-fonts-->

</head>

<body>

<div class="wrapper">

<!-- Sidebar Holder -->

<?php include_once('includes/sidebar.php');?>

<!-- Page Content Holder -->

<div id="content">

<!-- top-bar -->

<?php include_once('includes/header.php');?>

<!--/ top-bar -->

<!-- main-heading -->

```
<h2 class="main-title-w3layouts mb-2 text-center"> Update Brand</h2>
```

```
<!--// main-heading -->
```

```
<!-- Forms content -->
```

```
<section class="forms-section">
```

```
<!-- Forms-3 -->
```

```
<div class="outer-w3-agile mt-3">
```

```
<h4 class="tittle-w3-agileits mb-4"> Update Brand</h4>
```

```
<form action="#" method="post">
```

```
<?php
```

```
$cid=$_GET['editid'];
```

```
$ret=mysqli_query($con,"select * from tblbrand where ID='$cid'");
```

```
$cnt=1;
```

```
while ($row=mysqli_fetch_array($ret)) {
```

```
?>
```

```
<div class="form-row">
```

```
<div class="form-group col-md-6">
```

```
<label for="inputEmail4">Brand Name</label>
```

```
<input class=" form-control" id="brandname" name="brandname" type="text" value="<?php  
echo $row['BrandName'];?>">
```

```
</div>
```

</div>

<div class="form-row">

<div class="form-group col-md-6">

<label for="inputEmail4">Brand Logo</label>

<a href="changelogo.php?imageid=<?php echo \$row['ID'];?>">Edit Image

</div>

</div>

<?php } ?>

<button type="submit" class="btn btn-primary" name="submit">Update</button>

</form>

</div>

</section>

<!--// Forms content -->

<?php include_once('includes/footer.php');?>

</div>

</div>

<!-- Required common Js -->

```
<script src='js/jquery-2.2.3.min.js'></script>
```

```
<!-- //Required common Js -->
```

```
<!-- Sidebar-nav Js -->
```

```
<script>
```

```
$(document).ready(function () {
```

```
    $('#sidebarCollapse').on('click', function () {
```

```
        $('#sidebar').toggleClass('active');
```

```
    });
```

```
});
```

```
</script>
```

```
<!--// Sidebar-nav Js -->
```

```
<!-- Validation Script -->
```

```
<script>
```

```
// Example starter JavaScript for disabling form submissions if there are invalid fields
```

```
(function () {
```

```
'use strict';
```

```
window.addEventListener('load', function () {  
  
    // Fetch all the forms we want to apply custom Bootstrap validation styles to  
  
    var forms = document.getElementsByClassName('needs-validation');  
  
    // Loop over them and prevent submission  
  
    var validation = Array.prototype.filter.call(forms, function (form) {  
  
        form.addEventListener('submit', function (event) {  
  
            if (form.checkValidity() === false) {  
  
                event.preventDefault();  
  
                event.stopPropagation();  
  
            }  
  
            form.classList.add('was-validated');  
  
        }, false);  
  
    });  
  
    }, false);  
  
})();  
  
</script>  
  
<!--// Validation Script -->
```

<!-- dropdown nav -->

<script>

```
$(document).ready(function () {  
    $(".dropdown").hover(  
        function () {  
            $('.dropdown-menu', this).stop(true, true).slideDown("fast");  
            $(this).toggleClass('open');  
        },  
        function () {  
            $('.dropdown-menu', this).stop(true, true).slideUp("fast");  
            $(this).toggleClass('open');  
        }  
    );  
});
```

</script>

<!-- //dropdown nav -->

<!-- Js for bootstrap working-->

<script src="js/bootstrap.min.js"></script>

<!-- //Js for bootstrap working -->

</body>

</html>

<?php } ?>

ADMIN LOGOUT

<?php

session_start();

session_unset();

session_destroy();

header('location:login.php');

?>

ADMIN CHANGE PASSWORD

<?php

session_start();

include('includes/dbconnection.php');

error_reporting(0);

if (strlen(\$_SESSION['vrmsaid'])==0) {

```
header('location:logout.php');

} else{

if(isset($_POST['submit']))



{

$adminid=$_SESSION['vrmsaid'];

$cpassword=md5($_POST['currentpassword']);

$newpassword=md5($_POST['newpassword']);

$query=mysqli_query($con,"select ID from tbladmin where ID='$adminid' and Password='$cpassword'");

$row=mysqli_fetch_array($query);

if($row>0){

$ret=mysqli_query($con,"update tbladmin set Password='$newpassword' where ID='$adminid'");

echo "<script>alert('Your password successfully changed');</script>";

} else {

echo "<script>alert('Your current password is wrong');</script>";

}

}
```

?>

<!DOCTYPE html>

<html lang="en">

<head>

<title>Laptop and Desktop Rental Management Sysytem | Change Password</title>

<!-- Style-sheets -->

<!-- Bootstrap Css -->

<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />

<!-- Bootstrap Css -->

<!-- Common Css -->

<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />

<!--// Common Css -->

<!-- Nav Css -->

<link rel="stylesheet" href="css/style4.css">

<!--// Nav Css -->

<!-- Fontawesome Css -->

```
<link href="css/fontawesome-all.css" rel="stylesheet">

<!--// Fontawesome Css -->

<!--// Style-sheets -->

<!--web-fonts-->

<link href="//fonts.googleapis.com/css?family=Poiret+One" rel="stylesheet">

<link href="//fonts.googleapis.com/css?family=Open+Sans:300,400,600,700"
      rel="stylesheet">

<!--/web-fonts-->

<script type="text/javascript">

function checkpass()

{

if(document.changepassword.newpassword.value!=document.changepassword.confirmassword.value)

{



alert('New Password and Confirm Password field does not match');

document.changepassword.confirmassword.focus();

return false;

}

return true;

}
```

}

</script>

</head>

<body>

<div class="wrapper">

<!-- Sidebar Holder -->

<?php include_once('includes/sidebar.php');?>

<!-- Page Content Holder -->

<div id="content">

<!-- top-bar -->

<?php include_once('includes/header.php');?>

<!--// top-bar -->

<!-- main-heading -->

<h2 class="main-title-w3layouts mb-2 text-center"> Change Password</h2>

<!--// main-heading -->

<!-- Forms content -->

```
<section class="forms-section">
```

```
<!-- Forms-3 -->
```

```
<div class="outer-w3-agile mt-3">
```

```
<h4 class="tittle-w3-agileits mb-4"> Change Password</h4>
```

```
<?php
```

```
$adminid=$_SESSION['vrmsaid'];
```

```
$ret=mysqli_query($con,"select * from tbladmin where ID='$adminid'");
```

```
$cnt=1;
```

```
while ($row=mysqli_fetch_array($ret)) {
```

```
?>
```

```
<form action="#" method="post" name="changepassword" onsubmit="return checkpass();">
```

```
<div class="form-row">
```

```
<div class="form-group col-md-6">
```

```
<label for="inputEmail4">Current Password:</label>
```

```
<input type="password" name="currentpassword" class=" form-control" required= "true" value="">
```

</div>

<div class="form-group col-md-6">

<label for="inputPassword4">New Password:</label>

<input type="password" name="newpassword" class="form-control" value="">

</div>

</div>

<div class="form-group">

<label for="inputAddress">Confirm Password:</label>

<input type="password" name="confirmpassword" class="form-control" value="">

</div>

<?php } ?>

<button type="submit" class="btn btn-primary" name="submit">Change</button>

</form>

</div>

</section>

<!--// Forms content -->

<?php include_once('includes/footer.php');?>

</div>

</div>

<!-- Required common Js -->

```
<script src='js/jquery-2.2.3.min.js'></script>
```

<!-- //Required common Js -->

<!-- Sidebar-nav Js -->

```
<script>
```

```
$(document).ready(function () {
```

```
    $('#sidebarCollapse').on('click', function () {
```

```
        $('#sidebar').toggleClass('active');
```

```
    });
```

```
});
```

```
</script>
```

<!--// Sidebar-nav Js -->

<!-- Validation Script -->

```
<script>
```

```
// Example starter JavaScript for disabling form submissions if there are invalid fields
```

```
(function () {
```

```
'use strict';
```

```
window.addEventListener('load', function () {  
  
    // Fetch all the forms we want to apply custom Bootstrap validation styles to  
  
    var forms = document.getElementsByClassName('needs-validation');  
  
    // Loop over them and prevent submission  
  
    var validation = Array.prototype.filter.call(forms, function (form) {  
  
        form.addEventListener('submit', function (event) {  
  
            if (form.checkValidity() === false) {  
  
                event.preventDefault();  
  
                event.stopPropagation();  
  
            }  
  
            form.classList.add('was-validated');  
  
        }, false);  
  
    });  
  
});  
  
</script>
```

<!--// Validation Script -->

<!-- dropdown nav -->

<script>

```
$(document).ready(function () {
```

```
    $(".dropdown").hover(
```

```
        function () {
```

```
            $('.dropdown-menu', this).stop(true, true).slideDown("fast");
```

```
            $(this).toggleClass('open');
```

```
        },
```

```
        function () {
```

```
            $('.dropdown-menu', this).stop(true, true).slideUp("fast");
```

```
            $(this).toggleClass('open');
```

```
        }
```

```
);
```

```
});
```

</script>

<!-- //dropdown nav -->

<!-- Js for bootstrap working-->

<script src="js/bootstrap.min.js"></script>

<!-- //Js for bootstrap working -->

</body>

</html>

<?php } ?>

8. IMPLEMENTATION:

8.1 Screenshots:

Homepage:

Laptop & Desktop Rental Management System

HOME SHOP PAGE LAPTOP DESKTOP ABOUT CONTACT US

LDRMS

30 Days return | Free shipping | Secure payments | New products

Latest Products

Core i5 16 GB RAM 500 GB HDD Desktop \$500/day	Core i5 16 GB RAM 500 GB HDD Desktop \$500/day	Core i5 16 GB RAM 500 GB HDD Desktop \$500/day	Core i5 16 GB RAM 500 GB HDD Desktop \$450/day	Core i5 16 GB RAM 500 GB HDD Desktop \$300/day
------------------------------------------------	------------------------------------------------	------------------------------------------------	------------------------------------------------	------------------------------------------------

Brands

DELL | LENOVO | HP | ACER

Laptop & Desktop Rental Management System

Laptop and Desktop Rental Management System is a self-drive brand owned XYZ second-largest laptop and desktop rental company currently operating in the market in India. The first and foremost mission for XYZ is to fulfill customer needs around rental in the most flexible and reliable manner. We offer various services like customer satisfaction like time of delivery, flexible period of renting, full invoices for rentals, XYZ is the preferred choice for several individual and corporate customers.

Quick Links

- Home
- Shop page
- Laptop
- Desktop
- About
- Contact Us

Categories

- Laptop
- Desktop

© Laptop & Desktop Rental Management System

MasterCard, Visa, PayPal

Shop Page:

Laptop & Desktop Rental Management System

HOME **SHOP PAGE** **LAPTOP** **DESKTOP** **ABOUT** **CONTACT US**

Shop

Core i5 16 GB RAM 500 GB HDD Desktop 450/day	Core i5 16 GB RAM 500 GB HDD Desktop 450/day	Core i5 16 GB RAM 500 GB HDD Desktop 450/day	Core i5 16 GB RAM 500 GB HDD Desktop 450/day
More Details	More Details	More Details	More Details
Core i5 16 GB RAM 500 GB HDD Desktop 450/day	Core i5 16 GB RAM 500 GB HDD Desktop 450/day		
More Details	More Details		

First | Prev | Next | Last

Laptop & Desktop Rental Management System

Quick Links

- Home
- Shop page
- Laptop
- Desktop
- About
- Contact Us

Categories

- Laptop
- Desktop

Laptop Shop:

Laptop & Desktop Rental Management System

HOME **SHOP PAGE** **LAPTOP** **DESKTOP** **ABOUT** **CONTACT US**

Laptop Page

Core i5 16 GB RAM 500 GB HDD Desktop 450/day	Core i5 16 GB RAM 500 GB HDD Desktop 450/day	Core i5 16 GB RAM 500 GB HDD Desktop 450/day	Core i5 16 GB RAM 500 GB HDD Desktop 600/day
More Details	More Details	More Details	More Details
Core i5 16 GB RAM 500 GB HDD Desktop 450/day	Core i5 16 GB RAM 500 GB HDD Desktop 700/day		
More Details	More Details		

First | Prev | Next | Last

Laptop & Desktop Rental Management System

Quick Links

- Home
- Shop page
- Laptop
- Desktop
- About
- Contact Us

Categories

- Laptop
- Desktop

Desktop Page:

Laptop & Desktop Rental Management System

HOME **SHOP PAGE** **LAPTOP** **DESKTOP** **ABOUT** **CONTACT US**

Desktop Page



Core i5 16 GB RAM 500 GB HDD Desktop
500/day

[More Details](#)



Core i5 16 GB RAM 500 GB HDD Desktop
500/day

[More Details](#)



Core i5 16 GB RAM 500 GB HDD Desktop
500/day

[More Details](#)

[First](#) [Prev](#) [Next](#) [Last](#)

Laptop & Desktop Rental Management System

Laptop and Desktop Rental is a self-drive brand owned XYZ second-largest laptop and desktop rental company currently managing more than 1kh laptop and desktop in our fleet in India. The first and foremost mission for XYZ is to fulfill customer needs around rental in the most flexible and economical manner. Coupled with a keen eye on customer satisfaction like time of delivery, flexible period of renting, full invoices for rentals, XYZ is the preferred choice for several individual and corporate customers.

Quick Links

- [Home](#)
- [Shop page](#)
- [Laptop](#)
- [Desktop](#)
- [About](#)
- [Contact Us](#)

Categories

- [Laptop](#)
- [Desktop](#)

© Laptop & Desktop Rental Management System



About Us:

The screenshot shows the website's header with navigation links: HOME (selected), SHOP PAGE, LAPTOP, DESKTOP, ABOUT, and CONTACT US. The main content area has a teal background with the heading "About Us". Below it, there is a large, faint watermark-like text "About Us". The footer contains the company name "Laptop & Desktop Rental Management System", a detailed mission statement, social media icons for Facebook, Twitter, YouTube, LinkedIn, and Pinterest, and payment method icons for MasterCard, American Express, PayPal, and VISA.

Laptop & Desktop Rental Management System

Laptop and Desktop Rental is a self-drive brand owned XYZ second-largest laptop and desktop rental company currently managing more than 1lkh laptop and desktop in our fleet in India. The first and foremost mission for XYZ is to fulfill customer needs around rental in the most flexible and economical manner. Coupled with a keen eye on customer satisfaction like time of delivery, flexible period of renting, full invoices for rentals, XYZ is the preferred choice for several individual and corporate customers.

[f](#) [t](#) [y](#) [in](#) [p](#)

© Laptop & Desktop Rental Management System


MasterCard American Express PayPal VISA

Contact Us:

The screenshot shows the 'Contact Us' page of the website. At the top, there's a navigation bar with links for Login, Signup, and Admin. Below the header, the page title 'Laptop & Desktop Rental Management System' is displayed. A large teal banner with the text 'Contact Us' is centered. The main content area contains a contact form with fields for Name, Email, Message, and a file upload section. Below the form, there's a 'Quick Links' sidebar with links to Home, Shop page, Laptop, Desktop, About, and Contact Us. Another sidebar on the right lists categories: Laptop and Desktop. At the bottom, there's a footer with social media icons (Facebook, Twitter, YouTube, LinkedIn, Google+), payment method logos (MasterCard, VISA, etc.), and a copyright notice: '© Laptop & Desktop Rental Management System'.

User SignUp:

The screenshot shows the 'Sign Up' page of the website. At the top, there's a navigation bar with links for Login, Signup, and Admin. Below the header, the page title 'Laptop & Desktop Rental Management System' is displayed. A large teal banner with the text 'Sign Up' is centered. The main content area contains a registration form with fields for First Name, Last Name, Email, Mobile Number, and Password, along with a 'SIGN UP' button. To the left of the form is a 'SEARCH PRODUCTS' section with a search bar and a 'SEARCH' button. Below that is a 'RECENT POSTS' section listing several recent posts. To the right of the form is a 'REGISTRATION DETAILS' section with input fields for First Name, Last Name, Email, Mobile Number, and Password. Below the registration form is a 'Quick Links' sidebar with links to Home, Shop page, Laptop, Desktop, About, and Contact Us. Another sidebar on the right lists categories: Laptop and Desktop. At the bottom, there's a footer with social media icons (Facebook, Twitter, YouTube, LinkedIn, Google+), payment method logos (MasterCard, VISA, etc.), and a copyright notice: '© Laptop & Desktop Rental Management System'.

User Login:

SEARCH PRODUCTS

SEARCH

SIGNIN

Email or Mobile Number *

[Forgot Password?](#)

Password *

LOGIN

RECENT POSTS

- Core i5 16 GB RAM 500 GB HDD Desktop
- Core i5 16 GB RAM 500 GB HDD Desktop
- Core i5 16 GB RAM 500 GB HDD Desktop
- Core i5 16 GB RAM 500 GB HDD Desktop
- Core i5 16 GB RAM 500 GB HDD Desktop
- Core i5 16 GB RAM 500 GB HDD Desktop

Laptop & Desktop Rental Management System

Laptop and Desktop Rental is a self-drive brand owned XYZ second-largest laptop and desktop rental company currently managing more than 10k laptop and desktop in our fleet in India. The first and foremost mission for XYZ is to fulfill customer needs around rental in the most flexible and economical manner. Coupled with a keen eye on customer satisfaction like time of delivery, flexible period of renting, full invoices for rentals, XYZ is the preferred choice for several individual and corporate customers.

Quick Links

- [Home](#)
- [Shop page](#)
- [Laptop](#)
- [Desktop](#)
- [About](#)
- [Contact Us](#)

Categories

- [Laptop](#)
- [Desktop](#)

© Laptop & Desktop Rental Management System

Forgot Password:

The screenshot shows the website's layout. At the top, there is a navigation bar with links for Home, Shop Page, Laptop, Desktop, About, and Contact Us. On the right side of the header are links for Login, Signup, and Admin. Below the header, the main content area has a teal background. The title "Laptop & Desktop Rental Management System" is displayed in white. The central part of the page is titled "Forgot Password". To the left, there is a "SEARCH PRODUCTS" section with a search bar and a "SEARCH" button. Below it is a "RECENT POSTS" section listing several items. To the right, there is a "FORGOT PASSWORD" form with fields for Email, Mobile Number, New Password, and Confirm Password, along with a "RESET" button. At the bottom of the page, there is a footer with sections for "Quick Links" and "Categories", social media icons, and payment method logos.

Laptop & Desktop Rental Management System

Home
Shop page
Laptop
Desktop
About
Contact Us

Email *
Mobile Number *
New Password *
Confirm Password *
RESET

Core i5 16 GB RAM 500 GB HDD Desktop
Core i5 16 GB RAM 500 GB HDD Desktop
Core i5 16 GB RAM 500 GB HDD Desktop
Core i5 16 GB RAM 500 GB HDD Desktop
Core i5 16 GB RAM 500 GB HDD Desktop
Core i5 16 GB RAM 500 GB HDD Desktop
Core i5 16 GB RAM 500 GB HDD Desktop

Signin

Laptop & Desktop Rental Management System

Quick Links

- Home
- Shop page
- Laptop
- Desktop
- About
- Contact Us

Categories

- Laptop
- Desktop

© Laptop & Desktop Rental Management System

User Profile:

The screenshot shows the profile section of the website. At the top, there's a navigation bar with links: My Profile, Change Password, Logout, and My Booking. Below the navigation is the system's logo: "Laptop & Desktop Rental Management System". The main header "Profile" is centered above the profile form. The profile form contains fields for First Name (Test), Last Name (abc), Email (abc@gmail.com), and Mobile Number (9798797897). There's also a "UPDATE" button with a checkmark icon. To the left of the profile form is a "SEARCH PRODUCTS" section with a search bar and a "SEARCH" button. Below that is a "RECENT POSTS" section listing several entries: "Core i5 16 GB RAM 500 GB HDD Desktop", "Core i5 16 GB RAM 500 GB HDD Desktop", "Core i5 16 GB RAM 500 GB HDD Desktop", "Core i5 16 GB RAM 500 GB HDD Desktop", "Core i5 16 GB RAM 500 GB HDD Desktop", and "Core i5 16 GB RAM 500 GB HDD Desktop".

The footer section includes the system's name, a brief company history, social media links, quick links, categories, and payment method icons.

Laptop & Desktop Rental Management System

Laptop and Desktop Rental is a self-drive brand owned XYZ second-largest laptop and desktop rental company currently managing more than 1kh laptop and desktop in our fleet in India. The first and foremost mission for XYZ is to fulfill customer needs around rental in the most flexible and economical manner. Coupled with a keen eye on customer satisfaction like time of delivery, flexible period of renting, full invoices for rentals, XYZ is the preferred choice for several individual and corporate customers.

[f](#) [t](#) [y](#) [in](#) [p](#)


Quick Links

- Home
- Shop page
- Laptop
- Desktop
- About
- Contact Us

Categories

- Laptop
- Desktop

© Laptop & Desktop Rental Management System

Change Password:

The screenshot displays two forms side-by-side. On the left is a "SEARCH PRODUCTS" form with a search input field and a "SEARCH" button. On the right is a "CHANGE PASSWORD" form with fields for Current Password, New Password, and Confirm Password, along with an "UPDATE" button.

RECENT POSTS

- Core i5 16 GB RAM 500 GB HDD Desktop
- Core i5 16 GB RAM 500 GB HDD Desktop
- Core i5 16 GB RAM 500 GB HDD Desktop
- Core i5 16 GB RAM 500 GB HDD Desktop
- Core i5 16 GB RAM 500 GB HDD Desktop
- Core i5 16 GB RAM 500 GB HDD Desktop

The footer section includes the company logo ("Laptop & Desktop Rental Management System"), a brief description of the company's mission, social media icons for Facebook, Twitter, YouTube, LinkedIn, and Instagram, and links for Home, Shop page, Laptop, Desktop, About, and Contact Us. It also features payment method icons for American Express, MasterCard, PayPal, and VISA.

© Laptop & Desktop Rental Management System

My Booking:

The screenshot shows a header with navigation links: My Profile, Change Password, Logout, and My Booking. Below the header is a title 'Laptop & Desktop Rental Management System'. A green navigation bar contains links for HOME, SHOP PAGE, LAPTOP, DESKTOP, ABOUT, and CONTACT US. The main content area has a teal background with the heading 'My Booking'. Below this is a table with the following data:

#	BOOKED BY	BOOKING NUMBER	PRODUCT NAME	BOOKING DATE	BOOKING STATUS	VIEW DETAILS
1	Test abc	169354933	Core i5 16 GB RAM 500 GB HDD Desktop	2022-07-12 16:09:40	Approved	View Details
2	Test abc	684980827	Core i5 16 GB RAM 500 GB HDD Desktop	2022-07-12 16:10:48	Unapproved	View Details

The footer section includes the website's name 'Laptop & Desktop Rental Management System' and a detailed description of the company's mission and offerings. It also features social media icons for Facebook, Twitter, YouTube, LinkedIn, and Pinterest. On the right side, there are 'Quick Links' and 'Categories' sections with links to Home, Shop page, Laptop, Desktop, About, Contact Us, and payment method logos for American Express, MasterCard, PayPal, and VISA.

View Booking Details:

My Profile Change Password Logout My Booking

Laptop & Desktop Rental Management System

HOME **SHOP PAGE** **LAPTOP** **DESKTOP** **ABOUT** **CONTACT US**

My Booking

#169354933 Booking Details
Booking #169354933
Booking Date : 2022-07-12 16:09:40
Booking Status : Approved
[Invoice](#)

#	BOOKING NUMBER	BOOKING DATE	FROM DATE	TO DATE	PRODUCT IMAGE	PRODUCT NAME	QUANTITY	RENTAL PRICE	TOTAL PRICE
1	169354933	2022-07-12 16:09:40	2022-07-14	2022-08-07		Core i5 16 GB RAM 500 GB HDD Desktop	50	500	Rs. 600000

[Back](#)

Laptop & Desktop Rental Management System

Laptop and Desktop Rental is a self-drive brand owned XYZ second-largest laptop and desktop rental company currently managing more than 11th laptop and desktop in our fleet in India. The first and foremost mission for XYZ is to fulfill customer needs around rental in the most flexible and economical manner. Coupled with a keen eye on customer satisfaction like time of delivery, flexible period of renting, full invoices for rentals, XYZ is the preferred choice for several individual and corporate customers.

[Home](#) [Shop page](#) [Laptop](#) [Desktop](#) [About](#) [Contact Us](#)

© Laptop & Desktop Rental Management System

Invoice:

Invoice of #169354933									
Booking Date :			2022-07-12 16:09:40						
#	Booking Number	Booking Date	From Date	To Date	Product Image	Product Name	Quantity	Rental Price	Total Price
1	169354933	2022-07-12 16:09:40	2022-07-14	2022-08-07		Core i5 16 GB RAM 500 GB HDD Desktop	50	500	Rs. 600000

[Close](#) [Print](#)**Admin Login:**

Login

User Name

Password

[forgot password?](#)

[Back to Home](#)

© Laptop and Desktop Rental Management System

Dashboard:

The screenshot shows the LDRMS (Laptop and Desktop Rental Management System) dashboard. On the left is a blue sidebar menu with the following items:

- Dashboard
- Brand
- Products
- Pages
- Reg Users
- Booking For Rent
- Report
- Search Booking

The main area displays a series of cards with statistics:

- Total Product: 11 (View)
- New Booking: 1 (View)
- Approved Booking: 1 (View)
- Unapproved Booking: 0 (View)
- Total Booking: 2 (View)
- Total Brand: 10 (View)

At the bottom right of the dashboard are three small circular icons with numbers: 1, 2, and 3.

Admin Profile:

The screenshot shows the Admin Profile page. The left sidebar is identical to the one in the dashboard. The main content area is titled "Admin Profile". It contains the following fields:

Admin Name	User Name
Admin	admin
Contact Number	
8989898911	
Email	
admin@gmail.com	
Reg Date	
2019-09-17 12:19:29	

A blue "Update" button is located at the bottom left of the form. At the very bottom of the page is a black footer bar with the text "© Laptop and Desktop Rental Management System".

Change Password:

The screenshot shows the 'Change Password' page of the LDRMS system. On the left is a blue sidebar menu with options like Dashboard, Brand, Products, Pages, Reg Users, Booking For Rent, Report, and Search Booking. The main content area has a title 'Change Password'. It contains three input fields: 'Current Password', 'New Password', and 'Confirm Password'. Below these is a blue 'Change' button. At the bottom of the page is a black footer bar with the text '© Laptop and Desktop Rental Management System'.

Add Brands:

The screenshot shows the 'Brands' page of the LDRMS system. The sidebar menu is identical to the previous screenshot. The main content area has a title 'Brands'. It contains two input fields: 'Brand Name' and 'Brand Logo'. The 'Brand Logo' field includes a 'Choose File' button and a placeholder 'No file chosen'. Below these is a blue 'Add' button. At the bottom of the page is a black footer bar with the text '© Laptop and Desktop Rental Management System'.

Manage Brand:

S.NO	Brand Name	Creation Date	Action
1	Dell	2022-07-07 19:52:24	Edit Delete
2	Lenovo	2022-07-07 19:57:11	Edit Delete
3	HP	2022-07-11 18:20:06	Edit Delete
4	Acer	2022-07-11 18:20:51	Edit Delete
5	Asus	2022-07-11 18:21:48	Edit Delete
6	Apple	2022-07-11 18:22:34	Edit Delete
7	Huawei	2022-07-11 18:23:30	Edit Delete
8	Microsoft	2022-07-11 18:24:14	Edit Delete
9	Panasonic	2022-07-11 18:24:51	Edit Delete
10	Realme	2022-07-11 18:25:40	Edit Delete

Update Brand:

Add Products

Add Product Details

Type Choose Type	Brand Choose Brand	
Product Name	Processor	
Screen	Ram	
Storage	Charges	
Rental Price/Day	Product Model	
Product Description		
Image <input type="file"/> Choose File No file chosen	Image1 <input type="file"/> Choose File No file chosen	Image2 <input type="file"/> Choose File No file chosen
Image3 <input type="file"/> Choose File No file chosen	Image4 <input type="file"/> Choose File No file chosen	Image5 <input type="file"/> Choose File No file chosen
Submit		

© Laptop and Desktop Rental Management System

Manage Products

Manage Products

S.NO	Brand Name	Product Name	Product Type	Creation Date	Action
1	HP	Core i5 16 GB RAM 500 GB HDD Desktop	Desktop	2022-07-07 20:03:56	Edit Delete
2	Lenovo	Core i5 16 GB RAM 500 GB HDD Desktop	Desktop	2022-07-07 20:03:56	Edit Delete
3	Dell	Core i5 16 GB RAM 500 GB HDD Desktop	Desktop	2022-07-07 20:03:56	Edit Delete
4	Panasonic	Core i5 16 GB RAM 500 GB HDD Desktop	Laptop	2022-07-07 20:03:56	Edit Delete
5	Microsoft	Core i5 16 GB RAM 500 GB HDD Desktop	Laptop	2022-07-07 20:03:56	Edit Delete
6	Huawei	Core i5 16 GB RAM 500 GB HDD Desktop	Laptop	2022-07-07 20:03:56	Edit Delete
7	Apple	Core i5 16 GB RAM 500 GB HDD Desktop	Laptop	2022-07-07 20:03:56	Edit Delete
8	Asus	Core i5 16 GB RAM 500 GB HDD Desktop	Laptop	2022-07-07 20:03:56	Edit Delete
9	Acer	Core i5 16 GB RAM 500 GB HDD Desktop	Laptop	2022-07-07 20:03:56	Edit Delete
10	HP	Core i5 16 GB RAM 500 GB HDD Desktop	Laptop	2022-07-07 20:03:56	Edit Delete
11	Lenovo	Core i5 16 GB RAM 500 GB HDD Desktop	Laptop	2022-07-07 20:03:56	Edit Delete

© Laptop and Desktop Rental Management System

Update Manage Products

Update Products Details

Type	Laptop	Brand	Lenovo
Product Name	Core i5 16 GB RAM 500 GB HDD Desktop	Processor	Intel Core i5
Screen	22	Ram	16 GB
Storage	500 GB	Charges	NA
Rental Price/Day	800	Product Model	core456

Product Description
Desktop with Intel i5 processor, 16 GB RAM, 500 GB HDD and 22" monitor. Accessories include keyboard, mouse, webcam (depending on availability) and cables

Image Edit Image1 Edit Image2 Edit
 Image3 Edit Image4 Edit Image5 Edit

Update

© Laptop and Desktop Rental Management System

Update Image

Product Image

Product Image

Product Name	Core i5 16 GB RAM 500 GB HDD Desktop
--------------	--------------------------------------

Old Product Image

New Product Image No file chosen

Update

© Laptop and Desktop Rental Management System

About us

The screenshot shows the LDRMS application interface. On the left is a blue sidebar menu with the following items:

- Dashboard
- Brand
- Products
- Pages
- Reg Users
- Booking For Rent
- Report
- Search Booking

The main content area has a title "About Us". Below it is a "Page Title" input field containing "About Us". A "Page Description" rich text editor follows, containing the text: "Laptop and Desktop Rental is a self-drive brand owned XYZ second-largest laptop and desktop rental company currently managing more than 1lk laptop and desktop in our fleet in India. The first and foremost mission for XYZ is to fulfill customer needs around rental in the most flexible and economical manner. Coupled with a keen eye on customer satisfaction like time of delivery, flexible period of renting, full invoices for rentals, XYZ is the preferred choice for several individual and corporate customers." At the bottom of the content area is a blue "Update" button.

At the very bottom of the screen is a black footer bar with the text "© Laptop and Desktop Rental Management System".

Contact Us

The screenshot shows the LDRMS application interface. The sidebar menu is identical to the one in the previous screenshot.

The main content area has a title "Contact Us". Below it is a "Page Title" input field containing "Contact Us". A "Page Description" rich text editor follows, containing the text: "#890 CFG Apartment, Mayur Vihar, Delhi-India".

Below the rich text editor are two input fields: "Email" (containing "info@gmail.com") and "Contact No" (containing "7894561239"). At the bottom of the content area is a blue "Update" button.

At the very bottom of the screen is a black footer bar with the text "© Laptop and Desktop Rental Management System".

Register Users

The screenshot shows the LDRMS application interface. On the left is a blue sidebar menu with the following items:

- Dashboard
- Brand
- Products
- Pages
- Reg Users** (highlighted)
- Booking For Rent
- Report
- Search Booking

The main content area has a title "View Register Users" and a sub-section title "View Register Users". Below these are two tables. The first table is a summary table:

S.NO	Full Name	MobileNumber	Email Address	Reg Date
1	Rishi Bhardwaj	5646545645	rishi@gmail.com	2019-09-21 12:43:47
2	Meenakshi Singh	9878775464	singh@gmail.com	2019-09-21 12:46:30
3	Devesh Gupta	5656565656	devesh@gmail.com	2019-09-21 12:47:00
4	Abir Rahwans	2556444557	abir@gmail.com	2019-09-21 12:47:35
5	Perth Kaushal	3232565690	perth@gmail.com	2019-09-21 12:48:10
6	Shagun Mishra	7897978798	shagun@gmail.com	2019-10-14 18:18:28
7	Anuj kumar	1234567809	anc@test.com	2019-12-14 10:32:04
8	Kumar abc	9798797897	abc@gmail.com	2022-07-11 12:12:00

The second table is a detailed view table:

S.NO	Full Name	Booking ID	Product Name	Booking Date	Status	Action
1	Abir Rahwans	684980827	Core i5 16 GB RAM 500 GB HDD Desktop	2022-07-12 16:10:48	Not Updated Yet	View

At the bottom of the main content area, there is a footer bar with the text "© Laptop and Desktop Rental Management System".

New Booking

The screenshot shows the LDRMS application interface. On the left is a blue sidebar menu with the following items:

- Dashboard
- Brand
- Products
- Pages
- Reg Users
- Booking For Rent** (highlighted)
- Report
- Search Booking

The main content area has a title "New Booking For Rent" and a sub-section title "New Booking For Rent". Below these are two tables. The first table is a summary table:

S.NO	Full Name	Booking ID	Product Name	Booking Date	Status	Action
1	Abir Rahwans	684980827	Core i5 16 GB RAM 500 GB HDD Desktop	2022-07-12 16:10:48	Not Updated Yet	View

The second table is a detailed view table:

S.NO	Full Name	Booking ID	Product Name	Booking Date	Status	Action
1	Abir Rahwans	684980827	Core i5 16 GB RAM 500 GB HDD Desktop	2022-07-12 16:10:48	Not Updated Yet	View

At the bottom of the main content area, there is a footer bar with the text "© Laptop and Desktop Rental Management System".

View New Booking

The screenshot shows the LDRMS application interface. On the left is a blue sidebar with navigation options: Dashboard, Brand, Products, Pages, Reg Users, Booking For Rent, Report, and Search Booking. The main content area has a title 'View Booking Details' and a sub-section 'View Two Wheeler Booking'. It contains three tables: 'User Details' (Full Name: Abir Rahwans, Email: abir@gmail.com, Mobile Number: 255644557), 'Product Details' (Name of Product: Core i5 16 GB RAM 500 GB HDD Desktop, Brand Name: Huawei, Processor: Intel Core i5, Screen: 22", RAM: 16 GB, Storage: 500 GB, Charges: NA, RentalPrice(per day): 455, Product Model: core456), and 'Booking Details' (Booking Date: 2022-07-12 16:10:48, From Date: 2022-07-17, To Date: 2022-07-23, Order Quantity: 2, Total Days of Rent: 6, Rental Price: 455, Total Cost: 5460, Booking Number: 684980827, Brand Name: Huawei, Order Final Status: Not Response Yet). A 'Take Action' button is at the bottom left of the booking details section. The footer says '© Laptop and Desktop Rental Management System'.

Approved Booking

The screenshot shows the LDRMS application interface. The sidebar is identical to the previous screenshot. The main content area has a title 'Approved Booking For Rent' and a sub-section 'Approved Booking For Rent'. It displays a table with one row: S.NO (1), Full Name (Abir Rahwans), Booking ID (169354933), Product Name (Core i5 16 GB RAM 500 GB HDD Desktop), Booking Date (2022-07-12 16:09:40), Status (Approved), and Action (View button). The footer says '© Laptop and Desktop Rental Management System'.

View Approved Booking

The screenshot shows the LDRMS application interface. On the left is a blue sidebar menu with the following items:

- Dashboard
- Brand
- Products
- Pages
- Reg Users
- Booking For Rent
- Report
- Search Booking

The main content area has a title "View Booking Details" and a subtitle "View Booking Details of Laptop and Desktop". Below this are four tables:

User Details					
Full Name	Abir Rahwans	Email	abir@gmail.com	Mobile Number	2556444557
Name of Product	Core i5 16 GB RAM 500 GB HDD Desktop	Brand Name	HP	Processor	Intel Core i5
Screen	22"	RAM	16 GB	Storage	500 GB
Charges	NA	RentalPrice(per day)	500	Product Model	core456
Product Description	Desktop with Intel i5 processor, 16 GB RAM, 500 GB HDD and 22" monitor. Accessories include keyboard, mouse, webcam (depending on availability) and cables				

Booking Details					
Booking Date	2022-07-12 16:09:40				
From Date	2022-07-14	To Date	2022-08-07	Order Quantity	50
Total Days of Rent	24	Rental Price	500	Total Cost	600000
Booking Number	169354933	Brand Name	HP	Order Final Status	Your Booking has been approved

Response History				
#	TotalCost	Remark	Status	Response Time
1	600000	Approved	Approved	2022-07-12 19:09:58

© Laptop and Desktop Rental Management System

Unapproved Booking

S.NO	Full Name	Booking ID	Product Name	Booking Date	Status	Action
1	Abir Rahwans	684980827	Core i5 16 GB RAM 500 GB HDD Desktop	2022-07-12 16:10:48	Unapproved	<button>View</button>

View Unapproved Booking

User Details					
Full Name	Abir Rahwans	Email	abir@gmail.com	Mobile Number	2556444557
Name of Product	Core i5 16 GB RAM 500 GB HDD Desktop	Brand Name	Huawei	Processor	Intel Core i5
Screen	22"	RAM	16 GB	Storage	500 GB
Charges	NA	RentalPrice(per day)	455	Product Model	core456
Product Description	Desktop with Intel i5 processor, 16 GB RAM, 500 GB HDD and 22" monitor. Accessories include keyboard, mouse, webcam (depending on availability) and cables				

Booking Details					
Booking Date	2022-07-12 16:10:48				
From Date	2022-07-17	To Date	2022-07-23	Order Quantity	2
Total Days of Rent	6	Rental Price	455	Total Cost	5460
Booking Number	684980827	Brand Name	Huawei	Order Final Status	Your Booking has been cancelled

Response History				
#	TotalCost	Remark	Status	Response Time
1	5460	Unapproved	Unapproved	2022-07-14 14:54:23

B/w dates Reports

Between Dates Report

Between Dates Reports

From Date:

To Date:

Submit

© Laptop and Desktop Rental Management System

View details of b/w dates reports

S.NO	Full Name	Booking ID	Product Name	Booking Date	Status	Action
1	Abir Rahwans	169354933	Core i5 16 GB RAM 500 GB HDD Desktop	2022-07-12 16:09:40	Approved	View
2	Abir Rahwans	684980827	Core i5 16 GB RAM 500 GB HDD Desktop	2022-07-12 16:10:48	Unapproved	View

© Laptop and Desktop Rental Management System

Count Report

The screenshot shows the LDRMS application interface. On the left is a blue sidebar menu with options: Dashboard, Brand, Products, Pages, Reg Users, Booking For Rent, Report, and Search Booking. The main content area has a title "Request Count Report" and a sub-section "Request Count Reports". It contains two date input fields ("From Date" and "To Date") and a "Submit" button. At the bottom right of the main area is a copyright notice: "© Laptop and Desktop Rental Management System". The top right corner of the main area has three small icons: a bell, a user profile, and a gear.

View total counts of booking

The screenshot shows the LDRMS application interface. The sidebar menu is identical to the previous screenshot. The main content area has a title "Booking Request Count Report" and a subtitle "Booking Counts Report from 2022-07-01 to 2022-07-14". Below this is a table with two rows:

S.NO	Total Booking
7/2022	2
Total	2

At the bottom right of the main area is a copyright notice: "© Laptop and Desktop Rental Management System". The top right corner of the main area has three small icons: a bell, a user profile, and a gear.

Sales Reports

The screenshot shows the LDRMS Sales Report interface. On the left is a blue sidebar menu with options like Dashboard, Brand, Products, Pages, Reg Users, Booking For Rent, Report, and Search Booking. The main area has a title "Sales Report" and a sub-section "Sales Report". It contains fields for "From Date" and "To Date" (both with dd-mm-yyyy input boxes), a "Request Type" section with radio buttons for "Month wise" (selected) and "Year wise", and a "Submit" button. At the bottom right of the main area is a footer bar with the text "© Laptop and Desktop Rental Management System".

View Sales Reports

The screenshot shows the LDRMS Sales Report interface. The sidebar and main area are identical to the previous screenshot. The main area now displays a table titled "Sales Report Month Wise" with the subtitle "Sales Report from July-2022 to July-2022". The table has columns for S.NO, Month / Year, and Sales. It shows one row for July 2022 with a value of 600000, and a total row at the bottom with a value of 600000. The footer bar at the bottom right contains the text "© Laptop and Desktop Rental Management System".

S.NO	Month / Year	Sales
1	7/2022	600000
	Total	600000

Search Booking

Search Booking

Booking Number:

Search

S.NO	Full Name	Booking ID	Product Name	Booking Date	Status	Action
1	Abir Rahwans	169354933	Core i5 16 GB RAM 500 GB HDD Desktop	2022-07-12 16:09:40	Approved	View

© Laptop and Desktop Rental Management System

Forgot Password

Forgot Password

Email:

Mobile Number:

[Signin](#)

[RESET](#)

[Back to Home](#)

© Laptop and Desktop Rental Management System

Recover Password

Recover Password

New Password

Confirm Password

[Signin](#)

[RESET](#)

[Back to Home](#)

© Laptop and Desktop Rental Management System

9. TESTING

9.1 System Testing:

After the completion of the design and coding phase the next stage in the development of a software project is a testing phase. Testing plays a very critical role for quality assurance and for ensuring the reliability of software. During testing, the program to be tested is executed with a set of test cases, and the output of the program for the test cases is evaluated to determine if the program is performing as it is expected to.

9.2 Integration Testing

When an individual unit code testing is done there starts the Integration testing takes place. In this many tested modules are combined into sub systems, which are then tested. The goal here is to see if the modules can be integrated properly, the emphasis being on testing interfaces between modules. This testing activity can be considered as testing the design and emphasis on modules in interactions. When all the compilation is done then an overall application is done which checks one and every object coding, linking, etc and finally provides the results as the standard EXE.


9.3 Unit Testing

Unit testing is a dynamic method for verification where the program is actually compiled and executed. It is one of the most widely used methods. The goal of unit testing is to test modules or “units” and not the entire software system. In this part of testing the system coding is compiled for every individual form, classes and modules. Every object present in the forms is coding part the appropriate code is written. In order to make the objects work properly the codes are compiled. After compilation if any error occurs it is rectified and made sure that every object in the form is working properly and according.


Test Cases:

Testcase 1

SL.NO	Description	Expected Result	Actual Result	Status
1.	valid user	User must login successfully	User logged in successfully	Pass
2.	Invalid user	User must login successfully	System displayed an error message	Fail





When admin enter the correct username and password, he will login and show the dashboard.



When admin enter invalid username and password, it will show invalid details

Testcase 2


SL.NO	Description	Expected Result	Actual Result	Status
1.	Details added Successfully	Class should be added successfully	Class added successfully	Pass
2.	Not added	Class should be added successfully	displayed an error message	Fail




When admin and the class, it will show class details has been updated

Testcase 3

SL.N O	Description	Expected Result	Actual Result	Status
1.	age classes	s updated	ss will be updated	Pass
2.	e classes	s deleted	ss will be deleted	Pass






When admin click the delete button, it will show a message and when click ok ,it will delete the particular classes.

Testcase 4

SL.N O	Description	Expected Result	Actual Result	Status
1.	Password successfully changed	word changed	sword successfully changed	Pass
1.	Password not changed	word not changed	t changed	Pass

When admin changed hid password, it will show your password changed successfully



A screenshot of the LDRMS administrative interface. The left sidebar has a blue header 'LDRMS' and a navigation menu with items like 'Dashboard', 'Brand', 'Products', 'Pages', 'Reg Users', 'Booking For Rent', 'Report', and 'Search Booking'. The main content area has a title 'Add Product Details' and a sub-section 'Add Product Details'. It contains several input fields: 'Type' (Laptop), 'Brand' (HP), 'Product Name' (hp pavilion), 'Processor' (ryzen), 'Screen' (60), 'Ram' (4), 'Storage' (1tb), 'Charges' (empty), 'Rental Price/Day' (empty), 'Product Model' (highlighted with a red border and an error message: 'Please fill out this field.'), and 'Product Description' (empty). The status bar at the bottom shows '222'.

7.CONCLUSION

The project titled as **Laptop and desktop Rental Management System** was deeply studied and analyzed to design the code and implement. It was done under the guidance of the experienced project guide. All the current requirements and possibilities have been taken care during the project time.

In olden days people are finding difficulties to get the laptop or desktop for rent. This website helps the user to select their own laptop or desktop by selecting the various options given by the admin. The user can select any system according to users need and the payment for each systems can be also calculated by the user as well as the admin.

8.FUTURE ENHANCEMENT

- User have the choice to select their own laptops or desktops.
- provide an easier way to book for laptop or desktop for rent and saves time of the user.
- It is very simple and easy to access
- Reduce the manual work

9. REFERENCES

- <https://getbootstrap.com>
- <https://www.apachefriends.org/download.html>
- <https://www.mysql.com/>
- <https://www.w3schools.com/php/>
- SpokentutorialatIITBombay-<https://spoken-tutorial.org>