


Scenario 18 — Blackjack vs Dealer

Task Implementation Evidence

Screenshots documenting the completed Task 1–4 implementation.

Task 1 — Correct Ace scoring



Task 2 — Complete round resolution

File Edit Selection View Go Run Terminal Help

18_blackjack

Update

Chat

Fix hand_value function for Aces

Task 2 — Complete round resolution for Scenario 18...

- Keep the implementation simple and modular.
- Do not add external dependencies.
- Do not add persistence.
- Do not modify unrelated functionality.
- Preserve the existing chips system.
- Do not change cards.py because Task 1 is already completed and tested.

After making the change, explain what was changed and why.

Completed 12 steps in 1m 33s

Updated `game.py` with a centralized round resolver. It handles initial two-card naturals, settles player busts immediately, awards a win when the dealer busts, preserves the dealer's draw-until-17 rule, and leaves chips unchanged on pushes. Each finished round returns without requesting further player actions; the existing chip adjustments are preserved.

Deterministic checks passed for naturals, busts, pushes, and dealer draws to 17. `game.py` has no reported errors.

Task 3 — Multi-round bankroll

Modify only `game.py`.

Before making changes, explain exactly what you will change, then make the code change.

game.py:86-113

Describe what to build

Agent Auto Balance

Local Default permissions

Sessions

New Session

Today 1

Fix hand_value function for Aces

+36 -10 12 hrs ago

main

0

Janya Mahesh (6 days ago) Ln 86, Col 7 (961 selected) Spaces: 4 UTF-8 Python Python 3.13.7 Go Live

23°C Light rain

Search

ENG IN

22:22 30-09-2026

Task 3 — Multi-round bankroll and wager handling

The screenshot displays the Visual Studio Code (VS Code) interface. The top menu bar includes File, Edit, Selection, View, Go, Run, Terminal, and Help. The current file is `18_blackjack`. The left sidebar shows the Explorer view with a file named `Chat`. The main editor area is divided into two panes. The top pane, titled "Fix hand_value function for Aces", contains a task description: "Task 3 — Multi-round bankroll..." followed by a bulleted list of requirements: "A round must settle exactly once.", "If the player quits before the round is settled, do not change the bankroll.", "Keep the implementation simple and modular.", "Do not add external dependencies.", "Do not add persistence.", "Do not modify cards.py.", and "Do not modify unrelated functionality." Below the list, it says "After making the change, explain what changed and why." The bottom pane shows the results of the task, stating "Completed 13 steps in 1m 7s" and "Added a validated wager prompt before the deck is created in `game.py`. It retries invalid whole-chip amounts without changing the bankroll, then applies the wager once at settlement: wins add it, losses subtract it, and pushes leave chips unchanged. Quitting before settlement does not change the balance. Task 2's natural, bust, and dealer-draw behavior remains in place." It also mentions "Deterministic checks passed for wager validation, all outcomes, and quitting; no diagnostics were reported." and "cards.py was not modified." The right sidebar shows the "Sessions" view with a "New Session" button and a list of sessions, including "Fix hand_value function for Aces" with a status of "+36 -10" and "12 hrs ago". A "Snipping Tool" window is open in the bottom right corner, displaying "Screenshot copied to clipboard" and "Automatically saved to screenshots folder." The bottom status bar shows the current file is `game.py:86-87`, the cursor is at line 86, column 7, and the file is selected. The system tray at the bottom shows the date and time as 22:23 on 30-09-2026, along with weather information (23°C, Light rain) and system icons.

File Edit Selection View Go Run Terminal Help 18_blackjack Update

Chat

Fix hand_value function for Aces

Task 3 — Multi-round bankroll...

- A round must settle exactly once.
- If the player quits before the round is settled, do not change the bankroll.
- Keep the implementation simple and modular.
- Do not add external dependencies.
- Do not add persistence.
- Do not modify cards.py.
- Do not modify unrelated functionality.

After making the change, explain what changed and why.

Completed 13 steps in 1m 7s

Added a validated wager prompt before the deck is created in `game.py`. It retries invalid whole-chip amounts without changing the bankroll, then applies the wager once at settlement: wins add it, losses subtract it, and pushes leave chips unchanged. Quitting before settlement does not change the balance. Task 2's natural, bust, and dealer-draw behavior remains in place.

Deterministic checks passed for wager validation, all outcomes, and quitting; no diagnostics were reported. `cards.py` was not modified.

game.py:86-87

Task 4 — Action feedback and robustness.

game.py:86-113

Describe what to build

+ Agent Auto Balance

Local Default permissions

Janya Mahesh (6 days ago) Ln 86, Col 7 (961 selected) Space

23°C Light rain

22:23 30-09-2026

Snipping Tool

Screenshot copied to clipboard
Automatically saved to screenshots folder.

Mark-up and share

Task 4 — Action feedback and robustness

