Type	link	parameters	returned data	Notes	Needed to be added	Status
login	http://hajj.malakabuhammad.com/haj/index.php?r=site/login	qr_code	1. Pilgrem: {success: true, data: [id , first_name, middle_name, last_name, email, photo, phone, job, birth_date, nationality, qr_code, is_enabled, created_at, account_type]} 2. Staff: {success: true, data: [id , name, email, phone, national_id, qr_code, created_at, account_type]}			Deployed
checkqr	http://hajj.malakabuhammad.com/haj/index.php?r=site/checkqr	qr_code	{success: true, data: [id , first_name, middle_name, last_name, email, photo, phone, job, birth_date, nationality, qr_code, is_enabled, created_at, account_type]}			Deployed
trips	http://hajj.malakabuhammad.com/haj/index.php?r=trips/gettrips	qr_code	{success: true, data: [trips:[id, bus_id, source_station_id, , destination , departure_time, arrival_time , timestamp, free_seats, occupied_seats, created_at], account_type]}	will get all the trips which has not arrived yet		Deployed
getAccountTypes	http://hajj.malakabuhammad.com/haj/index.php?r=site/getAccountTypes	N/Y	{success: true, data: ['bs' => 'Bus supervisor', 'dr' => 'Driver', 'gs' => 'Group supervisor', 'us' => 'Pilgrim']}			Deployed
createAccount	http://hajj.malakabuhammad.com/haj/index.php?r=GroupSupervisor/createAccount	Account[first_name], Account[middle_name], Account[last_name], Account[email], Account[photo], Account[phone], Account[job], Account[birth_date], Account[nationality], Account[national_id], Account[account_type]	1. Pilgrem: {success: true, data: [id , first_name, middle_name, last_name, email, photo, phone, job, birth_date, nationality, qr_code, is_enabled, created_at, account_type]} 2. Staff: {success: true, data: [id , name, email, phone, national_id, qr_code, created_at, account_type]}			Deployed
get all buses	http://hajj.malakabuhammad.com/haj/index.php?r=buses/get	N/Y	{'success': true, 'data': ['buses' => [0:{id, name, number, capacity, license_number, color, model, created_at}]]			Deployed
get all destinations	http://hajj.malakabuhammad.com/haj/index.php?r=stations/getDestinations	N/Y	{'success': true, 'data': ['destinations' => [0:{id, name, address, number_of_buses, notes, created_at}]]			Deployed
create trips	http://hajj.malakabuhammad.com/haj/index.php?r=trips/create	Trips[bus_id], Trips[source_station_id], Trips[destination], // destination id Trips[departure_time], Trips[arrival_time]	{'success' : 'true', 'data' => ['trip' => {id, bus_id, source_station_id, destination, departure_time, arrival_time, free_seats, occupied_seats, created_at}]}			Deployed
add user to trip	http://hajj.malakabuhammad.com/haj/index.php?r=userTrips/add	UserTrips[trip_id], UserTrips[user_id]	{success: true, data: null}			Deployed
add driver to trip	http://hajj.malakabuhammad.com/haj/index.php?r=tripDriver/add	TripDriver[driver_id], TripDriver[trip_id]	{success: true, data: null}			Deployed
user takes (force take) trip	http://hajj.malakabuhammad.com/haj/index.php?r=userTrips/attend	trip_id, qr_code, force (boolean)	{success: true, data: null}			Deployed
get all pilgrims details (used to show/print all QR codes)	http://hajj.malakabuhammad.com/haj/index.php?r=users/getAllUsers	N/Y	{'success': true, 'data': ['users' => [0:{id , first_name, middle_name, last_name, email, photo, phone, job, birth_date, nationality, qr_code, is_enabled, created_at}]]			Deployed