In observance of MLK Day, PASCO will be closed on January 19th.

Wireless Spectrometer (Vis) • PS-2600A

TEACHER FAVORITE

$479

+5% Tariff Surcharge

1 Add to Cart

DESCRIPTION | SPECIFICATIONS | SOFTWARE/CONNECTIVITY | BUYING GUIDE | EXPERIMENTS | DOCUMENTS

Product Summary

cifically designed for introductory chemistry, biology, and physics
dows®, Chromebook™, iPad® and Android™ tablets) via Low Energy
rometry Software for easy operation. Scan times are fast, ranging
ental settings. This enables students to quickly gather absorbance
rget wavelength, students can select a display to compare
reactions (kinetics), or investigate emission spectra using the

This site uses cookies to offer you a better browsing experience. Please select which cookies you accept. Select “Allow All” to enable Help Chat. Learn more

Allow Essential Only | Allow All

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

- Intuitive, software-based operation
- Built-in tools for routine analyses
- Two-click (light/dark) brightness calibration
- NEW Frequency calibration ensures accuracy for the life of the unit
- Clear marks indicate light source and detector location for proper cuvette positioning

How Does it Work?

Light from the LED-boosted tungsten light source passes through the solution and into a slit sending light through a high-quality diffraction grating. Colors separate across a sensor and an image of the slit illuminate over 1000 sensors in the array on the other side of the spectrometer. The CCD array detects the brightness of each color of light so you can further analyze the brightness of each particular wavelength. When used with the optional Fiber Optic Cable, the Wireless Spectrometer can analyze light from emission spectroscopy experiments. Simply insert the Fiber Optic Cable into the cuvette holder and point the end of the cable at the light source to collect data.

Important Note: Solvents used within this spectrometer should be compatible with polystyrene (cuvette material) and ABS polymer (spectrometer housing material). Use either a glass cuvette or 12mm test tube for solutions with strong organic solvents like acetone, which will damage the plastic cuvettes and the interior of the spectrometer if spilled.

The PASCO Wireless Spectrometer is fully integrated with our user-friendly Spectrometry Software.
This free software is compatible with most student devices, enabling lab groups to quickly share and review their data with ease. Also available as a free, fully functional app, PASCO's cross-platform Spectrometry Software improves the efficiency of analyses with features such as:

- Easy-to-use navigation
- One-click light and dark (brightness) calibrations
- Soon to be released wavelength calibration will accommodate minor shifts from use
- Automatic display and storage of sample data
- Onboard scan averaging and data smoothing
- Intuitive run renaming for improved data tracking
- Spectral graph correlates visible wavelengths with color
- Built-in Beer-Lambert law with linear fits for determining concentrations
- Print spectrum and results snapshots
- Export data as a .csv file or .png screenshot for further analysis in Excel, SPARKvue, or PASCO Capstone

Spectrometry Software includes four configured displays:

- Analyze Solutions: Absorbance vs. Wavelength
- Compare Concentration: Absorbance vs. Concentration (Beer's Law)
- Change Over Time: Absorbance vs. Time (Kinetics)
- Analyze Exterior Light Sources: Intensity vs. Wavelength (Emission spectra)

Free Downloadable Spectroscopy Software

User's Guide and Help Documents

This site uses cookies to offer you a better browsing experience. Please select which cookies you accept. Select “Allow All” to enable Help Chat. Learn more

Allow Essential Only

Allow All

- Determine the rate of an enzyme catalyzed reaction

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

- Determine the rate of an enzyme-catalyzed reaction
- Study the relationship between absorbance and concentration (Beer's Law)
- Monitor photosynthesis rates using DPIP
- Analyze the absorption spectra of photosynthetic plant pigments
- Monitor the growth of a cell culture
- Determine the concentration of protein in a solution
- Photosynthesis with algae beads using a pH indicator

Perform These Experiments

- Emission spectra of light from flame tests or fluorescent bulbs
- Easily identify peak wavelengths for concentration data
- Reaction kinetics
- Enzymatic reactions
- Determine colored solution concentrations
- Explore Le Chatelier's principal on reversible reactions

What's Included

10x Cuvettes
1x Spectrometry Software

Product Videos

PASCO Spectrometer: Kinetics



Electric Pickle: A Spectral Analysis

PASCO Spectrometer and Colorimeter: A Comparison

Related Products & Accessories

Cuvettes and Caps

Spectral Tube Power Supply and Mount

This site uses cookies to offer you a better browsing experience. Please select which cookies you accept. Select “Allow All” to enable Help Chat. Learn more

Allow Essential Only

Allow All

ed by: Roger Palmer

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

FOLLOW US

Newsletters, Video, and Social Media

COPYRIGHT ©2026 PASCO SCIENTIFIC | TERMS & CONDITIONS | PRIVACY POLICY | ISO 9001 CERTIFIED

This site uses cookies to offer you a better browsing experience. Please select which cookies you accept. Select “Allow All” to enable Help Chat. Learn more

Allow Essential Only

Allow All

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF