An Overview and Comparison of State of the Art Methodologies for the upcoming challenges of industrial digitization

René Kremer
University of Lübeck
Lübeck, Germany

Email: rene.kremer@student.uni-luebeck.de

Abstract—Driven by the fourth industrial revolution emerges a need for concepts, methods and technologies which will take on the new challenge of digitalization. In future systems digitalization is an important principle with the goal of processing and collecting large amounts of data as well as having smart, pluggable, cooperating and collaborating components. A special design process has to be addressed to allow building evolvable and complex systems for various requirements and use cases. This paper focuses on architectures like PERFoRM and the PRIME Framework for Multi Agent Systems (MAS) by comparing them, as both are trying to support the new upcoming system designs.

1. Introduction

The world wide trend for globalization pressures the manufacturing domain. Especially Europe is pressured by constantly rising US and Asian competitors. This leads to customers being able to order from foreign companies and products eventually being more customized, cheaper and with higher quality. This circumstance drives manufacturing companies to find solutions to keep up with these changes [1].

While striving for ways to reduce production costs and raise quality of products, another factor to the company performance are disturbances like delays, shortages from suppliers or resource breakdowns. These disturbances can have a deep impact on the performance and might lead to losing customers. This world-market reshape raises the urge to develop new manufacturing paradigms, new manufacturing control systems and smarter manufacturing equipment with features such as modularity, reconfigurability and flexibility to enable a complete process integration. The underlying basis for this integration is production digitization, massive information exchange and processing.

The use of Internet of Things (IoT) allows for collect to massive sensorial data, which can be processed by Big data techniques. This allows production resources to become smarter, pluggable and distributed. The design of production systems shifts from traditional monolithic hierarchical systems into a distributed and horizontal structure, where heterogeneous components are cooperating and collaborating with another. A common paradigm to reach such a structure

is called Cyber-Physical-System (CPS), where the physical (real world) and logical part (cyber world) are merged [2].

National and transnational programs emerged to support research on these scientific and technological areas. These programs strive to solve the problems of the industrial revolution are called: "Industrie 4.0" in Germany, "Made in Sweden 2030" in Sweden, "La Nouvelle France Industrielle" in France, "Smart Industry" in Netherlands, "Industria Conectada 4.0" in Spain, "Innovate UK" in United Kingdom and "Fabbrica Intelligente" in Italy [2].

The European commission, industry and research institutes are trying to solve these new problems and issues, but only few brought successful solutions into industrial applications. Many projects focus on solving specific problems but neglect other technological issues. Research projects are often using non-standardized interfaces and platforms, which aren't yet applied in industry.

Some projects showed that Multi-Agent Systems (MAS) provide a distributed intelligence to the components of the system while Service-oriented Architecture (SoA) provide plugability and also vertical and horizontal system integration. Ontologies are needed to define a common data model for communication and data processing.

The FP7 PRIME project, funded by the EU, developed an agent based architecture, which will be topic of section 3, to allow semi-automatical reconfiguration through aggregating and compositing skills in combination with a Human Machine Interface Agent (HMIA). The HMIA works as a gateway user interface providing different system users, system configurations and specifications. PRIME shows how reconfiguration by parametrization can be done using MAS.

The PERFoRM project, which will be introduced in section 4, combines existing solutions of successful public and private research projects into one common platform to make an industrial adoption possible [1]. PERFoRM aims to develop an approach to integrate legacy systems through adapters, allow seamless production system reconfiguration through the plug-and-produce concept as well as human interactions, but also to provide advanced tools like intelligent decision support, scheduling and simulation to aid the system [2].

This report gives an overview of state of the art technologies addressing the issues of the industrial revolution 4.0 and compares the PRIME architecture with the PERFoRM

architecture, which aim to provide solutions for these new cyber-physical-production-systems (CPPS).

2. State of the Art Methodologies

In this section different approaches will be introduced, which are the results of successful projects.

2.1. Multi-Agent Systems

Multi-Agent Systems (MAS) are an approach to develop an agent based decentralized control architecture for production systems. This allows an easy support for cyber-physical concepts and the creation of smart components as agents in the system. This means the production system is a collection of agents, where agents interact with each other. Every agent got an own action scope and is aware of the status of its surrounding agents. Therefore it is possible for them to selforganize in case of changes and disturbances, which means they reconfigure and operate accordingly to its environment [1].

2.2. Plug and Produce Technology

"Plug and Produce" technologies try to build modules, which can integrate intelligent components. This is accomplished by using standard interfaces and adapters for existing interfaces. Following this approach it is possible to use plugand-produce devices, which could have built-in intelligence and profit of sensors and actors. These plug-and-produce devices might be used to integrate new capabilities to an existing production systems or a new one [1]. Self*-Features possess an important role in these upcoming architectures [2] and the "Plug and Produce" technology should focus on self-adaptive and reconfigurable components to support a flexible solution. MAS was used in some projects to accomplish plug-and-produce with self-adaption. PRIME, which was developed in scope of the PRIME project and funded by the European FP7 program, used a MAS in this context to support semi-automatical configuration through a human-machine-interface (HMI). Reconfiguration in the PRIME architecture is handled through different agent roles and enables the integration of legacy systems [1].

2.3. Service-oriented Architecture

Other projects researched the possible use of Service-oriented Architectures (SoA), which are mostly commonly used in the context of Web services. The principle of SoA could be used at a device and application level to enable and integrate distributed smart embedded systems. These components are handled as services, which are flexible parts in this kind of architecture. Therefore it is important to create an open and flexible environment that is extended by the scope of the collaborative SoA [1]. This means that the industrial middleware needs to be able to discover and register new services and also expose functionalities of the

heterogeneous components as services [2]. Data transformation for these different services also needs to be handled by the middleware, which adds additional intelligence to this component. Once the groundwork is done, integration of new services and communication between existing ones can be simplified on different levels of the enterprise architecture. As services are interoperable and reusable this approach allows to develop self-learning production systems by using data mining and context awareness [1].

2.4. Cloud Technology

Towards the goal of developing an architecture that can be used in the context of industry 4.0 and its digitalization, the possible use of cloud technologies was investigated. Cloud technologies are used to build a common data model to integrate data of heterogeneous components together onto one platform. This allows the creation of a systematic knowledge generation ranging from design till usage phase by knowledge gathering and refining. Some projects even showed that SoA and Cloud technologies work hand in hand [1].

2.5. Conclusion

Different solutions were developed for the new agile-manufacturing generation using agent-systems, (smart) component networks, service-oriented paradigms and cloud principles to overcome the challenges of the migration from traditional production systems towards cyber-physical-production-systems (CPPS) [1].

- 1. Integration: The problem posed by each of these solutions is the individual integration of existing components and legacy systems. Therefore a common interface and standard needs to be established for a wide use in different industries.
- 2. Support Businesses: It is not enough to develop new concepts and technologies if it is not benefiting the goal of businesses. Requirements and performance indicators needs to be analyzed to support those real business requirements and therefore improve the overall performance of the business.
- 3. Human Factor: The human factor is a flexibility driver and therefore needs special attention. Not only highly usable HMIs need to be developed. The impact of these upcoming concepts and architectures needs to be analyzed and evaluated. Necessary skills for operators and maintainers possibly will change. Activities on education and training become important parts so that human workers can keep up with new state of the art procedures and technologies.
- 4. Maturity and Migration: These new approaches, which are currently state of the art, are not fully tested in industry. As the migration of new technologies will have a big impact on the production and expenses of a company a good and tested migration strategy needs to be developed. Special attention lies on the smooth integration of legacy systems.

3. PRIME

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tem-

por ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetuer at, consectetuer sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui.

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

Suspendisse vitae elit. Aliquam arcu neque, ornare in, ullamcorper quis, commodo eu, libero. Fusce sagittis erat at erat tristique mollis. Maecenas sapien libero, molestie et, lobortis in, sodales eget, dui. Morbi ultrices rutrum lorem. Nam elementum ullamcorper leo. Morbi dui. Aliquam sagittis. Nunc placerat. Pellentesque tristique sodales est. Maecenas imperdiet lacinia velit. Cras non urna. Morbi

eros pede, suscipit ac, varius vel, egestas non, eros. Praesent malesuada, diam id pretium elementum, eros sem dictum tortor, vel consectetuer odio sem sed wisi.

4. PERFORM

This section gives a brief introduction to PERFoRM, its motivation, assumptions and architectural elements.

4.1. Motivation

The PERFoRM project is funded by the European Unions Horizon 2020 research and innovation programme and investigates the requirements for new innovative production systems. PERFoRM does not try to develop a new architecture from scratch but instead tries to re-use the results of previous successful projects in this field [2].

4.2. Assumptions

- 1. Integration of legacy systems: As most of the industry uses legacy systems the integration of these systems is an important part to consider. Standard interfaces for syntax and semantic define how to communicate with components of the system. Technology adapters connect existing components to these interfaces. Once these interfaces and adapters are commonly established heterogeneous components can be connected to the communication infrastructure, which can address other backbone level systems via Machine-to-Machine (M2M) and Enterprise-Service-Bus (ESB) technologies.
- 2. Integration of advanced planning and simulation applications: New CPPS are based on smart components. To support smart and self*-features of those devices it is essential to allow simulation and planning. This allows them to be agile and adaptive to its surroundings. A way to enable this is using MAS and cloud technologies to propagate strategies and decision making.
- 3. Seamless data representation: Keeping in mind that devices are mostly heterogeneous different representations of data need to be processed. An standard representation of industrial data models and gateways for data transformation on machinery and backbone level are needed to accomplish this problem.
- 4. Components and Configuration on the fly: Disturbances of the work-flow need to be recognized and handled. Distributed approaches, e.g. MAS or SoA, combined with registry and discovery mechanisms enable the architecture to support a plug-and-play approach for components. In case of disturbances, planned or not, e.g. maintenance or device failure, reconfiguration of running components might be necessary. Other projects, like PRIME, showed concepts to support reconfiguration and also self*-features in an productive environment.
- 5. Distributed and heterogeneous components: In addition to the previously mentioned standard interfaces and technology adapters, service-oriented design principles like

SoA allow a more abstract view on distributed and heterogeneous components. The system can expose functionalities as services as well as aggregate and composite those services. Therefore the combination of services can create new services and also describe services used for self-organization of smart components in the production system.

- 6. Intelligent production components: Components getting more powerful in terms of performance allow for decentralized intelligence. Artificial Intelligence methods, e.g. MAS, could be supported by these components. Data analysis could be handled on an advanced level to help the AI and their self*-features. An example would be the self-adaption in case a surrounding component fails. As these smart devices watch their surroundings and the status of other devices they can react to changes based on status or disturbances in another part of the work-flow.
- 7. Integrate Humans: Rather with all those smart devices and innovative ways to enhance new performance peaks to satisfy customer needs, humans still play an important role in operating and maintaining these systems. With changing techniques and concepts human operators and maintainers need to adapt to those changes. HMI and mobile applications need to be highly usable and supportive. Education and Training activities need to take new ways to keep up with these upcoming technologies and enable humans to understand, operate and maintain them [2].

4.3. Architectural Elements

Based on the assumptions made by PERFoRM there are elements in the architecture which are deemed necessary.

The integration of legacy systems and communication between distributed heterogeneous components make standard interfaces and technology adapters essential. Therefore standards for these interfaces and adapters need to be establish so that regardless of the manufacturers of devices and software components it is ensured that they fit into the architecture.




Figure 1. The PERFoRM system architecture [2]

Another important part of the architecture is an industrial middleware. To ensure seamless data representation, data

transformation and approaches like MAS a smart middleware is necessary. In terms of service-orientation these features are enriched with service registry and discovery. Depending on the chosen architecture design the middleware might be the central communication and organization hub for all other parts of the system.

Following this quick overview this report will compare PERFoRM to the previously described PRIME architecture in section 5.

5. Comparison

6. Conclusion

The conclusion goes here.

Acknowledgments

The authors would like to thank...

References

- [1] A. Calà and M. Foehr and D. Rohrmus and N. Weinert and O. Meyer and M. Taisch and F. Boschi and P. M. Fantini and P. Perlo and P. Petrali and J. Vallhagen, *Towards Industrial Exploitation of Innovative* and Harmonized Production Systems, IEEE, 2016
- [2] Paulo Leitão and José Barbosa and Arnaldo Pereira and José Barata and Armando W. Colombo, Specification of the PERFoRM Architecture for the Seamless Production System Reconfiguration, IEEE, 2016
- [3] Tiago Santos and Luis Ribeiro and Andre Dionisio Rocha and Jose Barata, A system reconfiguration architecture for hybrid automation systems based in agents and programmable logic controllers, IEEE, 2016